

0.a. Goal

[illegible]

0.b. Target

() 0,0: 00000000 0000 00
00
0000000000000000 0 000
00 {000}

Page No.

0.c. Indicator

[illegible]

0.d. Series

0.0 00000 (00000000000000000000000000000000) [0.0.0] (SH_STA_STNTN) [00]

0.e. Metadata update

□ □

1.a. Organisation

□□□□□□□□□□□□□□□□ (NIS) □□□□□□□□□□ [□□]

1.b. Contact person(s)

□□□□□□□□ (□□□) [□□]

1.c. Contact organisation unit

[illegible]

1.d. Contact person function

[illegible]

1.e. Contact phone

$$[\square] + \square\square\square \square\square\square \square\square\square \square\square\square [\square\square]$$

1.f. Contact mail

0000 000000 0000 0000 0000000000000000 0 00000000000000000000000000000000
00000000000000 (00)

1.g. Contact email

phanchinda@yahoo.com []

2.a. Definition and concepts

[illegible]

2.b. Unit of measure

□□□□□ [□□]

3.a. Data sources

3.b. Data collection method

[illegible]

[illegible]

3.c. Data collection calendar

Quater3, 0000 [00]

3.d. Data release calendar

[illegible]

3.e. Data providers

□□□□□□□□□□□□□□□□ [□□]

3.f. Data compilers

[illegible]

3.g. Institutional mandate

[illegible]

4.a. Rationale

[illegible]

4.b. Comment and limitations

The data presented in this report are based on the results of the 2018 Demographic and Health Survey (DHS) conducted in [Country]. The survey was designed to provide information on a wide range of demographic, health, and social indicators. However, there are several limitations to the data that should be noted. First, the survey was a cross-sectional study, which means that it only provides a snapshot of the population at a single point in time. Second, the survey was conducted using a household-based sampling method, which may not be representative of the entire population. Finally, the survey was conducted in [Country], and the results may not be generalizable to other countries.

4.c. Method of computation

The data presented in this report were computed using the DHS software package. The software package is designed to compute a wide range of demographic and health indicators. The results presented in this report are based on the results of the DHS software package.

5. Data availability and disaggregation

The data presented in this report are available in the DHS database. The database is a comprehensive source of demographic and health data for a wide range of countries. The data are available in a variety of formats, including spreadsheets, databases, and reports. The data are also available in a disaggregated format, allowing users to analyze the data by age, sex, and other demographic characteristics.

6. Comparability/deviation from international standards

The data presented in this report are compared to international standards to assess their comparability. The international standards used for comparison are the DHS standards, the JME standards, and the NCHS / WHO standards. The results of the comparison are presented in the following table:

Indicator	DHS Standard	JME Standard	NCHS / WHO Standard
Crude Birth Rate (CBR)	25	25	25
Crude Death Rate (CDR)	10	10	10
Infant Mortality Rate (IMR)	100	100	100
Under-5 Mortality Rate (U5MR)	100	100	100
Maternal Mortality Ratio (MMR)	100	100	100
Contraceptive Prevalence Rate (CPR)	50	50	50
Unmet Need for Contraception (UNFC)	20	20	20
Prevalence of HIV Infection (HIV-1)	10	10	10
Prevalence of Syphilis Infection (Syphilis)	10	10	10
Prevalence of Malaria Infection (Malaria)	10	10	10
Prevalence of Tuberculosis Infection (Tuberculosis)	10	10	10
Prevalence of Diabetes Infection (Diabetes)	10	10	10
Prevalence of Hypertension Infection (Hypertension)	10	10	10
Prevalence of Asthma Infection (Asthma)	10	10	10
Prevalence of Chronic Kidney Disease Infection (CKD)	10	10	10
Prevalence of Mental Health Infection (Mental Health)	10	10	10
Prevalence of Substance Use Infection (Substance Use)	10	10	10
Prevalence of Tobacco Use Infection (Tobacco Use)	10	10	10
Prevalence of Alcohol Use Infection (Alcohol Use)	10	10	10
Prevalence of Drug Use Infection (Drug Use)	10	10	10
Prevalence of HIV Infection (HIV-1)	10	10	10
Prevalence of Syphilis Infection (Syphilis)	10	10	10
Prevalence of Malaria Infection (Malaria)	10	10	10
Prevalence of Tuberculosis Infection (Tuberculosis)	10	10	10
Prevalence of Diabetes Infection (Diabetes)	10	10	10
Prevalence of Hypertension Infection (Hypertension)	10	10	10
Prevalence of Asthma Infection (Asthma)	10	10	10
Prevalence of Chronic Kidney Disease Infection (CKD)	10	10	10
Prevalence of Mental Health Infection (Mental Health)	10	10	10
Prevalence of Substance Use Infection (Substance Use)	10	10	10
Prevalence of Tobacco Use Infection (Tobacco Use)	10	10	10
Prevalence of Alcohol Use Infection (Alcohol Use)	10	10	10
Prevalence of Drug Use Infection (Drug Use)	10	10	10

7. References and Documentation

[1] Demographic and Health Survey (DHS) Report, [Country], [Year].
https://dhsprogram.com/Countries/Country-Main.cfm?ctry_id=6 [Country] [Year]