


## #R Module 2: Working with R Scripts and Projects

This R Module is intended to introduce summary statistics, measures of central tendency, and measures of dispersion. In terms of R concepts, it will teach students about how to work with files in the working directory, create and use scripts (rather than type all the code in the console!) and organize their R Modules into an R Project (.rproj).

```
# Load in the data
library(datasets)
tree_data <- trees
```

1. Create your own histogram of the `tree_data` dataset with `ggplot2`, showing:
  - Distribution of the `Height` variable,
  - 20 bins,
  - A color of your choosing,
  - Labels (title and x-axis) that reflect the change in variable

```
library(ggplot2)
ggplot(
  data = tree_data,
  aes(x = Height)
) +
  geom_histogram(bins = 20, fill = "brown3") +
  labs(
    x = "Height",
    y = "Frequency",
    title = "Histogram of Tree Height"
  )
```



### Question 2:

Visualize and Explore the `mtcars` dataset: 1. Create a new script called `mtcars.R` 2. Assign `mtcars` to an object (e.g., "cars") using the `<-` operator 3. Choose 3 variables from `mtcars` and for each: - Record the Mean, Median, and Mode - Create a histogram in `ggplot2`, with appropriate labels, title, etc.

```
# The code for this one should include their mtcars.R script as well

cars <- mtcars

# They should have three of the following, for each of the variables they choose:
mean(mtcars$mpg)
```

```
## [1] 20.09062
```

```
median(mtcars$mpg)
```

```
## [1] 19.2
```


*# Any way they want to find the mode is fine. Oddly, base R doesn't have a function to find the mode.*

```
find_mode <- function(x) {  
  unique_data <- unique(x)  
  unique_data[which.max(tabulate(match(x, unique_data)))]  
}
```

```
find_mode(mtcars$mpg)
```


```
## [1] 21
```

```
ggplot(mtcars, aes(x = mpg)) +  
  geom_histogram() +  
  labs(  
    x = "Miles per Gallon",  
    y = "Count",  
    title = "Histogram of mpg"  
  )
```



- d. Choose two variables from `mtcars` and create a scatterplot in `ggplot2` showing their relation:
- Include title, labels, etc.
  - *Hint: Use the `geom_point()` function*
  - Use Google, Stack Exchange, and the built-in Help for examples on how to use these plots!

```
ggplot(data = mtcars, aes(x = mpg, y = hp)) +  
  geom_point() +  
  labs(x = "Miles per Gallon",  
    y = "Horsepower",  
    title = "mpg. vs. hp.")
```



Include a screenshot of your `mtcars.R` script Submit all questions to Google Classroom; include Name, Question Number, and all figures