DMS Transit XML Guide

Version 1.7



| | Version control | | | | | | | |
|---------|-----------------|---|--|--|--|--|--|--|
| Version | Date | Change | | | | | | |
| 1.0 | 21-03-23 | Initial version | | | | | | |
| 1.1 | 23-03-23 | Mandatory/Optional/Conditionally Mandatory fields updated for all elements | | | | | | |
| 1.2 | 31-03-2023 | XSD-Path updated, Rules/Codes updated. Added HouseConsignment & ConsignmentItem overview | | | | | | |
| 1.3 | 25-04-2023 | LRN description updated, | | | | | | |
| 1.4 | 03-05-2023 | Added text in "Aim of this Document" to explain the codelist and rulecodelist, as well as reference to the excel sheets. | | | | | | |
| 1.5 | 21-06-2023 | messageRecipient updated to reflect the correct rules. EU Emergency changes | | | | | | |
| 1.6 | 04-08-2023 | Full review process, confirming elements, optionality, reference numbers and element names to better match DDNXA Q2 and XSDs. | | | | | | |
| 1.7 | 18-09-2023 | Changes made to Previous Document and Consignor tables, and added MCL, HCL and HCI abbreviations to the Glossary | | | | | | |

Table of contents

| 2. | Glossary | |
|-------|---|---------|
| 3. | Footnotes | 8 |
| 4. | System specific fields | 10 |
| mess | sageType | |
| mess | sageRecipient | 12 |
| mess | sageSender | 13 |
| Mess | sageIdentification | 14 |
| Prep | arationDateAndTime | 15 |
| Corre | elation Identifier | 16 |
| Com | munication Language at Departure | 17 |
| Limit | t Date | 18 |
| MRN | I 19 | |
| Inval | lidation | 2 |
| 5. | Group 11 - Message information (including procedure codes) | 22 |
| Decla | aration type/Additional declaration type | |
| Good | ds item numberError! Bookmark not d | lefined |
| Spec | ific Circumstance Indicator | 25 |
| Secu | rity | 26 |
| Redu | uced dataset indicator | 27 |
| 6. | Group 12 - References of messages, documents, certificates, | |
| | authorizations | 28 |
| Prev | ious Document | |
| | tional Information | |
| | | |

The aim of this document4

| Supporting Document | 32 |
|---|--|
| Additional reference | 33 |
| Transport Document | |
| TIR Carnet Number | |
| Reference Number/UCR | 36 |
| LRN 37 | |
| Authorisation | 38 |
| 7. Group 13 - Parties | 20 |
| 7. Group 13 - Parties | |
| Consignee | |
| Representative (Agent) | |
| Holder of the transit procedure | |
| Carrier 47 | 13 |
| Additional Supply Chain Actor | 48 |
| | |
| 8. Group 14 - Valuation information/Taxes | |
| Transport Charges | 50 |
| | |
| 9. Group 16 - Places/Countries/Regions | |
| Country of destination | |
| Country of dispatch | |
| Country of routing of consignment | |
| Place of Loading | |
| Place of Unloading | |
| Location of goods | |
| Binding Itinerary | 60 |
| | |
| 10 Group 17 - Customs Offices | 61 |
| 10. Group 17 - Customs Offices | |
| Customs office of departure | 62 |
| Customs office of departure | 62 |
| Customs office of departure | 62 63 64 |
| Customs office of departure | 62 63 64 |
| Customs office of departure Customs office of transit Customs office of destination Customs office of exit for transit 11. Group 18 – Goods identification | |
| Customs office of departure Customs office of transit Customs office of destination Customs office of exit for transit 11. Group 18 – Goods identification Net Mass | 62 63 65 66 |
| Customs office of departure Customs office of transit Customs office of destination Customs office of exit for transit 11. Group 18 – Goods identification Net Mass Supplementary Units | 62 63 65 65 |
| Customs office of departure | 62 63 65 65 67 68 |
| Customs office of departure | 62 63 65 65 66 68 69 |
| Customs office of departure | 626365656768697071 |
| Customs office of departure | 626365656768707172 |
| Customs office of departure | |

| Active | e border transport means | 87 |
|-------------|--------------------------------|----|
| Seal | 88 | |
| | | |
| | | |
| 13 . | Group 99 - Other data elements | 89 |
| Guara | antee | 90 |
| • | antoo reference | |

The aim of this document



The aim of this document is to give an in-depth description of the different fields and data elements contained in the XSD-files for Transit declarations based on the EU Customs Data Model - https://eucdm.softdev.eu.com/

The document is structured after the EUCDM grouping of the data elements as well as DMS-specific data fields that are required by the system when using the S2S solution:

- **System-specific fields**: This section includes fields that are needed by the system to recognize what declaration is sent in, who is submitting the declaration, as well other data that is needed to fulfill the desired action.
- Group 11: This section contains basic information about the declaration, meaning if the declaration is prelodged or a standard and which procedures the declaration should be processed under. All this information influences how the declaration is processed, what kind of business scenario and procedure to be expected and requested.
- **Group 12**: This section is for the submitter to present all other relevant information and documents related to the submitted declaration that is not contained in the data fields. This is especially used for references tracking documents, authorizations and supplying tracking numbers.
- **Group 13**: This section contains information on all parties involved in the Exit procedure. It is here information on the importer, exporter, declarant, fiscal reference, representative, etc., is provided either by ID or other identifiable information depending on whether the party is a company or private person.
- Group 14: In this section valuation information is given, examples of valuations are: taxes, transportation
 costs, delivery terms, etc.
- **Group 16**: This section contains the location-related information, e.g., where the goods will be or are presented (depending on whether it is a pre-lodged or a standard declaration) as well as the countries involved in the exit process.
- **Group 17**: This section contains information regarding which customs offices have handled the goods in the Transit process.
- **Group 18**: In this section the submitter supplies more detailed information on the goods item(s) such as a weight, description, Taric code(s), etc.
- **Group 19**: This section contains information about the form of transport of goods, e.g., modes, container information, equipment, etc.
- **Group 99**: This section contains other information in the declarations which does not fit into the other above-mentioned groups.

Under each data element in the groups is provided a detailed description on whether the field is mandatory or optional as well as what rules to adhere to depending on the desired business scenario to make use of, and XML-examples are provided to give context.

Information on the EUCDM ID6 reference code is provided to help the reader in seeking further information if needed.

Additionally, under some of the data element you will see codelist or rulecode codes identifying codes and rules for this element. These elements are relevant under the transitional period of the new system, and you can identify them in the Codelists.xslx or Rulecodelist.xlsx sheets found on <u>GitHub</u>. The first document can be used to identify the CLxxx errors, and the second document can be used to identify the rest. If there is an error not presented in comments of the data elements, or you can not find it in the code-/rulecodelist sheets, please contact us on Toolkit for further assistance on the subject.

Glossary



To make the document shorter and easier to read, some abbreviations are used. Here is a list of the abbreviations used in this document.

| Abbreviation | Description | Details |
|--------------|-----------------------------------|---|
| M | Mandatory | The field is mandatory to declare. |
| 0 | Optional | The field is optional to declare or should only be declared if rele- |
| | | vant information is available. |
| MC | Conditionally mandatory | The information is mandatory dependent on other information |
| | | given in the declaration, e.g., type of declaration or commodity |
| | | code. |
| DL | Declaration level | The information is given on header level and applies to all the |
| | | goods items in the declaration. |
| GSL | Goods shipment level | The information is given on goods shipment level and applies to |
| | | all the goods items in the goods shipment. |
| GIL | Goods item level | The information is given on goods item level and applies to only |
| | | the goods item it is declared under. |
| MCL | Master consignment level | Path: Header/Consignment/ |
| HCL | House consignment level | Path: Header/Consignment/HouseConsignment/ |
| HCI | House consignment item level | Path: Header/Consignment/HouseConsignment/Consign- |
| | | mentItem/ |
| C/A | Defines whether an element can | Yes/Yes means can be corrected and amended. |
| | be corrected or amended | Yes/No means it can be corrected but not amended |
| | | No/Yes means it can't be corrected but it can be amended |
| | | No/No means it can't be corrected or amended |
| EUCDM | European Union Customs Data | The European Union Customs Data Model (EUCDM) is the model |
| | Model | for Customs trans-European systems such as NCTS, AES, ICS, EOS |
| | | and for Member States national customs clearance systems |
| XSD | XML Schema Definition | A document that specifies how to formally describe the elements |
| | | in an Extensible Markup Language (XML) document. This de- |
| | | scription can be used to verify that each item of content in a doc- |
| | | ument adheres to the description of the element in which the |
| XML | Extensible Markun Language | content is to be placed. A simple text-based format for representing structured infor- |
| AML | Extensible Markup Language | mation, storing, and sending data. It is the file format used to |
| | | send declarations to DMS. |
| n/a | Not Applicable | The information does not apply to the given element/declaration. |
| Requirement | Mandatory / Optional / Condition- | Defines whether an element is M, O, MC (see abbreviations |
| Overview | ally mandatory / Levels / Rules | above) or whether any EUCDM rules apply to the given element |
| Overview | any mandatory / nevers / reales | in a specific declaration. |
| M/O | Defines whether a field is manda- | For a lot of input fields, the sub elements of that field are not al- |
| 1.1,0 | tory or optional when the main | ways mandatory even though the overall input field is. |
| | field is in the XML Mandatory/Op- | |
| | tional | For example, is Supporting Document which is optional, but |
| | | when put into to an XML, SequenceNumeric and ID becomes |
| | | mandatory as the only elements. |
| ND | Not Determined | The mandatory or optional status of these elements are not yet |
| | | determined. |

Footnotes



Throughout the XML-Guide you will see several footnotes, all of these refers to this table. All these footnotes can also be found on EUCDM.

| FOOTNOTE | DESCRIPTION |
|----------|--|
| [7] | The Holder of the transit procedure Identification number is mandatory only in the cases where the EORI number or a third country unique identification number recognized by the Union of the person concerned is not provided. Where the EORI number or a third country unique identification number recognized by the Union is provided, the name and address shall not be provided. The TIR Holder identification number is mandatory in case the Declaration type is TIR; otherwise, it cannot be used. |
| [6] | Where the EORI number or a third country unique identification number recognized by the Union is provided, the name and address shall not be provided. |
| [8] | This information shall only be provided where available. |
| [27] | This data element is not mandatory in case the declaration type is TIR. |
| [30] | Member States may waive this requirement for modes of transport other than rail in case the transit movement doesn't cross the external border of the Union. |
| [34] | Not for use in the case of postal consignments or carriage by fixed transport installations. |
| [35] | Where goods are carried in multimodal transport units, such as containers, swap bodies and semi-trailers, the customs authorities may authorize the holder of the transit procedure not to provide this information where the logistical pattern at the point of departure may prevent the identity and nationality of the means of transport from being provided at the time the goods are released for transit, providing multimodal transport units bear unique numbers and such numbers are indicated in D.E. 19 07 063 000 Container identification number. |
| [36] | In the following cases, Member States shall waive the obligation to enter this information on a transit declaration lodged at the office of departure in relation with the means of transport on which the goods are directly loaded: - where the logistical pattern does not allow this data element to be provided and the holder of the transit procedure has the AEOC status and - where the relevant information may be traced where needed by the customs authorities via the records of the holder of the transit procedure. |
| [42] | This data element shall only be used in the context of TIR Carnet. |
| [60] | This data element is to be provided when an authorization exists according to the relevant section of Annex A to this Regulation, Title I Chapter 1. |
| [61] | This data element is optional when the declaration is submitted prior to presentation of goods. |
| [70] | Not for use in the case there is no Customs office of transit (17 04 000 000) declared. |
| [71] | This information shall not be provided if it is the same as the Departure transport means (19 05 000 000). |

System specific fields



messageType

| Requirement Overview | | | view | VCD noth | | | |
|----------------------|--------------|----|------|----------|---------|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| No/No | M | M | M | Basepath | : Heade | er/ messageType | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/O | Comment | |
| None | messageType | | | | М | No official format, no message contains more than 6 alphanumerical characters. CL060 | |

Description:

This data element is used to describe which type of special message is being sent For Codelist information, see codelist excel sheet under **CL060** found on <u>GitHub</u>.

Rules/codes/other relevant information:

For the special messages presented in this XML Guide, you can use either one of the following message types:

- CC013C Amendment
- **CC014C**: Invalidation
- **CC015C**: Transit Declaration
- CC007C: Arrival Notification
- CC044C: Unloading Remarks
- **CC141C**: Information on non-arrived movement
- **CC170C**: Presentation Notification for the pre-lodged declaration.

XML-examples:

<messageType>CC015C</messageType> --- for transit declarations

message Recipient

| Requirement Overview | | | | VCD | | |
|----------------------|------------------|----|----|-----------------------------------|-----|---------|
| C/A | D1 | D2 | D4 | XSD-path | | |
| No/No | M | M | M | Basepath: Header/messageRecipient | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/O | Comment |
| None | messageRecipient | | | An35 | M | |

Description:

This data element is used to show the message recipient

Rules/codes/other relevant information:

For transit this field always needs to be NTA.DK the DK here is the country code.

XML-examples:

<messageRecipient>NTA.DK</messageRecipient>

message Sender

| CIA | Requ | view | VCD | | | |
|-----------|---------------|------|-----|----------|---------|------------------|
| C/A | D1 | D2 | D4 | XSD-path | | |
| No/No | M | M | M | Basepath | : Heade | er/messageSender |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/O | Comment |
| None | messageSender | | | An35 | M | |

Description:

This data element is used to show the message sender $% \left(1\right) =\left(1\right) \left(1\right)$

Rules/codes/other relevant information:

No immediate rules. For restrictions on this element, look at the htypes.xsd and XMLSchema.xsd files

XML-examples:

<messageSender>HENRY</messageSender>

Message Identification

| CIA | Requ | irement Over | view | VCDth- | | |
|-----------|-----------------------|--------------|------|----------|---------|-------------------------|
| C/A | D1 | D2 | D4 | XSD-path | | |
| No/No | M | M | M | Basepath | : Heade | r/messageIdentification |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/O | Comment |
| None | messageIdentification | | | An35 | M | |

Description:

This data element is used to show the message identification.

Rules/codes/other relevant information:

No immediate rules. For restrictions on this element, look at the htypes.xsd and XMLSchema.xsd files

XML-examples:

<messageIdentification>3MZ608UX4XX643

Preparation Date and Time

| Requirement Overview | | | | | VCD | | |
|----------------------|------------------------|----|----|---|-----|---------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| No/No | M | M | M | Basepath: Header/PreparationDateAndTime | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/O | Comment | |
| None | preparationDateAndTime | | | an19 | M | G0002 | |

Description:

This data element is used to show the messages preparation date and time content.

Rules/codes/other relevant information:

Rules on this element uses a simple RegEx restriction " $\d{4}-\d{2}-\d{2}T\d{2}:\d{2}:\d{2}$ ". It translates to "Year-Month-DayTHour:Minute:Second". For example: "2022-12-28T15:28:09"

For more information, look at the htypes.xsd and XMLSchema.xsd.

XML-examples:

<preparationDateAndTime>2022-12-28T15:28:09</preparationDateAndTime>

Correlation Identifier

| Requirement Overview | | | | | VCD wath | | |
|----------------------|----------------|----|------|----------|--|---------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| No/No | MC | MC | MC | Basepath | Basepath: Header/correlationIdentifier | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/O | Comment | |
| None | correlationIde | | an35 | MC | B1833, C0511, R0008 | | |

Description:

If multiple notifications are received on the same declaration, this would be the same identifier.

Rules/codes/other relevant information:

This shall be equal to the rejected / requested message.

XML-examples:

<correlationIdentifier>22DKRQSJFGGNIY8VD1</correlationIdentifier>

Communication Language at Departure

| CIA | Requ | view | VCD41- | | | | |
|-----------|--------------|-----------|--------|----------|--|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| No/No | 0 | 0 | n/a | - | Basepath: Header/TransitOperation/communicationLanguageAtDeparture | | |
| EUCDM 6.1 | XSD/XML-na | | Format | M/O | Comment | | |
| None | communicatio | Departure | a2 | 0 | CL192, R0100 | | |

Description:

This field are used to define what language the declaration is written in.

Rules/codes/other relevant information:

This field is to be entered in GENOM country code.

For Codelist information, see codelist excel sheet found on $\underline{\text{GitHub}}$

XML-examples:

<communicationLanguageAtDeparture>BE</communicationLanguageAtDeparture>

Limit Date

| CIA | Requ | view | VCDII. | | | | | |
|-----------|------------|------|--------|----------|----------------------------|--|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | | |
| No/No | MC | MC | MC | Basepath | Basepath: Header/limitDate | | | |
| EUCDM 6.1 | XSD/XML-na | | Format | M/O | Comment | | | |
| None | limitDate | | an10 | MC | C0839, G0002 | | | |

Description:

This is used for the time limit in which the goods shall be presented at the office of destination.

Rules/codes/other relevant information:

If not declared manually, it can be set through manual release by the case officer.

XML-examples:

<limitDate>2023-03-03</limitDate>

MRN

| CIA | Requirement Overview | | | VCD moth | | | |
|-----------|----------------------|----------|-----|----------------------|------|--------------|--|
| C/A | D1 | D2 | D4 | XSD-path | patn | | |
| No/No | MC DL | MC DL | n/a | Basepath: Header/MRN | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | |
| None | MRN | | | an18 | MC | G0002, R0028 | |

Description:

The MRN is automatically generated following the EUCDM legislation as a unique combination of 18 characters. The MRN is created by the Customs agency and is sent as part of the validation acceptance.

Rules/codes/other relevant information:

This element is only used in the additional messages: correction, amendment, invalidation, goods presentation, and supplementary declarations.

The combination of the 18 characters is, in the time of writing, as follows:

- The last two digits of the year of formal acceptance of the declaration (e.g., '23' for 2023)
 - Consist of 2 digits
- 2. Country where the declaration/proof of the customs status of union goods/notification is lodged (e.g., 'DK' for Denmark)
 - Consist of 2 letters
- 3. Unique identifier based on year and country (e.g., 21DK04K21L01)
 - Consist of 12 alphanumeric characters
- 4. Procedure identifier (see tables below)
 - Consist of 1 letter
- 5. Check digit (e.g., '6')
 - Consist of 1 alphanumeric character

| Code | Procedures | Declarations |
|------|---|--|
| A | Export only | B1, B2, B3, or C1 |
| В | Export and exit summary declaration | Combinations of A1 or A2, with B1, B2, B3, or C1 |
| С | Exit summary declaration only | A1 or A2 |
| D | Re-export notification | A3 |
| Е | Dispatch of goods in relation with special fiscal territories | B4 |

| Code | Procedures | Declarations |
|------|---|--|
| J | Transit declaration only | Columns D1 (Special procedure Transit declaration) |
| | | D2 (Special procedure –Transit declaration with reduced dataset – (transport by rail, air and maritime transport)) possibly complemented by D4 |
| K | Transit declaration and exit summary declaration | Combinations of columns D1 or D2 with (A1 (Exit summary declaration) |
| | | A2 (Exit summary declaration — Express consignments)) possibly complemented by D4. |
| L | Transit declaration and entry summary declaration | Combinations of columns D1 or D2 with Entry summary declaration data; possibly complemented by D4. |

| M | Transit declaration and exit summary declaration and entry summary declaration | Combinations of columns (D1 or D2) with (A1 or A2) and Entry summary declaration; possibly complemented by D4. | | | | | | | |
|---------------|--|--|--|--|--|--|--|--|--|
| XML-exa | XML-examples: | | | | | | | | |
| <mrn>22</mrn> | DKRQSJFGGNIY8VA1 | | | | | | | | |

Invalidation

| C/A | Requirement Overview | | | VCD moth | VCD noth | | | | |
|-----------|----------------------|----------|-----|-----------|----------|---------------------|--|--|--|
| C/A | D1 | D2 | D4 | xsp-patn | XSD-path | | | | |
| No/No | MC | MC | N/A | Basepath: | Header/ | Invalidation | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/O | Comment | | | |
| None | requestDateAndTime | | | an19 | MC | C0129, G0002 | | | |
| None | decisionDat | eAndTime | | an19 | MC | C0870, G0002 | | | |
| None | Decision | | | n1 | MC | CL027, C0128, R0102 | | | |
| None | initiatedByC | Customs | | n1 | M | CL027, G0101 | | | |
| None | justification | | | an512 | MC | C0137 | | | |

Description:

This element is only mandatory for invalidations requests.

Is used to specify the reason for invalidations.

Rules/codes/other relevant information:

requestDateAndTime:

This needs to be filled when submitting the invalidation.

decisionDateAndTime:

This is never to be filled by the trader.

Decision:

This is never to be filled by the trader.

initiatedByCustoms:

This field always needs to be "0" when filled by trader.

justification:

The reasoning to why the cancellation has happened.

XML-examples:

<Invalidation>

- <requestDateAndTime>2023-03-16T14:27:21/requestDateAndTime>
- <initiatedByCustoms>0</initiatedByCustoms>
- <justification>I just wanted to invalidate something/justification>
- </Invalidation>

Group 11 – Message information (including procedure codes)



Declaration type/Additional declaration type

| CIA | Requirement Overview | | rview | VCD math | VCD noth | | | |
|---------------|----------------------|---------------------------|-------|--|----------|--|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | | |
| No/No | М | М | N/A | Basepath: Header/TransitOperation/declarationType Header/TransitOperation/additionalDeclarationType Header/Consignment/HouseConsigment/ConsignmentItem/declarationtype | | | | |
| EUCDM 6.1 | XSD/XML-r | name | | Format | M/O | Comment | | |
| 11 01 001 000 | declarationType | | | An5 | M | CL231 TIR Carnet number B1922, R0601, R0909, R0911 C0045 R0507 | | |
| 11 02 001 000 | additionalD | eclarationTy _l | pe | a1 | M | CL042 | | |

Description:

Indicates what type of action is intended: submission of a pre-lodged/standard, a correction/amendment request or an invalidation/invalidation and repayment request.

Rules/codes/other relevant information:

Declaration Type (11 01 001 000) and **Additional Declaration Type** (11 02 001 000) data elements in Transit are two separate data elements.

For Codelist information, see codelist excel sheet found on GitHub

The two common **Declaration Types** (11 01 001 000) are **T1** and **T2** for Transit, as seen on the link below. For a standard declaration, you can input 'A' into the **Additional Declaration Type** data element.

You can read about the data elements here: https://eucdm.softdev.eu.com/Archive/EUCDM%206.1/EN/EUCDM/Annex-B/e21.htm

XML-examples:

```
</TransitOperation>
```

<declarationType>T1</declarationType>

<additionalDeclarationType>A</additionalDeclarationType>

</TransitOperation>

</TransitOperation>

<declarationType>T2</declarationType>

<additionalDeclarationType>A</additionalDeclarationType>

Goods item number

| CIA | Requi | rview | VCD41- | VCD moth | | | |
|---------------|------------------------|--------|--------|----------|---|---|--|
| C/A | D1 | D2 | D4 | XSD-path | patn | | |
| No/No | M | M | N/A | - | Basepath: Header/Consignment/HouseConsignment/ConsignmentItem/goodsItemNumber | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | |
| 11 03 000 000 | Consignmen | ıtItem | | n/a | M | | |
| 11 03 001 000 | goodsItemNumber | | | n5 | M | It's a sequence Numeric G0072, R0988 | |
| | Additional Information | | | n/a | | G0825 | |

Description:

Sequence number of the goods item

Rules/codes/other relevant information:

goodsItemNumber (11 03 001 000):

The sequence identifier. Must be given sequentially. It always starts at 1.

XML-examples:

 $Example\ of\ multiple\ Governmeny Agency Goods I tem\ instances\ in\ sequence$

<ConsignmentItem>

...

<goodsItemNumber>1</goodsItemNumber>

...

</ConsignmentItem>

<ConsignmentItem>

•••

<goodsItemNumber>2</goodsItemNumber>

•••

</ConsignmentItem>

Specific Circumstance Indicator

| CIA | Requirement Overview | | | VCD | | |
|---------------|-------------------------------|----|-----|---|-----|---------|
| C/A | D1 | D2 | D4 | XSD-path | | |
| No/No | 0 | 0 | N/A | Basepath: Header/TransitOperation/SpecificCircumstanceIndicator | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment |
| 11 04 001 000 | specificCircumstanceIndicator | | | An3 | 0 | CL296 |

Description:

Code specifying circumstances for declarations

Rules/codes/other relevant information:

specificCircumstance_(11 04 001 000):

For Codelist information, see codelist excel sheet under CL296 found on GitHub.

XML-examples:

<TransitOperation>

...

<specificCircumstanceIndicator>A20</specificCircumstanceIndicator>

...

</TransitOperation>

Security

| CIA | Requirement Overview | | | VCD | | |
|---------------|----------------------|----|-----|--|-----|---------|
| C/A | D1 | D2 | D4 | XSD-path | | |
| No/No | M | M | N/A | Basepath: Header/TransitOperation/security | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment |
| 11 07 001 000 | security | | | n1 | M | CL217 |

Description:

Using the relevant codes, indicate if the declaration is combined with EXS or ENS.

Rules/codes/other relevant information:

For Codelist information, see codelist excel sheet found on $\underline{\text{GitHub}}$

XML-examples:

<TransitOperation>

...

<security>2</security>

...

</TransitOperation>

Reduced dataset indicator

| CIA | Requirement Overview | | | VCD41- | | | | |
|------------------|-------------------------|----|-----|---|-----|--------------|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | | |
| No/No | M | M | N/A | Basepath: Header/TransitOperation/reducedDatasetIndicator | | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | | |
| 11 08 000 000 | reducedDatasetIndicator | | | n/a | M | | | |
| 11 08 001 000 | reducedDatasetIndicator | | | n1 | M | CL027, R0849 | | |

Description:

Using the relevant codes, indicate if the declaration contains the reduced dataset.

Rules/codes/other relevant information:

Reduced dataset indicator (11 08 001 000):

For Codelist information, see codelist excel sheet found on $\underline{\text{GitHub}}$

XML-examples:

<TransitOperation>

...

< reducedDatasetIndicator >1/ reducedDatasetIndicator>

</TransitOperation>

Group 12 – References of messages, documents, certificates, authorizations



Previous Document

| C / A | Requi | rview | VCD models | | | | | |
|---------------|-----------------------------|-------|------------|--|---------------------|---|--|--|
| C/A | D1 | D2 | D4 | XSD-path | λ5υ-path | | | |
| Yes/Yes | 0 | 0 | N/A | Basepath: MCL: Header/Consignment/PreviousDocument HCL: Header/Consignment/HouseConsignment/PreviousDocument HCI: Header/Consignment/HouseConsignment/ConsignmentItem/PreviousDocument | | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | | |
| 12 01 000 000 | Previousdocument | | | n/a | 0 | E1602 B1000 C0035 E1401 G0825 E1301 G0026 | | |
| None | sequenceNumber | | | n5 | M | R0987 | | |
| 12 01 001 000 | referenceNumber | | | an70 | M | G0321 | | |
| 12 01 002 000 | type | | | An4 | M | G0057 R0020 CL214 | | |
| 12 01 003 000 | typeOfPackages | | | An2 | 0 | CL017 (Exist only in HCI) | | |
| 12 01 004 000 | numberOfPa | | n8 | 0 | (Exist only in HCI) | | | |
| 12 01 005 000 | measurementUnitAndQualifier | | | An4 | MC | C0298 CL349 | | |
| 12 01 006 000 | quantity | | | n16,6 | 0 | (Exist only in HCI) | | |
| 12 01 079 000 | complementOfInformation | | | An35 | 0 | E1117 (Exist only in HCI) | | |
| 12 01 007 000 | goodsItemNumber | | | n5 | 0 | G0058 (Exist only in HCI) | | |

Description:

Information relating to a previous document.

Rules/codes/other relevant information:

If Previous Document (12 01 000 000) is filled out, all the Data elements within the group (12 01 001 000 to 12 01 007 000) needs to be filled out only on **HCI**.

Sequence:

To refer multiple documents, repeat this element the required number of times and fill here sequentially starting at 1.

identification (12 01 001 000):

Can be found here, https://eur-lex.europa.eu/legal-content/EN/TXT/PDF/?uri=CELEX:02015R2447-20210315&qid=1666165195727&from=en on page 314 under "12 01 001 000 Reference Number"

Type (12 01 002 000):

For Codelist information, see codelist excel sheet under CL214 found on Github.

TypeOfPackage (12 01 003 000):

For Codelist information, see codelist excel sheet under **CL017** found on <u>Github</u>.

MeasurementUnitAndQualifier (12 01 005 000):

For Codelist information, see codelist excel sheet under CL349 found on Github.

XML-examples:

<PreviousDocument>

- <sequenceNumber>1</sequenceNumber>
- <type>N822</type>
- <referenceNumber>4785B CV</referenceNumber>
- <goodsItemNumber>123</goodsItemNumber>
- <typeOfPackages>3A</typeOfPackages>
- <numberOfPackages>123/numberOfPackages>
- <measurementUnitAndQualifier>KGM</measurementUnitAndQualifier>

<quantity>123</quantity>

<complementOfInformation>Internal Community TD</complementOfInformation>

</PreviousDocument>

Additional Information

| CIA | Requirement Overview | | VCD noth | | | |
|---------------|-----------------------|----|----------|--|-----|-------------|
| C/A | D1 | D2 | D4 | XSD-path | | |
| Yes/Yes | 0 | 0 | N/A | Basepath: Header/Consignment/AdditionalInformation Header/Consignment/HouseConsignment/AdditionalInformation Header/Consignment/HouseConsignment/ConsignmentItem/AdditionalInformation | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/O | Comment |
| 12 02 000 000 | AdditionalInformation | | | n/a | 0 | E1301 G0825 |
| None | sequenceNumber | | | n5 | M | R0987 |
| 12 02 008 000 | code | | | an5 | M | G0057 R3060 |
| 12 02 009 000 | text | | | an512 | 0 | |

Description:

Use this data element to include information for which no field is specified by Union Legislation.

Rules/codes/other relevant information:

SequenceNumeric:

There can be declared multiple additional documents. Number them sequentially here.

For information on which codes to use, see here:

Code (12 02 008 000):

For Codelist information, see codelist excel sheet under CL239 found on Github.

A short description of the additional information should be provided in the text (12 02 009 000) field.

XML-examples:

- <AdditionalInformation>
- <sequenceNumber>1</sequenceNumber>
- <code>20200</code>
- <text>Export from one EFTA country subject to duties or export from the Union subject to duties</text>
- </AdditionalInformation>

Supporting Document

| 6/4 | Requi | rview | VCD | | | | |
|---------------|-------------------------|-------|---|----------|-----|-------------------------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | 0 0 N/A | | Basepath: Header/Consignment/SupportingDocument Header/Consignment/HouseConsignment/SupportingDocument Header/Consignment/HouseConsignment/ConsignmentItem/SupportingDocument | | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | |
| 12 03 000 000 | SupportingDocument | | | n/a | 0 | E1301 G0825 E1407 G0069 | |
| None | sequenceNumber | | | n5 | M | R0987 | |
| 12 03 001 000 | referenceNumber | | | an70 | M | G0321 | |
| 12 03 002 000 | type | | | an4 | M | G0057 | |
| 12 03 013 000 | documentLineItemNumber | | | n5 | 0 | | |
| 12 03 079 000 | complementOfInformation | | | an35 | 0 | | |

Description:

Identification or reference number of Union or international documents, certificates and authorizations produced in support of the declaration, and additional references.

Rules/codes/other relevant information:

sequenceNumber:

There can be declared multiple supporting documents. Number them sequentially here.

referenceNumber (12 03 001 000):

Is the ID-number of the document.

type (12 03 002 000):

For Codelist information, see codelist excel sheet under CL213 found on Github.

documentLineItemNumber (12 03 013 000):

The sequential number of the item in the supporting document.

complementOfInformation (12 03 079 000):

Provide additional information about the documentation.

XML-examples:

- <SupportingDocument>
- <sequenceNumber>1</sequenceNumber>
- <type>N820</type>
- <referenceNumber>56788 C7732</referenceNumber>
- <documentLineItemNumber>17</documentLineItemNumber>
- <complementOfInformation>Some information/complementOfInformation>
- </SupportingDocument>

Additional reference

| 6/4 | Requi | rview | VCD II. | | | | |
|---------------|---------------------|-------|---------|---|-----|---------------------------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | 0 | 0 | N/A | Basepath: Header/Consignment/AdditionalReference Header/Consignment/HouseConsignment/AdditionalReference Header/Consignment/HouseConsignment/ConsignmentItem, tionalReference | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | |
| 12 04 000 000 | AdditionalReference | | | n/a | 0 | E1407 E1301 G0068 G0825 | |
| None | sequenceNumber | | | n5 | M | R0987 | |
| 12 04 001 000 | referenceNumber | | | an70 | М | Reference Number G0321 | |
| 12 04 002 000 | type | | | an4 | M | Type. CL380 G0057 | |

Description:

An additional declaration made which is not covered by Supporting Document, Transport Document or Additional Information.

Rules/codes/other relevant information:

There can be declared multiple additional references. Number them sequentially in the **SequenceNumeric** field.

referenceNumber (12 04 001 000):

Is the ID-number of the document.

type (12 04 002 000):

For information on which codes to used see here: https://www.skat.dk/skat.aspx?oId=109749 or see codelist excel sheet under CL380 found on GitHub.

XML-examples:

<AdditionalReference>

<sequenceNumber>1</sequenceNumber>

<type>Y015</type>

<referenceNumber>56788CV7732</referenceNumber>

</AdditionalReference>

Transport Document

| CIA | Requirement Overview | | VCD noth | | | |
|---------------|----------------------|----|----------|---|-----|-------------------------------|
| C/A | D1 | D2 | D4 | XSD-path | | |
| Yes/Yes | 0 | 0 | N/A | Basepath: Header/Consignment/TransportDocument Header/Consignment/HouseConsignment/TransportDocument Header/Consignment/HouseConsignment/Consignment/HouseConsignment/ConsignmentItem/TransportDocument | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment |
| 12 05 000 000 | TransportDocument | | | n/a | 0 | G0825 B1896 B2400 E1407 E1301 |
| None | sequenceNumber | | | n5 | M | R0987 |
| 12 05 001 000 | referenceNumber | | | an70 | M | G0321 |
| 12 05 002 000 | type | | | an4 | M | G0057 |

Description:

Transport document with which the goods have been brought into the customs territory of the Union.

Rules/codes/other relevant information:

sequenceNumber:

You can declare multiple transport documents. Number them sequentially in the element.

referenceNumber (12 05 001 000):

The ID-number of the document.

type (12 05 002 000):

For Codelist information, see codelist excel sheet under CL754 found on Github.

XML-examples:

<TransportDocument>

<sequenceNumber>1</sequenceNumber>

<type>N235</type>

<referenceNumber>56788CV7732</referenceNumber>

</TransportDocument>

TIR Carnet Number

| CIA | Requirement Overview | | | VCD models | | | | |
|---------------|----------------------|----|------|---|--------------|---------|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | | |
| No/No | MC | MC | N/A | Basepath: Header/Transitoperation/TIRCarnetNumber | | | | |
| NO/ NO | [42] | MC | | | | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | | |
| 12 06 000 000 | TIR Carnet Number | | | n/a | MC | | | |
| 12 06 001 000 | TIRCarnetN | | an12 | MC | C0411, R0990 | | | |

Description:

This field is used to define the TIR carnet number.

Rules/codes/other relevant information:

ID (12 06 001 000):

This is where the TIR Carnet number is defined.

XML-examples:

<TIRCarnetNumber>XH26355010</TIRCarnetNumber>

Reference Number/UCR

| CIA | Requirement Overview | | | VCD | | | |
|---------------|----------------------|----------|--|----------|-----|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| No/No | MC | MC | N/A | , , | | ent/ referenceNumberUCR ent/HouseConsignment/ referenceNumberUCR | |
| 110/110 | NO/NO MC MC N | 11/11 | Header/Consignment/HouseConsignment/ConsignmentItem/referenceNumberUCR | | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | |
| 12 08 000 000 | Reference Number/UCR | | | n/a | MC | | |
| 12 08 001 000 | referenceNu | ımberUCR | | an35 | MC | B1895 C0502 E1301 G0002 R0506 R0507 | |

Description:

Unique number that follows the goods all the way. Used by transporters.

Rules/codes/other relevant information:

Fill in a unique number for identification of the transaction.

UCR (12 08 000 000):

This element and sub elements can be supplemented and estimated.

XML-examples:

<referenceNumerUCR>140721DKQXYMEEW</referenceNumerUCR>

LRN

| CIA | Requi | rview | VCD models | | | |
|---------------|--------------|-------|------------|---------------------------------------|-----|---------|
| C/A | D1 | D2 | D4 | XSD-path | | |
| No/No | M | M | M | Basepath: Header/TransitOperation/LRN | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment |
| 12 09 000 000 | LRN | | | n/a | M | |
| 12 09 001 000 | LRN | | | an22 | M | |

Description:

LRN – The local reference number (LRN) shall be used. It is nationally defined and allocated by the declarant or representative in agreement with the competent authorities to identify each single declaration.

Rules/codes/other relevant information:

No special characters are allowed.

Must be unique on a submitter level but can be reused for resubmission if the declaration has been rejected, **except** for when the declaration has been rejected due to invalidation of a pre-lodged declaration. This means you can submit using the same (accepted) LRN using two different submitters, but never using the same submitter.

XML-examples:

<LRN>140721DKQXYMEEW</LRN>

Authorisation

| CIA | Requi | rview | VCD moth | | | |
|---------------|--------------|------------|----------|-----------|---------|--|
| C/A | D1 | D2 | D4 | XSD-path | | |
| Yes/Yes | MC [60] | MC [60] | N/A | Basepath: | Header, | /Authorisation |
| EUCDM 6.1 | XSD/XML-r | iame | | Format | M/0 | Comment |
| 12 12 000 000 | Authorisatio | on | | n/a | МС | Optional for D1 C0101 G0102 G0167 |
| None | sequenceNu | ımber | | n5 | M | R0987 |
| 12 12 001 000 | referenceNu | ımber | | an35 | M | Reference number. Optional for D1 [60] G0033 R0352 |
| 12 12 002 000 | type | | | An4 | M | Type. Optional for D1 CL235 G0114 G0117 R0350 R0859 |

Description:

Details and reference to authorizations

Rules/codes/other relevant information:

sequenceNumber:

There can be declared multiple authorisations. Number them sequentially here.

referenceNumber (12 12 001 000):

Reference number of the authorisation necessary

type (12 12 002 000)

The TypeCodes can be found in Bilag 16:

https://skat.dk/getfile.aspx?id=151338&type=xlsx

XML-examples:

<Authorisation>

<sequenceNumber>1</sequenceNumber>

<type>C524</type>

<referenceNumber>DKTRD55-12345</referenceNumber>

</Authorisation>

Group 13 - Parties



Consignor

| CIA | Requirement Overview | | | VCD | VCD noth | | | |
|---------------|----------------------|-------|------|----------|-------------------------|--|--|--|
| C/A | D1 | D2 | D4 | XSD-path | ASD-patii | | | |
| Yes/Yes | MC | MC | N/A | | | signment/ Consignor ignment/HouseConsignment/ Consignor | | |
| EUCDM 6.1 | XSD/XML-n | ame | | Format | M/0 | Comment | | |
| 13 02 000 000 | Consignor | | n/a | MC | C0542 G0123 E1301 R0506 | | | |
| 13 02 016 000 | name | | an70 | MC | [6] C0250 E1104 | | | |
| 13 02 017 000 | identificatio | | an17 | MC | R0850 | | | |
| 13 02 018 000 | Address | | n/a | MC | [6] C0250 | | | |
| 13 02 018 022 | city | | an35 | M | | | | |
| 13 02 018 019 | streetAndNı | umber | | an70 | M | E1104 | | |
| 13 02 018 020 | country | | | D2 | M | CL248 | | |
| 13 02 018 021 | postcode | | | an17 | MC | C0505 E1102 | | |
| 13 02 074 000 | ContactPers | on | | N/A | 0 | G0105 | | |
| 13 02 074 016 | name | | | an70 | M | | | |
| 13 02 074 075 | phoneNumber | | | an35 | M | | | |
| 13 02 074 076 | eMailAddre: | SS | | an256 | 0 | G0002 | | |

Description:

Party consigning the goods as stipulated in the transport contract by the party ordering the transport.

Rules/codes/other relevant information:

Consignor (13 02 000 000)

If 13 02 000 000 is filled out, the group (13 02 016 000 to 13 02 018 022) must be filled out.

Name (13 02 016 000):

Enter the full name of the party

identificationNumber (13 02 017 000):

EORI number of the consignor.

Third party country unique ID code available to the union.

Address (13 02 018 000):

If this field is used, the Identification (13 02 017 000) is NOT to be used, and the child elements are required.

Sequence:

An incrementing number based on how many address fields are used.

Line (13 02 018 019) - Child element of Address (13 02 018 000):

Street name and number of the facility or building.

Country (13 02 018 020) - Child element of Address (13 02 018 000):

For Codelist information, see codelist excel sheet under CL248 found on Github.

Postcode (13 02 018 021) - Child element of Address (13 02 018 000):

Postcode of the consignor

city (13 02 018 022) - Child element of Address (13 02 018 000):

City name of the consignor

name (13 02 074 016):

The name of the contact person.

phoneNumber (13 02 074 075):

The phone number of the contact person.

eMailAddress (13 02 074 076):

The mail of the contact person.

```
XML-examples:
Without EORI
   <Consignor>
     <name>Claus</name>
     <Address>
       <streetAndNumber>Bildbjergvej 4</streetAndNumber>
       <postcode>44149</postcode>
       <city>Aarhus</city>
       <country>AE</country>
     </Address>
     <ContactPerson>
       <name>Contact Consignor</name>
       <phoneNumber>6970809945</phoneNumber>
       <eMailAddress>consignor@contact.gr</eMailAddress>
     </ContactPerson>
   </Consignor>
With EORI
   <Consignor>
```

<identificationNumber>DK55123456</identificationNumber>

</Consignor>

Consignee

| C / A | Requirement Overview | | | VCD noth | | | | |
|---------------|----------------------|-----------------|-----|--|-----|--|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | | |
| Yes/Yes | МС | МС | N/A | Basepath: Header/Consignment/Consignee Header/Consignment/HouseConsignment/ConsignmentItem/Consignee | | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | | |
| 13 03 000 000 | Consignee | | | n/a | МС | B1823 C0001 G0001 G0062 E1301 R0506 B1820 B1877 B2400 | | |
| 13 03 016 000 | name | | | an70 | 0 | [6] C0250 E1104 C0250 | | |
| 13 03 017 000 | identificatio | nNumber | | an17 | 0 | R0851 | | |
| 13 03 018 000 | Address | | | n/a | MC | [6] C0250 | | |
| 13 03 018 019 | streetAndNi | streetAndNumber | | | 0 | E1104 | | |
| 13 03 018 020 | country | | | D2 | 0 | CL248 | | |
| 13 03 018 021 | postcode | | | an17 | 0 | C0505 E1102 | | |
| 13 03 018 022 | city | | | an35 | 0 | | | |

Description:

Party receiving the goods

Rules/codes/other relevant information:

Name (13 03 016 000):

Enter the full name of the party

identificationNumber (13 03 017 000):

EORI number of the consignor.

Third party country unique ID code available to the union.

If 13 03 017 000 is not filled out, 12 03 016 000 to 13 03 018 000 must be filled out - D1

Address (13 03 018 000):

If this field is used, the **Identification (13 03 017 000)** is **NOT** to be used, and the child elements are required.

Sequence:

An incrementing number based on how many address fields are used

streetAndNumber (13 03 018 019) - Child element of Address (13 03 018 000):

Street name and number of the facility or building

Country (13 03 018 020) - Child element of Address (13 03 018 000):

For Codelist information, see codelist excel sheet under CL248 found on Github.

Postcode (13 03 018 021) - Child element of Address (13 03 018 000):

Postcode of the consignor

city (13 03 018 022) - Child element of Address (13 03 018 000):

City name of the consignor

XML-examples:

Without EORI

<Consignee>

<name>Claus</name>

<Address>

<streetAndNumber>Bildbjergvej 4</streetAndNumber>

Representative (Agent)

| CIA | Requi | rement Ove | rview | VCD 41 | VCD II. | | |
|------------------|---------------|------------|----------|---------------------------------|---------|-------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | 0 [7] | 0 [7] | 0 [7] | Basepath: Header/Representative | | | |
| EUCDM 6.1 | XSD/XML-n | | Format | M/0 | Comment | | |
| 13 06 000 000 | Representat | | n/a | 0 | G0850 | | |
| 13 06 017 000 | identificatio | | an17 | M | R0850 | | |
| 13 06 030 000 | status | | n1 | M | CL094 | | |
| 13 06 074 000 | ContactPers | | n/a | 0 | G0105 | | |
| 13 06 074 016 | Name | | | an70 | M | | |
| 13 06 074 075 | phoneNumber | | | an35 | M | | |
| 13 06 074 076 | eMailAddre | SS | | an256 | M | G0002 | |

Description:

Identification of party authorized to act on behalf of another party.

Rules/codes/other relevant information:

If Representative (13 06 000 000) is provided, then the value must be different from Declarant (13 05 000 000).

identificationNumber (13 06 017 000)

This should be the EORI number of the representative party.

status (13 06 030 000)

For Codelist information, see codelist excel sheet under CL094 found on Github.

It is possible to declare up to 9 Contacts.

XML-examples:

Without EORI

- <Representative>
 - <identificationNumber>DK12389189</identificationNumber>
 - <status>1</status>
 - <ContactPerson>
 - <name>Name Nameson</name>
 - <phoneNumber>69420690</phoneNumber>
 - <eMailAddress>name@nameson.com</eMailAddress>
 - </ContactPerson>
- </Representative>

With EORI

- <Representative>
- <id>dentificationNumber>DK12389189</identificationNumber>
- </Representative>

Holder of the transit procedure

| CIA | Requirement Overview | | VCD41- | VCD noth | | | | | |
|---------------|----------------------|----------|----------|-----------|--|-------------|--|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | | | |
| Yes/Yes | M [7] | M [7] | M [7] | Basepath: | Basepath: Header/HolderOfTheTransitProcedure | | | | |
| EUCDM 6.1 | XSD/XML-r | F F. T | [/] | Format | M/O | Comment | | | |
| 13 07 000 000 | Holderofthe | dure | n/a | 0 | | | | | |
| 13 07 016 000 | name | | an70 | 0 | C0250 E1104 | | | | |
| 13 07 017 000 | identificatio | | An17 | 0 | G0120 R0850 | | | | |
| 13 07 078 000 | TIRHolderId | lumber | An17 | 0 | Mandatory for D1 & D4 C0904 G0002 | | | | |
| 13 07 074 000 | ContactPers | | n/a | 0 | G0105 | | | | |
| 13 07 074 016 | name | | | an70 | M | | | | |
| 13 07 074 075 | phoneNumb | oer | | An35 | M | | | | |
| 13 07 074 076 | eMailAddre: | SS | | An256 | M | G0002 | | | |
| 13 07 018 000 | Address | Address | | | 0 | C0250 | | | |
| 13 07 018 019 | streetAndN | umber | | An70 | 0 | E1104 | | | |
| 13 07 018 020 | country | | | a2 | 0 | CL248 | | | |
| 13 07 018 021 | postcode | postcode | | | 0 | C0505 E1102 | | | |
| 13 07 018 022 | city | | | An35 | 0 | | | | |

Description:

Identification of party authorized to act on behalf of another party.

Rules/codes/other relevant information:

ID (13 07 017 000)

This should be the EORI number of the representative party.

Country (13 07 018 020):

For Codelist information, see codelist excel sheet under CL248 found on Github.

It is possible to declare up to 9 Contacts.

XML-examples:

Without EORI

```
<HolderOfTheTransitProcedure>
```

<TIRHolderIdentificationNumber> DK55123456</TIRHolderIdentificationNumber>

<name>Jens Thorup</name>

<Address>

<streetAndNumber>Bildbjergvej 4</streetAndNumber>

<postcode>44149</postcode>

<city>Aarhus</city>

<country>DK</country>

</Address>

<ContactPerson>

<name>Claus Thorup</name>

<phoneNumber>2105577890</phoneNumber>

<eMailAddress> cthor@email.gr </eMailAddress>

</ContactPerson>

</HolderOfTheTransitProcedure>

With EORI

- <HolderOfTheTransitProcedure>
 - <id>dentificationNumber>DK55123456</identificationNumber>
- </HolderOfTheTransitProcedure>

Carrier

| CIA | Requi | rement Ove | rview | VCD moth | | | |
|------------------|---------------|------------|--------|-----------|--------------------------------------|-------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | 0 | 0 | N/A | Basepath: | Basepath: Header/Consignment/Carrier | | |
| EUCDM 6.1 | XSD/XML-n | | Format | M/0 | Comment | | |
| 13 12 000 000 | Carrier | | | n/a | 0 | G0090 | |
| 13 12 017 000 | identificatio | | An17 | M | G0002 G0201 R0840 | | |
| 13 12 074 000 | ContactPers | on | | n/a | 0 | G0105 | |
| 13 12 074 016 | name | | | An70 | M | | |
| 13 12 074 075 | phoneNumber | | | An35 | M | | |
| 13 12 074 076 | eMailAddre | SS | | An256 | 0 | G0002 | |

Description:

Name and address details of the party undertaking or arranging transport of goods between named points

Rules/codes/other relevant information:

identificationNumber (13 12 017 000):

The EORI number of the carrier

Name (13 12 074 016):

The name of the contact person

phoneNumber (13 12 074 075):

The phone number of the contact person.

eMailAddress (13 12 074 076):

• The mail of the contact person.

XML-examples:

```
<Carrier>
```

<identificationNumber>DK55123456</identificationNumber>

<ContactPerson>

<name>Contact Person</name>

<phoneNumber>6970809945</phoneNumber>

 $<\!\!eMailAddress\!\!>\!\!consignor@contact.gr<\!/eMailAddress\!\!>\!$

</ContactPerson>

</Carrier>

Additional Supply Chain Actor

| C/A | Requirement Overview | | VCD41- | VCD noth | | | |
|---------------|----------------------|-------------|--------|---|-------------------|---------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | 0 | 0 | N/A | Basepath: Header/Consignment/AdditionalSupplyChainActor Header/Consignment/HouseConsignment/AdditionalSupplyChainActor Header/Consignment/HouseConsignment/ConsignmentItem/AdditionalSupplyChainActor | | | |
| EUCDM 6.1 | XSD/XML-n | iame | | Format | M/0 | Comment | |
| 13 14 000 000 | AdditionalS | upplyChainA | ctor | n/a | 0 | G0825 | |
| None | sequenceNumber | | | n5 | M | R0987 | |
| 13 14 017 000 | identificationNumber | | an17 | M | G0002 G0201 R0840 | | |
| 13 14 031 000 | role | · | · | a3 | M | CL704 | |

Description:

Details identifying the role of the further parties in the supply chain having obtained a trusted trader certificate but otherwise not being identified in the declarations (e.g., warehouse keeper, freight forwarder)

Rules/codes/other relevant information:

identificationNumber (13 14 017 000):

The EORI number or third-party country unique identifiers number

role (13 14 031 000):

For Codelist information, see codelist excel sheet under CL704 found on Github.

- <AdditionalSupplyChainActor>
- <sequenceNumber>1</sequenceNumber>
- <role>MF</role>
- <identificationNumber> DKTRD55-12345/identificationNumber>
- </AdditionalSupplyChainActor>

Group 14 - Valuation information/Taxes



Transport Charges

| C/A | Requ | Requirement Overview | | VCD Ll- | VCD moth | | | |
|---------------|------------|----------------------|-----|--|----------|-------------------------|--|--|
| C/A | D1 | D2 | D4 | xsD-patn | XSD-path | | | |
| Yes/Yes | MC [8] | MC [8] | N/A | Basepath: Header/Consignment/ TransportCharges Header/Consignment/HouseConsignment/ TransportCharges Header/Consignment/HouseConsignment/ConsignmentItem/ TransportCharges | | | | |
| EUCDM 6.1 | XSD/XML-1 | XSD/XML-name | | | M/0 | Comment | | |
| 14 02 000 000 | TransportC | TransportCharges | | n/a | MC | C0186 C0337 E1301 R0506 | | |
| 14 02 038 000 | methodOfP | ayment | | a1 | M | CL116 | | |

Description:

Details of freight payment, rate quantity, type, and amount

Rules/codes/other relevant information:

methodOfPayment (14 02 038 000):

For Codelist information, see codelist excel sheet under CL116 found on Github.

XML-examples:

<TransportCharges>

</TransportCharges>

Group 16 - Places/Countries/Regions



Country of destination

| CIA | Requirement Overview | | VCD models | | | | |
|------------------|------------------------|------------|------------|--|---------|-------------------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| No/No | МС | МС | N/A | Basepath: Header/Consignment/CountryOfDestination Header/Consignment/HouseConsignment/ConsignmentItem/CountryOfDestination | | | |
| EUCDM 6.1 | M 6.1 XSD/XML-name | | Format | M/0 | Comment | | |
| 16 03 000 000 | Country of destination | | | n/a | MC | | |
| 16 03 001 000 | countryOfD | estination | | a2 | MC | C0343 R0507 CL008 | |

Description:

Details of the itinerary of the means of transport

Rules/codes/other relevant information:

Country of destination (16 03 001 000):

For Codelist information, see codelist excel sheet under ${CL008}$ found on ${\underline{\mbox{Github}}}.$

XML-examples:

<countryOfDestination>DK</countryOfDestination>

Country of dispatch

| CIA | Requi | irement Ove | rview | VCD noth | | | |
|------------------|---------------------|-------------|-------|--|-----|-------------------------------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| No/No | МС | МС | N/A | Basepath: Header/Consignment/CountryOfDispatch Header/Consignment/HouseConsignment/CountryOfDispatch Header/Consignment/HouseConsignment/ConsignmentItem/CountryOfDispatch | | | |
| EUCDM 6.1 | 1 6.1 XSD/XML-name | | | Format | M/0 | Comment | |
| 16 06 000 000 | Country of dispatch | | | n/a | 0 | | |
| 16 06 001 000 | Country of c | dispatch | | a2 | MC | C0909 E1301 G0988 R0506 CL008 | |

Description:

Details of the itinerary of the means of transport

Rules/codes/other relevant information:

Country of dispatch (16 06 001 000):

For Codelist information, see codelist excel sheet under CL008 found on Github.

XML-examples:

<countryOfDispatch>DK</countryOfDispatch>

Country of routing of consignment

| CIA | Requi | rview | VCD noth | | | | | |
|---------------|--------------|--------|----------|-------------|--|---------|--|--|
| C/A | D1 | D2 | D4 | ี่ XSD-patn | XSD-path | | | |
| Yes/Yes | MC | MC | N/A | Basepath: | Basepath: Header/Consignment/CountryOfRoutingOfConsignment | | | |
| EUCDM 6.1 | XSD/XML-r | name | | Format | M/0 | Comment | | |
| 16 12 000 000 | Country of r | gnment | n/a | MC | B1848 C0586 G0061 | | | |
| None | sequenceNu | ımber | | n5 | M | R0987 | | |
| 16 12 020 000 | country | | | a2 | M | CL008 | | |

Description:

Details of the itinerary of the means of transport

Rules/codes/other relevant information:

country (16 12 020 000):

For Codelist information, see codelist excel sheet under CL008 found on Github.

XML-examples:

<CountryOfRoutingOfConsignment>

<sequenceNumber>1</sequenceNumber>

<country>DK</country>

</CountryOfRoutingOfConsignment>

Place of Loading

| CIA | Requi | rview | VCD noth | | | | |
|---------------|----------------------------------|-------|----------|-----------|---|---|--|
| C/A | D1 | D2 | D4 | XSD-path | 5D-path | | |
| Yes/Yes | MC | MC | MC | Basepath: | Basepath: Header/Consignment/PlaceOfLoading | | |
| EUCDM 6.1 | [61] [61] [61] [61] XSD/XML-name | | | Format | M/O | Comment | |
| EUCDM 0.1 | ASD/AML-name | | | rormat | M/U | Comment | |
| 16 13 000 000 | PlaceOfLoading | | | n/a | 0 | Mandatory for D4 B1893 C0403 | |
| 16 13 036 000 | UNLocode | | | An17 | 0 | [61] | |
| 16 13 020 000 | country | | | a2 | MC | Mandatory for D4 [61] C0387 CL008 | |
| 16 13 037 000 | location | | | An35 | MC | Mandatory for D4 [61] C0387 E1114 CL244 | |

Description:

Details of the itinerary of the means of transport

Rules/codes/other relevant information:

UNLocode (16 13 020 000):

This is to specify the UN code country code.

country (16 13 036 000):

For Codelist information, see codelist excel sheet under CL008 found on Github.

location (16 13 037 000):

Where UN/LOCODE is not available, enter the name of place where the goods are loaded.

For Codelist information, see codelist excel sheet under CL244 found on Github.

XML-examples:

<PlaceOfLoading>

<UNLocode>AEAJM</UNLocode>

<country>AT</country>

<location>Vienna</location>

</PlaceOfLoading>

Place of Unloading

| CIA | Requirement Overview | | VCD | VCD moth | | | | |
|---------------|----------------------|----|-----|-----------|----------|---------------------------------------|--|--|
| C/A | D1 | D2 | D4 | xsv-patn | XSD-path | | | |
| Yes/Yes | MC | MC | N/A | Basepath: | Header | /Consignment/ PlaceOfUnloading | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | | |
| 16 14 000 000 | PlaceOfUnloading | | | n/a | MC | B1858 C0191 | | |
| 16 14 020 000 | UNLocode | | | An17 | 0 | CL244 | | |
| 16 14 036 000 | country | | | a2 | MC | C0387 CL008 | | |
| 16 14 037 000 | location | • | • | An35 | MC | C0387 | | |

Description:

Details of the itinerary of the means of transport

Rules/codes/other relevant information:

UNLocode (16 14 020 000):

This is to specify the UN code country code

For Codelist information, see codelist excel sheet under CL244 found on Github.

Country (16 14 036 000):

This is the GENOM country code where the unloaded is not according to the UN/LOCODE

For Codelist information, see codelist excel sheet under CL008 found on Github.

Location (16 14 037 000):

Where UN/LOCODE is not available, enter the name of place where the goods are unloaded.

- <PlaceOfUnloading>
 - <UNLocode>AEAJM</UNLocode>
 - <country>AT</country>
 - <location>Vienna</location>
- </PlaceOfUnloading>

Location of goods

| | Regu | Requirement Overview | | | | | |
|---------------|----------------------|----------------------|-----------|---|-----|-------------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | MC MC M | | Basepath: | Basepath: Header/Consignment/ LocationOfGoods | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | |
| 16 15 000 000 | LocationOfGoods | | | n/a | M | B1302 C0710 | |
| 16 15 045 000 | typeOfLoca | tion | | a1 | M | CL347 | |
| 16 15 046 000 | qualifierOfI | dentification | | a1 | M | G0500 CL326 | |
| 16 15 036 000 | UNLOCODE | | | an17 | 0 | C0394 CL244 | |
| 16 15 052 000 | authorisatio | onNumber | | an35 | MC | C0394 | |
| 16 15 053 000 | additionalId | dentifier | | an4 | MC | C0671 | |
| 16 15 047 000 | CustomsOff | fice | | n/a | MC | C0394 | |
| 16 15 047 001 | referenceN | umber | | an8 | M | CL171 | |
| 16 15 048 000 | GNSS | | | n/a | MC | C0394 | |
| 16 15 048 049 | latitude | | | an17 | M | G0002 G0014 | |
| 16 15 048 050 | longitude | | | an17 | M | G0002 G0014 | |
| 16 15 051 000 | EconomicOperator | | | n/a | MC | C0394 | |
| 16 15 051 017 | identificationNumber | | | an17 | M | R0850 | |
| 16 15 018 000 | Address | | | n/a | MC | C0394 | |
| 16 15 018 019 | streetAndN | umber | | an70 | M | E1104 | |
| 16 15 018 020 | country | | | D2 | M | | |
| 16 15 018 021 | postcode | | | an17 | MC | C0505 E1102 | |
| 16 15 018 022 | city | | | an35 | M | | |
| 16 15 081 000 | PostcodeAd | ldress | | n/a | MC | C0394 | |
| 16 15 081 020 | country | | | D2 | M | CL009 | |
| 16 15 081 021 | postcode | | | an17 | M | | |
| 16 15 081 025 | houseNumb | oer | | an17 | MC | C0382 | |
| 16 15 074 000 | ContactPers | son | | n/a | MC | C0394 G0105 | |
| 16 15 074 016 | name | | | an70 | M | | |
| 16 15 074 075 | phoneNum | ber | | an35 | M | | |
| 16 15 074 076 | eMailAddre | ess | | an256 | 0 | G0002 | |

Description:

Information about the place where the goods are located

Rules/codes/other relevant information:

LocationOfGoods (16 15 000 000):

This data element can be **supplemented** on a supplementary declaration for **D1** declarations.

The type of location, and how it is declared, is given by the fields: typeOfLocation and qualifierOfIdentification. For declaring the location of goods there are predefined codes for indicating the type of location and how it is declared with specific possible values and combinations:

country (16 15 018 020):

The countryCodes can be found here https://skat.dk/data.aspx?oid=1815411

typeOfLocation (16 15 045 000)

The type of location, and how it is declared, is given by the fields: typeOfLocation and qualifierOfIdentification. For declaring the location of goods there are predefined codes for indicating the type of location and how it is declared with specific possible values and combinations: This typeOfLocation Indicates the type of location where the goods will be presented.

For Codelist information, see codelist excel sheet under CL347 found on Github.

qualifierOfIdentification (16 15 046 000):

Indicates how the location will be declared)

The Address/ typeOfLocation will indicate how the location will be declared.

For Codelist information, see codelist excel sheet under CL326 found on Github.

The valid combinations for the two fields are:

- 'A' and 'U': Designated place identified by UN/LOCODE (e.g., DKCPH-0011 for Copenhagen Langelinje)
- 'A' and 'V': Designated place identified by Customs Office ID (e.g., DK007900 for Skattecenter København)
- 'B' and 'Y': Authorised place identified by Authorisation number. NOT possible to use yet
- 'C' and 'Z': Approved place identified by filling in the address fields.
- 'D' and 'Z': Other place identified by filling in the address fields.
- 'D' and 'W': Other place identified by GNSS coordinates. currently unavailable
- 'D' and 'X': Other place identified by an EORI number. currently unavailable

referenceNumber (16 15 047 001):

For Codelist information, see codelist excel sheet under CL171 found on Github.

UNLOCODE (16 15 036 000)

For Codelist information, see codelist excel sheet under CL244 found on Github.

additionalIdentifier (16 15 053 000):

What to fill in this field is given by the Type of location, meaning that if:

- IdentificationType = 'U': this field should not be filled.
- IdentificationType = 'V': this field should not be filled.
- IdentificationType = 'W': this field should not be filled. currently unavailable
- IdentificationType = 'X': this field can be filled with an additional identifier. currently unavailable
- IdentificationType = 'Z' this field should not be filled.

The following subelements of Address (16 15 018 00) should only be filled when IdentificationType = 'Z':

city (16 15 018 022):

City name of the location of goods.

country (16 15 018 020):

For Codelist information, see codelist excel sheet under CL009 found on Github.

streetAndNumber (16 15 019 00):

Street name and street number of the location of goods.

postcode (16 15 018 020):

Post code of the location of goods.

authorisationNumber:

Should only be filled when IdentificationType = 'Y'.

CustomsOffice:

identification:

Customs Office ID (e.g., DK007900).

Should only be filled when IdentificationType = 'V'.

See the list of Customs Office ID's here: https://ec.europa.eu/taxation-customs/dds2/rd/rd-search-home.jsp?Lang=en

latitude

Latitude coordinates of the location of goods.

Should only be filled when IdentificationType = 'W'. – currently unavailable

longitude:

Longitude coordinates of the location of goods.

Should only be filled when IdentificationType = 'W'. - currently unavailable

EconomicOperator:

identification:

EORI number of Economic Operator.

Should only be filled when IdentificationType = 'X'. - currently unavailable

```
<LocationOfGoods>
<typeOfLocation>A</typeOfLocation>
<qualifierOfIdentification>Z</qualifierOfIdentification>
<authorisationNumber>DK123456</authorisationNumber>
<additionalIdentifier>DK12</additionalIdentifier>
<UNLocode>AEAJM</UNLocode>
<CustomsOffice>
<referenceNumber>AT100000</referenceNumber>
</CustomsOffice>
<GNSS>
<latitude>+55.67611</latitude>
<longitude>+12.56831</longitude>
```

- </GNSS>
- <EconomicOperator>
- <identificationNumber>DKTRD55-12345</identificationNumber>
- </EconomicOperator>
- <Address>
- <streetAndNumber>Bildbjergvej 4</streetAndNumber>
- <postcode>44149</postcode>
- <city>Aarhus</city>
- <country>DK</country>
- </Address>
- <PostcodeAddress>
- <houseNumber>123</houseNumber>
- <postcode>44149</postcode>
- <country>DK</country>
- </PostcodeAddress>
- <ContactPerson>
- <name>Claus Thorup</name>
- <phoneNumber>2105577890</phoneNumber>
- <eMailAddress>cthor@email.gr</eMailAddress>
- </ContactPerson>
- </LocationOfGoods>

Binding Itinerary

| CIA | Requirement Overview | | | VCD | | | |
|---------------|----------------------|----|-----|--|-----|---------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| No/No | M | M | N/A | Basepath: Header/TransitOperation/bindingItinerary | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | |
| 16 17 000 000 | Binding Itinerary | | | n/a | M | | |
| 16 17 036 000 | bindingItinerary | | | n1 | M | CL027 | |

Description:

Details of the itinerary of the means of transport

Rules/codes/other relevant information:

BindingItinerary (16 17 036 000):

Binding itinerary defines the route along which the goods shall be moved from the Customs Office of Departure to the Customs Office of Destination along an economically justified itinerary.

For Codelist information, see codelist excel sheet under CL027 found on Github.

XML-examples:

<bindingItinerary>0</bindingItinerary>

Group 17 – Customs Offices



Customs office of departure

| CIA | Requirement Overview | | VCD | | | |
|------------------|--------------------------|----|-----|---|-----|-------------|
| C/A | D1 | D2 | D4 | XSD-path | | |
| Yes/Yes | M | M | M | Basepath: Header/CustomsOfficeOfDeparture | | |
| EUCDM 6.1 | UCDM 6.1 XSD/XML-name | | | Format | M/0 | Comment |
| 17 03 000 000 | CustomsOfficeOfDeparture | | | n/a | M | |
| 17 03 001 000 | referenceNumber | | | an8 | M | R0901 CL171 |

Description:

Identifys the customs office at which the goods leave or are intended to leave the customs territory.

Rules/codes/other relevant information:

Reference Number (17 03 001 000):

For Codelist information, see codelist excel sheet under **CL171** found on <u>Github</u>.

- <CustomsOfficeOfDeparture>
- <referenceNumber>NL000184</referenceNumber>
- </CustomsOfficeOfDeparture>

Customs office of transit

| CIA | Requi | rview | VCD models | | | | |
|------------------|--------------|-------------|------------|-----------|---|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | MC | MC | N/A | Basepath: | Basepath: Header/CustomsOfficeOfTransit | | |
| EUCDM 6.1 | XSD/XML-n | ame | | Format | M/0 | Comment | |
| 17 04 000 000 | CustomsOffi | Declared | n/a | M | Optional for D1 C0030 G0030 | | |
| 17 04 001 000 | referenceNu | ımber | | an8 | M | Reference number. Optional for D1 B1813 G0142 R0003 R0006 R0906 CL173 | |
| None | sequenceNu | mber | | n5 | M | R0987 | |
| | arrivalDate/ | AndTimeEsti | mated | An19 | MC | B1831 B1904 C0598 G0002 R0005 | |

Description:

Identifies the customs office at which the goods leave or are intended to leave the customs territory.

Rules/codes/other relevant information:

referenceNumber (17 04 001 000):

For Codelist information, see codelist excel sheet under CL173 found on Github.

- <CustomsOfficeOfTransitDeclared>
- <sequenceNumber>1</sequenceNumber>
- <referenceNumber>AT600200</referenceNumber>
- <arrivalDateAndTimeEstimated>2002-11-05T09:01:03/ arrivalDateAndTimeEstimated >
- </CustomsOfficeOfTransitDeclared>

Customs office of destination

| CIA | Requirement Overview | | | VCD models | | | | |
|------------------|-----------------------|---------------|--------|---|----------|--|--|--|
| C/A | D1 | D2 | D4 | xsD-patn | XSD-path | | | |
| Yes/Yes | M M N/A | | | Basepath: Header/CustomsOfficeOfDestinationDeclared | | | | |
| EUCDM 6.1 | XSD/XML-r | iame | | Format | M/0 | Comment | | |
| 17 05 000 000 | CustomsOffi clared | iceOfDestinat | ionDe- | n/a | M | | | |
| 17 05 001 000 | referenceNu | ımber | | an8 | M | Reference number. R0871 R0901 R0904 R0905 CL172 | | |

Description:

Identifys the customs office at which the goods arrive or are intended to arrive at the customs territory.

Rules/codes/other relevant information:

referenceNumber (17 05 001 000):

For Codelist information, see codelist excel sheet under CL172 found on Github.

- <CustomsOfficeOfDestinationDeclared>
- <referenceNumber>NL000184</referenceNumber>
- </CustomsOfficeOfDestinationDeclared>

Customs office of exit for transit

| CIA | Requi | rview | VCD moth | | | | | |
|------------------|---------------------------------|-----------|----------|-----------|--|-----------------------------------|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | | |
| Yes/Yes | MC | MC | N/A | Basepath: | Basepath: Header/ CustomsOfficeOfExitForTransitDeclare | | | |
| EUCDM 6.1 | XSD/XML-n | ame | | Format | M/0 | Comment | | |
| 17 06 000 000 | CustomsOffi | ceOfExit- | | /a | MC | D1 O, D2 M | | |
| 17 00 000 000 | ForTransitD | eclared | | n/a | MC | C0587 G0042 | | |
| 17 06 001 000 | 17 06 001 000 referenceNumber | | | an8 | M | Reference number. Optional for D1 | | |
| 17 00 001 000 | Telefeliceivo | iiiibei | | allo | IVI | R0871 CL175 | | |
| None | sequenceNu | mber | | n5 | M | R0987 | | |

Description:

Identifies the customs office at which the goods leave or are intended to leave the customs territory.

Rules/codes/other relevant information:

referenceNumber (17 06 001 000):

For Codelist information, see codelist excel sheet under CL175 found on Github.

- <CustomsOfficeOfExitForTransitDeclared>
- <sequenceNumber>1</sequenceNumber>
- <referenceNumber>DE003030</referenceNumber>
- </CustomsOfficeOfExitForTransitDeclared>

Group 18 – Goods identification



Net Mass

| CIA | Requi | irement Ove | rview | VCD41- | | | |
|---------------|------------------------|-------------|-------|--|-----|-------------------------------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| No/No | MC | MC | N/A | Basepath: Header/Consignment/ConsignmentItem/Commodity/GoodsMeasure/netMass | | | |
| EUCDM 6.1 | EUCDM 6.1 XSD/XML-name | | | Format | M/0 | Comment | |
| 18 01 000 000 | GoodsMeasure | | | n/a | 0 | | |
| 18 01 001 000 | netMass | | | n16,6 | MC | B1805 B1862 C0837 E1109 R0223 | |

Description:

Details about the goods weight, quantities, and amounts

Rules/codes/other relevant information:

XML-examples:

<netMass>100.00</netMass>

Supplementary Units

| C/A | Requi | rement Ove | rview | VCD | | | |
|---------------|---------------------|------------|-------|--|----------|---------|--|
| C/A | D1 | D2 | D4 | xsD-patn | XSD-path | | |
| No/No | 0 | 0 | N/A | Basepath: Header/Consignment/ConsignmentItem/Commodity/GoodsMeasure/ supplementaryUnits | | | |
| EUCDM 6.1 | DM 6.1 XSD/XML-name | | | Format | M/0 | Comment | |
| 18 01 000 000 | GoodsMeasure | | | n/a | 0 | | |
| 18 02 001 000 | supplementaryUnits | | | n16,6 | 0 | | |

Description:

Details about the goods weight, quantities, and amounts

Rules/codes/other relevant information:

XML-examples:

< supplementaryUnits>100.00/ supplementaryUnits>

Gross Mass (Goods measure)

| CIA | Requirement Overview | | VCD models | | | | |
|---------------|----------------------|-----------|------------|--|--------|-------------------------------------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| | | Basepath: | | | | | |
| No/No | М | М | N/A | Header/Co | nsignm | ent/ GrossMass | |
| | | | | Header/Consignment/HouseConsignment/GrossMass | | | |
| | | | | Header/Consignment/HouseConsignment/ConsignmentItem/Com- | | | |
| | | | | modity/GoodsMeasure/ GrossMass | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | |
| 18 04 000 000 | GoodsMeasure | | | n/a | M | | |
| 18 04 001 000 | grossMass | | | n16,6 | M | R0983 B1860 B2101 E1109 G0021 R0221 | |

Description:

Details about the goods weight, quantities, and amounts

Rules/codes/other relevant information:

grossMass (18 04 001 000):

The gross mass in kilograms.

XML-examples:

<grossMass>100.00

Description of goods

| C/A | Requirement Overview | | | VCDul. | | |
|---------------|----------------------|----|-----|--|-----|---------|
| | D1 | D2 | D4 | XSD-path | | |
| No/No | M | M | N/A | Basepath: Header/Consignment/ConsignmentItem/Commodity/descriptionOfGoods/ | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment |
| 18 05 000 000 | Commodity | | | n/a | M | |
| 18 05 001 000 | descriptionOfGoods | | | an512 | M | E1107 |

Description:

Details about the properties of the goods

Rules/codes/other relevant information:

Free text field – up to 512 characters.

XML-examples:

Packaging

| C/A | Requirement Overview | | | VCD4L | | | |
|------------------|----------------------|----|-------|----------|---|------------------------|--|
| | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | M | M | N/A | - | Basepath: Header/Consignment/HouseConsignment/Consignment/tem/Packaging | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | |
| 18 06 000 000 | Packaging | | | n/a | M | | |
| 18 06 003 000 | typeOfPackages | | | an2 | M | Type of Packages CL017 | |
| 18 06 004 000 | numberOfPa | | n8 | МС | Number of Packages C0060 E1111 G0021 R0364 | | |
| 18 06 054 000 | shippingMa | | an512 | МС | Shipping Marks [8] C0060 E1105 G0024 | | |
| None | sequenceNumber | | | n5 | M | R0987 | |

Description:

Details related to packaging.

Rules/codes/other relevant information:

typeOfPackages (18 06 003 000):

For Codelist information, see codelist excel sheet under CL017 found on Github.

Quantity (18 06 004 000):

Total number of packages based on the smallest external packing unit. This is the number of individual items packaged in such a way that they cannot be divided without first undoing the packing, or the number of pieces, if unpackaged.

MarksNumber (18 06 054 000):

Free form describing the marks and numbers on the transport unit or packages.

XML-examples:

<Packaging>

<sequenceNumber>1</sequenceNumber>

<typeOfPackages>CG</typeOfPackages>

<numberOfPackages>1</numberOfPackages>

<shippingMarks>0</shippingMarks>

</Packaging>

Dangerous goods

| Requirement Overview | | VCD | | | | |
|----------------------|----------------|----------------|--------|--|---------|-------------|
| C/A | D1 | D2 | D4 | XSD-path | | |
| No/No | 0 | 0 | N/A | Basepath: Header/Consignment/ConsignmentItem/Commodity/Dan gerousGoods | | |
| EUCDM 6.1 | XSD/XML-name | | Format | M/0 | Comment | |
| 18 07 000 000 | DangerousG | DangerousGoods | | n/a | 0 | E1406 G0300 |
| None | sequenceNumber | | n5 | M | R0987 | |
| 18 07 055 000 | UNNumber | | | an4 | M | CL101 |

Description:

Details about the dangerous goods

Rules/codes/other relevant information:

UNNumber (18 07 055 000):

The United Nations Dangerous Goods identifier (UNDG) is the serial number assigned within the United Nations to substances and articles contained in a list of the dangerous goods most commonly carried

For Codelist information, see codelist excel sheet under ${\it CL101}$ found on ${\it \underline{Github}}$.

- <DangerousGoods>
 - <sequenceNumber>1</sequenceNumber>
 - <UNNumber> 0034</UNNumber>
- </DangerousGoods>

Commodity

| C / A | Requi | rview | VCD | VCD moth | | | |
|---------------|----------------|-----------|-----|-----------|---|-------------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | M [29] | M [29] | N/A | Basepath: | Basepath: Header/Consignment/ConsignmentItem/Comm | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | |
| 18 09 000 000 | Commodity | | | n/a | M | | |
| 18 05 001 000 | description(| OfGoods | | An512 | M | E1107 | |
| 18 09 000 000 | CommodityCode | | | n/a | 0 | B1834 C0153 | |
| 18 07 000 000 | DangerousGoods | | | n/a | 0 | | |
| 18 01 000 000 | GoodsMeasure | | | n/a | 0 | | |

Description:

Details about the properties of the goods

Rules/codes/other relevant information:

XML-examples:

<Commodity>

...

<CommodityCode>

...

- </CommodityCode>
- <DangerousGoods>

...

- </DangerousGoods>
- <GoodsMeasure>

...

- </GoodsMeasure>
- </Commodity>

Commodity code (CUS Code)

| CIA | Requi | irement Ove | rview | VCD + - | VCD Al- | | |
|---------------|--------------|-------------|--------|---|---------|-------------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | 0 | 0 | n/a | Basepath: Header/Consignment/ConsignmentItem/Commodity/cus-Code | | | |
| EUCDM 6.1 | XSD/XML-name | | Format | M/0 | Comment | | |
| 18 08 000 000 | cusCode | | | An9 | 0 | CL016 G0301 | |

Description:

Type of goods indicated by the commodity code/combined nomenclature code.

Rules/codes/other relevant information:

Enter the commodity code number corresponding to the item in question.

CUS Code

Source: ECICS (European Customs Inventory of Chemical Substances)

Definition: Customs Union and Statistics (CUS) number assigned within the European Customs Inventory of Chemical

Substances (ECICS) to mainly chemical substances and preparations.

CUS Code (18 08 000 000):

For Codelist information, see codelist excel sheet under CL016 found on Github.

XML-examples:

<Commodity>

<cusCode>AN1234567</cusCode>

<CommodityCode>

•••

</CommodityCode>

<DangerousGoods>

...

</DangerousGoods>

<GoodsMeasure>

...

</GoodsMeasure>

</Commodity>

Commodity code (Harmonized System Sub-heading Code)

| CIA | Requ | irement Ov | erview | VCD | | | |
|---------------|-------------------------------------|------------|--------|---|--|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | M | M | n/a | Basepath: Header/Consignment/ConsignmentItem /Commodity/Commodity/Code/harmonizedSystemSubHeadingCode | | | |
| EUCDM 6.1 | XSD/XML-name | | Format | M/0 | Comment | | |
| 18 09 056 000 | harmonizedSystemSubHeading- Code | | an6 | M | Harmonized System sub-heading code3 CL152 | | |

Description:

Type of goods indicated by the commodity code/combined nomenclature code.

Rules/codes/other relevant information:

Enter the commodity code number corresponding to the item in question.

harmonizedSystemSubHeadingCode (18 09 056 000):

To specify Harmonized System Sub-heading Code, input "HS"

For Codelist information, see codelist excel sheet under CL152 found on Github.

XML-examples:

<Commodity>

..

<CommodityCode>

<harmonizedSystemSubHeadingCode>AN1234</harmonizedSystemSubHeadingCode>

...

</CommodityCode>

<DangerousGoods>

...

</DangerousGoods>

<GoodsMeasure>

...

</GoodsMeasure>

</Commodity>

Commodity code (Combined Nomenclature Code)

| 0.14 | Requ | uirement Overview | | VCD 4l. | | |
|---------------|--------------------------|-------------------|--------|----------|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | |
| Yes/Yes | MC | MC | n/a | _ | ment/ConsignmentItem/Commod- inedNomenclatureCode | |
| EUCDM 6.1 | XSD/XML-name | | Format | M/0 | Comment | |
| 18 09 057 000 | combinedNomenclatureCode | | an2 | M | Combined nomenclature code C0821 R0060 | |

Description:

Type of goods indicated by the commodity code/combined nomenclature code.

Rules/codes/other relevant information:

Enter the commodity code number corresponding to the item in question.

combinedNomenclatureCode (18 09 057 000):

To specify Combined Nomenclature Code, input "CN"

XML-examples:

<Commodity>

<CommodityCode>

<combinedNomenclatureCode>CN</combinedNomenclatureCode>

</CommodityCode>

<DangerousGoods>

...

</DangerousGoods>

<GoodsMeasure>

...

</GoodsMeasure>

</Commodity>

Group 19 – Transport information (modes, means and equipment)



House Consignment

| 0.14 | Requi | rement Ove | rview | vcp d | | | | | |
|---------------|---------------------------|-------------|-------|-----------|---|---------|--|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | | | |
| No/No | M | M | M | Basepath: | Basepath: Header/Consigment/ HouseConsignment | | | | |
| EUCDM 6.1 | XSD/XML-n | ame | | Format | M/0 | Comment | | | |
| n/a | HouseConsi | gnment | | n/a | M | E1406 | | | |
| none | sequenceNu | mber | | n5 | M | | | | |
| 18 04 001 000 | Gross Mass | | | n16,6 | MC | | | | |
| 13 02 000 000 | Consignor | | n/a | 0 | | | | | |
| 13 03 000 000 | Consignee | | n/a | 0 | | | | | |
| 19 05 000 000 | Departure transport means | | | n/a | 0 | | | | |
| 12 04 000 000 | Additional R | Reference | | n/a | 0 | | | | |
| 12 02 000 000 | Additional I | nformation | | n/a | 0 | | | | |
| 13 14 000 000 | Additional S | upply Chain | Actor | n/a | 0 | | | | |
| 12 01 000 000 | Previous Document | | | n/a | 0 | | | | |
| 12 03 000 000 | Supporting Document | | | n/a | 0 | | | | |
| 12 05 000 000 | Transport document | | | n/a | 0 | | | | |
| 14 02 000 000 | Transport Charges | | | n/a | 0 | | | | |
| n/a | Consignmen | ıtItem | | n/a | M | | | | |

Description:

This is to give a generalized overview of HouseConsignment. See relevant elements for their respective rules

Rules/codes/other relevant information:

This is a simplified overview of a complete XML declaration.

How to fill in the different sub elements can be seen under the specific elements in this guide.

ConsignmentItem (Goods Item Number)

| 0.14 | Requi | irement Ove | rview | VSD-noth | | | | |
|--------------------------------|----------------------|--------------|-------|-----------------------|-----------|--|--|--|
| C/A | D1 | D2 | D4 | XSD-path | x5D-patii | | | |
| No/No | M | M | N/A | Basepath: mentItem | Header | /Consigment/HouseConsignment/ Consign- | | |
| EUCDM 6.1 | XSD/XML-r | iame | | Format | M/O | Comment | | |
| n/a | Consignmen | ntItem | | n/a | M | | | |
| 11 03 001 000 | Goods item | number | | n5 | M | SequenceNumeric | | |
| 12 02 000 000 | Additional is | nformation | | n/a | 0 | | | |
| 12 04 000 000 | Additional r | eference | | n/a | 0 | | | |
| 13 14 000 000 | Additional S | Supply Chain | Actor | n/a | 0 | | | |
| 18 05 000 000 18 09 000 000 | Commodity | | | n/a | M | | | |
| 13 03 000 000 | Consignee | | | n/a | 0 | | | |
| 13 03 018 000 | Address | | | n/a | 0 | | | |
| 16 03 000 000 | Country of c | lestination | | n/a | 0 | | | |
| 16 06 000 000 | Country of c | lispatch | | n/a | 0 | | | |
| 11 01 000 000 | Declaration | Туре | | n/a | 0 | | | |
| 18 06 000 000 | Packaging | | | n/a | M | | | |
| 12 01 000 000 | Previous document | | n/a | 0 | | | | |
| n/a | Packaging | | n/a | 0 | | | | |
| 12 03 000 000 | Supporting Document | | n/a | 0 | | | | |
| 12 08 000 000 | Reference number/UCR | | n/a | 0 | | | | |
| 12 05 000 000 | TransportDocument | | | n/a | 0 | | | |
| 14 02 000 000 | TransportCl | narges | | n/a | 0 | | | |

Description:

This is to give a generalized overview of ConsignmentItem. See relevant elements for their respective rules

Rules/codes/other relevant information:

This is a simplified overview of a complete XML declaration.

How to fill in the different sub elements can be seen under the specific elements in this guide.

```
</DangerousGoods>
       <GoodsMeasure>
       </GoodsMeasure>
   </Commodity>
   <Packaging>
   </Packaging>
   <PreviousDocument>
   </PreviousDocument>
   <SupportingDocument>
   </SupportingDocument>
   <TransportDocument>
   </TransportDocument>
   <AdditionalReference>
   </AdditionalReference>
   <AdditionalInformation>
   </AdditionalInformation>
   <TransportCharges>
   </TransportCharges>
</ConsignmentItem>
```

Consignment / Container Indicator

| CIA | Requi | rview | VCD | | | | |
|---------------|--------------------|-------|-----|---|----------|-------------------|--|
| C/A | D1 | D2 | D4 | xsD-patn | XSD-path | | |
| No/No | MC | MC | MC | Basepath: Header/Consignment/containerIndicator | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/0 | Comment | |
| 19 01 000 000 | Consignment | | | n/a | M | | |
| 19 01 001 000 | containerIndicator | | | n1 | MC | C0822 G0332 CL027 | |

Description:

Data element indicating if the goods are transported in a container or not.

Rules/codes/other relevant information:

containerIndicator (19 01 001 000):

This field is used to indicate if the goods are transported in a container.

For Codelist information, see codelist excel sheet under CL027 found on Github.

XML-examples:

<containerIndicator>1</containerIndicator>

Mode of transport at the border

| CIA | Requi | irement Ove | rview | VCD41- | | | |
|---------------|---------------------------------|--------------|-------|---|-----|---------------------------------------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| No/No | MC [30] | MC [30] | MC | Basepath: Header/Consignment/modeOfTransportAtTheBorder | | | |
| EUCDM 6.1 | XSD/XML-r | XSD/XML-name | | | M/O | Comment | |
| 19 03 000 000 | Mode of transport at the border | | | n/a | MC | | |
| 19 03 001 000 | modeOfTransportAtTheBorder | | | n1 | MC | [30] B1889 C0599 G0020 G0115 CL218 | |

Description:

Details of the active means of transport crossing the border of the Customs territory.

Rules/codes/other relevant information:

In the case of combined transport or where several means of transport are used, the active means of transport is the one which propels the whole combination. For example, in the case of a lorry on a sea-going vessel, the active means of transport is the ship. In the case of a tractor and trailer, the active means of transport is the tractor.

modeOfTransportAtTheBorder (19 03 001 000):

For Codelist information, see codelist excel sheet under CL218 found on Github.

XML-examples:

 $<\!modeOfTransportAtTheBorder\!\!>\!\!3<\!/modeOfTransportAtTheBorder\!\!>\!\!$

Inland mode of transport

| CIA | Requi | irement Ove | rview | VCD moth | | | |
|---------------|--------------------------|--------------|-------|--|-----|---------|--|
| C/A | D1 | D2 | D4 | XSD-path | | | |
| No/No | 0 | 0 | MC | Basepath: Header/Consignment/inlandModeOfTransport | | | |
| EUCDM 6.1 | XSD/XML-r | XSD/XML-name | | Format | M/0 | Comment | |
| 19 04 000 000 | Inland mode of transport | | | n/a | 0 | | |
| 19 04 001 000 | inlandModeOfTransport | | | n1 | MC | CL218 | |

Description:

Departure of goods in the context of transit.

Rules/codes/other relevant information:

inlandModeOfTransport (19 04 001 000):

For Codelist information, see codelist excel sheet under CL218 found on Github.

XML-examples:

 $\verb| <inlandModeOfTransport>| 4</inlandModeOfTransport>|$

Departure transport means

| CIA | Requi | rement Ove | rview | VCD | | | | |
|---------------------------|----------------------------|------------|-------|-------------|--|---|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | | |
| | MC | MC | | | | | | |
| Yes/Yes | [34] | [34] | MC | Dacanathi | Basepath: Header/Consignment/DepartureTransportMeans | | | |
| 165/165 | [35] | [35] | IVIC | Dasepatii. | Header | Consignment, Departure Fransportimeans | | |
| | [36] | [36] | | | • | | | |
| EUCDM 6.1 | XSD/XML-name | | | Format | M/O | Comment | | |
| 19 05 000 000 | DepartureTransportMeans | | | n/a | 0 | B1890 B1891 C0826 G0088 G0119 R0855 | | |
| 19 05 017 000 | identificatio | nNumber | | An35 | 0 | B1815 B1892 B2101 E1103 R0473 | | |
| | | | | | 0 | Type of Identification (Required for D4) | | |
| 19 05 061 000 | typeOfIdent | ification | | n2 | | B1091 B1892 B2101 G0112 R0472 R0474 R0476 | | |
| | | | | | | CL750 | | |
| 19 05 062 000 nationality | | a2 | 0 | Nationality | | | | |
| 1703002000 | 19 05 062 000 Haddilanty | | aL | J | B1897 B2101 CL165 | | | |
| None | sequenceNu | mber | | n5 | M | R0987 | | |

Description:

Departure of goods in the context of transit.

Rules/codes/other relevant information:

identificationNumber (19 05 017 000):

Enter the identity of the means of transport on which the goods are loaded at the time of export or transit formalities.

| Means of transport | Method of identification |
|-------------------------|--|
| Sea and inland waterway | Name of vessel |
| transport | |
| Air transport | Number and date of flight (where there is no flight number, enter the aircraft's registration num- |
| | ber) |
| Road transport | Vehicle and/or trailer registration number |
| Rail transport | Wagon number |

typeOfIdentification (19 05 061 000):

For Codelist information, see codelist excel sheet under CL750 found on Github.

nationality (19 05 062 000):

For Codelist information, see codelist excel sheet under CL165 found on Github.

- <DepartureTransportMeans>
 - <sequenceNumber>1</sequenceNumber>
 - <typeOfIdentification>11</typeOfIdentification>
 - <identificationNumber>12</identificationNumber>
 - <nationality>DK</nationality>
- </DepartureTransportMeans>

Transport equipment

| C/A | Requirement Overview | | | VCD noth | | | |
|---------------|-------------------------------|----------|------|---|--|---------------------------------|--|
| | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | MC MC MC [62] MC | | | Basepath: Header/Consignment/TransportEquipment | | | |
| EUCDM 6.1 | XSD/XML-r | iame | | Format | M/0 | Comment | |
| 19 07 000 000 | TransportEd | quipment | | n/a | MC | C0823 G0103 | |
| 19 07 044 000 | sequenceNu | ımber | | n5 | M | Goods reference sequence. R0987 | |
| 19 07 063 000 | containerId | umber | an17 | МС | Container Identification Number. C0055 G0002 | | |
| 19 10 000 000 | Seal | | | n/a | M | C0569 | |
| 19 10 015 000 | identifier | | | An20 | M | R0107 | |
| 19 10 068 000 | numberOfSe | | n4 | М | Number of seals B1832 G0021 R0106 R0165 R0448 | | |
| N/A | GoodsReference | | | n/a | | C0670 G0670 | |
| · | Declaration goods item number | | | n5 | M | G0005 G0006 R0007 | |

Description:

Details of the transport equipment used for the consignment.

Rules/codes/other relevant information:

SequenceNumeric (19 07 044 000):

For each container, enter the goods item numbers(s) for the goods transported in this container.

containerIdentificationNumber (19 07 063 000):

Marks (letters and/or numbers) which identify the container.

identifier (19 10 015 000):

The identifications number to the seals affixed.

numberOfSeals (19 10 068 000):

The amount of seals affixed to the transport equipment

- <TransportEquipment>
 - <sequenceNumber>1</sequenceNumber>
 - <containerIdentificationNumber>DK123467890</containerIdentificationNumber>
 - <numberOfSeals>1</numberOfSeals>
 - <Seal>
 - <sequenceNumber>1</sequenceNumber>
 - <identifier>DK123456FBI789</identifier>
 - </Seal>
 - <GoodsReference>
 - <sequenceNumber>1</sequenceNumber>
 - <declarationGoodsItemNumber>1</declarationGoodsItemNumber>
 - </GoodsReference>
- </TransportEquipment>

Active border transport means

| CIA | Requi | rview | VCD | | | | | | |
|------------------------------------|-----------------------|-------------|--------|--|-------------------------------------|-------------------------|--|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | | | |
| | MC | MC | MC | | | | | | |
| | [34] | [34] | [34] | | | | | | |
| | [35] | [35] | [35] | | | | | | |
| Yes/Yes | [36] | [36] | [36] | Basepath: Header/Consignment/ActiveBorderTransportMeans/ | | | | | |
| | [61] | [61] | [61] | | | | | | |
| | [70] | [70] | [70] | | | | | | |
| | [71] | [71] | [71] | | | | | | |
| EUCDM 6.1 | XSD/XML-n | | Format | M/O | Comment | | | | |
| 19 08 000 000 | Active borde | means | n/a | MC | B1806 C0806 E1406 G0118 R0789 C0908 | | | | |
| 19 08 061 000 | typeOfIdentification | | | n2 O | 0 | Type of Identification. | | | |
| 19 08 061 000 typeOffdentification | | 112 | U | B1838 B2101 G0112 CL219 | | | | | |
| 19 08 017 000 | identificationNumber | | | an35 | 0 | Identification Number | | | |
| 19 08 017 000 IdentificationNumber | | iiivuiiibei | | an55 | B1811 B1838 B2101 E1103 R0076 | | | | |
| 19 08 062 000 | nationality | | | n2 | 0 | B1850 B2101 CL165 | | | |
| None | conveyance | ReferenceNu | mber | an17 | MC | C0531 G0002 R0315 | | | |
| None | customsOffi Number | eference- | an8 | 0 | B1016 B2101 G0789 | | | | |
| None | sequenceNu | | n5 | М | R0987 | | | | |

Description:

Details of the means of transport crossing the border of the Customs territory

Rules/codes/other relevant information:

typeOfIdentification (19 08 061 000):

Using the relevant Union code, enter the type of identification number.

For Codelist information, see codelist excel sheet under CL219 found on Github.

identificationNumber (19 08 017 000):

In the case of combined transport or where several means of transport are used, the active means of transport is the one which propels the whole combination.

Nationality (19 08 062 000):

Using the relevant Union code, enter the nationality of the active means of transport crossing the Union's external frontier. For Codelist information, see codelist excel sheet under **CL165** found on <u>Github</u>.

Customs Of fice At Border Reference Number:

See the list of Customs Office Ids and search for a specific Customs Office here: https://ec.europa.eu/taxation_customs/dds2/rd/rd_consultation_location.jsp?Lang=en

- ActiveBorderTransportMeans>
 - <sequenceNumber>1</sequenceNumber>
 - <customsOfficeAtBorderReferenceNumber> AN123456
 - <typeOfIdentification>30</typeOfIdentification>
 - <identificationNumber>DK123456FBI7890</identificationNumber>
 - <nationality>DK</nationality>
 - <conveyanceReferenceNumber>AN123</conveyanceReferenceNumber>
- </ActiveBorderTransportMeans>

Seal

| C/A | Requirement Overview | | | VCDkl. | | |
|---------------|----------------------|-----|----|---|-----|---------|
| | D1 | D2 | D4 | XSD-path | | |
| Yes/Yes | MC MC MC | | | Basepath: Header/Consignment/TransportEquipment/Seal/ | | |
| EUCDM 6.1 | XSD/XML-n | ame | | Format | M/0 | Comment |
| 19 10 000 000 | Seal | | | n/a | MC | |
| 19 10 015 000 | identifier | | | an20 | M | R0107 |
| None | Sequence number | | | n5 | M | R0987 |

Description:

A device used to secure an object and protect from unauthorized entry or tampering such as a seal affixed to a piece of transport equipment

Rules/codes/other relevant information:

Identifier (19 10 015 000):

The identification numbers of seals affixed.

XML-examples:

<Seal>

<sequenceNumber>1</sequenceNumber>

<identifier>F742</identifier>

</Seal>

Group 99 – Other data elements

Guarantee

| C/A | Requirement Overview | | | VCD | | | |
|---------------|----------------------|--------------|-----|-----------------------------|-------|-------------|--|
| | D1 | D2 | D4 | XSD-path | | | |
| Yes/Yes | M | M | N/A | Basepath: Header/Guarantee/ | | | |
| EUCDM 6.1 | XSD/XML-n | ame | | Format | M/0 | Comment | |
| 99 02 000 000 | Gurantee | | | n/a | M | | |
| 99 02 001 000 | guaranteeTy | <i>т</i> ре | | An1 | M | R0900 CL251 | |
| 99 03 073 000 | otherGuarar | nteeReferenc | e | An35 | MC | C0130 | |
| 99 03 000 000 | GuaranteeR | eference | | n/a | MC | C0085 | |
| None | sequenceNu | | n5 | M | R0987 | | |

Description:

By using the relevant union codes, the type of guarantee type for the operation can be defined.

Rules/codes/other relevant information:

GuaranteeType (99 02 001 000):

For Codelist information, see codelist excel sheet under **CL251** found on <u>Github</u>.

XML-examples:

<Guarantee>

<sequenceNumber>1</sequenceNumber>

<guaranteeType>3

<otherGuaranteeReference>DK123456FBI7890</otherGuaranteeReference>

<GuaranteeReference>

. . .

</GuaranteeReference>

</Guarantee>

Guarantee reference

| CIA | Requirement Overview | | | VCD | | | | |
|------------------|----------------------|---------|--------|--|-------------------|-------------------|--|--|
| C/A | D1 | D2 | D4 | XSD-path | | | | |
| No/No | MC | MC | N/A | Basepath: Header/Guarantee/GuaranteeReference/ | | | | |
| EUCDM 6.1 | XSD/XML-n | | Format | M/0 | Comment | | | |
| 99 03 000 000 | Gurantee re | ference | | n/a | MC | | | |
| 99 03 069 000 | GRN | | an24 | MC | C0086 G0002 R0318 | | | |
| 99 03 012 000 | Currency | | | a3 | 0 | B1898 B2101 CL048 | | |
| 99 03 070 000 | accessCode | | | An4 | MC | C0086 E1118 | | |
| 99 03 071 000 | amountToB | | n16,2 | 0 | B2101 G0021 | | | |
| n/a | sequenceNu | | n5 | M | R0987 | | | |

Description:

Details regarding undertaking given in cash, bond or as a written guarantee to ensure that an obligation will be fulfilled, e.g. under a transit procedure, related to a declaration

Rules/codes/other relevant information:

GRN (99 03 069 000):

Enter the Guarantee Reference Number

Currency (99 03 012 000):

This is the currency code for the guarantee.

For Codelist information, see codelist excel sheet under **CL048** found on <u>Github</u>.

AccessCode (99 03 070 000):

Access code

AmountToBeCovered (99 03 071 000):

This is the amount to be covered under guarantee.

OtherGuaranteeReference (99 03 073 000):

Where a guarantee is not valid for all the common transit countries, enter the relevant codes for the common transit countries or country concerned.

```
<Guarantee>
```

- <sequenceNumber>1</sequenceNumber>
- <guaranteeType>3</guaranteeType>
- <otherGuaranteeReference>DK123456FBI7890</otherGuaranteeReference>
- <GuaranteeReference>
- <sequenceNumber>1</sequenceNumber>
- <GRN>12</GRN>
- <accessCode>ABC1</accessCode>
- <amountToBeCovered>100.00</amountToBeCovered>
- <currency>DKK</currency>
- </GuaranteeReference>
- </Guarantee>