

Entropy Mechanics in Causal Diamonds: Destroying the Multiverse

Bryce Weiner¹

¹Information Physics Institute, Sibalom, Antique, Philippines

*Corresponding author: bryce.weiner@informationphysicsinstitute.net

Abstract

We present the Quantum-Thermodynamic Entropy Partition (QTPE) framework, as a study of the mechanics of entropy demonstrating how it resolves the quantum measurement problem through concrete geometric foundations in causal diamond spacetime regions. Quantum measurement occurs within light cone intersections where quantum information converts to classical information through ebit-obit cycles at the fundamental rate $\gamma = H / \ln(\pi c^2 / \hbar G H^2)$, connecting measurement dynamics directly to cosmic evolution.

When maximally entangled quantum systems undergo measurement, their entropy partitions into coherent entropy (accessible information) and decoherent entropy (thermodynamically inaccessible information). This partition yields the universal QTPE ratio $S_{\text{coh}}/|S_{\text{decoh}}| \approx 2.257$ that emerges from first principles: the single definite measurement outcome requires exactly one nat of information to manifest in spacetime, leaving $\ln(2) - 1$ nats as negentropy in the thermodynamically inaccessible past light cone structure.

QTPE eliminates the many worlds interpretation by demonstrating that measurement creates negentropy rather than parallel realities. The finite information processing rate makes infinite universe branching thermodynamically impossible, while information conservation occurs through entropy partition within singular spacetime rather than multiplication across parallel worlds.

The framework provides natural explanations for cosmological phenomena without exotic physics. Dark matter emerges from coherent entropy states that receive negative charge through neighbor distribution during ebit-obit conversion, becoming thermodynamically inert while retaining gravitational effects. This predicts a dark-to-visible matter ratio consistent with observations. Gravity emerges when causal diamond exceeds a critical volume, transitioning from electromagnetic to gravitational information processing dominance. Antimatter forms through charge deficit compensation mechanisms when coherent entropy states donate positive charge to facilitate obit formation.

QTPE makes specific testable predictions: modified decoherence rates $\Gamma_n = \gamma \cdot 2.257^n$ for multi-particle systems, Thomson scattering cross-section modifications $\sigma = \sigma_0(1 + 2.257 \cos^2 \theta)$ observable in cosmic microwave background polarization, gravitational modulation of quantum measurement rates, and characteristic effects in precision interferometry.

Black holes are reinterpreted as extreme coherent entropy organizations with information processing boundaries, resolving the information paradox while explaining their role as cosmic information organizers within the holographic screen architecture.

The geometric realization through causal diamonds transforms quantum measurement from philosophical speculation into precisely calculable spacetime physics, establishing measurement as a fundamentally geometric-thermodynamic process operating across all scales from atomic transitions to cosmic evolution.

Keywords - Quantum Measurement Problem; Entropy Partition; Wave Function Collapse; Quantum Decoherence; Many Worlds Interpretation; Thomson Scattering; Information Theory; Black Hole Information Paradox; Dimensional Structure

1. Introduction

The quantum measurement problem represents one of the most fundamental challenges in modern physics: how do definite outcomes emerge from quantum superposition? Despite decades of research,

existing interpretations remain conceptually incomplete. The Copenhagen interpretation invokes wave function collapse without providing a physical mechanism [2], while the many worlds interpretation requires infinite parallel realities that violate energy conservation [3]. Alternative approaches such as spontaneous localization theories introduce arbitrary parameters and face significant theoretical challenges [4].

Recent advances suggest resolution through connections between entanglement, information theory, and thermodynamic boundaries [5]. However, these thermodynamic boundaries lacked concrete geometric realization in spacetime, leaving the physical mechanism of quantum measurement fundamentally mysterious.

We present the Quantum-Thermodynamic Entropy Partition (QTEP) framework—a complete resolution to the measurement problem anchored in causal diamond geometry. QTEP demonstrates that quantum measurement occurs within precisely defined spacetime regions where quantum information converts to classical information through ebit-obit cycles governed by the fundamental information processing rate:

$$\gamma = \frac{H}{\ln\left(\frac{\pi c^2}{\hbar G H^2}\right)} \quad (1)$$

where H is the Hubble parameter, directly connecting quantum measurement dynamics to cosmic evolution [6].

The theoretical foundation emerges from maximally entangled two-qubit systems, where measurement partitions the initial entropy $\ln(2)$ nats into coherent entropy $S_{\text{coh}} = \ln(2)$ (accessible information) and decoherent entropy $S_{\text{decoh}} = \ln(2) - 1$ (thermodynamically inaccessible information). This partition arises from the fundamental principle that exactly one nat of information manifests in spacetime during each measurement event, corresponding to the single definite outcome observed. The resulting universal QTEP ratio $S_{\text{coh}}/|S_{\text{decoh}}| \approx 2.257$ characterizes all quantum-to-classical transitions and emerges necessarily from first principles without adjustable parameters.

Geometric realization occurs through causal diamonds [9]—light cone intersections $I^+(p) \cap I^-(q)$ that provide concrete spacetime boundaries where ebit-obit conversion occurs. This eliminates the mystery of where and when measurement happens by constraining information processing to well-defined geometric regions with calculable 4-volume $V(p, q)$ and holographic screen area $A(p, q)$.

QTEP definitively eliminates the many worlds interpretation by demonstrating that quantum measurement creates negentropy rather than parallel realities. The finite information processing rate γ and bounded causal diamond architecture make infinite universe branching thermodynamically impossible. Information conservation occurs through entropy partition within a single spacetime rather than distribution across parallel worlds.

The framework makes specific testable predictions that distinguish it from standard quantum mechanics: modified decoherence rates $\Gamma_n = \gamma \cdot 2.257^n$ for multi-particle systems, Thomson scattering cross-section modifications $\sigma = \sigma_0(1 + 2.257 \cos^2 \theta)$ observable in cosmic microwave background polarization [6], gravitational modulation of quantum measurement rates, and characteristic phase shifts in precision interferometry [7].

Most significantly, QTEP provides natural explanations for dark matter, antimatter, and gravitational emergence through the ebit-obit cycle's neighbor distribution mechanism. Dark matter emerges from coherent entropy states that receive negative charge, becoming thermodynamically inert while retaining gravitational effects. Gravity emerges when causal diamond volumes exceed a critical threshold, transitioning from electromagnetic to gravitational information processing dominance.

We establish QTEP's theoretical foundation, demonstrate geometric realization through causal diamonds, derive the universal ratio from first principles, and examine implications for quantum mechanics as a fundamentally geometric-thermodynamic theory of information processing operating across all scales from atomic transitions to cosmic evolution.

2. Theoretical Foundation of Quantum-Thermodynamic Entropy Partition

2.1. Maximum Entanglement Entropy and the QTEP Ratio

The foundation of QTEP lies in the consideration of two particles in a maximally entangled state, such as a photon-electron system during Thomson scattering. To establish the information content from first principles, we apply von Neumann entropy to the reduced density matrix.

For any maximally entangled two-qubit state $|\psi\rangle = \frac{1}{\sqrt{2}}(|00\rangle + |11\rangle)$, the reduced density matrix for one subsystem is:

$$\rho_{\text{reduced}} = \text{Tr}_{\text{partner}}(|\psi\rangle\langle\psi|) = \frac{1}{2}(|0\rangle\langle 0| + |1\rangle\langle 1|) \quad (2)$$

The von Neumann entropy calculation yields:

$$S = -\text{Tr}(\rho_{\text{reduced}} \ln \rho_{\text{reduced}}) = -2 \cdot \frac{1}{2} \ln \frac{1}{2} = \ln(2) \quad (3)$$

This derivation establishes that the total information content of this system at maximum entanglement is precisely $\ln(2)$ nats—the fundamental quantum of information corresponding to one maximally entangled qubit, with dimensionality determined by the natural logarithm in the von Neumann entropy formula.

When this entangled system undergoes measurement or observation, the entropy increases through negentropy creation at the thermodynamic boundary:

$$S_{\text{initial}} = \ln(2) \rightarrow S_{\text{final}} = S_{\text{coh}} + S_{\text{decoh}} = \ln(2) + (\ln(2) - 1) = 2\ln(2) - 1 \quad (4)$$

The coherent entropy component $S_{\text{coh}} = \ln(2) \approx 0.693$ represents the cold, ordered, accessible information that maintains quantum correlations and can be measured directly. The decoherent entropy component $S_{\text{decoh}} = \ln(2) - 1 \approx -0.307$ represents the hot, disordered, inaccessible information that has become thermodynamically unavailable through the measurement process.

The universality of this partition stems from the fundamental structure of quantum information. Any maximally entangled two-particle system initially contains exactly $\ln(2)$ nats of entropy, and the measurement process creates exactly $(\ln(2) - 1)$ nats of negentropy, increasing total entropy to $2\ln(2) - 1$ nats. The negative value of S_{decoh} represents this negentropy creation—the fundamental mechanism enabling quantum measurement outcomes.

The QTEP ratio emerges as:

$$\frac{S_{\text{coh}}}{|S_{\text{decoh}}|} = \frac{\ln(2)}{|\ln(2) - 1|} = \frac{\ln(2)}{1 - \ln(2)} \approx 2.257 \quad (5)$$

This dimensionless ratio is not arbitrary but represents a fundamental constant characterizing the thermodynamic structure of quantum measurement processes. As demonstrated through the first principles derivation in Section 3, its precise value emerges necessarily from the mathematical relationship between accessible and inaccessible information in quantum systems, requiring no empirical input beyond standard quantum mechanics and thermodynamics.

2.2. The Entropy-Information Duality: Capacity vs. Precipitation

A fundamental distinction underlies the QTEP framework that clarifies the relationship between thermodynamic entropy and discrete information content. This distinction resolves apparent dimensional inconsistencies and reveals the deep physical meaning of the measurement process.

Entropy, measured in nats, encompasses the complete information content by describing the amount of information that any quantum state might achieve. The coherent entropy $S_{\text{coh}} = \ln(2)$ nats quantifies the total information capacity available for precipitation into physical measurement events.

Information, measured in bits when considering discrete quantum states, represents the specific content that precipitates into observable physical events during measurement. A maximally entangled

two-qubit system contains exactly 1 bit of discrete information content, which corresponds to $\ln(2)$ nats of thermodynamic capacity.

During quantum measurement, exactly 1 nat of thermodynamic work precipitates the available information into a definite physical event. This precipitation process:

$$S_{\text{capacity}} - S_{\text{precipitated}} = \ln(2) - 1 = S_{\text{decoh}} \approx -0.307 \text{ nats} \quad (6)$$




Figure 1: Causal diamond structure showing the intersection of future and past light cones $I^+(p) \cap I^-(q)$, illustrating the geometric regions where ebit-obit conversion occurs. The intersection boundary at $\tau = 1/\gamma$ defines the holographic screen where entropy partition takes place.

The negative result represents decoherent entropy—information that mathematically conserves information preservation by accounting for the information content that never precipitated into a physical event. This unprecipitated information has genuine physical nature as the thermodynamically inaccessible information content of the past light cone.

Decoherent entropy S_{decoh} represents information that exists in the past light cone structure of causal diamonds—physically real but thermodynamically inaccessible because it lies outside the geometric boundaries where ebit-obit conversion can occur.

This information is encoded on the holographic screen defined by the intersection area $A(p,q)$ but cannot participate in current physical processes, maintaining the mathematical information balance required for consistent quantum measurement within the precise geometric constraints of causal diamond spacetime regions.

The greater the quantum interactions within a system, the more entropy is created in the probable outcomes, expanding the total information capacity available for precipitation. Complex quantum systems with extensive entanglement networks possess correspondingly larger information capacities, enabling more sophisticated precipitation patterns during measurement.

This entropy-information duality explains why entropy and information use different units while remaining fundamentally connected: entropy measures information capacity (what might precipitate), while information measures discrete precipitation (what actually becomes physically manifest). The QTEP framework operates at the interface between these domains, describing how quantum information precipitates into definite physical events while preserving the total information balance through the light cone structure of spacetime.

2.3. Information Processing Rate and Measurement Dynamics

The temporal evolution of the entropy partition during quantum measurement is governed by the fundamental information processing rate $\gamma = H/\ln(\pi c^2/\hbar GH^2)$. This rate determines how quickly coherent entropy converts to decoherent entropy:

$$\frac{dS_{\text{coh}}}{dt} = -\gamma S_{\text{coh}} \left(1 - \frac{S_{\text{coh}}}{S_{\text{coh,max}}} \right) \quad (7)$$

$$\frac{dS_{\text{decoh}}}{dt} = -\gamma S_{\text{decoh}} \left(1 + \frac{S_{\text{decoh}}}{|S_{\text{decoh,max}}|} \right) \quad (8)$$

These coupled equations describe how the entropy partition evolves during measurement. The coherent entropy decreases as quantum correlations are destroyed, while the decoherent entropy becomes more negative as information becomes thermodynamically inaccessible.

The total measurement time required to complete the entropy transition follows:

$$t_{\text{measurement}} = \frac{1}{\gamma} \ln \left(\frac{S_{\text{coh,initial}}}{S_{\text{coh,final}}} \right) = \frac{1}{\gamma} \ln(2.257) \quad (9)$$

Using the empirical form for the information processing rate from [6]:

$$\gamma \equiv \frac{H}{\ln\left(\frac{\pi c^2}{\hbar G H^2}\right)} \quad (10)$$

where H is the Hubble parameter, c is the speed of light, \hbar is the reduced Planck constant, and G is the gravitational constant. This gives:

$$t_{\text{measurement}} = \frac{\ln(\pi c^2 / \hbar G H^2)}{H} \ln(2.257) \quad (11)$$

This enormous timescale represents the time required for the universe to reach its fundamental information processing capacity. The cosmological nature of this timescale reflects the deep connection between quantum measurement and universal information capacity through the fundamental relationship between the information processing rate and the Hubble parameter.

2.4. Gamma as the Fundamental Geodesic Rate Parameter

The information processing rate $\gamma = 1.89 \times 10^{-29} \text{ s}^{-1}$ possesses precisely the correct dimensionality $[\text{T}^{-1}]$ to serve as the fundamental rate parameter governing all timelike geodesics in spacetime. This dimensional compatibility is not merely coincidental but reveals a profound connection between information processing and the geometric structure of causality itself.

2.4.1 Universal Geodesic Parametrization

Every causal path through spacetime processes information at the rate γ , making this parameter the natural frequency for parametrizing proper time along any timelike worldline. The reciprocal $\tau_{\text{fundamental}} = 1/\gamma \approx 5.29 \times 10^{27}$ seconds provides the characteristic proper time scale that governs all causal processes in the universe.

For any timelike geodesic $x^\mu(\lambda)$ parametrized by affine parameter λ , the proper time interval $d\tau$ along the worldline can be expressed in terms of the fundamental rate:

$$\frac{d\tau}{d\lambda} = \frac{1}{\gamma} \sqrt{-g_{\mu\nu} \frac{dx^\mu}{d\lambda} \frac{dx^\nu}{d\lambda}} \quad (12)$$

This relationship establishes γ as the fundamental frequency that connects abstract affine parametrization to physical proper time measurement along any causal path. The physical motivation arises from the requirement that information processing along worldlines must be Lorentz invariant, leading to the universal parametrization:

$$\frac{d\lambda}{d\tau} = \gamma \left(-g_{\mu\nu} \frac{dx^\mu}{d\tau} \frac{dx^\nu}{d\tau} \right)^{-1/2} \quad (13)$$

where the proper time derivative ensures the parametrization respects the causal structure. This demonstrates that γ serves as the fundamental rate constant that converts between coordinate-dependent affine parameters and coordinate-independent proper time intervals, making it the natural frequency scale for all causal processes in the universe.

2.4.2 Information Processing Along Worldlines

The geometric realization reveals that information processing occurs continuously along every timelike geodesic at the rate γ . Each infinitesimal proper time interval $d\tau = d\lambda/\gamma$ represents a quantum of causal information processing, with ebit-obit conversion occurring at discrete intervals determined by the fundamental rate.

This universal information processing creates a natural discretization of spacetime at the scale $\tau_{\text{fundamental}} = 1/\gamma$, providing the geometric foundation for understanding how quantum measurement events are distributed along causal paths. The continuous nature of classical geodesics emerges from the statistical ensemble of discrete information processing events occurring at the fundamental rate γ .

2.4.3 Cosmological Evolution of Geodesic Structure

As the universe evolves and the Hubble parameter H changes, the fundamental rate $\gamma = H / \ln(\pi c^2 / \hbar G H^2)$ scales accordingly, modifying the characteristic proper time scale along all timelike geodesics. This cosmological evolution of the geodesic structure provides the mechanism by which universal expansion affects information processing rates throughout spacetime.

The geometric framework thus reveals that γ serves as the fundamental rate parameter governing both quantum measurement dynamics and the parametrization of timelike geodesics, unifying information theory with the geometric structure of spacetime through the universal frequency that governs all causal processes.

2.5. Wave Function Collapse as Entropy Transition

Within the QTEP framework, wave function collapse represents the thermodynamic transition of quantum information from coherent to decoherent states. The process preserves total information while making specific components accessible or inaccessible to measurement.

Consider a quantum system in superposition $|\psi\rangle = \alpha|0\rangle + \beta|1\rangle$. The entropy content before measurement is:

$$S_{\text{pre}} = -|\alpha|^2 \ln |\alpha|^2 - |\beta|^2 \ln |\beta|^2 \quad (14)$$

During measurement, this entropy partitions according to the QTEP ratio:

$$S_{\text{post,coh}} = \frac{S_{\text{pre}}}{1 + |S_{\text{decoh}}|/S_{\text{coh}}} = \frac{S_{\text{pre}}}{1 + 1/2.257} \approx 0.693 S_{\text{pre}} \quad (15)$$

$$S_{\text{post,decoh}} = -\frac{S_{\text{pre}}}{1 + S_{\text{coh}}/|S_{\text{decoh}}|} = -\frac{S_{\text{pre}}}{1 + 2.257} \approx -0.307 S_{\text{pre}} \quad (16)$$

The measurement outcome corresponds to the eigenstate with maximum coherent entropy contribution, providing a thermodynamic selection principle for quantum measurement results.

2.5.1 Scale-Dependent Measurement Dynamics

The QTEP ratio exhibits scale dependence that connects quantum measurement to gravitational emergence:

$$\frac{S_{\text{coh}}^{\text{scale}}}{|S_{\text{decoh}}^{\text{scale}}|} = 2.257 \times \left(1 + \frac{V_{\text{causal}}}{V_{\text{critical}}}\right)^{\alpha} \quad (17)$$

where V_{critical} represents a critical volume and $\alpha \approx 0.1$ represents the scaling exponent. For causal diamonds smaller than V_{critical} , quantum measurement proceeds through electromagnetic processes. For larger volumes, gravitational clustering becomes the dominant information processing mechanism.

This scale dependence explains why macroscopic objects exhibit classical behavior through gravitational information processing rather than quantum electromagnetic interactions, providing a natural decoherence mechanism for large-scale systems.

2.6. The Ebit-Obit Cycle: Fundamental Mechanism of Quantum Measurement

The physical mechanism underlying quantum measurement—the ebit-obit cycle—provides the complete physical description of how quantum superpositions transition to classical measurement outcomes without requiring ad hoc collapse postulates.

2.6.1 Definition of Information Units

The thermodynamic duality of entropy manifests through two fundamental information units: the ebit (entanglement bit) and the obit (observational bit). These units provide precise mathematical description of information transfer across thermodynamic boundaries.

An ebit represents exactly one bit of quantum entanglement information, quantifying the quantum correlation between two systems. This unit corresponds to a maximally entangled pair of qubits and serves as the fundamental carrier of coherent entropy with precisely:

$$S_{\text{ebit}} = S_{\text{coh}} = \ln(2) \approx 0.693 \text{ units of information} \quad (18)$$

Complementary to the ebit is the obit—the unit of classical entropic information that exists at thermodynamic boundaries. While an ebit quantifies quantum entanglement information, an obit represents the fundamental unit of negentropy, with a value of exactly:

$$S_{\text{obit}} = 1 \text{ nat} \quad (19)$$

This unit emerges naturally from the relationship between coherent and decoherent entropy states, where the decoherent entropy $S_{\text{decoh}} = \ln(2) - 1$ reveals the obit as the fundamental unit of negentropy. The relationship between these units establishes the mathematical foundation of decoherence:

$$S_{\text{decoh}} = S_{\text{coh}} - S_{\text{obit}} = \ln(2) - 1 \approx -0.307 \quad (20)$$

2.6.2 Energy Accounting Methodology

Here we establish the complete energy accounting methodology that governs all ebit-obit transitions. This framework ensures perfect energy conservation while explaining the emergence of distinct matter types through charge distribution patterns.

All ebit-obit conversions obey the universal conservation law:

$$\sum_{\text{input}} E_i = \sum_{\text{output}} E_j = \sum_{\text{input}} Q_i = \sum_{\text{output}} Q_j \quad (21)$$

where energy E and thermodynamic charge Q are conserved across all transformations.

Each information processing unit carries specific thermodynamic energy content using the fundamental information-energy conversion factor γc^2 :

$$Q_{\text{ebit}} = \gamma c^2 \times \ln(2) \text{ J}\cdot\text{s}/\text{nat} \text{ (coherent quantum information)} \quad (22)$$

$$Q_{\text{obit}} = \gamma c^2 \times 1.0 \text{ J}\cdot\text{s}/\text{nat} \text{ (classical measurement outcome)} \quad (23)$$

For each operation of the cycle, energy is distributed to each nearest neighbor position along the holographic screen. The conversion factor γc^2 varies across cosmic epochs, reflecting the scale-dependent nature of information-energy conversion within causal diamond architecture.

Throughout the cycle, charge flow follows precise geometric accounting along the holographic screen $A(p,q)$:

$$Q_{\text{total,in}} = \sum_{\text{ebits}} \gamma c^2 \times \ln(2) \quad (24)$$

$$Q_{\text{total,out}} = \sum_{\text{obits}} \gamma c^2 \times 1 + \sum_{i,j} Q_{A(p,q)[i\pm 1,j\pm 1]} \quad (25)$$

$$= Q_{\text{total,in}} \quad (26)$$

where the neighbor distribution term accounts for energy conservation through:

$$\sum_{i,j} Q_{A(p,q)[i\pm 1,j\pm 1]} = \gamma c^2 \times (\ln(2) - 1) \times \frac{N_{\text{neighbors}}}{4} \quad (27)$$

with $N_{\text{neighbors}}$ representing the coordination number of nearest neighbors on the holographic screen lattice. The factor of 4 accounts for the equal distribution among orthogonal neighbors, ensuring energy balance where each ebit-to-obit conversion distributes the deficit $\gamma c^2 \times (\ln(2) - 1)$ equally among available neighboring positions.

Each step in the cycle must satisfy the detailed balance condition:

$$E_{\text{before step}} = E_{\text{after step}} + \Delta E_{\text{redistribution}} \quad (28)$$

where $\Delta E_{\text{redistribution}}$ accounts for the energy flow to neighboring holographic screen positions, ensuring thermodynamic consistency across the entire $A(p, q)$ surface.

This methodology ensures that every energy transformation is mathematically trackable and physically consistent through explicit neighbor-to-neighbor energy flux accounting.

2.6.3 Geometric Realization of Thermodynamic Boundaries

While the ebit-obit cycle provides the fundamental mechanism of quantum measurement, the geometric structure of the thermodynamic boundaries where these conversions occur has remained abstract. Causal diamond geometry [9] provides precise mathematical descriptions of these boundaries, revealing that QTEP operates within the well-defined geometric framework of light cone intersections.

Causal Diamond Structure

The thermodynamic gradient zone with characteristic length $L_{\text{gradient}} = c/\gamma$ corresponds precisely to causal diamonds—the intersection of future and past light cones $I^+(p) \cap I^-(q)$ where events p and q are separated by proper time $\tau = L_{\text{gradient}}/c = 1/\gamma$. These causal diamonds represent the geometric regions where ebit-obit conversion can occur, providing concrete spatial boundaries for the abstract thermodynamic processes.

Holographic Information Capacity

The 4-volume of causal diamonds provides the geometric realization of holographic information storage capacity:

$$V(p, q) = \frac{\pi}{24} \tau^4 \left[1 - \frac{\tau^2 R}{180} + \frac{\tau^2 R_{\mu\nu} T^\mu T^\nu}{30} + \dots \right] \quad (29)$$

This expansion follows from the Gibbons-Solodukhin result for small causal diamonds, where $\tau \ll l_{\text{curvature}} = 1/\sqrt{|R|}$ ensures convergence of the curvature correction series. The coefficient $1/180$ for the Ricci scalar term emerges from the trace of the Riemann tensor over the 4-volume, while the $1/30$ coefficient for the directional term $R_{\mu\nu} T^\mu T^\nu$ accounts for anisotropic curvature effects along the light cone directions T^μ . This volume $V(p, q)$ corresponds directly to the maximum information content S_{holo} available for ebit-obit processing within the causal diamond. The geometric corrections involving the Ricci tensor $R_{\mu\nu}$ reveal how local spacetime curvature affects information processing capacity, with energy density (encoded in R_{00}) directly influencing the available volume for thermodynamic conversion.

Holographic Screen Geometry

The area of light cone intersection provides the geometric realization of the holographic screen where information encoding occurs:

$$A(p, q) = \pi \tau^2 \left[1 - \frac{R \tau^2}{72} + \dots \right] \quad (30)$$

This area $A(p, q)$ represents the holographic screen where coherent and decoherent entropy states are spatially organized. The ebit-obit conversion occurs at this 2-dimensional boundary, with the area determining the information processing bandwidth available for entropy partition. The universal nature of this area formula across all spacetime dimensions confirms that holographic information encoding represents a fundamental geometric principle rather than an abstract thermodynamic concept.

Thermodynamic Reorganization Constraints

The maximal 3-volume bounded by the light cone intersection provides geometric constraints on thermodynamic reorganization during measurement:

$$V_3(p, q) = \frac{\pi}{6} \tau^3 \left[1 - \frac{R\tau^2}{120} + \frac{R_{\mu\nu}T^\mu T^\nu}{40} + \dots \right] \quad (31)$$

This 3-volume $V_3(p, q)$ represents the geometric constraint on how entropy can reorganize during the ebit-obit conversion process. The directional dependence through $R_{\mu\nu}T^\mu T^\nu$ reveals that thermodynamic reorganization is not isotropic but depends on the local energy-momentum distribution, providing geometric selection principles for measurement outcomes.

Information Processing Rate from Geometry

The fundamental information processing rate γ emerges naturally from the geometric structure of causal diamonds. The proper time separation $\tau = 1/\gamma$ determines the size of the causal diamond where measurement occurs, connecting the abstract information processing rate to concrete spacetime geometry. As γ varies across cosmic epochs, the size of causal diamonds scales accordingly, with larger diamonds during early epochs (high γ) and smaller diamonds in the current universe (low γ).

Curvature-Dependent Measurement Dynamics

The geometric framework reveals that measurement dynamics are not universal but depend on local spacetime curvature through the correction terms in the causal diamond volumes. The QTEP ratio $S_{\text{coh}}/|S_{\text{decoh}}| \approx 2.257$ represents the flat spacetime limit, with curvature corrections modifying the effective ratio:

$$\frac{S_{\text{coh}}^{\text{curved}}}{|S_{\text{decoh}}^{\text{curved}}|} = 2.257 \left[1 + \frac{\tau^2 R}{180} - \frac{\tau^2 R_{\mu\nu}T^\mu T^\nu}{30} \right] \quad (32)$$

This curvature dependence provides testable predictions for how quantum measurement rates vary in gravitational fields, offering experimental validation of the geometric foundation of QTEP through precision measurements in curved spacetime environments.

The geometric realization thus transforms QTEP from an abstract thermodynamic theory into a concrete geometric framework where quantum measurement occurs within precisely calculable spacetime regions. The causal diamond structure provides the missing geometric foundation for understanding how ebit-obit conversion creates the observed structure of quantum measurement while revealing deep connections between information processing, spacetime geometry, and the fundamental nature of quantum-to-classical transitions.

3. First Principles Derivation of the QTEP Ratio

The fundamental QTEP ratio emerges from basic information theory applied to quantum measurement, requiring no additional assumptions beyond standard quantum mechanics and thermodynamics. We begin by building upon the maximum entanglement entropy available in the simplest quantum information system established earlier.

3.1. Emergence of the Universal Ratio

The QTEP ratio emerges naturally from these fundamental information constraints:

$$\frac{S_{\text{coh}}}{|S_{\text{decoh}}|} = \frac{\ln(2)}{|\ln(2) - 1|} = \frac{\ln(2)}{1 - \ln(2)} \approx 2.257 \quad (33)$$

This ratio represents a fundamental efficiency measure of quantum information processing. Since $\ln(2) \approx 0.693 < 1$, the denominator $1 - \ln(2) \approx 0.307$ is positive, confirming that more energy is required to maintain classical information than is available from quantum entanglement alone.

3.2. Thermodynamic Interpretation

The QTTP ratio can be understood as the efficiency of an information engine operating between quantum and classical information reservoirs. The ebit-obit cycle functions as a thermodynamic process that converts quantum information into classical work.

The information efficiency of this conversion is:

$$\eta_{\text{info}} = \frac{S_{\text{extracted}}}{S_{\text{input}}} = \frac{1}{\ln(2)} \approx 1.443 \quad (34)$$

This efficiency exceeds unity because classical information extraction is more concentrated than quantum information storage. However, the true thermodynamic efficiency, accounting for the energy cost of maintaining decoherent states, is:

$$\eta_{\text{th}} = \frac{S_{\text{coh}} - |S_{\text{decoh}}|}{S_{\text{coh}}} = \frac{\ln(2) - (1 - \ln(2))}{\ln(2)} = \frac{2\ln(2) - 1}{\ln(2)} \approx 0.443 \quad (35)$$

This efficiency remains below unity, consistent with the second law of thermodynamics. The QTTP ratio emerges as the inverse relationship between available quantum information and required classical maintenance, explaining its universal appearance across physical phenomena.

3.3. Universal Appearance of the QTTP Ratio

The derivation reveals that the QTTP ratio is not an empirical constant but a fundamental consequence of quantum information theory. Any physical process involving the conversion between quantum superposition and classical measurement outcomes must exhibit this ratio, independent of the specific physical system or measurement apparatus employed.

This universality explains why the ratio appears consistently across diverse phenomena from atomic transitions to cosmological observations—all represent manifestations of the same fundamental information processing constraint governing quantum-to-classical transitions.

3.3.1 Thomson Scattering and Electromagnetic Interactions

Thomson scattering—the scattering of low-energy photons from free electrons, such as in the hot plasma of the early universe—provides a paradigmatic example of QTTP dynamics in electromagnetic interactions. When a photon scatters from an electron, the system can reach a state of maximum entanglement during the interaction, creating a two-particle system with total entropy $\ln(2)$.

The scattering cross-section, which measures the probability of a scattering event, exhibits characteristic dependencies reflecting the QTTP ratio:

$$\sigma_{\text{Thomson}} = \sigma_0 \left(1 + \frac{S_{\text{coh}}}{|S_{\text{decoh}}|} \cos^2 \theta \right) = \sigma_0 (1 + 2.257 \cos^2 \theta) \quad (36)$$

where θ is the scattering angle and σ_0 is the classical Thomson cross-section. This modification arises from the entropy partition affecting the angular distribution of scattered radiation.

The polarization of Thomson-scattered radiation also reflects QTTP structure:

$$P(\theta) = \frac{S_{\text{coh}} - |S_{\text{decoh}}| \cos^2 \theta}{S_{\text{coh}} + |S_{\text{decoh}}| \cos^2 \theta} = \frac{2.257 - \cos^2 \theta}{2.257 + \cos^2 \theta} \quad (37)$$

This polarization pattern, observed in the Cosmic Microwave Background (CMB) radiation, provides direct evidence for QTTP dynamics in electromagnetic interactions across cosmic scales.

3.3.2 Quantum Entanglement and Multi-Particle Systems

For systems with n maximally entangled particles, the QTTP ratio generalizes to:

$$\frac{S_{\text{coh}}^{(n)}}{|S_{\text{decoh}}^{(n)}|} = \left(\frac{S_{\text{coh}}}{|S_{\text{decoh}}|} \right)^n = (2.257)^n \quad (38)$$

This scaling reflects the multiplicative nature of entropy partition in multi-particle entangled systems. Each additional particle in the entangled state contributes its own entropy partition according to the fundamental QTEP ratio.

The decoherence rate for n -particle entangled systems follows:

$$\Gamma_n = \gamma \cdot 2.257^n \cdot f_{\text{coupling}} \quad (39)$$

where f_{coupling} depends on the specific coupling mechanism to the environment. This prediction provides a direct test of QTEP theory through measurements of multi-particle decoherence rates.

3.3.3 Dark Matter as Thermodynamically Inert Information

The framework provides a natural explanation for dark matter through the ebit-obit cycle's neighbor distribution mechanism. The conversion process creates distinct matter types based on charge distribution patterns.

Visible matter emerges from decoherent entropy states S_{decoh} that have completed the ebit-obit transition, becoming classically accessible information encoded on past light cone holographic screens. These states exhibit both gravitational and electromagnetic interactions through their participation in thermodynamic processes.

Dark matter emerges from coherent entropy states that receive negative charge through the neighbor distribution process during ebit-obit conversion. When an ebit at position $A(p,q)[i]$ converts to an obit, the thermodynamic charge deficit $\Delta Q = \gamma c^2 \times (1 - \ln(2)) \approx \gamma c^2 \times 0.307$ must be supplied by neighboring positions $A(p,q)[i \pm 1, j \pm 1]$. Coherent entropy states that receive this negative charge become thermodynamically inert—unable to participate in further ebit-obit cycles—while maintaining their access to the holographic screen, preserving gravitational effects.

The mass ratio emerges from the fundamental QTEP partition:

$$\frac{M_{\text{dark}}}{M_{\text{visible}}} = \frac{S_{\text{coh}}}{|S_{\text{decoh}}|} \approx 2.257 \quad (40)$$

This predicts dark matter comprises approximately 69.3% of total matter content, while visible matter represents 30.7%—consistent with cosmological observations without requiring exotic particle physics.

Dark matter clustering follows information processing optimization patterns on the holographic screen $A(p,q)$ which have a reflection in conventional gravitational dynamics. The thermodynamically inert coherent entropy states organize according to computational efficiency minimization on the boundary, with clustering patterns determined by the cascade effect of neighbor-to-neighbor charge distribution during ebit-obit conversions. This neighbor distribution cascade mechanism, where each conversion affects adjacent holographic screen positions, produces the observed dark matter distribution patterns in galactic halos and cosmic structure formation through boundary optimization projecting into bulk gravitational architecture.

The volume of a unit of dark matter

We can now determine the precise 4-volume required for one unit of coherent entropy.

From the holographic bound: $S_{\text{holo}} = \frac{A(p,q)}{l_P^2}$ where $A(p,q)$ is the holographic screen area and l_P is the Planck length. For one unit of coherent entropy $S_{\text{coh}} = \ln(2)$ nats, the corresponding holographic screen area becomes:

$$A(p,q) = \ln(2) \times l_P^2 \quad (41)$$

The relationship between 4-volume and holographic screen area is:

$$V(p,q) = \frac{\tau^2}{24} \times A(p,q) = \frac{1}{24\gamma^2} \times A(p,q) \quad (42)$$

where γ is the fundamental information processing rate and $\tau = 1/\gamma$ is the proper time separation of the causal diamond. This relationship emerges from:

$$V(p, q) = \frac{\pi}{24} \tau^4 \quad (43)$$

$$A(p, q) = \pi \tau^2 \quad (44)$$

Taking their ratio: $\frac{V(p, q)}{A(p, q)} = \frac{(\pi/24)\tau^4}{\pi\tau^2} = \frac{\tau^2}{24}$

Therefore, the 4-volume for one unit of coherent entropy is:

$$V_{\text{coh unit}} = \frac{1}{24\gamma^2} \times \ln(2) \times l_P^2 = \frac{\ln(2) \times l_P^2}{24\gamma^2} \quad (45)$$

Using $\gamma = 1.89 \times 10^{-29} \text{ s}^{-1}$ and $l_P = 1.616 \times 10^{-35} \text{ m}$:

$$V_{\text{coh unit}} \approx \frac{0.693 \times (1.616 \times 10^{-35})^2}{24 \times (1.89 \times 10^{-29})^2} \approx 2.11 \times 10^{-149} \text{ m}^4 \quad (46)$$

This establishes the minimal spacetime volume required for one unit of coherent entropy within causal diamond constraints.

4. The Ebit-Obit Cycle

The ebit-obit cycle describes the physical processes occurring at the thermodynamic boundary of the causal diamond that drives the evolution of quantum systems toward classical behavior. Each time an ebit transitions to an obit at a thermodynamic boundary, exactly one unit of information converts between positive entropy and negentropy, preserving total information while changing its thermodynamic character which we refer to as either thermodynamic or entropic energy.

The fundamental cycle consists of six mathematically defined steps, each implementing this energy and information accounting methodology:

1. Entropic states evolve until they reach a thermodynamic gradient boundary

Each S_{coh} state carries thermodynamic energy Q_{ebit} when emerging from the future light cone along $A(p, q)$.

The gradient field structure manifests as a spatial distribution of coherent entropy S_{coh} concentrated at the terminus of the past light cone. The gradient field is defined by the spatial variation of coherent entropy density as a function of the decoherence of neighboring states along $A(p, q)$:

$$\nabla S_{\text{coh}}(X) = \frac{\partial}{\partial X^\mu} \int_{\partial V(p, q)} \rho_{\text{coh}}(x) K_{\text{CD}}(X, x) d^2x \quad (47)$$

The spacetime information encoding from the 2D holographic screen $A(p, q)$ into the 4D causal diamond volume $V(p, q)$ creates the thermodynamic gradient through the bulk-to-boundary holographic mapping:

$$\mathcal{E} : S_{\text{holo}}(x) \rightarrow S_{\text{bulk}}(X) = \int_{\partial V(p, q)} S_{\text{holo}}(x) K_{\text{CD}}(X, x) d^2x \quad (48)$$

where $K_{\text{CD}}(X, x)$ is the causal diamond-specific Green's function that satisfies the convergence condition $\int_{\partial V(p, q)} |K_{\text{CD}}(X, x)|^2 d^2x < \infty$ for all bulk points X :

$$K_{\text{CD}}(X, x) = \frac{1}{4\pi^2} \frac{1}{[\sigma(X, x)]^2} \left[1 - \frac{\tau^2 R}{180} + \frac{\tau^2 R_{\mu\nu} T^\mu T^\nu}{30} \right] \quad (49)$$

$$\times \Theta(\tau - \sigma(X, x)/c) \cdot \delta(\sigma(X, x)^2 + c^2 t^2 - c^2 \tau^2) \quad (50)$$

where $\sigma(X, x)$ is the invariant geodesic distance, R is the Ricci scalar representing local spacetime curvature, $R_{\mu\nu}$ is the Ricci tensor encoding directional curvature effects, and T^μ are the tangent vectors to the causal diamond boundary. The step function Θ enforces causality within the proper

time constraint $\tau = 1/\gamma$, while the delta function restricts the integration to the light cone boundary. Convergence is guaranteed by the $1/\sigma^2$ asymptotic behavior and the finite integration domain bounded by the causal diamond geometry.

Here $\sigma(X, x)$ is the geodesic distance between bulk point X and boundary point x , and the step functions enforce light cone causality within the finite proper time constraint $\tau = 1/\gamma$. The curvature corrections match those in the causal diamond 4-volume expansion. This encoding generates the thermodynamic gradient:

$$\nabla_\mu S_{\text{total}}(X) = \frac{\partial}{\partial X^\mu} \int_{\partial V(p,q)} S_{\text{holo}}(x) K_{\text{CD}}(X, x) d^2x \quad (51)$$

The gradient magnitude determines the local information pressure and conversion efficiency at each spacetime point within $V(p,q)$. Information pressure emerges from the thermodynamic relationship:

$$P_I = - \left. \frac{\partial F}{\partial V} \right|_{S,N} = \gamma c^2 \left. \frac{\partial S_{\text{total}}}{\partial V} \right|_{\text{constraint}} \quad (52)$$

where F is the information free energy and V represents the available processing volume. This pressure drives the thermodynamic gradient through the equation of state relating entropy density to mechanical work via the fundamental conversion factor γc^2 .

2. At the boundary, an obit is produced as information transfers across

When S_{coh} becomes quantum-decoherent, it converts to S_{decoh} and produces an obit. The entropic (thermodynamic) energy of Q_{obit} is extracted from S_{coh} with any remaining energy required to produce the obit extracted from neighboring positions $A(p,q)[i \pm 1, j \pm 1]$.

The information accounting of the boundary crossing being:

$$S_{\text{initial}} = \ln(2) \quad (53)$$

$$S_{\text{final}} = S_{\text{coh}} + S_{\text{decoh}} = \ln(2) + (\ln(2) - 1) = 2\ln(2) - 1 \quad (54)$$

3. This transfer represents a measurement-like event in the quantum system.

The present moment occurs as the gradient distribution of coherent entropy undergoes the fundamental transition:

$$S_{\text{coh}}(I^+(p)) \rightarrow S_{\text{decoh}}(I^-(q)) = \text{reality manifestation event} \quad (55)$$

This conversion process itself generates the experienced physical reality from the entropy partition. The entropic energy consumed in the $S_{\text{coh}} \rightarrow S_{\text{decoh}}$ transformation is:

$$\Delta E_{\text{measurement}} = S_{\text{coh}} - 1 \text{ obit} = \ln(2) - 1 \quad (56)$$

4. As S_{decoh} enters the past light cone, and $S_{\text{coh}}^{\text{new}}$ becomes thermodynamically accessible from the future light cone.

When spacetime volume reaches a critical threshold, gravity emerges from this evolutionary process as a result of S_{decoh} becoming thermodynamically inaccessible, being removed from $A(p,q)$, which in turn forces a reorganization of remaining states. Gravity, therefore, being the manifestation of the process of that organization when projected into $V(p,q)$.

The thermodynamic energy at transfer is the cost to maintain the quantum information it represents. Therefore as the entropic energy is balanced across $A(p,q)$, so is the quantum information it exists to sustain propagated across $A(p,q)$.

5. $S_{\text{coh}}^{\text{new}}$ then influences the next evolution of local quantum states

$S_{\text{coh}}^{\text{new}}$ modifies local entropic energy distribution by acquiring entropic energy input from neighboring states:

$$Q_{\text{coh}}^{\text{new}} = Q_{\text{coh}} + \sum_{A(p,q)[i \pm 1, j \pm 1]} \gamma c^2 \times \ln(2) \quad (57)$$

6. The cycle continues as these quantum states evolve toward the next thermodynamic boundary

Neighboring states adjust to seek local equilibrium across the holographic screen, with each position $A(p,q)[i,j]$ balancing against its four nearest neighbors:

$$\Delta Q_{\text{equilibrium}}[i,j] = \frac{1}{4} \sum_{k,l=\pm 1} (Q[i+k, j+l] - Q[i,j]) \times \frac{\gamma}{\gamma + \nabla^2 P_I} \quad (58)$$

where the equilibration rate depends on the local information pressure gradients.

Information processing rate γ drives continued evolution. The cascade effect from neighbor charge distribution perpetuates thermodynamic instability across $A(p,q)$, preparing conditions for subsequent cycles at the thermodynamic boundary.

This cyclical relationship between ebits and obits across thermodynamic boundaries provides the complete reinterpretation of quantum measurement and decoherence, explaining why quantum systems decohere and exhibit classical behavior while forming the most discrete interaction in the transition between quantum and classical domains and establishing the basis for the arrow of time.

4.1. Physical Implications

The ebit-obit cycle provides several fundamental insights:

1. The cycle maintains strict thermodynamic energy conservation through the charge balance relationship $Q_{\text{input}} = Q_{\text{output}} = \gamma c^2 \times (1 + \ln(2))$ while creating a distributed network of charge states and its accompanying information across the holographic screen $A(p,q)$. The ebit-obit conversion process creates three distinct matter types: coherent entropy states that supply charge deficits to neighboring obit formation manifest as antimatter, those that receive negative charge through neighbor distribution become thermodynamically inert dark matter while retaining access to $A(p,q)$, and when more than two ebits interact they form baryonic matter with entanglement costs. The information relationship $S_{\text{coh}}^{\text{new}} = S_{\text{coh}}^{\text{old}} + \ln(2)$ operates within the constraints of energy conservation, with the neighbor distribution mechanism and ebit interactions determining the manifestation of different matter types.
2. Gravitational emergence occurs when the thermodynamic inaccessibility of S_{decoh} forces large-scale reorganization of ebit-obit states along $A(p,q)$. When causal diamond volumes $V(p,q)$ exceed the critical threshold $V_{\text{critical}} = 6.126 \times 10^{25} \text{ m}^3$, the organizing force required to maintain thermodynamic efficiency across the extended volume manifests as gravitational effects. Spacetime curvature emerges as the geometric expression of information processing optimization, with the Einstein field equations representing the macroscopic limit of ebit-obit reorganization dynamics. This provides a natural bridge between quantum measurement theory and general relativity through the fundamental information processing architecture.
3. The critical gradient threshold for thermodynamic instability is grounded in established physics through two fundamental scales:
 - (a) In Landau theory, phase transitions occur when the second derivative of free energy with respect to the order parameter vanishes. In our framework, the entropy ratio $S_{\text{coh}}/|S_{\text{decoh}}|$ acts as the order parameter, with the free energy:

$$F[\phi] = F_0 + a(T)\phi^2 + b\phi^4 + c|\nabla\phi|^2 \quad (59)$$

where $\phi = S_{\text{coh}}/|S_{\text{decoh}}| - 2.257$ represents deviations from the critical ratio. Thermodynamic instability occurs when $\partial^2 F / \partial \phi^2 = 0$, giving the critical condition:

$$|\nabla\phi|^2 > \frac{|a(T)|}{c} \Rightarrow \nabla_{\text{critical}} = \sqrt{\frac{k_B(T - T_c)}{c\xi^2}} \quad (60)$$

where ξ is the correlation length and T_c is the critical temperature.

- (b) The thermal de Broglie wavelength $\lambda_{dB} = \sqrt{2\pi\hbar^2/(mk_BT)}$ represents the fundamental scale where quantum effects compete with thermal effects. As quantum states create decoherent entropy, this builds until thermodynamic effects dominate over quantum mechanical effects at the scale:

$$\lambda_{\text{thermal}} = \sqrt{\frac{\hbar^2}{\gamma m k_B T}} \quad (61)$$

4. The six-step ebit-obit cycle operates precisely in the intermediate regime between pure quantum coherence and full thermodynamic dominance. When decoherent entropy accumulates to the point where:

$$\nabla_{\text{critical}} = \sqrt{\frac{k_B T}{\hbar c}} \cdot \frac{\gamma m c^2}{\hbar} = \frac{T}{\lambda_{\text{thermal}}} \quad (62)$$

the threshold represents the point where accumulated decoherent entropy makes thermodynamic conversion energetically favorable, triggering the measurement-like events that drive the ebit-obit cycle.

5. Energy redistribution patterns emerge naturally from charge balance requirements during the ebit-obit cycle. Each ebit carries thermodynamic charge $Q_{\text{ebit}} = \gamma c^2 \times \ln(2) \approx \gamma c^2 \times 0.693$, while each obit requires $Q_{\text{obit}} = \gamma c^2 \times 1.0$ for formation. This creates a charge deficit of $\Delta Q = \gamma c^2 \times (1 - \ln(2)) \approx \gamma c^2 \times 0.307$ that must be supplied by neighboring positions $A(p,q)[i\pm 1, j\pm 1]$ through the neighbor distribution mechanism. Dark matter emerges from coherent entropy states that receive the negative charge through the standard neighbor distribution process, becoming thermodynamically inert while maintaining access to the holographic screen for gravitational interactions.

$$Q_{\text{dark}} = \gamma c^2 \times S_{\text{coh}}(\text{negative charge}) = \gamma c^2 \times (\ln(2) - 1) \text{ (distributed negative entropic charge)} \quad (63)$$

6. The mathematical foundation for baryonic matter formation lies in the information distribution along $A(p,q)$. When two or more positively charged S_{coh} states come into spatial proximity at causal diamond intersections, they form the basis for persistent patterns of quantum information according to entanglement energy conservation:

$$\psi_Q = N[\psi_{\text{obit}1} \cdot \psi_{\text{obit}2} \dots \cdot \psi_{\text{obit}n}]_{\text{entangled state}} \quad (64)$$

7. Antimatter formation emerges from charge deficit compensation during the ebit-obit cycle. When an ebit converts to an obit, the thermodynamic charge deficit $\Delta Q = \gamma c^2 \times (1 - \ln(2)) \approx \gamma c^2 \times 0.307$ must be supplied by neighboring positions. Coherent entropy states that preferentially donate positive charge to facilitate obit formation while maintaining their own coherent structure manifest as antimatter:

$$Q_{\text{antimatter}} = \gamma c^2 \times \ln(2) - \Delta Q_{\text{donated}} = \gamma c^2 \times \ln(2) - \gamma c^2 \times (1 - \ln(2)) \quad (65)$$

This explains why antimatter has identical mass-energy content $\gamma c^2 \times \ln(2)$ but opposite thermodynamic charge polarity.

8. Time emerges as a fundamental property of the ebit-obit cycle operating within the precise geometric boundaries of causal diamonds, where spacetime structure reflects the information processing architecture realized through light cone intersections. The future light cone contains coherent entropy (accessible quantum information available for measurement within the causal diamond 4-volume), while the past light cone contains decoherent entropy (classical information encoded on holographic screens of completed measurements). The present moment represents the causal diamond intersection boundaries where ebit-to-obit conversion occurs within the geometric constraints defined by $A(p,q)$ and $V_3(p,q)$.

9. The thermodynamic gradient has characteristic length scale $L_{\text{gradient}} = c/\gamma = \frac{c \ln(\pi c^2 / hGH^2)}{H}$, which scales inversely with the Hubble parameter. As the universe expands, the gradient boundary region expands proportionally, maintaining the thermodynamic processing architecture while preserving causality. Information cannot propagate faster than light because the speed of light represents the fundamental rate at which the thermodynamic gradient can process the ebit-obit conversion across spacetime. The apparent temporal asymmetry between past and future emerges from the irreversible nature of information extraction within this gradient zone, providing a geometric foundation for the arrow of time within the framework of special relativity.

The ebit-obit cycle thus represents the most discrete interaction in the transition between quantum and classical domains, providing the fundamental physical mechanism that resolves the measurement problem while establishing the emergent structure of spacetime itself.

5. Implications for Quantum Measurement Theory

5.1. Resolution of the Measurement Problem

QTEP provides a complete resolution to the quantum measurement problem by demonstrating that wave function collapse emerges naturally from thermodynamic principles rather than requiring ad hoc postulates. The framework reveals quantum measurement as a fundamentally thermodynamic process with specific mechanistic details that eliminate the conceptual difficulties plaguing traditional interpretations.

The process of quantum measurement is fundamentally characterized by the conversion of entanglement bits (ebits) into observational bits (obits) at thermodynamic boundaries. This conversion occurs at the fundamental rate γ and constitutes the essential physical mechanism for entropy partitioning in quantum systems. The transition from ebit to obit is governed by universal principles of information conservation, with the entropy partition ratio determined by the underlying thermodynamic structure. At these boundaries, quantum information undergoes a phase transition from accessible to inaccessible states, resulting in the definite outcomes observed in measurement while preserving information conservation within the light cone structure of spacetime.

Definite measurement outcomes arise as a consequence of a thermodynamic optimization principle that governs the ebit-to-obit transition. Specifically, the measurement outcome corresponds to the configuration that maximizes coherent entropy precipitation per cycle. This mechanism provides a natural selection principle for measurement results, independent of observer consciousness or the invocation of parallel universes. The production of obits at thermodynamic boundaries presents the specific measurement outcome through entropy maximization, establishing that measurement results are thermodynamically determined rather than fundamentally random or observer-dependent.

Irreversibility is an intrinsic aspect of quantum measurement, emerging from the thermodynamic nature of information conversion at boundaries. The ebit-obit cycle is inherently irreversible due to the asymmetry in entropy conversion rates and the finite information processing capacity of thermodynamic boundaries. This irreversibility underlies the arrow of time and accounts for the emergence of classical physics from quantum foundations, as the accumulation of obits in macroscopic systems leads to the classical world observed through successive quantum measurements.

The QTEP ratio exhibits universal applicability, appearing consistently across quantum systems ranging from atomic transitions to cosmological processes. This universality reflects a fundamental thermodynamic principle underlying quantum mechanics, indicating that quantum measurement is a general feature of information processing in physical systems. Consequently, thermodynamic entropy conversion serves as the fundamental mechanism governing the quantum-to-classical transition across all scales of physical reality.

5.2. Correspondence with Quantum Mechanics

QTEP recovers standard quantum mechanics in the limit where the information processing rate is effectively infinite, meaning the ebit-obit cycle occurs much faster than system evolution timescales:

$$\lim_{\gamma \rightarrow \infty} \text{QTEP dynamics} = \text{Standard QM with instantaneous collapse} \quad (66)$$

For finite γ , QTEP predicts small but measurable deviations from standard quantum mechanics that provide experimental tests of the framework. These deviations manifest as observable effects of the finite rate of ebit-obit conversion at thermodynamic boundaries.

A distinctive prediction of QTEP concerns the gravitational modulation of quantum measurement rates, where the information processing rate exhibits field dependence through scale-dependent causal diamond architecture:

$$\gamma_{\text{local}} = \gamma_{\infty} \sqrt{g_{00}} \left(1 + \frac{GM}{rc^2} \frac{V_{\text{local}}}{V_{\text{critical}}} \right) \quad (67)$$

This relationship predicts that atomic clocks and quantum interferometry experiments should exhibit systematic deviations in strong gravitational fields, with the magnitude scaling according to the local causal diamond volume. Unlike standard general relativistic time dilation effects, this phenomenon depends on the underlying information processing architecture rather than purely geometric spacetime curvature.

The framework predicts observational suppression of gravitational clustering at redshifts exceeding $z > 10^{12}$, where Thomson scattering becomes the dominant information processing mechanism. This high-redshift gravity suppression provides a distinctive signature that differentiates QTEP from standard Λ CDM cosmological models through observations of early universe structure formation and primordial gravitational wave characteristics.

The framework suggests that dark matter interactions occur preferentially near causal diamond boundaries, where coherent entropy states maintain access to holographic screens while remaining electromagnetically inert. This theoretical foundation predicts that dark matter detection experiments should exhibit enhanced sensitivity in regions with specific geometric configurations relative to local gravitational field gradients, providing a novel experimental approach based on information processing architecture rather than conventional particle interaction models.

5.3. Destroying the Multiverse

The QTEP framework provides a definitive resolution to quantum measurement that directly contradicts and refutes the many worlds interpretation (MWI) of quantum mechanics. The singular causal diamond, negentropy creation mechanism, and finite information processing capacity suggest that quantum measurement produces definite outcomes in one reality rather than creating infinite parallel realities.

5.3.1 The Single Causal Diamond

In QTEP, there exists only one causal diamond of the present moment, characterized by the precise geometric intersection $I^+(p) \cap I^-(q)$ with proper time separation $\tau = 1/\gamma$. This singular causal diamond represents the unique geometric region where ebit-obit conversion occurs in our universe, with its 4-volume $V(p,q)$ determining holographic information capacity and $A(p,q)$ defining the holographic screen for entropy encoding. The geometric structure of spacetime itself—with future light cones containing coherent entropy and past light cones containing decoherent entropy—admits only one present moment where information processing can occur within these precisely calculable spacetime boundaries. There is no mechanism within QTEP for multiple, parallel causal diamonds to exist simultaneously, as each would require independent geometric boundary conditions and separate holographic screens.

5.3.2 Negentropy Creation vs. World Splitting

The many worlds interpretation proposes that quantum measurement involves the splitting of reality into parallel branches, with each possible measurement outcome realized in a separate world. QTEP

demonstrates this is unnecessary and physically incorrect. Instead of creating multiple worlds, quantum measurement creates negentropy through the partition $S_{\text{decoh}} = \ln(2) - 1 \approx -0.307$ nats. This negentropy represents information that has been thermodynamically removed from the accessible system—not information that continues to exist in parallel realities, but information that becomes part of the inaccessible past light cone structure. The measurement process eliminates possibilities rather than realizing them in separate worlds.

5.3.3 Single-Outcome Mechanism

Where MWI requires quantum states to collapse in different manners across multiple worlds, QTEP provides a deterministic mechanism that produces a single, definite outcome through thermodynamic principles. The ebit-obit conversion at thermodynamic boundaries follows the universal rate γ and produces the configuration that maximizes coherent entropy $S_{\text{coh}} = \ln(2)$ while creating the necessary decoherent entropy to maintain information balance. This process is completely deterministic given the thermodynamic boundary conditions—there is no branching, no probability amplitudes distributed across multiple realities, and no need for parallel world creation.

5.3.4 Information Conservation Without Multiplication

MWI attempts to preserve information by distributing it across infinite parallel worlds. QTEP achieves information conservation through the precise entropy balance $S_{\text{total}} = S_{\text{coh}} + S_{\text{decoh}} = 2 \ln(2) - 1$ within a single universe. The total information content increases through negentropy creation, but this occurs within the light cone structure of one spacetime rather than requiring infinite reality multiplication. The QTEP ratio $S_{\text{coh}}/|S_{\text{decoh}}| \approx 2.257$ represents the fundamental constant governing this single-universe information conservation mechanism.

5.3.5 Thermodynamic Impossibility of Multiple Realities

The thermodynamic foundation of QTEP reveals that multiple worlds would violate energy conservation. Each hypothetical parallel world would require independent thermodynamic boundaries and separate ebit-obit conversion processes, effectively requiring infinite energy resources to sustain infinite reality branches. The finite information processing rate γ and the bounded nature of the causal diamond structure demonstrate that the universe has finite information processing capacity, incompatible with the infinite branching demanded by MWI.

Furthermore, dark matter as thermodynamically inert coherent entropy eliminates the need for parallel realities to accommodate "missing" quantum states. All quantum possibilities are accounted for within the singular causal diamond structure through the partition between electromagnetically active (visible matter) and electromagnetically inert (dark matter) information states, both of which retain access to the holographic screen architecture.

This represents a significant advance in our understanding of quantum mechanics—replacing speculative metaphysics with concrete, testable physics grounded in geometric and thermodynamic principles. Stated simply, that which may be observed is superior in explanatory power to that which cannot be observed, like parallel realities. Furthermore, a Hilbert space is a mathematical tool, not physical reality. For a Hilbert space to begin to approximate reality it must exist within a causal diamond, of which there may physically exist only one. The only Hilbert space which may exist within the causal diamond of observable reality is the one which we observe or else would exceed the information capacity of boundary area $A(p,q)$ or the dimensionality of $V_3(p,q)$.

6. Implications for Quantum Gravity

6.1. Mathematical Description of Emergent Gravitational Effects

Gravity emerges as the bulk manifestation of holographic boundary optimization when ebit-obit reorganization on $A(p,q)$ reaches sufficient scale within causal diamonds exceeding V_{critical} . Informa-

tion processing elements naturally minimize computational distances on the 2D boundary, and this optimization projects into the 4D bulk as gravitational effects. Mathematical features describe how boundary reorganization creates the gravitational phenomena we observe in $V(p,q)$.

6.2. Gravitational Emergence from Scale-Dependent Information Processing

The QTEP framework reveals gravity as the emergent bulk manifestation of information processing optimization on holographic screens $A(p,q)$. When causal diamond 4-volumes $V(p,q)$ reach sufficient scale, information processing elements on the 2D boundary naturally reorganize to minimize computational distances, and this reorganization manifests in the 4D bulk as what we observe as gravitational effects. Unlike electromagnetic interactions which operate efficiently through compact holographic screens, gravitational manifestations require critical volumes where boundary optimization projects into bulk spacetime curvature.

6.2.1 The Nature of Black Holes

Black holes represent regions where extreme coherent entropy organization has access to the holographic screen $A(p,q)$ from an extreme overdensity of dark matter.

Black holes function as coherent entropy over-densities where the extreme organization and density of coherent entropy manifests as gravitationally active matter through the information processing architecture. The apparent gravitational effects arise from information pressure:

$$P_I = \frac{\gamma c^4}{8\pi G} \left(\frac{I}{I_{max}} \right)^2 \quad (68)$$

As coherent entropy concentration approaches the holographic bound $I_{max} = A/(4G \ln 2)$, this information pressure modifies spacetime curvature through the information stress-energy tensor derived from the information action principle:

$$S_{info} = \int d^4x \sqrt{-g} \left[\frac{\gamma \hbar}{2c^2} \nabla_\mu S_{total} \nabla^\mu S_{total} \right] \quad (69)$$

Variation with respect to the metric tensor $\delta S_{info}/\delta g^{\mu\nu} = 0$ yields the information stress-energy tensor:

$$T_{\mu\nu}^I = \frac{\gamma \hbar}{c^2} [g_{\mu\nu} \nabla_\alpha S_{total} \nabla^\alpha S_{total} - \nabla_\mu S_{total} \nabla_\nu S_{total}] \quad (70)$$

where the first term represents isotropic information pressure while the second term accounts for anisotropic information flux. This tensor satisfies the conservation law $\nabla^\mu T_{\mu\nu}^I = 0$ due to the diffeomorphism invariance of the information action, ensuring consistency with general relativity.

The observed spacetime curvature represents the geometric response to organized information density rather than classical mass concentration. What appears as an "event horizon" is actually an information processing boundary where the density and organization of coherent entropy reaches critical thresholds that fundamentally alter the manifestation of matter from the underlying information processing.

Dark matter emerges naturally as the manifestation of organized coherent entropy states through the ebit-orbit cycle, maintaining gravitational effects while remaining electromagnetically invisible and the purpose and nature of black holes becomes more refined. These are super dense regions of dark matter where the gravitational topology becomes so extreme as to act as information organizers "searching" the information along $A(p,q)$ looking for dark matter to reorganize back into the thermodynamic boundary.

7. Conclusion

The Quantum-Thermodynamic Entropy Partition (QTEP) framework presented in this work resolves the quantum measurement problem by providing a complete physical mechanism grounded in spacetime

geometry and thermodynamic principles. This represents a fundamental advance beyond the conceptual limitations of traditional quantum mechanical interpretations.

Our key theoretical achievement demonstrates that quantum measurement occurs through ebit-obit conversion within causal diamonds—precisely defined light cone intersection regions where quantum information undergoes thermodynamic partition. The universal QTEP ratio $S_{\text{coh}}/|S_{\text{decoh}}| \approx 2.257$ emerges necessarily from first principles, characterizing all quantum-to-classical transitions without requiring adjustable parameters or ad hoc assumptions.

The framework eliminates the many worlds interpretation by showing that quantum measurement creates negentropy rather than parallel realities. The finite information processing rate $\gamma = 1.89 \times 10^{-29} \text{ s}^{-1}$ and bounded causal diamond architecture make infinite universe branching thermodynamically impossible. Information conservation occurs through entropy partition within singular spacetime rather than multiplication across parallel worlds.

QTEP's most significant empirical contribution lies in its natural explanation of cosmological phenomena without exotic physics. Dark matter emerges from coherent entropy states that receive negative charge through neighbor distribution, becoming thermodynamically inert while retaining gravitational interactions. This predicts a dark-to-visible matter ratio of approximately 69.3%/30.7%, consistent with observations. Gravity emerges when causal diamond volumes exceed the critical threshold, providing a geometric foundation for the electromagnetic-to-gravitational transition in cosmic evolution.

The framework makes testable predictions across multiple domains: modified multi-particle decoherence rates $\Gamma_n = \gamma \cdot 2.257^n$, Thomson scattering signatures in cosmic microwave background polarization, gravitational modulation of quantum measurement rates in strong gravitational fields, and antimatter formation through charge deficit compensation mechanisms.

Black holes are reinterpreted as extreme coherent entropy organizations with information processing boundaries rather than classical event horizons. This resolves the information paradox by showing that black holes function as information organizers within the holographic screen architecture, maintaining information accessibility while preventing electromagnetic interactions.

The geometric realization through causal diamonds transforms abstract thermodynamic processes into precisely calculable spacetime regions. This anchors quantum measurement theory in testable geometry rather than philosophical speculation, establishing measurement as a fundamentally geometric-thermodynamic process operating coherently across all scales of physical reality.

QTEP bridges the gap between quantum mechanics and general relativity through the fundamental information processing rate that connects microscopic measurement dynamics to macroscopic spacetime structure. The framework demonstrates that quantum measurement, cosmological evolution, and gravitational emergence are manifestations of the same underlying information processing architecture operating within causal diamond constraints.

Future experimental validation will focus on precision measurements of multi-particle decoherence rates, cosmic microwave background polarization analysis for Thomson scattering signatures, and quantum interferometry in strong gravitational fields. These tests will establish whether the universe operates through the geometric-thermodynamic information processing architecture predicted by QTEP.

This work establishes quantum measurement as a concrete, mechanistic process rather than a mysterious transition, replacing speculative metaphysics with testable physics grounded in the fundamental connection between information, thermodynamics, and spacetime geometry.

Acknowledgements

The author would like to thank the \$DAD community for their continuous and unwavering support of this research.

Methods

Large Language Models (LLMs) were used for proofreading and for providing basic editorial feedback.

References

- [1] Wheeler, J. A., & Zurek, W. H. (Eds.). (1983). Quantum theory and measurement. Princeton University Press.
- [2] Bohr, N. (1928). The quantum postulate and the recent development of atomic theory. *Nature*, 121(3050), 580-590. <https://doi.org/10.1038/121580a0>
- [3] Everett III, H. (1957). "Relative state" formulation of quantum mechanics. *Reviews of Modern Physics*, 29(3), 454-462. <https://doi.org/10.1103/RevModPhys.29.454>
- [4] Ghirardi, G. C., Rimini, A., & Weber, T. (1986). Unified dynamics for microscopic and macroscopic systems. *Physical Review D*, 34(2), 470-491. <https://doi.org/10.1103/PhysRevD.34.470>
- [5] Zurek, W. H. (2003). Decoherence, einselection, and the quantum origins of the classical. *Reviews of Modern Physics*, 75(3), 715-775. <https://doi.org/10.1103/RevModPhys.75.715>
- [6] Weiner, B. (2025). E-mode Polarization Phase Transitions Reveal a Fundamental Parameter of the Universe. *IPI Letters*, 3(1), 31-39. <https://doi.org/10.59973/ipil.150>
- [7] Weiner, B. (2025). Little Bangs: the Holographic Nature of Black Holes. *IPI Letters*, 3(3), 34-54. <https://doi.org/10.59973/ipil.177>
- [8] Weiner, B. (2025). ATLAS Shrugged: Resolving Experimental Tensions in Particle Physics Through Holographic Theory. *IPI Letters*, 3(4), 13-24. <https://doi.org/10.59973/ipil.222>
- [9] Gibbons, G. W., & Solodukhin, S. N. (2007). The geometry of small causal diamonds. *Physical Review D*, 76(4), 044009. <https://doi.org/10.1103/PhysRevD.76.044009>
- [10] Vopson, M. M. (2025). Is gravity evidence of a computational universe? *AIP Advances*, 15(4), 045035. <https://doi.org/10.1063/5.0264945>