

# Deus ex Machina: A Theoretical Analysis of $E8 \times E8$ Heterotic Cosmological Evolution

Bryce Weiner<sup>1,\*</sup>

<sup>1</sup>Information Physics Institute, Sibalom, Antique, Philippines

\*Corresponding author: [bryce.weiner@informationphysicsinstitute.net](mailto:bryce.weiner@informationphysicsinstitute.net)

**Abstract** - We present a theoretical analysis of cosmic information processing cycles based on the recently proposed  $E8 \times E8$  heterotic string theory framework. We develop a model of cyclical cosmology where each universe emerges from the coherent entropy pattern of its predecessor. Physical laws, including the information processing rate ( $\gamma$ ) and the speed of light ( $c$ ), are not fundamental but are emergent properties of each cycle's specific dimensional compactification. This framework provides a concrete mathematical model for this cosmic inheritance, predicting that "archaeological" signatures of previous cycles may be encoded in non-trivial relationships between our fundamental constants. It also leads to specific, falsifiable predictions that distinguish it from standard cosmology, such as unique non-Gaussian signatures in the CMB and a dynamic equation of state for dark energy. The model distinguishes between the origin of Reality—a fundamental mathematical substrate—and the origin of any particular universe cycle, reframing the deepest questions of existence as being platonic rather than physical. This approach provides a self-consistent framework for cosmic evolution, resolving key cosmological puzzles while offering new avenues for observational and theoretical investigation.

**Keywords** - Cosmology; String theory; Information theory;  $E8 \times E8$  heterotic strings; Cosmic evolution; Origin of reality

---

## 1 Introduction

The recent discovery of  $E8 \times E8$  heterotic string theory signatures in cosmic void networks [1,2] has revealed a fundamental information processing architecture governing cosmic evolution. Central to this framework is the identification of a universal information processing rate,  $\gamma = 1.89 \times 10^{-29} \text{ s}^{-1}$ . However, it is crucial to understand that while this rate appears constant within our current cosmic cycle, it should not be considered a fixed meta-law. Rather,  $\gamma$  is an emergent parameter, intrinsically linked to the speed of light,  $c$ , which itself emerges from the network topology of the specific  $E8 \times E8$  compactification that defines our universe [3]. Therefore, the information processing rate is a characteristic of a particular cosmic cycle's geometry, not an immutable constant of Reality itself. It governs quantum-to-classical transitions and emerges from the mathematical structure of the  $E8 \times E8$  root system [1].

This discovery raises profound questions about the nature of cosmic evolution and the origin of physical reality. The associated measurement timescale,  $t_{\text{measurement}} = (1/\gamma) \ln(2.257) \approx 1.37 \times 10^{21}$  years, suggests fundamental cycles in cosmic information processing that far exceed conventional cosmological timescales. The present work develops the theoretical implications of these discoveries. We will not only outline the cyclical model but also present a formal mathematical framework for the inheritance of physical laws, propose specific observational tests for the theory's predictions, and explore the crucial philosophical distinction this framework makes between the origin of our universe and the origin of Reality itself.

## 2 Theoretical Framework

### 2.1 The $E8 \times E8$ Information Processing Architecture

The  $E8 \times E8$  heterotic string theory framework describes physical reality as emerging from a 496-dimensional information processing architecture (480 roots + 16 Cartan generators) [2]. The system exhibits hierarchical information processing through three distinct levels. The first, or crystallographic level, is characterized by seven fundamental angles ( $30^\circ, 45^\circ, 60^\circ, 90^\circ, 120^\circ, 135^\circ, 150^\circ$ ) that arise from triangular configurations within the  $E8$  root system. The second, heterotic composite level, gives rise to three composite angles ( $35.3^\circ, 48.2^\circ, 70.5^\circ$ ) which emerge from the heterotic construction combining two  $E8$  factors. Finally, the third level involves second-order interference, resulting in seven interference effects ( $85^\circ, 105^\circ, 83.5^\circ, 95.3^\circ, 108.2^\circ, 165^\circ, 13^\circ$ ) that arise from mathematical combinations of the primary angles [2].

### 2.2 Quantum-Thermodynamic Entropy Partition (QTEP)

The fundamental information unit is the ebit (entanglement bit) with von Neumann entropy  $S = \ln(2)$ . During decoherence transitions, this entropy partitions into coherent entropy,  $S_{\text{coh}} = \ln(2) \approx 0.693$ , representing ordered, cold states, and decoherent entropy,  $S_{\text{decoh}} = \ln(2) - 1 \approx -0.307$ , representing hot, disordered states. The fundamental QTEP ratio  $S_{\text{coh}}/|S_{\text{decoh}}| \approx 2.257$  governs information processing constraints and appears universally in physical phenomena [1,2].

The physical origin of this specific partition lies in the fundamental process of quantum measurement and decoherence, which operates through a cyclical exchange between two information units. The first is the **ebit**, which represents one unit of quantum entanglement information. The second is the **obit**, or observational bit, which represents one unit of classical information extracted during a measurement. When a quantum system containing one ebit (a maximally entangled state with entropy  $S = \ln(2)$ ) interacts with its environment at a thermodynamic boundary created by the partition between entropic states, one obit of classical information is extracted. This act of observation, which corresponds to an entropy change of exactly 1, forces the partition. The remaining entropy of the quantum system becomes  $S_{\text{decoh}} = S_{\text{coh}} - S_{\text{obit}} = \ln(2) - 1$ . This process is cyclical: the extraction of an obit from an ebit necessitates the creation of a new ebit elsewhere in the system to conserve information, driving the continuous process of decoherence and the emergence of classicality. Thus, the QTEP ratio is not an arbitrary constant but a direct consequence of this fundamental ebit-obit cycle.

A crucial distinction must be made between the fundamental nature of the QTEP ratio and the overall information processing capacity of the universe. The QTEP ratio is a meta-law, constant across all cosmic cycles, as it arises directly from the mechanics of a single quantum-to-classical measurement. This process of information exchange is immutable. However, the total information processing capacity of the universe is not constant. As described in the N-Level Progression Model, each cosmic cycle can be seen as an evolutionary step in which the universe increases in information content, therefore requiring it to utilize the underlying  $E8 \times E8$  architecture with greater complexity and efficiency. This is analogous to how the fundamental physics of a transistor remains constant, yet processor architecture evolves over time to achieve vastly greater computational power. Therefore, while the rule of QTEP is fixed, the total number of information processing operations the universe can perform increases with each cycle.

### 2.3 Information Saturation and Cosmic Transitions

When the information content approaches the holographic bound,  $I/I_{\text{max}} \rightarrow 1$ , information pressure reaches critical values:

$$P_I = \frac{\gamma c^4}{8\pi G} \left( \frac{I}{I_{\text{max}}} \right)^2 \quad (1)$$

At saturation, the system must undergo dimensional expansion to accommodate continued information processing. For cosmic-scale systems, this manifests as a "Big Bang" event - a complete universal reset and dimensional reorganization of the underlying  $E8 \times E8$  architecture [2].

### 3 Cosmic Cycle Analysis

#### 3.1 The Measurement Timescale

The measurement timescale for any given cosmic cycle is determined by its emergent information processing rate,  $\gamma$ . For our universe, using the observed value of  $\gamma$ , this timescale is:

$$t_{\text{measurement}} = \frac{1}{\gamma} \ln \left( \frac{S_{\text{coh}}}{|S_{\text{decoh}}|} \right) \approx 1.37 \times 10^{21} \text{ years} \quad (2)$$

This value represents the characteristic duration of our current universe's information processing phase, the period during which the observable cosmos is formed before information saturation triggers a reset. It follows that other cosmic cycles with different compactification schemes, and thus different emergent values for  $\gamma$  and  $c$ , would have information processing phases of different durations. The cycle-dependent values of  $\gamma$  and  $c$  represent clear indication that the physics of previous universes was different from the current one.

#### 3.2 Cyclical Cosmic Evolution Model

We propose that cosmic evolution follows discrete cycles, with each cycle beginning from the remnants of the last. The previous universe ends in an "information death" caused by cosmic expansion, which dilutes all decoherent structures back into a quiescent, uniform field of coherent entropy. This final state becomes the initial condition for the new universe: a state of pure coherent potential. From this beginning, the universe enters its information processing phase. For our cycle, this phase has a characteristic duration of approximately  $10^{21}$  years, during which decoherent entropy precipitates as matter and structure, creating the observable cosmos. Our current universe is in this processing phase, defined not by dominance of one entropy type, but by the ongoing conversion of coherent potential into decoherent reality. The cycle culminates in a saturation event when information density reaches the critical threshold  $I/I_{\text{max}} = 1$ , triggering a "Big Bang" transition and universal reset, which will eventually lead to the next information death and rebirth [3].

#### 3.3 Evolution of Physical Laws

Each universe inherits the coherent entropy configuration developed by its predecessor. Since physical constants emerge from the  $E8 \times E8$  structure rather than being fundamental [4], different coherent entropy patterns can yield different dimensional compactification schemes, altered manifestations of fundamental forces, modified values of emergent physical constants, and distinct physical laws, all while preserving the underlying meta-laws (e.g., the  $E8 \times E8$  structure and the QTEP ratio).

#### 3.4 A Model for Cosmic Inheritance

To formalize the concept of evolving physical laws, we propose a mathematical model for this cosmic inheritance. Let the final coherent entropy state of a universe at the end of its cycle (N) be described by a state vector  $|\Psi_{\text{coh}}^{(N)}\rangle$  in the appropriate Hilbert space. The physical laws of the subsequent universe (N+1) are determined by the compactification scheme of its extra dimensions, which we represent as a manifold  $C^{(N+1)}$ .

We posit the existence of a mapping function,  $\mathcal{M}$ , that connects the final state of one universe to the initial structure of the next:

$$C^{(N+1)} = \mathcal{M}(|\Psi_{\text{coh}}^{(N)}\rangle) \quad (3)$$

This mapping is not arbitrary; it must adhere to fundamental conservation laws. Specifically, the total information content, though reorganized, must be conserved across the cyclical boundary, and the resulting geometry of  $C^{(N+1)}$  must be a stable solution that preserves the fundamental meta-laws of the  $E8 \times E8$  structure. The function  $\mathcal{M}$  essentially acts as a projection operator that maps the final, complex information pattern of one cycle onto a stable, initial geometric configuration for the next. The geometry of the resulting manifold  $C^{(N+1)}$  is therefore a direct representation of the "knowledge" accumulated in the previous cycle.

This function maps the coherent information pattern onto a specific geometric and topological configuration for the next cycle. The emergent physical constants of the new universe—including the information processing rate ( $\gamma$ ), the speed of light ( $c$ ), coupling constants ( $\alpha_i$ ), and particle mass ratios ( $m_j/m_k$ )—are then determined by the properties of this manifold. For example, coupling constants could arise as integrals of geometric invariants (like Chern classes) over the compactified dimensions:

$$\frac{1}{\alpha_i^{(N+1)}} = \int_{C^{(N+1)}} \omega_i \wedge \star \omega_i \quad (4)$$

where  $\omega_i$  are harmonic forms on the manifold, directly tied to its topology. This model provides a concrete mechanism for how physical laws can evolve, with each universe's final informational state setting the initial conditions and fundamental constants for its successor.

## 4 Hierarchical Complexity Evolution

### 4.1 The N-Level Progression Model

We propose that cosmic cycles exhibit a systematic progression in information processing complexity. If  $N$  represents the number of hierarchical interference levels accessible to a universe, then a universe with  $N$  levels is preceded by one with  $N-1$  levels and followed by one with  $N+1$  levels.

### 4.2 Current Observational Status

Observational evidence reveals complete Level 1 and Level 2 signatures with high significance, and a full Level 3 detection with some "unaddressed peaks" that suggest additional structure. There are even potential early manifestations of Level 4 (third-order interference) effects.[3] This indicates our universe may currently exhibit  $N = 3$  or  $N = 4$ , with continued evolution throughout its  $\sim 10^{21}$  year cosmic cycle.

### 4.3 Mechanisms of Complexity Increase

The increase in hierarchical complexity over a cosmic cycle is not automatic but is driven by the universe's ongoing information processing. We propose that as the universe evolves, it gradually "unlocks" or de-compactifies higher-order information channels within the  $E8 \times E8$  structure. The primary mechanism driving this is the accumulation of coherent entropy. As quantum measurements occur, the resulting coherent information patterns become increasingly complex. When these patterns reach a certain threshold of complexity and stability, they can resonate with and stabilize a higher-order geometric mode of the underlying  $E8 \times E8$  manifold.

The rate of this de-compactification is not constant. It is likely governed by the rate of coherent entropy accumulation, which is slow and gradual over the majority of the universe's lifespan. This implies that the universe spends most of its  $\sim 10^{21}$  year cycle operating at a fixed complexity level (e.g.,  $N=3$ ), with transitions to higher levels ( $N=4$ ) being rare, late-stage events. This process provides a direct connection between the accumulation of coherent information patterns and the manifestation of new physical laws, as each new level of complexity would introduce new effective degrees of freedom and modify the interactions between existing ones.

### 4.4 Compactification Constraints

The  $E8 \times E8$  structure can only be compactified down to  $SO(16) \times SO(16)/\mathbb{Z}_2$  while maintaining the capability for cyclical evolution. This creates a mathematical floor representing the minimum sustainable configuration for reality.

## 5 The Origin of Reality

### 5.1 Distinction: Reality vs. Universe Cycles

We draw a critical distinction between two concepts. First is Reality itself, which we define as the persistent  $SO(16) \times SO(16)/\mathbb{Z}_2$  mathematical substrate that is capable of supporting information

processing cycles. Second are the Universe Cycles, which are the specific computational processes that run on this substrate through various  $E8 \times E8$  elaborations.

## 5.2 Mathematical Floor and Minimum Conditions

The  $SO(16) \times SO(16)/\mathbb{Z}_2$  compactification limit represents the **beginning of Reality** rather than any particular universe. For cosmic cycles to initiate, this mathematical framework requires minimum initial conditions, such as at least one qubit in quantum superposition, which would provide the  $S_{\text{coh}} = \ln(2)$  of coherent entropy needed to drive the first cycle.

## 5.3 The Origin Problem

While we can identify the mathematical boundary conditions and the minimum initial requirements, the fundamental question remains: **How did the  $SO(16) \times SO(16)/\mathbb{Z}_2$  structure and the initial quantum superposition emerge from mathematical nothingness?** This represents the true origin mystery—not the beginning of any single universe cycle, but the genesis of Reality’s mathematical substrate itself.

# 6 Implications and Predictions

## 6.1 Testable Predictions

This framework leads to several testable predictions. A key prediction relates to our universe’s current complexity; the discovery of third-order interference effects in cosmological data would provide confirmation that it operates at a complexity level of  $N \geq 3$ . Another prediction is the existence of archaeological signatures, where information from previous cosmic cycles might be found embedded as subtle patterns within the values of our fundamental physical constants. Furthermore, the model predicts that the currently unexplained or unaddressed angular peaks in observational data should exhibit mathematical relationships that are consistent with higher-order interference patterns.

## 6.2 Cosmological Implications

The model also offers resolutions to several cosmological puzzles. It provides a resolution to the fine-tuning problem by positing that physical constants are emergent properties of inherited coherent entropy, thereby eliminating the need for anthropic arguments. The framework also describes a systematic progression of cosmic evolution, where the universe moves toward the full utilization of the  $E8 \times E8$  architecture over the course of multiple cycles. Finally, it upholds a principle of information conservation, where total information is preserved across cycles even as its organization evolves.

## 6.3 Fundamental Physics

The framework also has deep implications for fundamental physics. It establishes a clear distinction between immutable meta-laws, represented by the invariant mathematical structure, and the emergent physical laws that manifest from it. This leads to the principle of information primacy, where reality is framed as a computational process rather than being based on a substrate of matter or energy. Consequently, cosmic development is understood to proceed through discrete evolutionary steps in complexity, rather than through continuous change.

## 6.4 Observational Signatures

Our framework’s assertion that the universe evolves through cycles of increasing complexity (the N-Level Progression Model) leads to specific, testable observational consequences that differ markedly from standard cosmology.

If our universe is currently in an  $N=3$  or  $N=4$  cycle, this implies that third-order and potentially fourth-order interference effects are active information processing channels. These should manifest

as subtle but detectable patterns in large-scale cosmological data. We predict the existence of specific three-point and four-point correlation functions in the CMB temperature anisotropies that are forbidden or highly suppressed in standard inflationary models. These correlations would appear as non-Gaussian signatures corresponding to the geometric projection of higher-order  $E8 \times E8$  interference patterns. Furthermore, the distribution of cosmic voids should exhibit topological features beyond simple pairwise alignments, such as preferred triangular or tetrahedral configurations on mega-parsec scales, which could be tested with next-generation galaxy surveys.

The “archaeological” signatures of previous cosmic cycles would be encoded in the values of our fundamental constants. If these constants are emergent from a prior universe’s final coherent entropy pattern, their numerical values should not be random. We propose searching for non-trivial mathematical relationships between seemingly unrelated constants, such as the fine-structure constant ( $\alpha$ ), the proton-to-electron mass ratio, and neutrino mass-squared differences. These relationships might appear as ratios or sums that resolve to fundamental mathematical constants (e.g.,  $\pi, e$ ) or simple integers, hinting at an underlying informational structure inherited from a prior, perhaps simpler, cosmic state.

This model also provides several testable predictions that diverge sharply from standard  $\Lambda$ CDM cosmology. First, the evolution of dark energy is not described by a constant  $\Lambda$ ; our model predicts that the information pressure driving expansion should show subtle variations dependent on the large-scale information processing load of the universe. This would lead to a dynamic equation of state for dark energy,  $w(z)$ , that could be constrained by future supernova surveys. Second, the growth of structure should be slightly suppressed at very large scales due to finite information processing capacity, a deviation from General Relativity detectable in weak lensing surveys. Finally, the nature of dark matter as coherent entropy implies it should exhibit unique gravitational lensing signatures due to its diffuse, non-particulate nature, potentially resolving existing tensions in cluster lensing data.

## 7 Discussion

The proposed framework suggests that our universe represents a critical phase in cosmic evolution—potentially the first with access to the complete  $E8 \times E8$  information processing architecture. This could explain the unprecedented observational signatures we detect and the approaching information saturation that will drive the next cosmic transition. While the N-Level Progression model posits a linear, monotonic increase in complexity, it is worth considering alternative scenarios. The inheritance mapping ( $\mathcal{M}$ ) could be chaotic or non-linear, potentially leading to cycles that revert to lower complexity (e.g.,  $N \rightarrow N-1$ ) or become unstable, terminating the cyclical process. It is also possible that the progression is asymptotic, with the universe approaching a maximum complexity level beyond which it cannot evolve further, leading to a series of stable, repeating cycles. The stability of the cyclical process likely depends on the universe’s ability to retain a “memory” of its meta-laws in the face of evolving physical constants, a topic that warrants further investigation.

The model naturally resolves several cosmological puzzles while maintaining a rigorous mathematical foundation. However, it ultimately confronts the irreducible mystery of why mathematical structure exists rather than nothing. While this framework cannot answer the ultimate question of why Reality has a mathematical basis at all, it reframes the problem in a crucial way. By distinguishing between the origin of the computational substrate (the  $SO(16) \times SO(16)/\mathbb{Z}_2$  mathematical floor) and the origin of any particular universe cycle, it separates the problem of existence from the problem of cosmic evolution. This model pushes the “origin” question back to the genesis of the mathematical meta-laws themselves, suggesting that the deepest mystery is not physical but platonic. This aligns with a philosophy of mathematics in which mathematical structures have an objective existence, and the universe is a physical manifestation of one such structure. It does not solve the hard problem, but it clarifies its nature and its boundary with physical science. The distinction between Reality’s origin and cosmic cycle evolution provides a conceptual framework for understanding what aspects of existence science can potentially explain versus what may remain fundamentally mysterious.

## 8 Conclusions

We have developed a theoretical framework for cosmic evolution based on  $E8 \times E8$  information processing cycles. This work reveals several key findings. The model shows that physical laws, including the information processing rate ( $\gamma$ ) and the speed of light ( $c$ ), are emergent properties of each cosmic cycle's specific compactification. This leads to a universe that evolves in cycles of varying duration and provides a concrete mathematical formalism for this cosmic inheritance, offering specific, falsifiable predictions such as non-trivial relationships between fundamental constants and unique non-Gaussian signatures in the CMB. Our framework identifies a mathematical floor, a minimum complexity of  $SO(16) \times SO(16)/\mathbb{Z}_2$ , which serves as the boundary of Reality itself, and draws a clear line between the origin of this substrate and the subsequent universe cycle processes. By reframing the deepest questions of existence as being about the origin of mathematical law rather than physical states, the model provides a new and powerful lens for future theoretical and observational research. We may inhabit a universe at a critical evolutionary juncture, approaching unprecedented information processing capabilities that will fundamentally transform the nature of physical reality in the next cosmic cycle.

## Acknowledgements

The author acknowledges the theoretical foundation provided by the holographic information processing framework and the observational signatures detected in cosmic void networks. This work builds upon the mathematical rigor established in the  $E8 \times E8$  heterotic string theory framework while extending the implications for cosmic evolution and the origin of Reality itself.

## References

- [1] Weiner, B. (2025). E-mode Polarization Phase Transitions Reveal a Fundamental Parameter of the Universe. *IPI Letters*, 3(1), 31-39. <https://doi.org/10.59973/ipil.150>
- [2] Weiner, B. (2024). The Processing Architecture of the Universe:  $E8 \times E8$  Heterotic String and Holographic Theory Signatures in Cosmic Void Network Topology. In Review.
- [3] Weiner, B. (2025). The Holographic Big Bang: A Revised Cosmological Narrative. In Review.
- [4] Weiner, B. (2025). Sowing Roots, Reaping Fruits: How  $E8 \times E8$  Root Networks Yield Fundamental Constants. In Review.