

latexindent.pl

Version 3.8.2



Chris Hughes *

June 10, 2020

`latexindent.pl` is a Perl script that indents `.tex` (and other) files according to an indentation scheme that the user can modify to suit their taste. Environments, including those with alignment delimiters (such as `tabular`), and commands, including those that can split braces and brackets across lines, are *usually* handled correctly by the script. Options for `verbatim`-like environments and commands, together with indentation after headings (such as `chapter`, `section`, etc) are also available. The script also has the ability to modify line breaks, and to add comment symbols and blank lines; furthermore, it permits string or regex-based substitutions. All user options are customisable via the switches and the YAML interface; you can find a quick start guide in Section 1.4 on page 10.



Contents

1	Introduction	9
1.1	Thanks	9
1.2	License	9
1.3	About this documentation	9
1.4	Quick start	10
1.5	A word about regular expressions	11
2	Demonstration: before and after	12
3	How to use the script	13
3.1	From the command line	13
3.2	From arara	19
4	indentconfig.yaml, local settings and the -y switch	20
4.1	indentconfig.yaml and .indentconfig.yaml	20
4.2	localSettings.yaml	21
4.3	The -y yaml switch	21
4.4	Settings load order	22
5	defaultSettings.yaml	24
5.1	lookForAlignDelims: the dontMeasure feature	33

*and contributors! See Section 10.2 on page 122. For all communication, please visit [8].