// MinTuts/Procedural Terrain.shader

```
Shader "MinTuts/Procedural Terrain" {
  SubShader {
    Pass {
      CGPROGRAM
        #pragma vertex
                          vert
        #pragma fragment frag
        #include "UnityCG.cginc"
        struct v2f {
          float4 pos : SV_POSITION;
          float3 wpos : POSITION1;
        };
        v2f vert(float4 vertex : POSITION) {
          v2f o;
          o.pos = UnityObjectToClipPos(vertex);
          o.wpos = mul(unity_ObjectToWorld, vertex);
          return o;
        float4 frag(v2f i) : COLOR {
          float p = i.wpos.y * 0.015;
float3 y = float3(p, p, p);
          return float4(y, 1);
      ENDCG
```

We assign the result of this calculation to the variable **p**...

// MinTuts/Procedural Terrain.shader

```
Shader "MinTuts/Procedural Terrain" {
  SubShader {
    Pass {
      CGPROGRAM
       #pragma vertex
                         vert
       #pragma fragment frag
       #include "UnityCG.cginc"
       struct v2f {
         float4 pos : SV_POSITION;
         float3 wpos : POSITION1;
        };
       v2f vert(float4 vertex : POSITION) {
         v2f o;
          o.pos = UnityObjectToClipPos(vertex);
          o.wpos = mul(unity_ObjectToWorld, vertex);
          return o;
        float4 frag(v2f i) : COLOR {
         float p = i.wpos.y * 0.015;
         float3 y = float3(p, p, p);
          return float4(y, 1);
      ENDCG
```

We assign the result of this calculation to the variable **p**... which has a type of **float**