## Data Science Lifecycle

- 1. Data scientists use techniques to transform data into a visual representation that can be easier to understand by humans
- 2. Data science platform market is expected to grow by upwards of 20% annually.
- 3. Data science generally falls under math, statistics, and computer science.
- 4. The Life Cycle
  - a. Question
  - b. Collect Data
  - c. Wrangle Data
  - d. Analyze Data
  - e. Visualize Information
  - f. Communicate Information
- 5. All steps in the life cycle are all fluid

#### 9/5/23

# Python Fundamentals

- 1. Datasets
  - a. The collection of data
  - b. Types of datasets
    - i. Lists
      - 1. Ordered, changeable, duplicates allowed
    - ii. Dictionaries
      - 1. Ordered, changeable, duplicates not allowed
    - iii. Sets
      - 1. Unordered, unchangeable\*, duplicates not allowed
    - iv. Tuples
      - 1. Unordered, unchangeable, duplicates allowed
- 2. Representing datasets with code
  - a. Column-oriented
    - i. Grouping by features
  - b. Row-oriented
    - i. Grouping by a single observation
- 3. Indexing

- a. Used to access values of a collection type
- b. Python syntax to access values
  - i. List
    - name[index]
  - ii. Dictionary
    - 1. name[key]
  - iii. Set
    - 1. for loop
  - iv. Tuple
    - 1. Name[index]
- 4. Iteration
  - a. Can repeat processes with loops or recursion in Python
  - b. Python loop types
    - i. While loop
      - 1. while condition: statements
    - ii. For loop
      - 1. for thing in collection: statements
- 5. Useful methods
  - a. <u>Dictionaries</u>
    - i. values()
    - ii. items()
    - iii. keys()
  - b. <u>Lists</u>
    - i. len()
    - ii. append()
    - iii. sort()
  - c. Other
    - i. range()
    - ii. print()
    - iii. split()
    - iv. type()
    - v. int()
    - vi. str()

# Central Tendency

- Measures of Central Tendency
  - a. Statistical measures that help describe the behavior of a collection of data points
  - b. Mean
    - i. The average of all the values in a dataset
    - ii. Summation of all the values, divided by the count of values
    - iii. Can be misleading, because outliers skew the result
  - c. Median
    - i. The value in the direct center of a sorted dataset
    - ii. Gives a more proportional representation of data that excludes outliers
  - d. Mode
    - i. The most frequently occurring value in a dataset
    - ii. Most useful in a relatively large sample size
- 2. The center of a dataset is a good measure of determining the behavior or distribution of a dataset
  - a. Gives examples of a whole dataset, not data points individually.
- 3. Distribution
  - a. Shows how often data occurs in a dataset
- 4. Outliers
  - a. Unusually large or small values
  - b. Skew the result of a mean in a dataset
- 5. Bimodal
  - a. When two values are most common
- 6. Unimodal
  - a. When one value is the most common value
- 7. Symmetric distribution
  - a. When the mean and median are the same
- 8. Skewed distribution
  - a. When the dataset is offset by outliers, causing the mean to be an inaccurate representation of the population

### Pandas Fundamentals

- 1. Pandas
  - a. Pandas is a python library that can make analyzing data easier.
- 2. Dataframes
  - a. A pandas object that is used to store a dataset
  - b. Information is organized in rows and columns
  - c. Dataframs simplify common operations such as sorting data
- 3. Series
  - a. A pandas object used to create dataframes
  - b. Seen as a one-dimensional list of data
    - i. Think of it as a single column of a dataframe
- 4. Indexing into Dataframes
  - a. <a href="mailto:df.loc[]">df.loc[]</a>
    - i. name.loc[row\_label, col\_label]
  - b. df.iloc[]
    - i. name.iloc[row\_index, col\_index]
- Selection
  - a. The process of accessing a subset of a dataframe
  - b. Can select subsets using loc and iloc
- 6. Filtering
  - a. Selecting values of a dataset where certain conditions are true
  - b. df[condition]
- 7. Combining Dataframes
  - a. Concatenating
    - i. Naively combines along an axis
  - b. Merge
    - i. Combine through a shared column
  - c. Join
    - i. Combine using shared indices
    - ii. Inner Join
      - 1. Keep similar pieces
    - iii. Left Outer Join
      - 1. Keep the left
    - iv. Right Outer Join
      - 1. Keep the right

- v. Full Outer Join
  - 1. Keep everything

### 9/19/23

## Distributions

- 1. Distributions
  - a. Graphs that tell us about some characteristic of a population
  - b. Mean and median are important parts of the graphs
  - c. Tells us about the shape and spread of data
- 2. Normal distribution
  - a. The mean, median, and mode are all the same
  - b. Empirical Rule
    - i. 68% of data is within 1 standard deviation from the mean
    - ii. 95% within 2 standard deviations
    - iii. 99.7% within 3 standard deviations
  - c. Unimodal
    - i. Only one peak
- 3. Standard deviation
  - a. The average distance between any point and the mean
- 4. Skewed distribution
  - a. Skew is towards outliers
    - i. Can be seen on graphs by a "tail"
- 5. Bimodal
  - a. Has two peaks on a graph
- 6. Uniform distribution
  - a. Each value has the same frequency

### 10/2/23

## Data Visualization

- 1. Data Visualizations
  - a. A graph or picture that helps humans understand important patterns in a dataset