

Name: Madhuri Ramakrishnan

119A3032 TE IT (E2)

EXPERIMENT 3

Aim: Design a Login Web Page using HTML5 and CSS3

Theory:

1. HTML:

- The **Hyper-Text Markup Language**, or **HTML** is the standard markup language for documents designed to be displayed in a web browser.
- It can be assisted by technologies such as Cascading Style Sheets (CSS) and scripting languages such as JavaScript.
- Web browsers receive HTML documents from a web server or from local storage and render the documents into multimedia web pages.
- HTML describes the structure of a web page semantically and originally included cues for the appearance of the document.
- HTML elements are the building blocks of HTML pages. With HTML constructs, images and other objects such as interactive forms may be embedded into the rendered page.
- HTML provides a means to create structured documents by denoting structural semantics for text such as headings, paragraphs, lists, links, quotes and other items.
- HTML elements are delineated by *tags*, written using angle brackets. Tags such as `` and `<input />` directly introduce content into the page.
- Other tags such as `<p>` surround and provide information about document text and may include other tags as sub-elements. Browsers do not display the HTML tags, but use them to interpret the content of the page.

2. CSS:

- **Cascading Style Sheets (CSS)** is a style sheet language used for describing the presentation of a document written in a markup language such as HTML. CSS is a cornerstone technology of the World Wide Web, alongside HTML and JavaScript.
- CSS is designed to enable the separation of presentation and content, including layout, colours, and fonts.
- This separation can improve content accessibility, provide more flexibility and control in the specification of presentation characteristics, enable multiple web pages to share formatting by specifying the relevant CSS in a separate .css file which reduces complexity and repetition in the structural content as well as enabling the .css file to

be cached to improve the page load speed between the pages that share the file and its formatting.

- Separation of formatting and content also makes it feasible to present the same markup page in different styles for different rendering methods, such as on-screen, in print, by voice (via speech-based browser or screen reader), and on Braille-based tactile devices. CSS also has rules for alternate formatting if the content is accessed on a mobile device.
- The name *cascading* comes from the specified priority scheme to determine which style rule applies if more than one rule matches a particular element. This cascading priority scheme is predictable.
- The CSS specifications are maintained by the World Wide Web Consortium (W3C). Internet media type (MIME type) `text/css` is registered for use with CSS by RFC 2318 (March 1998). The W3C operates a free CSS validation service for CSS documents.^[5]
- In addition to HTML, other markup languages support the use of CSS including XHTML, plain XML, SVG, and XUL.

Code:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Login Page</title>
  <style>
    *{
      box-sizing: border-box;
      margin: 0;
      padding:0;
    }
    body{
      font-family:Arial, Helvetica, sans-serif;
      background:#37a08e;
      color:#fff;
      line-height: 1.8;
    }
    #container{
      margin: 200px auto;
      max-width: 400px;
      padding: 10px;
    }
    .form-wrap{
      background: #fff;
      color:#333;
      padding: 15px 25px;
```


```

}
.form-wrap h1{
text-align: center;
}
.form-wrap .form-group{
margin-top:15px;
margin: bottom 15px;
}
.form-wrap .form-group label{
display:block;
color: #666;
}
.form-wrap .form-group input{
width: 100%;
padding:10px;
border: #ddd 1px solid;
border-radius: 5px;
}
.form-wrap button{
width: 100%;
padding:10px;
background:#37a08e;
margin-top: 20px;
margin-bottom: 20px;
border-radius: 5px;
cursor: pointer;
color:#fff;
}
.form-wrap button:hover{
background: #37a08e;
}
</style>
</head>
<body>
<form id="container">
<div class="form-wrap">
<h1>Login Page</h1>
<div class="form-group">
<label for="user-name">UserName:</label>
<input type="text" name="" placeholder="user-name">
</div>
<div class="form-group">
<label for="password">Password:</label>
<input type="password" name="" placeholder="password">
</div>

```

```
<button class="btn">SUBMIT</button>
</div>
</form>
</body>
</html>
```

Output:



Login Page

UserName:
user-name

Password:
password

SUBMIT

Conclusion: Hence, we have successfully completed the implementation of HTML and CSS by creating a basic Login Page.