```
bzip2-L1d-small Simulation Results
______
Number of reference types:
 Number of reads = 1874397115 [18.74%]

Number of writes = 567216161 [5.67%]

Number of inst = 7558386724 [75.58%]

Total = 10000000000
Total cycles for all activities:
  Cycles for reads = 21179775524 [41.43%]
  Cycles for writes = 17952796895 [35.12%]
  Cycles for inst = 11988368687 [23.45%]
  Total time = 51120941106
Average cycles per activity:
 Read = 11.30
  Write = 31.65
  Inst = 1.59
Ideal: Exec. Time = 17558386724; CPI = 2.32
Ideal mis-aligned: Exec. Time = 23201139335; CPI = 3.07
Memory level: L1i
 Hits = 11965504642 [99.99%]
 Misses = 1088311 [0.01%]
Total = 11966592953
 Kickouts = 1088055, Dirty kickouts = 0, Transfers = 1088311
Memory level: L1d
 Hits = 2336029598 [91.91%]
  Misses = 205697738 [8.09%]
  Total = 2541727336
 Kickouts = 205697610, Dirty kickouts = 84391651, Transfers = 205697738
Memory level: L2
 Hits = 141441999 [48.58%]
```

Kickouts = 149735189, Dirty kickouts = 66392358, Transfers = 149735701

Misses = 149735701 [51.42%]

Total = 291177700

L1i cache cost = \$200 L1d cache cost = \$100 L2 cache cost = \$50 Memory cost = \$75 Total cost = \$425

Cost analysis: