Logic I: Lecture 14

s.butterfill@warwick.ac.uk

Readings refer to sections of the course textbook, *Language, Proof and Logic*.

1. Two Things Are Broken

Reading: §14.1

To translate sentences involving number into FOL, use identity. For example,

'Two things are broken' might be translated as:

 $\exists x \exists y (Broken(x) \land Broken(y) \land \neg(x=y))$

2. Loving and Being Loved

Reading: §11.2, §11.3

3. More Dead Horse

Reading: §11.4, §11.5

"Tesco is a store for everything"

∀x StoreFor(b,x)

Tesco is a store for everything except dead horses

$$\forall x (\neg DeadHorse(x) \rightarrow StoreFor(b,x))$$

Tesco is a store for everything except Tesco

$$\forall x (\neg x=b \rightarrow StoreFor(b,x))$$

There is a store for everything except itself

$$\exists y \ \forall x \ (\neg x=y \longrightarrow StoreFor(y,x))$$

4. Somebody Is Not Dead

5. Quantifier Equivalences: $\forall x (\text{Square}(x) \rightarrow \text{Broken}(x)) = \forall x (\neg \text{Broken}(x) \rightarrow \neg \text{Square}(x))$

Reading: §10.3

$$\begin{array}{c|ccccc} P & Q & P \rightarrow Q & \neg Q \rightarrow \neg P \\ \hline T & T & T & T \\ T & F & F & F \\ F & T & T & T \\ F & F & T & T \end{array}$$

6. Quantifier Equivalences: $\forall x (\text{Square}(x) \rightarrow \text{Broken}(x)) = \forall x (\neg \text{Square}(x) \lor \text{Broken}(x))$

Reading: §10.3

7. Soundness and Completeness: Statement of the Theorems

Reading: §8.3, §13.4

 $A \vdash B$ means there is a proof of B using premises A

'⊢ B' means there is a proof of B using no premises

'A \models B' means B is a logical consequence of A

'⊨ B' means B is a tautology

'A \vDash_{TT} B' means B is a logical consequence of A just in virtue of the meanings of truth-functions (the textbook LPL calls this 'tautological consequence')

Soundness: If $A \vdash B$ then $A \models B$

i.e. if you can prove it in Fitch, it's valid

Completeness: If $A \models_{TT} B$ then $A \vdash B$

i.e. if it's valid just in virtue of the meanings of the truth-functional connectives, then you can prove it in Fitch.


8. The Soundness Property and the Fubar Rules

Reading: §8.3

9. Proof of the Soundness Theorem

Reading: §8.3


Illustration of soundness proof: VIntro



Useful Observation about any argument that ends with \lor Intro. Suppose this argument is not valid, i.e. the premises are true and the conclusion false. Then Z must be false. So the argument from the premises to Z (line n) is not a valid argument. So there is a shorter proof which is not valid.

Stipulation: when I say that a proof is not valid, I mean that the last step of the proof is not a logical consequence of the premises (including premises of any open subproofs).

Illustration of soundness proof: ¬Intro



How to prove soundness? Outline

Step 1: show that each rule has this property:

Where the last step in a proof involves that rule, if proof is not valid then there is a shorter proof which is not valid.

Step 2: Suppose (for a contradiction) that some Fitch proofs are not valid. Select one of the shortest invalid proofs. The last step must involve one of the Fitch rules. Whichever rule it involves, we know that there must be a shorter proof which is not valid. This contradicts the fact that the selected proof is a shortest invalid proof.

10. Exercises

These exercises will be discussed in seminars the week after this lecture. The numbers below refer to the numbered exercises in the course textbook, e.g. '1.1' refers to exercise 1.1. on page 39 of the second edition of *Language*, *Proof and Logic*. Exercises marked '*' are optional.

10.20, 10.22

7.32