


Multiple quantifiers

1 $\exists x \exists y \text{ Above}(x,y)$
"Something is above something"



There is a store for everything

$\exists y \forall x \text{ StoreFor}(y,x)$

$\forall y \exists x \text{ StoreFor}(x,y)$

Other sentences to translate:

Wikipedia has an article about everything

Everyone hurts someone they love

Someone hurts everyone she loves

"Every time I go to the dentist, somebody dies."

$\forall t ((\text{Time}(t) \wedge \text{ToDentist}(a,t)) \rightarrow \exists x (\text{Person}(x) \wedge \text{DiesAt}(x,t)))$

Quantifiers bind variables

Read §9.2 of Barwise & Etchemendy

Two objects are broken

$\exists x \exists y (\text{Broken}(x) \wedge \text{Broken}(y) \wedge \neg(x=y))$

To translate sentences involving number into FOL, use identity.

The Soundness & Completeness Theorems

' $A \vdash B$ ' means there is a proof of B using premises A

' $\vdash B$ ' means there is a proof of B using no premises

' $A \models B$ ' means B is a logical consequence of A

' $\models B$ ' means B is a tautology

' $A \models_T B$ ' means B is a logical consequence of A just in virtue of the meanings of truth-functions (the textbook LPL calls this 'tautological consequence')

Soundness: If $A \vdash B$ then $A \models B$

I.e. if you can prove it in Fitch, it's valid

Completeness: If $A \models_T B$ then $A \vdash B$

I.e. if it's valid just in virtue of the meanings

Exercise

If the following is valid, give a formal proof. If it is not valid, give a counterexample.

$\forall x \forall y \forall z ([R(x,y) \wedge R(y,z)] \rightarrow R(x,z))$
 $\forall x \forall y [R(x,y) \rightarrow R(y,x)]$
 $\vdash \forall x R(x,x)$

Reflexive, symmetric and transitive

A *reflexive* relation is one that everything bears to itself.


(E.g. SameShape)

$\forall x R(x,x)$



A *symmetric* relation is one such that if x bears it to y, then y bears it to x. (E.g. Adjacent(x,y).)

$\forall x \forall y (R(x,y) \rightarrow R(y,x))$



A *transitive* relation is one such that if x bears it to y and y bears it to z, then x bears it to z. (E.g. LeftOf is transitive; DifferentShape is *not* transitive)

$\forall x \forall y \forall z ([R(x,y) \wedge R(y,z)] \rightarrow R(x,z))$



\forall Intro

\vdash \boxed{c}
 \vdash ...
 $\vdash S(c)$
 $\vdash \forall x S(x)$

∀Intro Example proof

1.	$\forall x (\text{Square}(x) \rightarrow \text{Blue}(x))$	
2.	$\forall x \text{ Square}(x)$	
3.	a	
4.	$\text{Square}(a)$	∀Elim: 2
5.	$\text{Square}(a) \rightarrow \text{Blue}(a)$	∀Elim: 1
6.	$\text{Blue}(a)$	→Elim: 4,5
x.	$\forall x \text{ Blue}(x)$	∀Intro: 3-6
y.	$\forall x \text{ Square}(x) \rightarrow \forall x \text{ Blue}(x)$	→Intro: 2-x

Exercise

If the following is valid, give a formal proof. If it is not valid, give a counterexample.

$\forall x \forall y \forall z ([R(x,y) \wedge R(y,z)] \rightarrow R(x,z))$
$\forall x \forall y [R(x,y) \rightarrow R(y,x)]$
$\forall x R(x,x)$

Quantifier Recap

Everything is broken

$\forall x \text{ Broken}(x)$

All my things are broken

$\forall x (\text{BelongsToMe}(x) \rightarrow \text{Broken}(x))$

Something is broken

$\exists x \text{ Broken}(x)$

Something of mine is broken

$\exists x (\text{BelongsToMe}(x) \wedge \text{Broken}(x))$

How to determine truth of a sentence with an existential quantifier as the main connective

1. Give every object a name.
2. For each name in turn, create a new sentence like this: delete the quantifier and replace all instances of the variable it binds with that name
3. If ANY OF the new sentences are true, so is the original.

How to determine truth of a sentence with a universal quantifier as the main connective

1. Give every object a name.
2. For each name in turn, create a new sentence like this: delete the quantifier and replace all instances of the variable it binds with that name
3. If ALL OF the new sentences are true, so is the original.

Multiple quantifiers

There is a store for everything

$\exists y \forall x \text{ StoreFor}(y,x)$

$\forall y \exists x \text{ StoreFor}(x,y)$

Other sentences to translate:

Wikipedia has an article about everything

Everyone hurts someone they love

Someone hurts everyone she loves

Exercises 06

For your sixth seminar

Only for fast groups

A. From the LPL textbook:

11.2, 11.4

11.8, 11.9, *11.11 (mixed quantifiers)

13.12, 13.14, 13.16 (quantifier proofs)

13.28 (quantifier proofs)

Despite what book says, DON'T even THINK about using TAUT CON.

B. For each of the following sentences of FOL, give a logically equivalent sentence of idiomatic English using the specified interpretation. Your English sentences should be as concise as possible.

Domain : people and actions

$D(x)$: x is desirable

$V(x)$: x is virtuous

$A(x)$: x is an action

$H(x)$: x is a person

$P(x,y)$: x performed y

i. $\forall x [D(x) \rightarrow V(x)]$

ii. $\forall x [[A(x) \wedge D(x)] \rightarrow V(x)]$

iii. $\exists x [A(x) \wedge \neg [D(x) \rightarrow V(x)]]$

*iv. $\exists x [H(x) \wedge \forall y [[A(y) \wedge P(x,y)] \rightarrow V(y)]]$

**v. $\neg \exists x [\exists y [H(x) \wedge P(x,y) \wedge A(y) \wedge \neg V(y)] \wedge \neg \exists z [P(x,z) \wedge A(z) \wedge V(z)]]$