
### EUROPEAN ORGANIZATION FOR NUCLEAR RESEARCH





# Lambda-Kaon and Cascade-Kaon Femtoscopy in Pb-Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV from the LHC ALICE Experiment

Jesse T. Buxton<sup>1</sup>

1. Department of Physics, The Ohio State University, Columbus, Ohio, USA

Email: jesse.thomas.buxton@cern.ch

#### Abstract

My abstract will be contained here. The abstract will introduce my study and inform the reader about the content of this paper. I will state the problem I tackle, and summarize (in one sentence) why no one else has yet to adequately answered the research question. Next, I will explain (again, in one sentence) how I tackled the research question, and (in one sentence) how I went about doing the research which followed from this big idea (i.e. elaborate on previous sentence). Finally, as a single sentence, I will state the key impact of my research.

We present results from a femtoscopic analysis of Lambda-Kaon correlations in Pb-Pb collisions at  $\sqrt{s_{NN}}=2.76~\text{TeV}$  by the ALICE experiment at the LHC. All pair combinations of  $\Lambda$  and  $\bar{\Lambda}$  with  $K^+$ ,  $K^-$  and  $K_S^0$  are analyzed. The femtoscopic correlations are the result of strong final-state interactions, and are fit with a parametrization based on a model by R. Lednicky and V. L. Lyuboshitz[1]. This allows us to both characterize the emission source and measure the scattering parameters for the particle pairs. We observe a large difference in the  $\Lambda$ -K<sup>+</sup> ( $\bar{\Lambda}$ -K<sup>-</sup>) and  $\Lambda$ -K<sup>-</sup> ( $\bar{\Lambda}$ -K<sup>+</sup>) correlations in pairs with low relative momenta (k\*  $\lesssim 100~\text{MeV}$ ). Additionally, the average of the  $\Lambda$ -K<sup>+</sup> ( $\bar{\Lambda}$ -K<sup>-</sup>) and  $\Lambda$ -K<sup>-</sup> ( $\bar{\Lambda}$ -K<sup>+</sup>) correlation functions is consistent with our  $\Lambda$ -K<sup>0</sup>/<sub>S</sub> ( $\bar{\Lambda}$ -K<sup>0</sup>/<sub>S</sub>) measurement. The results suggest an effect arising from different quark-antiquark interactions in the pairs, i.e. s\bar{s} in  $\Lambda$ -K<sup>+</sup> ( $\bar{\Lambda}$ -K<sup>-</sup>) and u\bar{u} in  $\Lambda$ -K<sup>-</sup> ( $\bar{\Lambda}$ -K<sup>+</sup>). To gain further insight into this hypothesis, we currently are conducting a Cascade-Kaon femtoscopic analysis.

# Contents

1	Intr	oduction	3
2	Data	a Sample and Software	3
	2.1	Data Sample	3
	2.2	Software	3
3	Data	a Selection	3
	3.1	Event Selection and Mixing	3
	3.2	K <sup>±</sup> Track Selection	4
	3.3	V0 Selection	5
		3.3.1 A Reconstruction	5
		3.3.2 $K_S^0$ Reconstruction	6
	3.4	Cascade Reconstruction	8
	3.5	Pair Selection	8
4	Cor	relation Functions	8
5	Fitti	ng	9
	5.1	Model: Lambda-Kaon	9
	5.2	Model: Cascade-Kaon	9
	5.3	Momentum Resolution Corrections	9
	5.4	Residual Correlations	9
6	Syst	ematic Errors	10
	6.1	Systematic Errors: $\Lambda K_S^0$	10
	6.2	Systematic Errors: $\Lambda K^{\pm}$	24
7	Resu	ults and Discussion	30
8	То Г	00	30

# **List of Figures**

1	V0 Reconstruction	5
2	$K^0_S$ contamination in $\Lambda(\bar{\Lambda})$ collection	6
3	Λ Purity	7
4	$\Lambda(\bar{\Lambda})$ contamination in $K^0_S$ collection	7
5	$K^0_S$ Purity	8
6	Ξ Reconstruction	9
7	Avgerage Separation $\Lambda(\bar{\Lambda})K^0_S$	10
8	Avgerage Separation $\Lambda(\bar{\Lambda})K^{\pm}$	10
9	All $\Lambda(\bar{\Lambda})K_S^0$ Correlation Functions	11
10	$\Lambda K^+$ and $\bar{\Lambda} K^-$ Correlation Functions	12
11	$\Lambda K^-$ and $\bar{\Lambda} K^+$ Correlation Functions	12
12	All $\Lambda(\bar{\Lambda})K^{\pm}$ Correlation Functions	13
13	$\Lambda K^+(\bar{\Lambda}K^-)$ Fits	13
14	$\Lambda K^{-}(\bar{\Lambda}K^{+})$ Fits	14

#### 1 Introduction

This will be my introduction. Remember, Jai suggested to make each sentence a separate line to make changes easier to track in git. Otherwise, git will treat an entire paragraph as a single line!

And a new paragraph begins with an empty line.

#### 2 Data Sample and Software

#### 2.1 Data Sample

The analysis used "pass 2" reconstructed Pb-Pb data from LHC11h (AOD145). The runlist was selected from runs with global quality tag 111" in the ALICE Run Condition Table. Approximately XX million combined central, semi-central, and minimum bias events were analyzed. Runs from both positive (++) and negative (–) magnetic field polarity settings were used.

Run list: 170593, 170572, 170388, 170387, 170315, 170313, 170312, 170311, 170309, 170308, 170306, 170270, 170269, 170268, 170230, 170228, 170207, 170204, 170203, 170193, 170163, 170159, 170155, 170091, 170089, 170088, 170085, 170084, 170083, 170081, 170040, 170027, 169965, 169923, 169859, 169858, 169855, 169846, 169838, 169837, 169835, 169591, 169590, 169588, 169587, 169586, 169557, 169555, 169554, 169553, 169550, 169515, 169512, 169506, 169504, 169498, 169475, 169420, 169419, 169418, 169417, 169415, 169411, 169238, 169167, 169160, 169156, 169148, 169145, 169144, 169138, 169099, 169094, 169091, 169045, 169044, 169040, 169035, 168992, 168988, 168826, 168777, 168514, 168512, 168511, 168467, 168464, 168460, 168458, 168362, 168361, 168342, 168341, 168325, 168322, 168311, 168310, 168115, 168108, 168107, 168105, 168076, 168069, 167988, 167987, 167985, 167920, 167915

Analysis was also performed on the LHC12a17a\_fix (AOD149) Monte Carlo HIJING events for certain checks.

#### 2.2 Software

The analysis was performed on the PWGCF analysis train using AliRoot v5-08-18-1 and AliPhysics vAN-20161027-1.

The main classes utilized include: AliFemtoVertexMultAnalysis, AliFemtoEventCutEstimators, AliFemtoESDTrackCutNSigmaFilter, AliFemtoV0TrackCutNSigmaFilter, AliFemtoXiTrackCut, AliFemtoV0PairCut, AliFemtoV0TrackPairCut, AliFemtoXiTrackPairCut, and AliFemtoAnalysisLambdaKaon. All of these classes are contained in /AliPhysics/PWGCF/FEMTOSCOPY/AliFemto and .../AliFemtoUser.

#### 3 Data Selection

#### 3.1 Event Selection and Mixing

The events used in this study were selected with the class AliFemtoEventCutEstimators according to the following criteria:

- Triggers
  - minimum bias (kMB)
  - central (kCentral)
  - semi-central (kSemiCentral)
- z-position of reconstructed event vertex must be within 10 cm of the center of the ALICE detector

- the event must contain at least one particle of each type from the pair of interest

The event mixing was handled by the AliFemtoVertexMultAnalysis class, which only mixes events with like vertex position and centrality. The following criteria were used for event mixing:

- Number of events to mix = 5
- Vertex position bin width = 2 cm
- Centrality bin width = 5

The AliFemtoEventReaderAODChain class is used to read the events. Event flatteneing is not currently used. FilterBit(7). The centrality is determined by the "V0M" method of AliCentrality, set by calling AliFemtoEventReaderAOD::SetUseMultiplicity(kCentrality). I utilize the SetPrimaryVertexCorrectionT-PCPoints switch, which causes the reader to shift all TPC points to be relative to the event vertex.

#### 3.2 K<sup>±</sup> Track Selection

Charged kaons are identified using the AliFemtoESDTrackCutNSigmaFilter class. The specific cuts used in this analysis are as follows:

- PID Probabilities:
  - -K:>0.2
  - $-\pi$ : < 0.1
  - $\mu$ : < 0.8
  - p: < 0.1
- Most probable particle type must be Kaon (fMostProbable=3)
- $-0.14 < p_T < 1.5$
- $|\eta| < 0.8$
- Minimum number of clusters in the TPC (fminTPCncls) = 80
- Remove particles with any kink labels (fRemoveKinks = true)
- Maximum allowed  $\chi^2/N_{DOF}$  for ITS clusters = 3.0
- Maximum allowed  $\chi^2/N_{DOF}$  for TPC clusters = 4.0
- Maximum allowed sigma to primary vertex (fMaxSigmaToVertex) = 3.0
- Maximum XY impact parameter = 2.4
- Maximum Z impact parameter = 3.0
- TPC and TOF  $N_{\sigma}$  cuts:
  - − p < 0.4 GeV/c:  $N_{\sigma K.TPC}$  < 2
  - -~0.4
  - -0.45
  - -0.8
  - p > 1.0 GeV/c:  $N_{\sigma K,TPC} < 3 \& N_{\sigma K,TOF} < 1$
- Electron Rejection: Reject if  $N_{\sigma e-,TPC} < 3$
- Pion Rejection: Reject if:

```
 \begin{array}{l} -\text{ p} < 0.65 \\ \text{* if TOF and TPC available: } N_{\sigma\pi,TPC} < 3 \text{ \& } N_{\sigma\pi,TOF} < 3 \\ \text{* else} \\ \cdot \text{ p} < 0.5 \text{: } N_{\sigma\pi,TPC} < 3 \\ \cdot 0.5 < \text{p} < 0.65 \text{: } N_{\sigma\pi,TPC} < 2 \\ -0.65 < \text{p} < 1.5 \text{: } N_{\sigma\pi,TPC} < 5 \text{ \& } N_{\sigma\pi,TOF} < 3 \\ -\text{p} > 1.5 \text{: } N_{\sigma\pi,TPC} < 5 \text{ \& } N_{\sigma\pi,TOF} < 2 \end{array}
```

#### 3.3 V0 Selection

 $\Lambda$  ( $\bar{\Lambda}$ ) and  $K_S^0$  are neutral particles which cannot be directly detected, but must instead be reconstructed through detection of their decay products, or daughters. This process is illustrated in Figure 1. In general, particles which are topologically reconstructed in this fashion are called V0 particles. The class AliFemtoV0TrackCutNSigmaFilter (which is an extension of AliFemtoV0TrackCut) is used to reconstruct the V0s.




Fig. 1: V0 Reconstruction

#### 3.3.1 A Reconstruction


The following cuts were used to select good  $\Lambda$  ( $\bar{\Lambda}$ ) candidates:


- 1. Cuts Common to Both Daughters
  - (a)  $|\eta| < 0.8$
  - (b) SetTPCnclsDaughters(80)
  - (c) SetStatusDaughters(AliESDtrack::kTPCrefic)
  - (d) SetMaxDcaV0Daughters(0.4)

- 2. Pion Specific Daughter Cuts
  - (a)  $p_T > 0.16$
  - (b) DCA to prim vertex > 0.3
- 3. Proton Specific Daughter Cuts

(a) 
$$p_T >$$
 $-0.5 (p)$ 
 $-0.3 (\bar{p})$ 

- (b) DCA to prim vertex > 0.1
- 4. Lambda Cuts
  - (a)  $|\eta| < 0.8$
  - (b)  $p_T > 0.4$
  - (c)  $|m_{inv} m_{PDG}| < 3.8 \text{ MeV}$
  - (d) Cosine of pointing angle > 0.9993
  - (e) OnFlyStatus = false
  - (f) Decay Length < 60 cm






**Fig. 2:** (Left) Mass assuming  $K_S^0$ -hypothesis for V0 candidates passing all  $\Lambda$  cuts, i.e. assume the daughters are  $\pi^+\pi^-$  instead of  $p^+\pi^-$ . (Right) Mass assuming  $K_S^0$ -hypothesis for V0 candidates passing all  $\bar{\Lambda}$  cuts, i.e. assume the daughters are  $\pi^+\pi^-$  instead of  $\pi^+\bar{p}^-$ . The slight peak around  $m_{inv}=0.5$  GeV/c<sup>2</sup> likely contains misidentified  $K_S^0$  particles in our  $\Lambda$  collection. If one simply cuts out the entire peak, good  $\Lambda$  particles will be lost. Ideally, the  $\Lambda$  selection and  $K_S^0$  misidentification cuts are selected such that the peak is removed from this plot while leaving the distribution continuous.

# 3.3.2 $K_S^0$ Reconstruction

The following cuts were used to select good  $K^0_{\mathcal{S}}$  candidates:

- 1. Pion Daughter Cuts
  - (a)  $|\eta| < 0.8$
  - (b) SetTPCnclsDaughters(80)
  - (c) SetStatusDaughters(AliESDtrack::kTPCrefic)
  - (d) SetMaxDcaV0Daughters(0.3)




**Fig. 3:** Λ Purity

- (e)  $p_T > 0.15$
- (f) DCA to prim vertex > 0.3

### 2. $K_S^0$ Cuts

- (a)  $|\eta| < 0.8$
- (b)  $p_T > 0.2$
- (c)  $m_{PDG}$  13.677 MeV  $< m_{inv} < m_{PDG} + 2.0323$  MeV
- (d) Cosine of pointing angle > 0.9993
- (e) OnFlyStatus = false
- (f) Decay Length < 30 cm







Fig. 4: (Left) Mass assuming Λ-hypothesis for V0 candidates passing all  $K_S^0$  cuts, i.e. assume the daughters are  $p^+\pi^-$  instead of  $\pi^+\pi^-$ . (Right) Mass assuming  $\bar{\Lambda}$ -hypothesis for V0 candidates passing all  $K_S^0$  cuts, i.e. assume the daughters are  $\pi^+\bar{p}^-$  instead of  $\pi^+\pi^-$ . The peak around  $m_{inv}=1.115$  GeV/c<sup>2</sup> contains misidentified Λ (left) and  $\bar{\Lambda}$  (right) particles in our  $K_S^0$  collection. If one simply cuts out the entire peak, some good  $K_S^0$  particles will be lost. Ideally, the  $K_S^0$  selection and  $\Lambda(\bar{\Lambda})$  misidentification cuts can be selected such that the peak is removed from this plot while leaving the distribution continuous. Also note, the excess around  $1.65 < m_{inv} < 2.1$  GeV/c<sup>2</sup> shows misidified  $\bar{\Lambda}$  (left) and  $\Lambda$  (right) particles in our  $K_S^0$  collection.

As can be seen in Figure 4, some misidentified  $\Lambda$  and  $\bar{\Lambda}$  particles contaminate our  $K_S^0$  sample. The left figure shows the mass assuming  $\Lambda$ -hypothesis for V0 candidates passing all  $K_S^0$  cuts, i.e. assume

the daughters are  $p^+\pi^-$  instead of  $\pi^+\pi^-$ . The right figure is similar, but shows the mass assuming  $\bar{\Lambda}$  hypothesis for the same  $K_S^0$  collection, i.e. assume the daughters are  $\pi^+\bar{p}^-$  instead of  $\pi^+\pi^-$ . The  $\Lambda$  contamination can be seen in the left, and the  $\bar{\Lambda}$  contamination in the right, in the peaks around  $m_{inv} = 1.115 \text{ GeV/c}^2$ . Additionally, the  $\bar{\Lambda}$  contamination is visible in the left, and the  $\Lambda$  contamination visible in the right, in the region of excess around  $1.65 < m_{inv} < 2.1 \text{ GeV/c}^2$ . This is confirmed as the number of misidentified  $\Lambda$  particles in the sharp peak of the right) approximately equals the excess found in the  $1.65 < m_{inv} < 2.1 \text{ GeV/c}^2$  region of the left (right).

The peaks around  $m_{inv} = 1.115 \text{ GeV/c}^2$  in Figure 4 contain both misidentified  $\Lambda$  ( $\bar{\Lambda}$ ) particles and good  $K_S^0$ . If one simply cuts out the entire peak, some good  $K_S^0$  particles will be lost. Ideally, the  $K_S^0$  selection and  $\Lambda(\bar{\Lambda})$  misidentification cuts can be selected such that the peak is removed from this plot while leaving the distribution continuous. To attempt to remove these  $\Lambda$  and  $\bar{\Lambda}$  contaminations without throwing away good  $K_S^0$  particles, the following misidentification cuts are imposed; a  $K_S^0$  candidate is rejected if all of the following criteria are satisfied:

- $|m_{inv, \Lambda(\bar{\Lambda}) \; Hypothesis} m_{PDG, \Lambda(\bar{\Lambda})}| < 9.0 \; \text{MeV/c}^2$
- Positive daughter passes  $p^+(\pi^+)$  daughter cut implemented for  $\Lambda(\bar{\Lambda})$  reconstruction
- Negative daughter passes  $\pi^-(\bar{p}^-)$  daughter cut implemented by  $\Lambda(\bar{\Lambda})$  reconstruction



#### 3.4 Cascade Reconstruction

Talk about reconstruction cascades


#### 3.5 Pair Selection

Some general remarks on forming pairs

It is important to obtain true particle pairs in the analysis. In particular, contamination from pairs constructed with split or merged tracks can introduce an artificial signal into the correlation function, obscuring the actual physics.

#### **4** Correlation Functions

General remarks about formaton of correlation functions and what information they provide.



#### 5 Fitting

This section will include the Lednicky model and the method used to fit the Cascade study. It will also include momentum resolution, residual correlations, and any other aspects to obtain a good fit

#### 5.1 Model: Lambda-Kaon

Talk about Lednicky model

#### 5.2 Model: Cascade-Kaon

Talk about model


#### **5.3** Momentum Resolution Corrections

Talk about Momentum resolution corrections

$$C_{fit}(k_{Rec}^*) = \frac{\sum_{k_{True}^*} M_{k_{Rec}^*, k_{True}^*} C_{fit}(k_{True}^*)}{\sum_{k_{True}^*} M_{k_{Rec}^*, k_{True}^*}}$$
(1)

#### 5.4 Residual Correlations

Talk about Lednicky model



**Fig. 7:** Avgerage Separation  $\Lambda(\bar{\Lambda})K_S^0$ 





Fig. 8: Avgerage Separation  $\Lambda(\bar{\Lambda})K^{\pm}$ 

## 6 Systematic Errors

This study is currently ongoing. See Table ??.

# **6.1** Systematic Errors: $\Lambda K_S^0$

Talk about stuff



**Fig. 9:** All  $\Lambda(\bar{\Lambda})K_S^0$  Correlation Functions for 0-10% Centrality

### DCA $\Lambda(\bar{\Lambda})$ 500MeVMaxFit

	Dell'in(ii) soonie vinaal it									
		Fit Amplitudes								
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig			
		4 vs 5 mm			5 vs 6 mm					
	0-10%	8.210e-04	4.776e-03	No	-7.614e-03	5.701e-03	No			
$\Lambda K_S^0$	10-30%	-8.845e-04	6.547e-04	No	-4.438e-03	4.700e-03	No			
	30-50%	-5.078e-02	3.550e-02	No	-1.888e-01	7.061e-02	Yes			
	0-10%	3.951e-04	3.069e-04	No	-3.571e-02	2.149e-02	No			
$\bar{\Lambda} \mathrm{K}^0_S$	10-30%	3.360e-04	1.552e-03	No	-3.442e-04	4.840e-04	No			
	30-50%	-1.989e-02	2.590e-02	No	-8.031e-03	8.382e-03	No			

**Table 1:**  $\Lambda(\bar{\Lambda})K_S^0$  Analyses: DCA  $\Lambda(\bar{\Lambda})$  caption

### DCA Λ(Λ) 500MeVMaxFit SimpleExp

		Fit Amplitudes						
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig	
		4 v	vs 5 mm		5 vs 6 mm			
	0-10%	2.616e-04	2.840e-04	No	-5.282e-03	4.887e-03	No	
$\Lambda K_S^0$	10-30%	-1.236e-03	1.568e-03	No	6.110e-05	1.457e-04	No	
	30-50%	-4.664e-02	3.295e-02	No	-1.877e-01	7.037e-02	Yes	
	0-10%	-6.093e-05	3.827e-05	No	-9.599e-02	1.133e-01	No	
$\bar{\Lambda} K_S^0$	10-30%	-3.478e-05	1.983e-04	No	-2.846e-04	6.743e-04	No	
	30-50%	-2.054e-02	2.609e-02	No	-3.701e-03	3.136e-03	No	

**Table 2:**  $\Lambda(\bar{\Lambda})K_S^0$  Analyses: DCA  $\Lambda(\bar{\Lambda})$  caption







Fig. 10:  $\Lambda K^+$  and  $\bar{\Lambda} K^-)$  Correlation Functions




**Fig. 11:**  $\Lambda K^-$  and  $\bar{\Lambda} K^+$  Correlation Functions) CorrelationFunctions



**Fig. 12:** All  $\Lambda(\bar{\Lambda})K^{\pm}$  Correlation Functions for 0-10% Centrality



**Fig. 13:**  $\Lambda K^+(\bar{\Lambda}K^-)$  Fits



**Fig. 14:**  $\Lambda K^{-}(\bar{\Lambda}K^{+})$  Fits

# DCA K<sub>S</sub><sup>0</sup> 500MeVMaxFit

2 011113 0 001110 1 111111111								
		Fit Amplitudes						
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig	
		2 v	vs 3 mm		3 vs 4 mm			
	0-10%	-1.033e-04	5.689e-04	No	4.601e-02	1.295e-01	No	
$\Lambda K_S^0$	10-30%	-3.256e-02	4.003e-01	No	-2.569e-03	2.134e-03	No	
	30-50%	-9.087e-03	4.729e-03	No	-1.725e-02	6.276e-03	Yes	
	0-10%	-5.587e-02	2.478e-01	No	-3.939e-04	8.073e-04	No	
$\bar{\Lambda} \mathrm{K}_{S}^{0}$	10-30%	-4.325e-04	7.423e-04	No	-2.972e-02	1.304e-01	No	
	30-50%	-3.118e-01	9.701e-01	No	-4.751e-04	1.773e-03	No	

**Table 3:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: DCA  $K^0_S$  caption

### DCA K<sub>S</sub><sup>0</sup> 500MeVMaxFit SimpleExp

Den Ks 300We v Man it SimpleDxp								
		Fit Amplitudes						
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig	
		2 .	vs 3 mm		3 vs 4 mm			
	0-10%	-1.149e-04	1.616e-04	No	1.495e-04	3.020e-04	No	
$\Lambda K_S^0$	10-30%	2.336e-04	7.234e-05	Yes	-2.560e-03	2.270e-03	No	
	30-50%	-7.966e-03	4.151e-03	No	-1.721e-02	6.245e-03	Yes	
	0-10%	6.657e-05	5.808e-04	No	7.037e-05	2.753e-05	Yes	
$\bar{\Lambda} K_S^0$	10-30%	-4.373e-04	3.529e-04	No	-4.653e-04	3.627e-04	No	
	30-50%	-2.048e-03	1.296e-03	No	-2.871e-04	8.150e-04	No	

**Table 4:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: DCA  $K^0_S$  caption

DCA  $\Lambda(\bar{\Lambda})$  Daughters 500MeVMaxFit

DOITI(II) Daughters 500000 ( Maxi II									
		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		3 v	vs 4 mm		4 vs 5 mm				
	0-10%	-2.026e-04	6.614e-04	No	2.292e-02	8.029e-02	No		
$\Lambda K_S^0$	10-30%	5.864e-05	7.232e-04	No	1.148e-03	1.704e-03	No		
	30-50%	-8.853e-02	9.281e-02	No	-4.432e-02	3.643e-02	No		
	0-10%	6.097e-05	2.955e-04	No	-1.036e-02	1.335e-02	No		
$\bar{\Lambda} K_S^0$	10-30%	-9.871e-03	9.501e-03	No	-1.316e-03	2.197e-03	Yes		
	30-50%	-2.936e-04	1.749e-03	No	-1.496e-01	1.755e-01	No		

**Table 5:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: DCA  $\Lambda(\bar{\Lambda})$  Daughters

DCA  $\Lambda(\bar{\Lambda})$  Daughters 500MeVMaxFit SimpleExp

Den Man Daughters 300 Me v Maxi it Shirptedxp								
		Fit Amplitudes						
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig	
		3 v	s 4 mm		4 vs 5 mm			
	0-10%	1.743e-05	3.776e-05	No	1.972e-04	2.813e-04	No	
$\Lambda K_S^0$	10-30%	1.293e-04	7.761e-05	No	-8.925e-05	6.165e-05	No	
	30-50%	-8.647e-02	9.120e-02	No	-5.097e-02	5.611e-02	No	
	0-10%	-8.539e-06	3.914e-05	No	5.936e-05	3.128e-05	No	
$\bar{\Lambda} K_S^0$	10-30%	1.001e-04	7.999e-05	No	-2.452e-04	2.952e-04	No	
	30-50%	4.672e-05	1.859e-04	No	-1.423e-01	1.753e-01	No	

**Table 6:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: DCA  $\Lambda(\bar{\Lambda})$  Daughters

DCA K<sub>S</sub><sup>0</sup> Daughters 500MeVMaxFit

	Dell'ity Duagners 300Me ( Mani 10								
		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		2	vs 3 mm		3 vs 4 mm				
	0-10%	-2.224e-03	1.964e-03	No	-2.608e-03	2.700e-03	No		
$\Lambda K_S^0$	10-30%	-1.196e-01	6.076e-02	No	-1.712e-03	1.802e-03	No		
	30-50%	-1.399e-01	5.516e-02	Yes	-2.294e-03	3.122e-03	No		
	0-10%	-3.090e-03	2.209e-03	No	-5.637e-04	1.041e-03	No		
$\bar{\Lambda} \mathrm{K}_{S}^{0}$	10-30%	-1.205e-01	1.280e+00	No	-1.011e-03	3.690e-03	No		
	30-50%	-2.501e-02	1.913e-02	No	-1.227e-02	9.527e-03	No		

**Table 7:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: DCA  $K^0_S$  Daughters

DCA K<sub>c</sub> Daughters 500MeVMaxFit SimpleExp

Den Ky Daughters 300We v Waxi it ShinpleDxp									
		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		2 vs 3 mm			3 vs 4 mm				
	0-10%	-1.383e-03	1.201e-03	No	-2.394e-03	2.528e-03	No		
$\Lambda K_S^0$	10-30%	-1.199e-01	6.112e-02	No	-1.673e-03	1.620e-03	No		
	30-50%	-1.397e-01	5.508e-02	Yes	-2.249e-03	3.303e-03	No		
	0-10%	-3.646e-03	2.561e-03	No	-4.246e-04	5.171e-04	No		
$\bar{\Lambda} K_S^0$	10-30%	1.800e-04	8.734e-05	Yes	-7.128e-04	9.398e-04	No		
	30-50%	-2.813e-02	1.883e-02	No	-1.285e-02	9.463e-03	No		

Table 8:  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: DCA  $K^0_S$  Daughters

### $\Lambda(\bar{\Lambda})$ Cosine of Pointing Angle 500MeVMaxFit

Thirty cosmic of Forming rangic source visitation									
		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		0.999	2 vs 0.9993		0.9993 vs 0.9994				
	0-10%	4.739e-03	2.319e-03	Yes	-1.139e-02	4.924e-02	No		
$\Lambda K_S^0$	10-30%	5.190e-03	2.265e-03	Yes	1.970e-02	1.534e-02	No		
	30-50%	3.717e-03	1.848e-03	Yes	5.557e-03	1.618e-03	Yes		
	0-10%	1.146e-03	1.219e-03	No	-1.535e-02	9.010e-02	No		
$\bar{\Lambda} K_S^0$	10-30%	3.266e-02	1.168e-01	No	1.117e-02	6.354e-02	No		
	30-50%	2.072e-03	1.019e-03	Yes	-9.320e-02	5.512e-01	No		

**Table 9:**  $\Lambda(\bar{\Lambda})K^0_{S}$  Analyses:  $\Lambda(\bar{\Lambda})$  Cosine of Pointing Angle

 $\Lambda(\bar{\Lambda})$  Cosine of Pointing Angle 500MeVMaxFit SimpleExp

	A(A) Cosine of Foliating Fungle Soowie v Waxi it SimpleExp									
		Fit Amplitudes								
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig			
		0.9992 vs 0.9993			0.9993 vs 0.9994					
	0-10%	4.733e-03	2.311e-03	Yes	-7.459e-05	1.768e-04	No			
$\Lambda K_S^0$	10-30%	5.201e-03	2.270e-03	Yes	-2.253e-05	7.593e-05	No			
	30-50%	-6.078e-05	6.309e-05	No	5.494e-03	1.496e-03	Yes			
	0-10%	-2.031e-05	8.438e-07	Yes	-4.978e-05	6.433e-05	No			
$ar{\Lambda}  ext{K}_S^0$	10-30%	3.929e-04	2.778e-04	No	1.333e-04	2.362e-04	No			
	30-50%	1.770e-03	6.120e-04	Yes	1.169e-04	7.436e-05	No			

**Table 10:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses:  $\Lambda(\bar{\Lambda})$  Cosine of Pointing Angle

### K<sub>S</sub><sup>0</sup> Cosine of Pointing Angle 500MeVMaxFit

5 6 6									
		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		0.9992 vs 0.9993			0.9993 vs 0.9994				
	0-10%	-2.748e-04	2.327e-04	No	5.633e-04	1.743e-04	Yes		
$\Lambda K_S^0$	10-30%	1.283e-03	1.818e-03	No	8.058e-03	3.959e-03	Yes		
	30-50%	1.622e-04	1.393e-03	No	5.106e-03	2.875e-03	No		
	0-10%	4.427e-04	3.762e-04	No	6.478e-04	6.512e-04	No		
$ar{\Lambda}  ext{K}_S^0$	10-30%	4.230e-03	1.702e-03	Yes	1.217e-03	1.138e-03	No		
	30-50%	7.326e-03	4.745e-03	Yes	5.373e-04	1.605e-03	No		

**Table 11:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses:  $K^0_S$  Cosine of Pointing Angle

### K<sub>s</sub><sup>0</sup> Cosine of Pointing Angle 500MeVMaxFit SimpleExp

	Ry Cosine of Fonting Physic Source Vinday it ShipleDap									
		Fit Amplitudes								
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig			
		0.9992 vs 0.9993			0.9993 vs 0.9994					
	0-10%	-3.282e-04	4.102e-04	No	7.088e-04	3.667e-04	No			
$\Lambda K_S^0$	10-30%	1.476e-03	2.082e-03	No	8.069e-03	3.961e-03	Yes			
	30-50%	-3.150e-04	6.895e-04	No	5.057e-03	2.639e-03	No			
	0-10%	5.986e-04	4.487e-04	No	7.197e-04	7.865e-04	No			
$\bar{\Lambda} K_S^0$	10-30%	3.562e-03	1.378e-03	Yes	1.303e-03	1.067e-03	No			
	30-50%	5.878e-02	8.703e-02	No	1.493e-04	1.017e-04	No			

**Table 12:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses:  $K^0_S$  Cosine of Pointing Angle

DCA to Primary Vertex of  $p^+(\bar{p}^-)$  Daughter of  $\Lambda(\bar{\Lambda})$  500MeVMaxFit

	2 of the triminary vertex of p (p ) 2 augment of the triminary								
		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		0.5 vs 1 mm			1 vs 2 mm				
	0-10%	0.000e+00	0.000e+00	No	-1.795e-03	1.945e-03	No		
$\Lambda K_S^0$	10-30%	3.865e-06	2.831e-06	No	-6.617e-02	3.318e-01	No		
	30-50%	0.000e+00	0.000e+00	No	5.453e-03	6.819e-03	No		
	0-10%	0.000e+00	0.000e+00	No	-8.382e-02	3.424e-01	No		
$ar{\Lambda}  ext{K}_S^0$	10-30%	0.000e+00	0.000e+00	No	7.522e-02	4.435e-01	No		
	30-50%	0.000e+00	0.000e+00	No	9.370e-02	8.096e-02	No		

**Table 13:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: DCA to Primary Vertex of  $p^+(\bar{p}^-)$  Daughter of  $\Lambda(\bar{\Lambda})$ 

DCA to Primary Vertex of  $p^+(\bar{p}^-)$  Daughter of  $\Lambda(\bar{\Lambda})$  500MeVMaxFit SimpleExp

Derri	bert to Timilary vertex of p (p ) Budginer of Ti(Ti) 300tile vividati it offinipie Exp								
		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		0.5	vs 1 mm		1 vs 2 mm				
	0-10%	0.000e+00	0.000e+00	No	-2.602e-03	2.525e-03	No		
$\Lambda K_S^0$	10-30%	2.964e-07	1.165e-06	No	1.702e-04	9.110e-05	No		
	30-50%	0.000e+00	0.000e+00	No	5.775e-03	7.524e-03	No		
	0-10%	0.000e+00	0.000e+00	No	-2.584e-04	4.464e-04	No		
$\bar{\Lambda} K_S^0$	10-30%	0.000e+00	0.000e+00	No	-3.469e-04	1.403e-04	Yes		
	30-50%	0.000e+00	0.000e+00	No	-6.689e-04	1.232e-03	No		

**Table 14:**  $\Lambda(\bar{\Lambda})K_S^0$  Analyses: DCA to Primary Vertex of  $p^+(\bar{p}^-)$  Daughter of  $\Lambda(\bar{\Lambda})$ 

DCA to Primary Vertex of  $\pi^-(\pi^+)$  Daughter of  $\Lambda(\bar{\Lambda})$  500MeVMaxFit

		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		2 .	vs 3 mm		3 vs 4 mm				
	0-10%	-6.500e-03	9.251e-02	No	-8.742e-04	2.949e-04	Yes		
$\Lambda K_S^0$	10-30%	-3.754e-05	6.477e-04	No	1.724e-02	1.047e-01	No		
	30-50%	1.467e-02	1.035e-02	Yes	5.984e-03	4.845e-03	No		
	0-10%	-2.913e-02	1.043e-01	No	9.866e-04	3.005e-04	Yes		
$\bar{\Lambda} K_S^0$	10-30%	2.197e-02	1.242e-02	No	3.265e-02	1.604e-01	No		
	30-50%	1.840e-03	2.010e-03	No	4.275e-02	1.307e-02	Yes		

**Table 15:**  $\Lambda(\bar{\Lambda})K_S^0$  Analyses: DCA to Primary Vertex of  $\pi^-(\pi^+)$  Daughter of  $\Lambda(\bar{\Lambda})$ 

DCA to Primary Vertex of  $\pi^-(\pi^+)$  Daughter of  $\Lambda(\bar{\Lambda})$  500MeVMaxFit SimpleExp

Derri	Derito Timary Verex of W (W ) Budghter of Ix(II) Sootile Virtual it SimpleDxp								
		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		2 .	vs 3 mm		3 vs 4 mm				
	0-10%	3.829e-05	1.846e-05	Yes	-4.781e-05	8.826e-05	No		
$\Lambda K_S^0$	10-30%	1.498e-03	2.398e-03	No	4.245e+00	4.457e+01	No		
	30-50%	3.751e-03	2.567e-03	No	6.001e-03	4.805e-03	No		
	0-10%	5.680e-05	1.816e-05	Yes	-3.516e-05	2.272e-05	No		
$ \bar{\Lambda} \mathrm{K}_{S}^{0} $	10-30%	1.539e-04	2.857e-04	No	-1.311e-04	4.871e-05	Yes		
	30-50%	1.410e-03	1.734e-03	No	4.401e-02	1.349e-02	Yes		

**Table 16:**  $\Lambda(\bar{\Lambda})K_S^0$  Analyses: DCA to Primary Vertex of  $\pi^-(\pi^+)$  Daughter of  $\Lambda(\bar{\Lambda})$ 

DCA to Primary Vertex of  $\pi^+$  Daughter of  $K_S^0$  500MeVMaxFit

	Delite Himaly vertex of W Budgitter of Hig Souther visitation								
		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		2 .	vs 3 mm		3 vs 4 mm				
	0-10%	-2.608e-02	4.971e-02	No	-7.864e-03	7.668e-03	Yes		
$\Lambda K_S^0$	10-30%	-8.553e-03	7.190e-03	No	-5.121e-04	6.840e-04	No		
	30-50%	2.406e-03	2.064e-03	No	6.805e-03	2.133e-03	Yes		
	0-10%	5.941e-04	1.172e-03	No	4.175e-04	4.092e-04	No		
$\bar{\Lambda} K_S^0$	10-30%	4.652e-02	3.458e-01	No	-7.284e-03	1.660e-02	No		
	30-50%	2.016e-01	3.865e+00	No	-5.308e-05	2.336e-03	No		

**Table 17:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: DCA to Primary Vertex of  $\pi^+$  Daughter of  $K^0_S$ 

DCA to Primary Vertex of  $\pi^+$  Daughter of  $K_c^0$  500MeVMaxFit SimpleExp

DC	Der to Timary vertex of n Daughter of Kg 300 Me v Maxi it Shippelxp							
		Fit Amplitudes						
Pair Type C	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig	
		2 vs 3 mm			3 vs 4 mm			
	0-10%	-4.519e-05	2.636e-05	No	-8.563e-05	3.040e-05	Yes	
$\Lambda K_S^0$	10-30%	-8.408e-03	7.107e-03	No	-4.274e-04	9.735e-04	No	
	30-50%	2.064e-03	1.619e-03	No	1.274e-03	1.270e-03	No	
	0-10%	8.474e-04	1.271e-03	No	3.787e-04	3.383e-04	No	
$ar{\Lambda}  ext{K}_S^0$	10-30%	-7.583e-05	5.660e-05	No	-7.112e-03	1.605e-02	No	
_	30-50%	-6.532e-04	1.388e-04	Yes	3.770e-02	1.629e-02	Yes	

**Table 18:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: DCA to Primary Vertex of  $\pi^+$  Daughter of  $K^0_S$ 

DCA to Primary Vertex of  $\pi^-$  Daughter of  $K_S^0$  500MeVMaxFit

	I								
		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		2 v	vs 3 mm		3 vs 4 mm				
	0-10%	-3.737e-04	2.921e-04	No	3.329e-04	3.135e-04	No		
$\Lambda K_S^0$	10-30%	4.062e-04	7.856e-04	No	5.080e-02	3.015e-01	No		
	30-50%	4.471e-02	2.576e-02	No	-1.367e-01	1.684e+00	No		
	0-10%	-6.888e-04	4.034e-04	Yes	9.217e-02	1.088e-01	No		
$ar{\Lambda}  ext{K}_S^0$	10-30%	-6.684e-02	6.573e-01	No	1.507e-03	2.286e-03	No		
	30-50%	-5.625e-03	7.924e-02	No	2.084e-05	1.285e-03	No		

**Table 19:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: DCA to Primary Vertex of  $\pi^-$  Daughter of  $K^0_S$ 

DCA to Primary Vertex of  $\pi^-$  Daughter of  $K_s^0$  500MeVMaxFit SimpleExp

DC	Der to Timary vertex of n Daughter of Kg 3000Me viviaxi it offineely								
		Fit Amplitudes							
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig		
		2 .	vs 3 mm		3 vs 4 mm				
	0-10%	-3.283e-04	4.184e-04	No	3.117e-04	2.151e-04	No		
$\Lambda K_S^0$	10-30%	-7.208e-07	3.153e-04	No	2.858e-04	6.697e-04	No		
	30-50%	4.434e-02	2.574e-02	No	2.761e-04	1.565e-04	No		
	0-10%	8.823e-05	2.701e-05	Yes	9.286e-02	1.113e-01	No		
$ar{\Lambda}  ext{K}_S^0$	10-30%	1.778e-04	5.686e-05	Yes	1.343e-03	1.986e-03	No		
	30-50%	1.449e-04	1.368e-04	No	-1.887e-04	1.605e-04	No		

**Table 20:**  $\Lambda(\bar{\Lambda})K_S^0$  Analyses: DCA to Primary Vertex of  $\pi^-$  Daughter of  $K_S^0$ 

A	Separation	~£ I :1	Chama	Dan-al-4	500N/L-X	/N // a T: 4
AVGerage	Separation	OLITIKE.	. narge	Lianoniere	TOURNIE V	WISKELL
1 IV SCIUSC	Deparation	OI LIKE	Charge	Daugners	3001110 1	IVIUAI IL

						Fit Am	plitude		
Pair Type	Dau	ghters	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig
				5.0	vs 6.0 cm		6.0	vs 7.0 cm	
			0-10%	1.509e-05	3.300e-05	No	5.692e-04	3.758e-04	No
$\Lambda K_S^0$	$p(\Lambda)$	$\pi^+(\mathrm{K}^0_{\mathrm{S}})$	10-30%	1.981e-05	2.897e-05	No	5.948e-02	7.965e-05	Yes
			30-50%	6.630e-04	6.601e-04	No	7.122e-04	1.322e-04	Yes
			0-10%	5.113e-04	2.177e-04	Yes	-5.775e-05	3.737e-05	No
$\Lambda K_S^0$	$\pi^-(\Lambda)$	$\pi^-(\mathrm{K}^0_{\mathrm{S}})$	10-30%	5.405e-03	1.317e-02	No	7.111e-04	1.293e-04	Yes
J			30-50%	4.522e-05	4.113e-05	No	7.746e-05	6.301e-06	Yes
			0-10%	8.959e-04	2.124e-04	Yes	-3.231e-06	3.802e-05	No
$\bar{\Lambda} K_S^0$	$\pi^+(ar{\Lambda})$	$\pi^+(K_S^0)$	10-30%	8.833e-04	2.599e-04	Yes	1.588e-05	4.047e-05	No
			30-50%	2.309e-02	3.156e-02	No	6.364e-05	5.192e-05	No
			0-10%	1.677e-04	1.092e-04	No	-3.992e-05	3.184e-05	No
$\bar{\Lambda} \mathrm{K}^0_S$	$ar{p}^-(ar{\Lambda})$	$\pi^-(\mathrm{K}^0_S)$	10-30%	1.470e-05	3.656e-05	No	-2.323e-06	9.305e-05	No
J			30-50%	7.334e-05	2.896e-05	Yes	5.538e-04	3.085e-04	No

**Table 21:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: Avgerage Separation of Positive Daughters

### Avgerage Separation of Like-Charge Daughters 500MeVMaxFit SimpleExp

	11. getage separation of 2nd enable 2 augments events ( 11. min to simple 2nd								
						Fit Am	plitude		
Pair Type	Dau	ghters	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig
				5.0	vs 6.0 cm		6.0	vs 7.0 cm	
			0-10%	1.665e-05	2.087e-06	Yes	2.653e-04	1.739e-04	No
$\Lambda K_S^0$	$p(\Lambda)$	$\pi^+(\mathbf{K}^0_S)$	10-30%	2.331e-05	4.563e-05	No	-1.713e-05	6.046e-06	Yes
		_	30-50%	4.333e-04	1.155e-04	Yes	7.198e-04	1.244e-04	Yes
			0-10%	7.361e-06	2.047e-06	Yes	-2.548e-05	2.467e-05	No
$\Lambda K_S^0$	$\pi^-(\Lambda)$	$\pi^-(\mathrm{K}^0_S)$	10-30%	4.421e-05	3.105e-05	No	7.315e-04	1.322e-04	Yes
~		~	30-50%	6.366e-05	5.813e-05	No	1.154e-04	8.695e-06	Yes
			0-10%	8.888e-04	2.082e-04	Yes	-5.316e-06	3.826e-05	No
$ar{\Lambda} {\mathsf K}^0_S$	$\pi^+(ar{\Lambda})$	$\pi^+(\mathbf{K}^0_S)$	10-30%	9.162e-04	2.614e-04	Yes	1.925e-05	6.041e-05	No
_			30-50%	1.478e-04	4.676e-05	Yes	9.973e-05	6.549e-05	No
			0-10%	1.730e-04	1.161e-04	No	-2.798e-05	4.725e-05	No
$\bar{\Lambda} \mathrm{K}^0_S$	$ar{p}^-(ar{\Lambda})$	$\pi^-(\mathrm{K}^0_S)$	10-30%	1.579e-05	5.734e-05	No	-3.884e-07	6.028e-06	No
			30-50%	1.074e-04	3.781e-05	Yes	4.932e-04	2.440e-04	Yes

**Table 22:**  $\Lambda(\bar{\Lambda})K^0_{\it S}$  Analyses: Avgerage Separation of Positive Daughters

# 6.2 Systematic Errors: $\Lambda K^{\pm}$

## DCA $\Lambda(\bar{\Lambda})$ 500MeVMaxFit

			I	it Am	plitudes		
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig
		4 1	vs 5 mm		5 ,	vs 6 mm	
	0-10%	-2.986e-02	1.645e-01	No	2.006e-03	2.090e-03	Yes
$\Lambda K^+$	10-30%	-8.643e-03	1.603e-01	No	7.363e-04	1.788e-03	No
	30-50%	-5.216e-02	5.994e-02	No	-3.451e-02	2.743e-01	No
	0-10%	-3.432e-03	2.215e-02	No	-3.703e-02	2.614e-01	No
$\bar{\Lambda} \mathrm{K}^-$	10-30%	-9.909e-04	1.418e-03	No	-3.485e-02	1.963e-01	No
	30-50%	1.579e-03	1.199e-03	No	3.059e-04	1.149e-03	No
	0-10%	-1.968e-02	1.487e-01	No	2.004e-03	1.465e-03	No
$\Lambda K^-$	10-30%	-1.394e-03	1.794e-03	No	-4.588e-04	3.685e-04	No
	30-50%	-1.516e-03	1.011e-03	No	-8.272e-04	7.739e-04	No
	0-10%	-1.016e-02	5.231e-02	No	8.251e-04	1.290e-03	No
$ar{\Lambda} \mathrm{K}^+$	10-30%	-1.407e-02	5.320e-02	No	-7.610e-04	6.160e-04	No
	30-50%	-4.230e-03	4.236e-03	Yes	-2.218e-04	5.994e-04	No

Table 23:  $\Lambda(\bar{\Lambda})K^{\pm}$  Analyses: DCA  $\Lambda(\bar{\Lambda})$ 

# DCA $\Lambda(\bar{\Lambda})$ 500MeVMaxFit SimpleExp

			F	it Am	plitudes		
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig
		4 v	s 5 mm		5 ,	vs 6 mm	•
	0-10%	-1.200e-04	8.688e-05	No	2.534e-04	1.983e-04	No
$\Lambda \mathrm{K}^+$	10-30%	-3.714e-05	1.986e-04	No	6.806e-02	7.932e-02	No
	30-50%	-5.383e-02	6.237e-02	No	-3.545e-04	4.265e-04	No
	0-10%	-1.388e-04	1.057e-04	No	4.615e-05	1.693e-05	Yes
$ar{\Lambda} \mathrm{K}^-$	10-30%	-7.745e-04	4.039e-04	No	-3.957e-05	5.462e-04	No
	30-50%	1.601e-03	1.398e-03	No	2.435e-04	1.118e-03	No
	0-10%	-6.034e-05	1.158e-04	No	1.924e-03	1.398e-03	No
$\Lambda K^-$	10-30%	4.468e-05	4.450e-05	No	-4.520e-04	3.092e-04	No
	30-50%	-1.496e-03	9.168e-04	No	-7.476e-04	1.012e-03	No
	0-10%	-1.777e-04	2.999e-04	No	-2.152e-05	1.639e-05	No
$ar{\Lambda} \mathrm{K}^+$	10-30%	-3.655e-04	3.734e-04	No	-8.857e-04	7.247e-04	No
	30-50%	-1.650e-03	1.124e-03	No	-3.706e-04	3.366e-04	No

**Table 24:**  $\Lambda(\bar{\Lambda})K^{\pm}$  Analyses: DCA  $\Lambda(\bar{\Lambda})$ 

Talk about stuff

DCA  $\Lambda(\bar{\Lambda})$  Daughters 500MeVMaxFit

			saugmens 30				
			F	it Am	plitudes		
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig
		3 vs 4 mm			4 ,	vs 5 mm	
	0-10%	-1.136e-02	9.416e-03	No	-2.395e-03	1.173e-03	Yes
$\Lambda \mathrm{K}^+$	10-30%	-2.773e-02	1.091e-01	No	-2.962e-04	1.524e-03	No
	30-50%	1.057e-03	1.241e-03	No	-7.586e-02	3.692e-02	Yes
	0-10%	-7.829e-03	6.509e-03	Yes	-5.710e-04	5.934e-04	No
$ar{\Lambda} \mathrm{K}^-$	10-30%	7.443e-04	8.673e-04	No	1.088e-03	1.168e-03	No
	30-50%	-1.225e-01	4.522e-01	No	2.278e-03	2.851e-03	Yes
	0-10%	-1.527e-04	1.883e-04	No	-5.835e-04	6.913e-04	No
$\Lambda K^-$	10-30%	-5.726e-02	1.965e-01	No	-4.351e-02	2.713e-01	No
	30-50%	-1.140e-02	7.375e-03	Yes	2.958e-02	2.476e-01	No
	0-10%	-3.676e-04	2.325e-04	No	6.753e-03	8.862e-02	No
$ar{\Lambda} \mathrm{K}^+$	10-30%	2.291e-04	3.914e-04	No	-9.527e-04	1.492e-03	No
	30-50%	1.108e-01	6.299e-01	No	4.620e-03	5.502e-03	No

**Table 25:**  $\Lambda(\bar{\Lambda})K^{\pm}$  Analyses: DCA  $\Lambda(\bar{\Lambda})$  Daughters

DCA  $\Lambda(\bar{\Lambda})$  Daughters 500MeVMaxFit SimpleExp

	DCA $\Lambda(\Lambda)$ Daughters 300Me v Maxim Shiphelexp							
			Fit Amplitudes					
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig	
		3 vs 4 mm			4 vs 5 mm			
	0-10%	-1.170e-02	9.437e-03	No	-2.349e-03	1.142e-03	Yes	
$\Lambda \mathrm{K}^+$	10-30%	-3.522e-04	3.863e-04	No	1.359e-05	3.543e-05	No	
	30-50%	1.090e-03	1.354e-03	No	-7.623e-02	3.708e-02	Yes	
	0-10%	-1.306e-04	1.486e-04	No	-4.771e-04	5.081e-04	No	
$ar{\Lambda} \mathrm{K}^-$	10-30%	7.482e-04	8.811e-04	No	8.166e-05	3.779e-05	Yes	
	30-50%	-7.928e-04	1.146e-03	No	-2.568e-04	8.664e-05	Yes	
	0-10%	-1.498e-04	1.562e-04	No	-5.849e-04	6.665e-04	No	
$\Lambda K^-$	10-30%	1.204e-05	2.583e-04	No	-9.794e-05	1.314e-04	No	
	30-50%	-9.314e-03	6.614e-03	No	-1.264e-04	8.487e-05	No	
	0-10%	-4.149e-04	3.296e-04	No	5.288e-05	7.505e-05	No	
$ar{\Lambda} \mathrm{K}^+$	10-30%	2.293e-04	3.396e-04	No	-8.853e-04	1.196e-03	No	
	30-50%	-6.129e-05	7.969e-04	No	1.735e-04	8.784e-05	No	

**Table 26:**  $\Lambda(\bar{\Lambda})K^{\pm}$  Analyses: DCA  $\Lambda(\bar{\Lambda})$  Daughters

 $\Lambda(\bar{\Lambda})$  Cosine of Pointing Angle 500MeVMaxFit

			I	it Am	plitudes		
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig
		0.999	2 vs 0.9993		0.999	3 vs 0.9994	
	0-10%	2.564e-05	7.148e-05	No	5.203e-04	3.676e-04	No
$\Lambda \mathrm{K}^+$	10-30%	3.322e-02	2.091e-02	No	5.850e-04	8.976e-04	No
	30-50%	4.748e-03	5.643e-03	No	-2.372e-02	8.418e-02	No
	0-10%	4.757e-03	4.395e-02	No	6.412e-04	1.649e-03	No
$ar{\Lambda} \mathrm{K}^-$	10-30%	5.303e-04	1.251e-03	No	3.083e-02	6.150e-03	Yes
	30-50%	1.818e-03	1.113e-03	No	3.013e-05	7.756e-04	No
	0-10%	-7.716e-03	4.941e-02	No	2.136e-02	1.327e-02	Yes
$\Lambda K^-$	10-30%	-2.561e-02	9.671e-02	No	5.935e-03	2.936e-03	Yes
	30-50%	1.166e-04	5.787e-03	No	-8.552e-02	6.472e-01	No
	0-10%	-3.651e-05	9.638e-05	No	7.891e-03	3.091e-02	No
$ar{\Lambda} \mathrm{K}^+$	10-30%	-9.620e-04	1.854e-03	Yes	1.019e-04	1.806e-04	No
	30-50%	1.642e-03	1.472e-03	No	-1.052e-03	2.182e-03	No

**Table 27:**  $\Lambda(\bar{\Lambda})K^{\pm}$  Analyses:  $\Lambda(\bar{\Lambda})$  Cosine of Pointing Angle

 $\Lambda(\bar{\Lambda})$  Cosine of Pointing Angle 500MeVMaxFit SimpleExp

	11(11) CO	sine of 1 official	is migic 500	1416 4 141	taxi it Simplei	-AP	
			I	it Am	plitudes		
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig
		0.999	2 vs 0.9993		0.999	3 vs 0.9994	
	0-10%	-1.448e-05	9.361e-06	No	6.215e-04	4.967e-04	No
$\Lambda K^+$	10-30%	3.355e-02	2.063e-02	No	5.291e-04	7.270e-04	No
	30-50%	4.609e-03	5.410e-03	No	1.360e-04	4.949e-05	Yes
	0-10%	-4.085e-06	1.016e-05	No	1.211e-05	1.145e-05	No
$ar{\Lambda} \mathrm{K}^-$	10-30%	1.249e-04	1.660e-04	No	-2.328e-05	2.350e-05	No
	30-50%	2.214e-03	1.301e-03	No	-3.532e-03	4.294e-03	No
	0-10%	3.409e-05	9.589e-06	Yes	1.170e-04	1.430e-04	No
$\Lambda K^-$	10-30%	6.537e-05	1.967e-05	Yes	2.119e-04	2.609e-04	No
	30-50%	-4.434e-05	4.608e-05	No	9.610e-05	5.145e-05	No
	0-10%	-3.270e-05	5.714e-05	No	-1.744e-05	1.103e-05	No
$ar{\Lambda} \mathrm{K}^+$	10-30%	-7.203e-05	2.042e-05	Yes	1.023e-04	1.924e-04	No
	30-50%	2.030e-03	1.831e-03	No	7.645e-05	5.303e-05	No

**Table 28:**  $\Lambda(\bar{\Lambda})K^{\pm}$  Analyses:  $\Lambda(\bar{\Lambda})$  Cosine of Pointing Angle

DCA to Primary Vertex of  $p^+(\bar{p}^-)$  Daughter of  $\Lambda(\bar{\Lambda})$  500MeVMaxFit

			I	it Am	plitudes		
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig
		0.5	vs 1 mm		1	vs 2 mm	'
	0-10%	0.000e+00	0.000e+00	No	-1.712e-03	4.803e-04	Yes
$\Lambda \mathrm{K}^+$	10-30%	-3.081e-08	9.643e-07	No	-7.545e-03	5.625e-03	Yes
	30-50%	0.000e+00	0.000e+00	No	-2.433e-03	1.467e-03	No
	0-10%	0.000e+00	0.000e+00	No	-9.956e-04	1.046e-03	No
$ar{\Lambda} \mathrm{K}^-$	10-30%	0.000e+00	0.000e+00	No	-6.565e-02	3.681e-01	No
	30-50%	0.000e+00	0.000e+00	No	2.580e-02	1.941e-01	No
	0-10%	0.000e+00	0.000e+00	No	2.999e-03	2.975e-03	No
$\Lambda K^-$	10-30%	1.831e-07	1.134e-06	No	5.955e-03	4.628e-03	No
	30-50%	0.000e+00	0.000e+00	No	-2.068e-01	2.323e+00	No
	0-10%	0.000e+00	0.000e+00	No	-4.767e-04	2.701e-04	No
$ar{\Lambda} \mathrm{K}^+$	10-30%	0.000e+00	0.000e+00	No	1.151e-03	1.010e-03	No
	30-50%	0.000e+00	0.000e+00	No	-1.356e-01	1.525e+00	No

**Table 29:**  $\Lambda(\bar{\Lambda})K^{\pm}$  Analyses: DCA to Primary Vertex of  $p^{+}(\bar{p}^{-})$  Daughter of  $\Lambda(\bar{\Lambda})$ 

DCA to Primary Vertex of  $p^+(\bar{p}^-)$  Daughter of  $\Lambda(\bar{\Lambda})$  500MeVMaxFit SimpleExp

DCA	orriniary vc	vertex of p (p ) Daughter of A(A) Soowie v Waxi it ShipleExp						
		Fit Amplitudes						
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig	
		0.5 vs 1 mm			1 vs 2 mm			
	0-10%	0.000e+00	0.000e+00	No	-2.429e-04	2.561e-04	No	
$\Lambda K^+$	10-30%	-3.554e-08	6.097e-08	No	1.598e-04	7.738e-05	Yes	
	30-50%	0.000e+00	0.000e+00	No	-2.317e-03	1.992e-03	No	
	0-10%	0.000e+00	0.000e+00	No	-9.883e-04	9.265e-04	No	
$ar{\Lambda} \mathrm{K}^-$	10-30%	0.000e+00	0.000e+00	No	-2.472e-04	5.419e-04	No	
	30-50%	0.000e+00	0.000e+00	No	1.227e-03	1.328e-03	No	
	0-10%	0.000e+00	0.000e+00	No	3.677e-03	4.028e-03	No	
$\Lambda K^-$	10-30%	1.875e-07	1.095e-06	No	6.518e-03	5.373e-03	No	
	30-50%	0.000e+00	0.000e+00	No	-2.985e-04	5.747e-04	No	
	0-10%	0.000e+00	0.000e+00	No	-4.252e-04	3.414e-04	No	
$ar{\Lambda} \mathrm{K}^+$	10-30%	0.000e+00	0.000e+00	No	1.033e-03	8.146e-04	No	
	30-50%	0.000e+00	0.000e+00	No	-7.193e-04	7.376e-04	No	

**Table 30:**  $\Lambda(\bar{\Lambda})K^{\pm}$  Analyses: DCA to Primary Vertex of  $p^{+}(\bar{p}^{-})$  Daughter of  $\Lambda(\bar{\Lambda})$ 

DCA to Primary Vertex of  $\pi^-(\pi^+)$  Daughter of  $\Lambda(\bar{\Lambda})$  500MeVMaxFit

			I	it Am	plitudes		
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig
		2 .	vs 3 mm		3 '	vs 4 mm	
	0-10%	-2.578e-03	4.473e-02	No	-3.254e-03	4.068e-03	No
$\Lambda K^+$	10-30%	5.165e-04	7.025e-04	No	-4.162e-03	3.253e-03	No
	30-50%	1.504e-02	5.178e-03	Yes	-3.467e-02	2.791e-01	No
	0-10%	1.026e-03	1.045e-03	No	-9.881e-03	3.186e-02	No
$ar{\Lambda} \mathrm{K}^-$	10-30%	-1.050e-04	2.779e-04	No	-1.161e-02	6.045e-02	No
	30-50%	5.187e-03	5.521e-03	No	-3.825e-04	1.473e-03	No
	0-10%	-2.588e-03	3.666e-02	No	-5.881e-03	6.284e-02	No
$\Lambda K^-$	10-30%	5.937e-03	2.872e-04	Yes	2.942e-02	1.801e-02	No
	30-50%	3.185e-03	2.838e-03	No	-9.919e-03	9.801e-03	No
	0-10%	-2.047e-04	6.630e-04	No	-3.852e-05	9.646e-05	No
$ar{\Lambda} \mathrm{K}^+$	10-30%	-1.088e-02	2.905e-04	Yes	-3.925e-03	3.920e-03	Yes
	30-50%	1.456e-05	3.774e-04	No	-2.516e-03	2.087e-03	No

**Table 31:**  $\Lambda(\bar{\Lambda})K^{\pm}$  Analyses: DCA to Primary Vertex of  $\pi^{-}(\pi^{+})$  Daughter of  $\Lambda(\bar{\Lambda})$ 

DCA to Primary Vertex of  $\pi^-(\pi^+)$  Daughter of  $\Lambda(\bar{\Lambda} 500 \text{MeVMaxFit SimpleExp})$ 

Denti	DCA to Finnary vertex of n (n ) Daughter of A(N 300Me v Maxint ShipleExp)							
			Fit Amplitudes					
Pair Type	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig	
		2 vs 3 mm			3 vs 4 mm			
	0-10%	7.991e-02	3.641e-01	No	-2.774e-03	3.759e-03	No	
$\Lambda K^+$	10-30%	-2.559e-05	5.097e-05	No	-4.152e-03	3.267e-03	No	
	30-50%	1.461e-02	5.067e-03	Yes	-8.144e-05	3.055e-04	No	
	0-10%	-9.069e-06	1.070e-05	No	-1.506e-04	2.900e-04	No	
$ar{\Lambda} \mathrm{K}^-$	10-30%	1.485e-05	2.273e-05	No	-2.281e-04	2.219e-04	No	
	30-50%	3.830e-03	2.477e-03	No	-2.258e-04	8.241e-04	No	
	0-10%	-4.017e-05	5.473e-05	No	-3.418e-05	5.661e-05	No	
$\Lambda K^-$	10-30%	6.474e-05	7.444e-05	No	4.487e-04	6.332e-04	No	
	30-50%	3.344e-03	3.224e-03	No	9.751e-05	7.055e-05	No	
	0-10%	2.080e-05	1.035e-05	Yes	-1.947e-05	9.814e-05	No	
$ar{\Lambda} \mathrm{K}^+$	10-30%	-4.528e-04	3.642e-04	No	6.138e-05	2.809e-05	Yes	
	30-50%	2.643e-04	5.272e-05	Yes	-2.107e-03	1.815e-03	No	

**Table 32:**  $\Lambda(\bar{\Lambda})K^{\pm}$  Analyses: DCA to Primary Vertex of  $\pi^{-}(\pi^{+})$  Daughter of  $\Lambda(\bar{\Lambda})$ 

Average Separation of  $\Lambda(\bar{\Lambda})$  Daughter With Same Charge as  $K^{\pm}$  500MeVMaxFit

				Fit Amplitudes						
Pair Type	Daughter	Track	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig	
				7 vs 8 mm			8 vs 9 mm			
			0-10%	-1.028e-03	1.913e-04	Yes	-8.595e-04	1.950e-04	Yes	
$\Lambda K^+$	p(A)	K <sup>+</sup>	10-30%	-1.165e-04	2.697e-05	Yes	-3.465e-05	2.604e-05	Yes	
			30-50%	-1.402e-04	1.330e+01	No	3.312e-05	8.428e-05	No	
$ar{\Lambda} \mathrm{K}^-$	$ar{p}^-(ar{\Lambda})$	K <sup>-</sup>	0-10%	-1.186e-03	2.039e-04	Yes	-1.314e-03	2.545e-04	Yes	
			10-30%	-2.705e-05	2.832e-05	Yes	-5.341e-05	2.923e-05	Yes	
			30-50%	1.314e-03	1.515e-04	Yes	1.459e-04	8.739e-05	No	
$\Lambda \mathrm{K}^-$	$\pi^-(\Lambda)$	K <sup>-</sup>	0-10%	-5.785e-05	1.394e-05	Yes	-4.428e-05	1.198e-05	Yes	
			10-30%	-4.576e-05	5.522e-05	No	-5.990e-05	1.099e-05	Yes	
			30-50%	4.274e-03	4.150e-03	No	6.659e-05	6.463e-05	No	
$ar{\Lambda} \mathrm{K}^+$	$\pi^+(ar{\Lambda})$	K <sup>+</sup>	0-10%	-2.609e-04	1.122e-04	Yes	-4.269e-05	3.663e-05	No	
			10-30%	-2.366e-04	1.483e-04	Yes	-7.622e-05	1.096e-04	No	
			30-50%	2.265e-03	9.486e-04	Yes	2.629e-04	2.138e-04	No	

**Table 33:**  $\Lambda(\bar{\Lambda})K^0_S$  Analyses: Average Separation of  $\Lambda(\bar{\Lambda})$  Daughter With Same Charge as  $K^\pm$ 

# Average Separation of $\Lambda(\bar{\Lambda})$ Daughter With Same Charge as $K^{\pm}$ 500MeVMaxFit SimpleExp

				Fit Amplitudes						
Pair Type	Daughter	Track	Centrality	Amplitude	Error	Sig	Amplitude	Error	Sig	
				7 vs 8 mm		8 vs 9 mm				
			0-10%	1.310e-06	1.696e-07	Yes	4.374e-06	2.246e-07	Yes	
$\Lambda \mathrm{K}^+$	$p(\Lambda)$	K <sup>+</sup>	10-30%	2.084e-06	4.698e-07	Yes	4.124e-06	4.593e-06	No	
			30-50%	-1.186e-03	9.739e-04	No	3.110e-05	3.395e-05	No	
$ar{\Lambda} \mathrm{K}^-$			0-10%	2.057e-06	1.499e-07	Yes	3.829e-06	1.327e-07	Yes	
	$ar{p}^-(ar{\Lambda})$	K <sup>-</sup>	10-30%	7.002e-06	6.292e-06	No	4.608e-06	4.256e-06	No	
			30-50%	4.608e-06	4.256e-06	No	9.199e-05	7.119e-05	No	
$\Lambda K^-$	$\pi^-(\Lambda)$	K-	0-10%	4.686e-06	3.491e-07	Yes	2.311e-06	5.498e-07	Yes	
			10-30%	5.411e-06	7.471e-07	Yes	7.344e-06	5.583e-07	Yes	
			30-50%	2.045e-04	1.593e-04	No	1.570e-04	3.330e-04	No	
$ar{\Lambda} \mathrm{K}^+$	$\pi^+(ar{\Lambda})$	K <sup>+</sup>	0-10%	-3.063e-04	1.137e-04	Yes	-6.134e-05	6.307e-05	No	
			10-30%	6.019e-06	6.879e-07	Yes	1.473e-06	1.292e-06	No	
			30-50%	1.773e-04	6.857e-05	Yes	1.701e-04	1.120e-04	No	

**Table 34:**  $\Lambda(\bar{\Lambda})K_S^0$  Analyses: Average Separation of  $\Lambda(\bar{\Lambda})$  Daughter With Same Charge as  $K^{\pm}$ 

### 7 Results and Discussion

8 To Do