0.0.1 $\bar{\Lambda} K_S^0$ Residuals




Fig. 1: Residuals: $\bar{\Sigma}^0 K^0_{S}$ to $\bar{\Lambda} K^0_{S}$ (0-10% Centrality)




Fig. 2: Residuals: $\bar{\Xi}^0 K^0_S$ to $\bar{\Lambda} K^0_S$ (0-10% Centrality)




Fig. 3: Residuals: $\bar{\Xi}^+K^0_S$ to $\bar{\Lambda}K^0_S$ (0-10% Centrality)




Fig. 4: Residuals: $\bar{\Sigma}^{*-}K^0_S$ to $\bar{\Lambda}K^0_S$ (0-10% Centrality)




Fig. 5: Residuals: $\bar{\Sigma}^{*+}K^0_S$ to $\bar{\Lambda}K^0_S$ (0-10% Centrality)




Fig. 6: Residuals: $\bar{\Sigma}^{*0}K_S^0$ to $\bar{\Lambda}K_S^0$ (0-10% Centrality)




Fig. 7: Residuals: $\bar{\Lambda}K^{*0}$ to $\bar{\Lambda}K^0_S$ (0-10% Centrality)




Fig. 8: Residuals: $\bar{\Sigma}^0 K^{*0}$ to $\bar{\Lambda} K^0_S$ (0-10% Centrality)




Fig. 9: Residuals: $\bar{\Xi}^0 K^{*0}$ to $\bar{\Lambda} K^0_S$ (0-10% Centrality)




Fig. 10: Residuals: $\bar{\Xi}^+K^{*0}$ to $\bar{\Lambda}K^0_{S}$ (0-10% Centrality)