
Ardelean Octavian
30432

Wedding Planner App
Use-Case Model

Version <1.0>

Ardelean Octavian Ioan	Version: <1.0>
Use-Case Model	Date: <20/MAR/2019>
WeddingPlannerApp_UseCaseModel_CreateService.docx	

Revision History

Date	Version	Description	Author
<30/MAR/2019>	<1.0>	Initial Use-Case Model	Ardelean Octavian Ioan

Ardelean Octavian Ioan	Version: <1.0>
Use-Case Model	Date: <20/MAR/2019>
WeddingPlannerApp_UseCaseModel_CreateService.docx	

Table of Contents

1. Use-Cases Identification	4
2. UML Use-Case Diagrams	5

Ardelean Octavian Ioan	Version: <1.0>
Use-Case Model	Date: <20/MAR/2019>
WeddingPlannerApp_UseCaseModel_CreateService.docx	

Use-Case Model

1. Use-Cases Identification

Use case: Create a service

Level: user goal

Primary actor: Vendor

Main success scenario:

1. The user opens the application
2. The system prompts the user to log in
3. The user writes his credentials and presses login.
4. The system accepts his credentials.
5. The user is redirected to the home page.
6. The user clicks on "Create Services".
7. The user is prompted to write detailed about their service, can add pictures.
8. The user confirms to send the details about their service.
9. After the service was confirmed, the system updates the database.

Extensions:

- 3'. The system rejects the users credentials.
- 9'. If the service was not confirmed, a message will be sent.

Ardelean Octavian Ioan	Version: <1.0>
Use-Case Model	Date: <20/MAR/2019>
WeddingPlannerApp_UseCaseModel_CreateService.docx	

2. UML Use-Case Diagrams

