

Introduction to Formal Methods

2026-01-07

Overview

This is an introductory survey of some formal methods that are of broad philosophical use.

By **introductory** we mean that it doesn't assume any background knowledge. But it's a broad survey, so we'll be moving reasonably fast to cover a range of topics.

I'm Brian Weatherson, a professor in the philosophy department.

My office is **2207 Angell Hall**. (That's not far from where we are; the numbering for Mason, Angell, Tisch and Haven is continuous.)

My email is **weath@umich.edu**.

My office hours are 9:30–11:30 a.m. Thursdays. You should drop by any week **after this one** to ask about the course, or other philosophy courses, or to chat about how your favorite sports team is doing, etc.

The **after this one** is because I'm away at a conference starting tomorrow; office hours will start next week.

The discussion sections for the course are led by Brett Thompson.

Their office hours are Monday, 4pm-6pm, in Mason Hall 2455.

You should also drop by their office hours with questions about this course, other philosophy courses, etc.

There is a Github site for the course that has a number of readings on it.
This is at:



Figure 1: <https://bweatherson.github.io/W26-Phil305-site/>

There is also a Canvas page, at the regular location, where the assignments will be (and the readings are linked).

Four Sections

1. Propositional Logic
2. Modal Logic and Conditionals
3. Probability and Decision
4. Game Theory

- This is the logic of sentences that can be true or false, and that can combine to form longer sentences.
- So as well as looking at simple sentences, like *Nadia sings*, we will look at sentences that are built from simple sentences.
- Examples of such sentences are *Nadia doesn't sing*, *Nadia sings and Bethany dances*, and *If Nadia sings, Simone sleeps*.

This is the logic of 'must' and 'might'. It has as many applications as there are interpretations of 'must' and 'might'. The primary interpretations we'll look at are:

- Metaphysical
- Epistemological
- Moral

- Sometimes we can't infer that a conclusion is definitely true, but we can infer that it is probably true.
- We will look at some tools for regimenting how and when we make such inferences.
- We will also look at how these probabilities feed into decision making under uncertainty.

- Finally, we will look at decisions in situations where other people are making similar decisions, and your return is affected by both what you and they do.
- The resulting theory is a very useful tool for coming up with simple models of complicated situations.

There are four - all of them available through Canvas.


1. *forall x: Calgary Edition* by P. D. Magnus, Tim Button, J. Robert Loftis, Robert Trueman, Aaron Thomas-Bolduc and Richard Zach.
2. *Boxes and Diamonds, Ann Arbor remix*, written by Richard Zach, and edited by me.
3. *Odds and Ends* by Jonathan Weisberg.
4. *Game Theory* by Giacomo Bonanno.

The four books are for the four parts of the course.

forall x

CALGARY

An Introduction to
Formal Logic



Boxes and Diamonds

An Open Introduction to
Modal Logic



Boxes and Diamonds

An Open Introduction to Modal Logic
Ann Arbor remix



Summer 2020

Figure 4: Boxes and Diamonds - Ann Arbor

Odds & Ends

Introducing Probability & Decision with a Visual Emphasis

Jonathan Weisberg

Preface

THIS textbook is for introductory philosophy courses on probability and inductive logic. It is based on a typical such course I teach at the University of Toronto, where we offer “Probability & Inductive Logic” in the second year, alongside the usual deductive logic intro.

The book assumes no deductive logic. The early chapters introduce the little that’s used. In fact almost no formal background is presumed, only very simple high school algebra.

Several well known predecessors inspired and shaped this book. Brian Skyrms’ *Choice & Chance* and Ian Hacking’s *An Introduction to Probability and Inductive Logic* were especially influential. Both texts are widely used with good reason—they are excellent. I’ve taught both myself many times, with great success. But this book blends my favourite aspects of each, organizing them in the sequence and style I

Game Theory



Giacomo Bonanno

- The primary assessment will be weekly assignments, most of which will be administered through Canvas.
- Several are already posted, and they will be due each week on Thursday at 5pm.
- There are exceptions for this week, and the week after the mid-term break.
- There will also be an end of term exam.

- The syllabus is available on Canvas. Indeed, it is the first thing that comes up when you load Canvas.
- Read it closely!
- It will tell you what we're covering each week, and where you should be each week.
- It also goes over the assessment; after this week there are assignments most weeks. There are 12 in total and the best 10 will count towards your grade.
- There will also be mid-term and final tests.

Arguments

We're discussing the nature of arguments, and in particular, the role of premises and conclusions.

Associated Reading

for all x , chapter 1, "Arguments".

Logic studies certain properties of arguments.

An argument, in the sense we're interested in, has two parts:

1. Premises
2. Conclusion

Example

All kangaroos are wise.

Skippy is a kangaroo.

$\therefore$ Skippy is wise.

Read $\therefore$ as 'therefore'.

All kangaroos are wise.

Skippy is a kangaroo.

$\therefore$ Skippy is wise.

- The premises are the reasons that are given.
- In this argument there are two.

All kangaroos are wise.

Skippy is a kangaroo.

∴ Skippy is wise.

The conclusion is what comes after 'therefore' and is supported by the premises.

- In ordinary English, the order of the premises and conclusion is not as fixed as it is here.
- The textbook has examples where the conclusion comes after the premises, as in our presentations, before the premises, and between the premises.
- The general rule is that it is introduced by a word like 'so', or 'therefore', or, if you're really old school, 'hence'.

All kangaroos are wise.

Skippy is a kangaroo.

$\therefore$ Skippy is wise.

There can be zero, one or multiple premises. Formally, we'll say there is a set of premises.

Here's my formal representation of (part of) the opening sentence of the Declaration of Independence.

$\therefore$ All men are created equal.

Saying that something is self-evident is a way of saying that it follows from no background at all.

The cinema is closed.

∴ We shouldn't go to the cinema.

This isn't what we'll call a **valid** argument, but it's a perfectly good argument in lots of contexts.

All kangaroos are wise.

Skippy is a kangaroo.

$\therefore$ Skippy is wise.

We don't allow this flexibility to conclusions.

Arguments have a single conclusion.

- Sometimes a conclusion of one argument will go to be a premise in another argument.
- But any given argument aims to prove just one thing.

All kangaroos are wise.

Skippy is a kangaroo.

∴ Skippy is wise.

When I write arguments like this, I'm merely presenting them, not asserting that they have any nice features.

Validity

Introducing the concept of validity.

Associated Reading

forall x, chapter 2, “The Scope of Logic”.

Here are some good making features of arguments.

- Premises are true.
- Premises are known.
- Premises are accepted in debate.
- Premises are evidence for the conclusion.
- Premises guarantee the truth of the conclusion.

To a first approximation, logic is about the last of these virtues.

- Does the truth of a set of premises **guarantee** the truth of the conclusion?
- If so, we'll say the argument is **valid**.

What is it for the premises to guarantee truth?

- It's for every **case** where the premises are true to also be a case where the conclusion is true.
- That's nice, you might say, but what's a case?

- This, I'm afraid, we're going to leave a little abstract.
- As the book in effect notes, it's probably best to leave this as a placeholder.
- Different notions of what a case are get you different notions of what arguments are valid.
- But you get into deep metaphysical waters here pretty fast; let's retreat to some definitions.

When an argument, with premises $P_1, P_2, \dots, P_n$ and conclusion C is valid, we'll say all the following things are true.

- The premises **entail** the conclusion.
- The conclusion **follows from** the premises.
- The conclusion is a **consequence** of the premises.

- An argument is **invalid** just in case it is not valid.
- That is, it is **invalid** if there is a case where the premises are true and the conclusion false.

- Logic is largely about validity, about which premises guarantee the truth of which conclusions.
- It's about a special kind of guarantee, one that holds in virtue of the **structure** or **form** of the premises and conclusion.

All kangaroos are wise.

Skippy is a kangaroo.

∴ Skippy is wise.

Compare the Skippy argument with this one.

Today is Wednesday.

$\therefore$ Tomorrow is Thursday.

The premise guarantees the truth of the conclusion, but it does so in virtue of the meanings of 'Wednesday' and 'Thursday', not structural features.

- In the book they talk about the **form** of arguments.
- This is just the same thing as I'm meaning by **structure**.
- There is something about the Skippy example that's special; just the form of the argument shows that it is valid.

When the structure of the argument does the guaranteeing, the guarantee would persist through some substitutions.

All kangaroos are wise.

Skippy is a kangaroo.

∴ Skippy is wise.

When the structure of the argument does the guaranteeing, the guarantee would persist through some substitutions.

All kangaroos are wise.

Lucky is a kangaroo.

∴ Lucky is wise.

When the structure of the argument does the guaranteeing, the guarantee would persist through some substitutions.

All koalas are wise.

Lucky is a koala.

$\therefore$ Lucky is wise.

When the structure of the argument does the guaranteeing, the guarantee would persist through some substitutions.

All koalas are dishonest.

Lucky is a koala.

∴ Lucky is dishonest.

- We'll say an argument is **valid** just in case the truth of the premises guarantees the truth of the conclusion.
- We'll say an argument is **formally valid**, or occasionally **logically valid**, if it is valid, and any argument with the same form/structure is valid.
- We'll say an argument is **sound** just in case it is valid and has true premises.
- We won't have much interest here in soundness; just in validity.

- You might have noticed that I never actually defined what it is for two arguments to share a structure.
- I just said that changing a name (consistently throughout the argument), or changing a noun/adjective (consistently) preserves structure.
- But I didn't say more than that.
- Hold that thought! We'll have quite a lot to say as the course goes on about this notion of structure.

Here are some equivalent ways to define validity.

- An argument is valid if necessarily, when the premises are true, the conclusion is too.
- An argument is valid if it is impossible for the premises to be true and the conclusion to not be true.

We'll use that last formulation a lot.

We'll start our look at the most fundamental kind of logic: propositional logic.