

## Contents

<b>1</b>	<b>Wortsammler</b>	<b>2</b>
1.1	Installation . . . . .	2
1.2	getting started . . . . .	3
1.2.1	display the options . . . . .	3
1.2.2	process markdown files . . . . .	3
1.2.3	initialize a project . . . . .	3
1.2.4	generate document . . . . .	3
1.3	known issues . . . . .	3
1.4	future plans . . . . .	3
1.5	contributing . . . . .	4
1.6	thanks to . . . . .	4
1.7	Installation of the required software . . . . .	4
1.7.1	Ruby . . . . .	4
1.7.2	pandoc . . . . .	4
1.7.3	TeX . . . . .	4

# 1 Wortsammler

Wortsammler (colloquial German for *word collector*) is an environment to maintain documentation in markdown and publish it in various formats for different audiences. It originated in some project specific hacks wrapping around [pandoc](#). But now I refactored it since I use it in more than two projects now and think it might be beneficial for others as well.

Typical application of Wortsammler is user manuals, project documents, user manuals.

Particular features of wortsammler are

- various output formats
- support of requirement management
- generate documents for different audiences based on single sources
- support for snippets
- include parts from other PDF files (only for pdf output yet)

Basically Wortsammler comprises of

- a directory structure for source document sources
- a manifest file to control the publication process
  - involved input files
  - expected output formats
  - expected editions
  - Requirements tracing (upstream / downstream)
- a command line tool to produce the documents (`wortsammler`)

Wortsammler is built on top of other open source tools, in particular:

- pandoc
- LaTeX
- ruby and a bunch of gems

I did not invent new markdown syntax to implement the features mentioned aforehead. In other words, any wortsammler flavored markdown file should reasonably be processed in standalone pandoc. I implemented particular patterns which are boiled down to either vanilla pandoc markdown or to LaTeX / HTML.

The features are based on three appraoches:

1. particular pattern in existing markdown
2. embedded HTML/LaTeX
3. specific syntax in strikethrouh sections (e.g. ~~ED-simple~~)

## 1.1 Installation

```
$ gem install wortsammler
```

In order to use Wortsammler, you need to install the prerequisites:

- ruby 1.9.3 of course
- pandoc 1.9.4.2 or above
  - I plan to upgrade to 1.11.1 asap
- tex, in particular xelatex 3.1415926-2.4-0.9998

## 1.2 getting started

### 1.2.1 display the options

```
Wortsammler -h
```

### 1.2.2 process markdown files

```
Wortsammler -pi readme.md -o.  
-- generates readme.pdf
```

```
Wortsammler -pi readme.md -f pdf:docx:html -o.  
-- generates readme.pdf, readme.html, readme.docx
```

```
Wortsammler -bi readme.md  
-- beautifies readme.md (normalizes the markdown)
```

```
Wortsammler -bi .  
-- recursively beautifies all markdown files in the current folder
```

### 1.2.3 initialize a project

```
Wortsammler init <folder>
```

This command generates the proposed directory structure, a first document manifest and a rake file to do the processing.

The rakefile is in <folder>/30\_Sources/ZSUPP\_Tools

### 1.2.4 generate document

```
rake -T          -- show all rake tasks  
rake sample     -- format the sample document
```

## 1.3 known issues

- as usual documentation is not complete
- requirement collection only works via manifest
- some features (in particular referencing) should use pandoc 1.11 features
- HTML and DOCX styling does not work
- It extends String
- Specific syntax in strikethrough is still processed as one line which is not very robust
- as of now the “framework” is hard to use in other applications

## 1.4 future plans

- provide a sublime text package
- improve documentation (it is flying around in German and needs to be consolidated, please refer to <https://github.com/bwl21/wortsammler/wiki>)
- support epub

## 1.5 contributing

1. play with it
2. give feedback to [bernhard.weichel@googlemail.com](mailto:bernhard.weichel@googlemail.com) and/or create issues
3. Fork it
4. Create your feature branch (`git checkout -b my-new-feature`)
5. Commit your changes (`git commit -am 'Add some feature'`)
6. Push to the branch (`git push origin my-new-feature`)
7. Create new Pull Request

## 1.6 thanks to

- John Mc Farlane for [pandoc](#)

## 1.7 Installation of the required software

### 1.7.1 Ruby

Please use Ruby 1.9.3

- windows
  - download von <http://rubyinstaller.org/downloads/>
  - development kit installieren [DevKit-tdm-32-4.5.2-20111229-1559-sfx.exe](#)  
Das braucht man nur, wenn man den Windows-Debugger verwenden muss. In den scripten ist `require ruby-debug` aukommentiert.
- mac: OSX 10.8 bereits installiert

### 1.7.2 pandoc

- Download <http://code.google.com/p/pandoc/downloads/list>
- Installation <http://rubyinstaller.org/downloads/>
- Homepage <http://johnmacfarlane.net/pandoc/>

### 1.7.3 TeX

- mac: download <http://tug.org/mactex/>
- windows:
  - <http://www.exomatik.net/U-Latex/USBTexEnglish#toc1>
  - <http://www.miktex.org/2.9/setup>

Alternatively you can use

- [usbtex](#)