The information in this document is subject to change without notice and should not be construed as a commitment by ABB. ABB assumes no responsibility for any errors that may appear in this document.

Except as may be expressly stated anywhere in this document, nothing herein shall be construed as any kind of guarantee or warranty by ABB for losses, damages to persons or property, fitness for a specific purpose or the like.

In no event shall ABB be liable for incidental or consequential damages arising from use of this document.

This document and parts thereof must not be reproduced or copied without ABB's written permission, and contents therof must not be imparted to a third party nor be used for any unauthorized purpose. Contravention will be prosecuted.

Additional copies of this document may be obtained from ABB at its then current charge.

© Copyright 2004 ABB ALL right reserved.

ABB Automation Technologies AB
Robotics
SE-721 68 Västerås
Sweden

Latest revision:

SAFETY OPTIONS A/L/S

COPYRIGHT PAGE

Status:

Approved Sublocation: +
Subloca



: SAFETY OPTIONS A/L/S Description

: 3HEA800730-001 Drawing number

Drawing version : 03

Date : 2010-05-17

Customer

Year of construction 2010

Drawn by : PAW/PR

Number of pages : 14

Latest revision:

ABB

Lab/Office: PAW

SAFETY OPTIONS A/L/S

TITLE PAGE

Status: Approved Plant: Location: + Sublocation:+

Document no.

Rev. Ind Page 2
Next 3
Total 14

Prepared by, date: PR, 100507 Approved by, date: AL, 100517 3HEA800730-001 03

We reserve all rights in this document and in the information contained therein. Reproduction, use or disclosure to third parties without express authority is strictly forbidden. © Copyright 2003 ABB

TABLE OF CONTENTS

| PAGE | PAGE DESCRIPTION | Date | Edited by | |
|------|--|------------|-----------|-----|
| 1 | COPYRIGHT PAGE | 2010-01-27 | PAW/PR | |
| 2 | TITLE PAGE | 2010-01-27 | PAW/PR | |
| 3 | TABLE OF CONTENTS | 2010-05-07 | PAW/PR | 03 |
| 4 | BLOCK DIAGRAM | 2010-05-07 | PAW/PR | 03 |
| 5 | GUARD EQUIPMENT LIGHT BEAM MSLZ | 2010-02-15 | PAW/PR | |
| 6 | GUARD EQUIPMENT LIGHT BEAM M4000/M40Z | 2010-03-24 | PAW/PR | |
| 7 | RESET PROTECTION -PRE RESET PB | 2010-03-24 | PAW/PR | |
| 8 | SERVICE DOOR SUPERVISION | 2010-03-24 | PAW/PR | |
| 9 | STATION INDICATION WITH MECHANICAL SWITCHES AXIS 1,IRB | 2010-05-07 | PAW/PR | 03 |
| 10 | HOME POSITION WITH MECHANICAL SWITCHES AXIS 1,IRB | 2010-05-07 | PAW/PR | 03 |
| 11 | ACTIVATION FROM GUARDED AREA | 2010-03-24 | PAW/PR | |
| 12 | STATION INDICATION WITH EPS FOR AXIS 1,IRB | 2010-05-07 | PAW/PR | 03 |
| 13 | HOME POSITION WITH EPS FOR AXIS 1,IRB | 2010-05-07 | PAW/PR | 03 |
| 14 | SYNC SWITCH FOR EPS | 2010-05-07 | PAW/PR | 03 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | + - |
| | | | | |
| | | | | |

| Latest revision: | | |
|----------------------------------|-------------------------------|--|
| Rev. 03:Page 12,13 and 14 added. | | |
| | | |
| | | |
| Prepared by, date: PR, 100507 | Approved by, date: AL, 100517 | |

Lab/Office: PAW ABB

SAFETY OPTIONS A/L/S TABLE OF CONTENTS

Status: Approved Document no.


Plant: = Location: + Sublocation:+


Rev. Ind Page 3


Next 4

Total 14

3HEA800730-001







*) NOT TOGETHER WITH ELECTRONIC POSITION SWITCH.

Latest revision:
Rev. 03:Note *) added.


Prepared by, date: PR, 100507

ABB | Lab/Office: PAW | SAFETY OPTIONS A/L/S | Status: Approved | Appro

Latest revision:

Rev. 03:Note *) added.

Prepared by, date: PR, 100507



Approved by, date: AL, 100517

*) NOT TOGETHER WITH ELECTRONIC POSITION SWITCH.


SAFETY OPTIONS A/L/S
HOME POSITION WITH MECHANICAL
SWITCHES AXIS 1,IRB

 Status:
 Plant:
 =

 Approved
 Location:
 +

 Sublocation:+
 Rev. Ind
 Page 10

 Next 11
 Total 14



Sync Switch

SW1 13 14