

Student initials

| | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|--|

5. NON-REBREATHER MASK**SCENE ASSESSMENT AND INITIAL APPROACH**

ASK PERMISSION TO ASSIST (ASSUME PERMISSION IN UNRESPONSIVE VICTIM)

PLACE THE VICTIM IN THE CORRECT POSITION

ASSURE AIRWAY AND THAT THE VICTIM IS BREATHING NORMALLY

DEPLOY THE OXYGEN UNIT

OXYGEN STATEMENT - "THIS IS OXYGEN IT MAY MAKE YOU FEEL BETTER. "

TURN ON OXYGEN CYLINDER VALVE

CHECK PRESSURE

REMOVE NRB MASK FROM BAG AND STRETCH TUBING TO AVOID KINKS

ATTACH TO THE CONSTANT FLOW BARB

SET CONSTANT FLOW CONTROL TO 8-15LPM

PRIME THE RESERVOIR BAG

PLACE MASK OVER THE VICTIM'S MOUTH AND NOSE

REASSURE AND COMFORT THE VICTIM

INSTRUCT THE VICTIM BREATHE NORMALLY

IF RESERVOIR BAG DOES NOT REMAIN PARTIALLY INFLATED INCREASE FLOW RATE

IF RESPONSIVE INSTRUCT THE VICTIM TO HOLD THE MASK TO ENSURE TIGHT SEAL

LOOK FOR THE BAG TO SLIGHTLY INFLATE AND DEFLATE

ADJUST FLOW RATE IF REQUIRED

OBSERVE MASK FOGGING AND CLEARING

WATCH RISE AND FALL OF CHEST/ABDOMEN

MONITOR CONTENTS GAUGE AND EQUIPMENT

ACTIVATE EMERGENCY ACTION PLAN

CALL AMBULANCE OR EMERGENCY ASSISTANCE

PREPARE INCIDENT REPORT AS APPROPRIATE

6. RESUSCITATION MASK**SCENE ASSESSMENT AND INITIAL APPROACH**

PLACE THE VICTIM SO THEY ARE LAYING SUPINE

OPEN AIRWAY AND CHECK FOR NORMAL BREATHING

IF NOT BREATHING START CPR (30 COMPRESSIONS)

| | | Student initials | | | | | | | | | | | |
|-----------------------------|---|------------------|--|--|--|--|--|--|--|--|--|--|--|
| DEPLOY THE OXYGEN UNIT | TURN ON OXYGEN CYLINDER VALVE | | | | | | | | | | | | |
| | CHECK PRESSURE | | | | | | | | | | | | |
| | PREPARE MASK / ONE WAY VALVE / TUBING | | | | | | | | | | | | |
| | ATTACH TUBING TO THE CONSTANT FLOW BARB AND MASK OXYGEN INLET | | | | | | | | | | | | |
| | SET CONSTANT FLOW CONTROL (8 TO 15lpm) | | | | | | | | | | | | |
| | LISTEN FOR THE FLOW OF OXYGEN | | | | | | | | | | | | |
| | PLACE MASK OVER VICTIM'S MOUTH AND NOSE - ADJUST BAND TO HOLD IT IN PLACE | | | | | | | | | | | | |
| PERFORM OXYGEN ASSISTED CPR | PROVIDE 30 COMPRESSIONS | | | | | | | | | | | | |
| | PROVIDE RESCUE BREATHS (MOUTH TO MASK) | | | | | | | | | | | | |
| | WATCH FOR RISE AND FALL OF CHEST | | | | | | | | | | | | |
| | MONITOR CONTENTS GAUGE AND EQUIPMENT | | | | | | | | | | | | |
| DEBRIEF AND EVALUATIONS | | | | | | | | | | | | | |
| | REVIEW RESPONSE TO INCIDENT AND DISCUSS IMPROVEMENTS | | | | | | | | | | | | |

Instructor to initial

Student to initial

| | | | | | | | | | | | | | |
|--|--|--|--|--|--|--|--|--|--|--|--|--|--|
| | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |

Date
