

# Nature of Polyexistentials:

Basis for Abolishment of  
the Western Intellectual Property Rights Regime  
And Introduction of  
the Libre-Halaal ByStar Digital Ecosystem

Mohsen BANAN

PLPC-120033.p3cel

First US Edition

---

---

Available on-line at:

<https://github.com/bxplpc/120033>





digitized, in which case it becomes a pure polyexistential. But, if the book was a rare historic manuscript, then the dominant aspect could have been its monoexistential dimension.

In the case of a given factory generated spoon, the dominant aspect is usually the material spoon which is monoexistential and not polyexistential instructions supplied to the numerically controlled machine that produced that particular spoon.

## 2.3 Monoexistentials

Monoexistentials are bound by their location. At any given time they exist in one and only one specific location. Material monoexistentials can be moved (transported) at physical speed.

### 2.3.1 Categories of Monoexistentials

In the context of monoexistence versus polyexistence, all that is material is monoexistential. Some non-materials are also monoexistential.

We categorize monoexistentials in the following 4 categories.

- Nature's Material Monoexistentials
- Man Made Material Monoexistentials
- Nature's Non-Material Monoexistentials
- Man Made Non-Material Monoexistentials

In the following sections we describe each of these.

#### 2.3.1.1 Nature's Material Monoexistentials

Anything material is monoexistential.

Matter is the stuff around us. Atoms and molecules are all composed of matter. Matter is anything that has mass and takes up space.

A substance is matter which has a specific composition and specific properties. Every pure element is a substance. Every pure compound is a substance. For example, iron is an element and hence is also a substance. All substances are monoexistentials.

Chemistry allows us to categorize material monoexistentials into: chemical elements, chemical compounds and organic and inorganic.

##### 2.3.1.1.1 Chemical Elements

Each stable chemical element is a monoexistential. This is illustrated in Figure 2.1.<sup>3</sup>

Our understanding of the periodic table itself is a polyexistential.

Our understanding of the periodic table allowed us to predict the existence of elements in nature prior to having discovered them.

Mendeleev used the patterns in his table to predict the properties of the elements he thought must exist but had yet to be discovered. He left blank spaces in his chart as placeholders to represent those unknown elements. The four predicted elements lighter than the rare-earth elements, eka-boron (Eb, under boron, B, 5), eka-aluminium (Ea or El,[2] under Al, 13), eka-manganese (Em, under Mn, 25), and eka-silicon (Es, under Si, 14), proved to be good predictors of the properties of scandium (Sc, 21), gallium (Ga, 31), technetium (Tc, 43), and germanium (Ge, 32) respectively, each of which fill the spot in the periodic table assigned by Mendeleev.

1

1

1.0079

H

Hydrogen

3

6.941

Li

Lithium

11

22.990

Na

Sodium

19

39.098

K

Potassium

37

85.468

Rb

Rubidium

55

132.91

Cs

Cesium

87

223

Fr

Francium

2

4.0026

He

Helium

4

9.0122

Be

Beryllium

12

24.305

Mg

Magnesium

20

40.078

Ca

Calcium

38

87.62

Sr

Strontium

56

137.33

Ba

Barium

88

226

Ra

Radium

13

10.811

B

Boron

14

12.011

C

Carbon

15

14.007

N

Nitrogen

16

15.999

O

Oxygen

17

18.998

F

Fluorine

18

20.180

Ne

Neon

19

20.180

Ne

Neon

13

26.982

Al

Aluminum

14

28.086

Si

Silicon

15

30.974

P

Phosphorus

16

32.065

S

Sulphur

17

35.453

Cl

Chlorine

18

39.948

Ar

Argon

29

63.546

Cu

Copper

30

65.39

Zn

Zinc

31

69.723

Ga

Gallium

32

72.64

Ge

Germanium

33

74.922

As

Arsenic

34

78.96

Se

Selenium

35

79.904

Br

Bromine

36

83.8

Kr

Krypton

49

114.82

In

Indium

50

118.71

Sn

Tin

51

121.76

Sb

Antimony

52

127.6

Te

Tellurium

53

126.9

I

Iodine

54

131.29

Xe

Xenon

69

196.97

Au

Gold

80

200.59

Hg

Mercury

81

204.38

Tl

Thallium

82

207.2

Pb

Lead

83

208.98

Bi

Bismuth

84

209

Po

Polonium

85

210

At

Astatine

86

222

Rn

Radon

101

260.1

Db

Dubnium

102

261

Sg

Seaborgium

103

262

Bh

Bohrium

104

263

Hs

Hassium

105

265

Mt

Meitnerium

106

266

Ds

Darmstadtium

107

267

Rg

Roentgenium

108

268

Uub

Ununbium

109

269

Uut

Ununtrium

110

271

Uuq

Ununquadium

111

272

Uup

Ununpentium

112

273

Uuh

Ununhexium

113

274

Uus

Ununseptium

114

276

Uuo

Ununoctium

1

1

1.0079

H

Hydrogen

2

4.0026

He

Helium

3

6.941

Li

Lithium

4

9.0122

Be

Beryllium

5

10.811

B

Boron

6

12.011

C

Carbon

7

14.007

N

Nitrogen

8

15.999

O

Oxygen

9

18.998

F

Fluorine

10

20.180

Ne

Neon

11

22.990

Na

Sodium

12

24.305

Mg

Magnesium

13

26.982

Al

Aluminum

14

28.086

Si

Silicon

15

30.974

P

Phosphorus

16

32.065

S

Sulphur

17

35.453

Cl

Chlorine

18

39.948

Ar

Argon

19

39.098

K

Potassium

20

40.078

Ca

Calcium

21

44.956

Sc

Scandium

22

47.867

Ti

Titanium

23

50.942

V

Vanadium

24

51.996

Cr

Chromium

25

55.845

Mn

Manganese

26

58.933

Fe

Iron

27

58.933

Co

Cobalt

28

58.693

Ni

Nickel

29

63.546

Cu

Copper

30

65.39

Zn

Zinc

31

69.723

Ga

Gallium

32

72.64

Ge

Germanium

33

74.922

As

Arsenic

34

78.96

Se

Selenium

35

79.904

Br

Bromine

36

83.8

Kr

Krypton

37

85.468

Rb

Rubidium

38

87.62

Sr

Strontium

39

88.906

Y

Yttrium

40

91.224

Zr

Zirconium

41

92.906

Nb

Niobium

42

95.94

Mo

Molybdenum

43

98

Tc

Technetium

44

101.07

Ru

Ruthenium

45

102.91

Rh

Rhodium

46

106.42

Pd

Palladium

47

107.87

Ag

Silver

48

112.41

Cd

Cadmium

49

114.82

In

Indium

50

118.71

Sn

Tin

51

121.76

Sb

Antimony

52

127.6

Te

Tellurium

53

126.9

I

Iodine

54

131.29

Xe

Xenon

55

132.91

Cs

Cesium

56

137.33

Ba

Barium

57

174.1

La

Lanthanum

58

175.05

Ce

Cerium

59

177.05

Pr

Praseodymium

60

178.91

Nd

Neodymium

61

179.9

Pm

Promethium

62

180.95

Sm

Samarium

63

183.85

Eu

Europium

64

187.04

Gd

Gadolinium

65

188.91

Tb

Terbium

66

190.91

Dy

Dysprosium

67

192.92

Ho

Holmium

68

194.97

Er

Erbium

69

196.97

Tm

Thulium

70

197.04

Yb

Ytterbium

71

198.91

Lu

Lutetium

72

200.94

Hf

Hafnium

73

200.94

Ta

Tantalum

74

208.98

W

Tungsten

75

208.98

Re

Rhenium

76

210.98

Os

Osmium

77

210.98

Ir

Iridium

78

215.08

Pt

Platinum

79

216.98

Au

Gold

80

217.00

Hg

Mercury

81

223.02

Tl

Thallium

82

223.02

Pb

Lead

83

223.02

Bi

Bismuth

84

223.02

Po

Polonium

85

223.02

At

Astatine

86

223.02

Rn

Radon

87

223.02

Fr

Francium

88

223.02

Ra

Radium

89

223.02

Ac

Actinium

90

223.02

Th

Thorium

91

223.02

Pa

Protactinium

92

223.02

U

Uranium

93

223.02

Np

Neptunium

94

223.02

Pu

Plutonium

95

223.02

Am

Americium

96

223.02

Cm

Curium

97

223.02

Bk

Berkelium

98

223.02

Cf

Californium

99

223.02

Es

Einsteinium

100

223.02

Fm

Fermium

101

223.02

Md

Mendelevium

102

223.02

No

Nobelium

103

223.02

Lr

Lawrencium

1

1

1.0079

H

Hydrogen

2

4.0026

He

Helium

3

6.941

Li

Lithium

4

9.0122

Be

Beryllium

5

10.811

B

Boron

6

12.011

C

Carbon

7

14.007

N

Nitrogen

8

15.999

O

Oxygen

9

18.998

F

Fluorine

10

20.180

Ne

Neon

11

22.990

Na

Sodium

12

24.305

Mg

Magnesium

13

26.982

Al

Aluminum

14

28.086

Si

Silicon

15

30.974

P

Phosphorus

16

32.065

S

Sulphur

17

35.453

Cl

Chlorine

18

39.948

Ar

Argon

19

39.098

K

Potassium

20

40.078

Ca

Calcium

21

44.956

Sc

Scandium

22

47.867

Ti

Titanium

23

50.942

V

Vanadium

24

51.996

Cr

Chromium

25

55.845

Mn

Manganese

26

58.933

Fe

Iron

27

58.933

Co

Cobalt

28

58.693

Ni

Nickel

29

63.546

Cu

Copper

30

65.39

Zn

Zinc

31

69.723

Ga

Gallium

32

72.64

Ge

Germanium

33

74.922

As

Arsenic

34

78.96

Se

Selenium

35

79.904

Br

Bromine

36

83.8

Kr

Krypton

37

85.468

Rb

Rubidium

38

87.62

Sr

Strontium

39

88.906

Y

Yttrium

40

91.224

Zr

Zirconium

41

92.906

Nb

Niobium

42

95.94

Mo

Molybdenum

43

98

Tc

Technetium

44

101.07

Ru

Ruthenium

45

102.91

Rh

Rhodium

46

106.42

Pd

Palladium

47

107.87

Ag

Silver

48

112.41

Cd

Cadmium

49

114.82

In

Indium

50

118.71

Sn

Tin

51

121.76

Sb

Antimony

52

127.6

Te

Tellurium

53

126.9

I

Iodine

54

131.29

Xe

Xenon

55

132.91

Cs

Cesium

56

137.33

Ba

Barium

57

174.1

La

Lanthanum

58

175.05

Ce

Cerium

59

177.05

Pr

Praseodymium

60

178.91

Nd

Neodymium

61

179.9

Pm

Promethium

62

180.95

Sm

Samarium

63

183.85

Eu

Europium

64

187.04

Gd

Gadolinium

65

188.91

Tb

Terbium

66

190.91

Dy

Dysprosium

67

192.92

Ho

Holmium

68

194.97

Er

Erbium

69

196.97

Tm

Thulium

70

197.04

Yb

Ytterbium

71

198.91

Lu

Lutetium

72

200.94

Hf

Hafnium

73

200.94

Ta

Tantalum

74

208.98

W

Tungsten

75

208.98

Re

Rhenium

76

210.98

Os

Osmium

77

210.98

Ir

Iridium

78

215.08

Pt

Platinum

79

216.98

Au

Gold

80

217.00

Hg

Mercury

81

223.02

Tl

Thallium

82

223.02

Pb

Lead

83

223.02

Bi

Bismuth

84

223.02

Po

Polonium

85

223.02

At

Astatine

86

223.02

Rn

Radon

87

223.02

Fr

Francium

88

223.02

Ra

Radium

89

223.02

Ac

Actinium

90

223.02

Th

Thorium

91

223.02

Pa

Protactinium

92

223.02

U

Uranium

93

223.02

Np

Neptunium

94

223.02

Pu

Plutonium

95

223.02

Am

Americium

96

223.02

Cm

Curium

97

223.02

Bk

Berkelium

98

223.02

Cf

Californium

99

223.02

Es

Einsteinium

100

223.02

Fm

Fermium

101

223.02

Md

Mendelevium

102

223.02

No

Nobelium

103

223.02

Lr

Lawrencium

1

1

1.0079

H

Hydrogen

2

4.0026

He

Helium

3

6.941

Li

Lithium

4

9.0122

Be

Beryllium

5

10.811

B

Boron

6

12.011

C

Carbon

7

14.007

N

Nitrogen

8

15.999

O

Oxygen

9

18.998

F

Fluorine

10

20.180

Ne

Neon

11

22.990

Na

Sodium

12

24.305

Mg

Magnesium

13

26.982

Al

Aluminum

14

28.086

Si

Silicon

15

30.974

P

Phosphorus

16

32.065

S

Sulphur

17

35.453

Cl

Chlorine

18

39.948

Ar

Argon

19

39.098

K

Potassium

20

40.078

Ca

Calcium

21

44.956

Sc

Scandium

22

47.867

Ti

Titanium

23

50.942

V

Vanadium

24

51.996

Cr

Chromium

25

55.845

Mn

Manganese

26

58.933

Fe

Iron

27

58.933

Co

Cobalt

28

58.693

Ni

Nickel

29

63.546

Cu

Copper

30

65.39

Zn

Zinc

31

69.723

Ga

Gallium

32

72.64

Ge

Germanium

33

74.922

As

Arsenic

34

78.96

Se

Selenium

35

79.904

Br

Bromine

36

83.8

Kr

Krypton

37

85.468

Rb

Rubidium

38

87.62

Sr

Strontium

39

88.906

Y

Yttrium

40

91.224

Zr

Zirconium

41

92.906

Nb

Niobium

42

95.94

Mo

Molybdenum

43

98

Tc

Technetium

44

101.07

Ru

Ruthenium

45

102.91

Rh

Rhodium

46

106.42

Pd

Palladium

47

107.87

Ag

Silver

48

112.41

Cd

Cadmium

49

114.82

In

Indium

50

118.71

Sn

Tin

51

121.76

Sb

Antimony

52

127.6

Te

Tellurium

53

126.9

I

Iodine

54

131.29

Xe

Xenon

55

132.91

Cs

Cesium

56

137.33

Ba

Barium

57

174.1

La

Lanthanum

58

175.05

Ce

Cerium

59

177.05

Pr

Praseodymium

60

178.91

Nd

Neodymium

61

179.9

Pm

Promethium

62

180.95

Sm

Samarium

63

183.85

Eu

Europium

64

187.04

Gd

Gadolinium

65

188.91

Tb

Terbium

66

190.91

Dy

Dysprosium

67

192.92

Ho

Holmium

68

194.97

Er

Erbium

69

196.97

Tm

Thulium

70

197.04

Yb

Ytterbium

71

198.91

Lu

Lutetium

72

200.94

Hf

Hafnium

73

200.94

Ta

Tantalum

74

208.98

W

Tungsten

75

208.98

Re

Rhenium

76

210.98

Os

Osmium

77

210.98

Ir

Iridium

78

215.08

Pt

Platinum

79

216.98

Au

Gold

80

217.00

Hg

Mercury

81

223.02

Tl

Thallium

82

223.02

Pb

Lead

83

223.02

Bi

Bismuth

84

223.02

Po

Polonium

85

223.02

At

Astatine

86

223.02</

Figure 2.1: Periodic Table of Chemical Elements

Monoexistence of those undiscovered elements was independent of us. Our discovery created new polyexistentials. The monoexistential existed before being discovered.

### 2.3.1.1.2 Chemical Compounds

A compound is a substance formed when two or more chemical elements are chemically bonded together.

Chemical compounds form much of the matter that is around us.

Beyond basic physical chemistry and inorganic chemistry, when it comes to organic chemistry and biochemistry, at this time we are not adequately equipped to open those analysis. When it comes to DNA in particular, there are some polyexistence similar characteristics which we are not prepared to address at this time.

### 2.3.1.2 Man-Made Material Monoexistentials

A whole lot of the stuff around us is man-made.

Man-made monoexistentials involve a manufacturing process. The manufacturing process is a polyexistential but what gets produced can have a dominant monoexistential characteristic. When mass produced, each is monoexistential.

If the manufacturing process is relatively simple (say cutting of a tree), then we would consider the result of the manufacturing process monoexistential because the polyexistential component of the end result is insignificant.

If the manufacturing process is complex (say building a gun) then we would consider the result of the manufacturing process a mixed-existential. See Section 2.5 – [Mixed-Existentials](#) –, for details.

Strictly speaking one could take the position that all man-made material results are mixed-existentials. There are no pure man-made material monoexistentials.

$$\Psi = \int e^{\frac{i}{\hbar} \int \left( \frac{R}{16\pi G} - \frac{1}{4} F^2 + \bar{\psi} i \not{D} \psi - \lambda \phi \bar{\psi} \psi + |D\phi|^2 - V(\phi) \right) dV}$$

Figure 2.2: Unified Physics Equation With Inventors Labels

$$W = \int_{k < \Lambda} [Dg][DA][D\psi][D\Phi] \exp \left\{ i \int d^4x \sqrt{-g} \left[ \frac{m_p^2}{2} R - \frac{1}{4} F_{\mu\nu}^a F^{a\mu\nu} + i \bar{\psi}^i \gamma^\mu D_\mu \psi^i + \left( \bar{\psi}_L^i V_{ij} \Phi \psi_R^j + \text{h.c.} \right) - |D_\mu \Phi|^2 - V(\Phi) \right] \right\}$$

Figure 2.3: Unified Physics Equation With Subject Matter Labels

### 2.3.1.3 Nature's Non-Material Monoexistentials

Beyond matter there are other things in nature we experience. It is easy to recognize that matter is monoexistential. But it is a mistake to equate matter with monoexistentials. Some monoexistentials are not matter.

There have been many attempts in putting all of our experienceable understandings of the universe into one equation. Figure 2.2 is one such attempt.<sup>4</sup> This equation is annotated by attribution of aspects of knowledge to primary contributors.

All such forces and all such phenomena is monoexistential. They are bound by time and place and exist in singular.

Forces such as gravity and electromagnetic forces are bounded by location. So, things such as radio broadcasting and spectrum are monoexistentials.

Figure 2.3 is another such attempt.<sup>5</sup> This equation is annotated by subject matter labels.

The knowledge of such equations are polyexistentials.

### 2.3.1.4 Man-Made Non-Material Monoexistentials

Man-made non-material monoexistentials fall into two categories. Man-made physical non-material monoexistentials and man-made social monoexistentials.

Examples of man-made physical non-material monoexistentials are over the air television and radio broadcasts. These all involve energy, electricity, magnetism and waves and they are all bound by time and place.

Social monoexistentials involve creation of uniqueness and scarcities. Social structures and interactions often require uniqueness. As such, humans create non-material monoexistentials. Some examples of man-made non-material monoexistentials are: domain names and national identification numbers such as American social security numbers.

While many copies of an instance of a digital (polyexistential) exist, it is possible to create an association between a specific instance of that digital as its genesis (which we label as original) and its creator (which we label as originator or original assignee). Such associations can then be recorded in public ledgers. This allows for the tracking of all further assignments, so that at any given time it is possible to know the association between the original and the current assignee. This is the concept behind digital assets. An example of digital assets is Non-Fungible Tokens (NFTs). NFTs are typically used to represent digital art, collectibles and gaming items. They are stored on a blockchain and can be bought, sold, and traded on digital marketplaces.

### 2.3.2 Scarcity of Monoexistentials

Monoexistentials can be scarce or plentiful. Scarcity and plentifulness are relative concepts and depend on the environment and time. It is scarcity of monoexistentials that make them rivalry or non-rivalry.

#### 2.3.2.1 Monoexistentials Rivalry Goods

“Rivalry Goods” is an economic concept.

In economics, a “good” is said to be rivalrous or rival if its consumption by one consumer prevents simultaneous consumption by other consumers.

In general terms, almost all private goods are rivalrous.

A good can be placed along a continuum ranging from rivalrous to non-rivalrous.

#### 2.3.2.2 Monoexistentials Non-Rivalry Goods

“Non-Rivalry Goods” is an economic concept.

Non-rival goods may be consumed by one consumer without preventing simultaneous consumption by others. A good can be placed along a continuum ranging from rivalrous to non-rivalrous.

Many examples of non-rival goods are intangible.

Some broad examples of Non-Rivalry Goods are: air, fish in the ocean, view, roads, national parks, television broadcasts, wind and sunshine.

Non-Rivalry goods are often confused with polyexistentials (e.g., Wikipedia and Jewish IPR analysis make that mistake). Introduction of the concept of polyexistentials fully eliminates this common confusion.

The concept of polyexistentials is a philosophical concept. The concept of Non-Rivalry Goods is an economic term. Basing economics as the primary basis for structuring human laws is wrong. Inclusion of IPR in the US constitution by businessmen (founding fathers of America) is another example of the confusion which amounts to an attempt in creating rivalry goods from polyexistentials – based on artificial scarcity.

Goods that are both non-rival and non-excludable are called “public goods.” It is generally accepted by mainstream economists that the market mechanism will under-provide public goods, so these goods have to be produced by other means, including government provision. Polyexistentials are inherently public goods.

The Western IPR regime is the opposite of “Public Goods”. In the US constitution we have government provisions creating artificial scarcity against the public good.

In information theory, the Shannon—Hartley theorem tells the maximum rate at which information can be transmitted over a communications channel of a specified bandwidth in the presence of noise.

By 1948, theorems and equations such as:

$$\langle v, e_j \rangle, \langle v, x \rangle \leq 0.5 \log(1 + \text{SNR})$$

expressed our understanding of transmission of digital entities.

We then built on this physical layer understanding and added say six more layers to create the internet.<sup>7</sup> And we now have a global network on which digitals can be transmitted, often without knowing borders.

### 3.2.4 Cryptography, Encryption and Information Confidentiality

Storage and transfer of digital entities can be in the clear or can be made confidential.

Cryptography, the use of codes and ciphers to protect secrets, began thousands of years ago. Methods of encryption that use pen and paper were used to achieve some secrecy.

By 1949, we had Shannon's theory of perfect secrecy, as a mathematical model for secure communication. It states that if a message is encrypted using a key that is as long as the message itself, then the message is theoretically unbreakable. This is because the key is as long as the message, so it is impossible to determine the key without knowing the message. This means that the only way to decrypt the message is to have the key, which is only known by the sender and receiver.

In parallel with our entry into the digital era, roughly in the 1970s secure cryptography which until then was largely the preserve of governments became a generally available tool. Two events have since brought it squarely into the public domain: the creation of public encryption standards like DES, and the invention of public-key cryptography systems (PKCS). By the 1980s, internationally proposed standards such as X.509 included all necessary knowledge to secure digital information.

Nature believes in encryption. Nature facilitates encryption. It is natural to encrypt.

It is easier to encrypt information than it is to decrypt it.

We have the necessary knowledge to make digital entities private and to make our human communications and human interactions autonomous and private. So, our privacy can be preserved.







Figure 13.1: Operation in the For-Profit and Non-Proprietary Quadrant

The full scope of Libre-Halaal Capitalism is all polyexistentials. The economics of currently patented medications are within scope of Libre-Halaal Capitalism. The economics of Monsanto patents for genetically modified soybeans are within scope of Libre-Halaal Capitalism.

But initially we focus on Libre-Halaal Capitalism in the digital domain. By that, we mean:

- Software — Based on Libre-Halaal Software
- Internet Application Services — Based on Libre-Services
- Digital Content — Based on Libre-Halaal Content

### 13.6.1 Transformation of Software into Services

In Section 13.5 we introduced two dimensions of Proprietary vs. Non-Proprietary and For-Profit vs. Non-Profit. To those two dimensions now add another dimension. That of Software Vs Internet Application Services (Internet Services).

Part of the debate about FOSS is now over, while part continues. The part that is over is any question about the viability of FOSS as a development model for creating large-scale, complex, relevant software systems. GNU/Linux is a fully viable free software alternative to the proprietary Microsoft Windows operating system, against which it continues to make steady inroads.

And apart from such well-known and high-profile projects, behind the scenes the FOSS movement has become a flourishing creative environment, generating a constant stream of new and better software packages, duplicating and surpassing the capabilities of an ever-increasing portion of proprietary software territory.

And the fundamental FOSS creative dynamic has now also become very well understood: the FOSS development model allows *unrestricted creative reuse of existing assets at essentially zero cost*. It is from this dynamic that the FOSS model derives its tremendous generative power. FOSS is thus fully established as a generative engine and an industry reality and is here to stay.



Figure 13.2: Business Ramifications of Software to Service Transformation

But the part of the debate that continues is whether or not this has any meaningful commercial dimension. Within the proprietary software domain, a powerful revenue-generating engine exists in the form of the traditional software licensing model. But this revenue source is absent under the FOSS model. In its place there are a number of possible business and revenue models, but in all cases, these lack the large-scale repeatability that makes things really interesting from a business perspective.

There thus remains a conceptual gap, a puzzle, about how the powerful generative forces of FOSS can be turned into a large-scale, repeatable, revenue stream. But this puzzle is now solved.

### Business Dynamics Of Internet Services

Within the Internet Services industry the business and revenue models are quite clear and obvious. The largest and most obvious are the subscription fee model of generalized service providers, and the advertising model of numerous specialized no-cost service providers, demonstrated most spectacularly by Google. Both the subscription fee and advertising models are unlimitedly scalable, thus resulting in the gigantic commercial Internet of today.

But the Internet Services industry of today is a fundamentally proprietary construct. While proprietary service providers can and do make frequent use of FOSS components within their services, they do not espouse the FOSS development model itself, and their technical development process remains competitive and proprietary. Though they may incorporate FOSS components, Facebook and Google are certainly not FOSS values oriented.

Thus, as we look at the software and internet industries of today, we see two largely disjointed cultures. As illustrated in Figure 13.2 we see the FOSS domain, with its powerful generative and propagative development model, but lacking any clear large-scale monetization model. And separate from this we see the proprietary Internet Services domain, with enormous revenue and business consequences, but handicapped in scope and scale by its competitive development model.

Now we are witnessing a further transformational event in the evolution of the internet: a shift of traditional software applications towards a service-based implementation, or what is sometimes called the “transformation of software into services.” This is the critical event that now solves the FOSS revenue puzzle. This development unites the generative power of the free software domain with the proven revenue models of the services domain.



Figure 13.3: The For-Profit Non-Proprietary Quadrant For Internet Services

The transformation of software into services *allows the powerful generative model of FOSS to be invested directly into the powerful revenue model of the Internet Services industry.*

The dashed horizontal line in Figure 13.2 represents two different models and two two different ideologies. The upper part of the dashed horizontal line represents the proprietary American digital model and the convenient convergence of the open-source and corporate cultures. We described some of these dynamics in Section 12.1.6 – [Corporatization of FOSS](#).

The lower part of the dashed horizontal line represents the Libre Services model and the consistent Libre-Halaal Software and Free Software ideologies. In Figure 13.2, note that open-source software feeds into both Proprietary Internet Services and Libre Services. Some software engineers who choose the Libre-Halaal public licensing model choose not to be agnostic and recognize that the moral and ethical ramifications of not cultivating the proprietary internet services are very important. At this point (in 2023), the Libre Services industry is insignificant compared to the proprietary internet services. This is not because of the inherent economics of the two models. It is because of lack of understanding of the economics of Libre Services, business comfort with the traditional proprietary model, and American and Western societal values.

### 13.6.2 Libre-Halaal Internet Services Capitalism

With the above understandings of:

1. For-Profit/Non-Profit and Proprietary/Non-Proprietary Quadrants
2. Transformation Of Software Into Services

We now add another dimension to the square and turn it into a cube.

So, we now have a cube as shown in Figure 13.3. The Libre-Halaal services are positioned in the For-Profit Non-Proprietary Quadrant for Internet Services. Note that in the non-proprietary layer, re-use and collaboration is far richer than the proprietary layer. For example, in the Software slice, Debian and Ubuntu cross progress. In the Services slice the same can happen. For example, ByStar and FreedomBox can cross progress.

The Libre-Halaal Services deployment model breaks both these traditions. It represents a radical shift of the Internet Services industry from the for-profit, proprietary quadrant, to the for-profit, non-proprietary quadrant.

In this space the entire software for an Internet service remains a communal public resource in the trust of the engineering profession, while service deployment is driven forward by the full force of for-profit commercial motivations.

## 13.7 Attribution Based Economics (ABE) — Instead of Ownership

Ownership and attribution are two separate things.

Through ownership, the IPR model includes attribution. In the IPR model, the one (or the ones) who creates the original copyrighted polyexistential becomes the owner and the polyexistential is attributed to the owner.

In the Libre-Halaal model, the one (or the ones) who creates the original polyexistential becomes the origin of that polyexistential. And the polyexistential is attributed to that origin. In the Libre-Halaal model, by rejecting ownership we are not rejecting attribution. Attribution is an integral part of the Libre-Halaal model.

Capitalism operates on supply and demand as the basis of value. There, open and unlimited availability translates into zero market value. In that model, non-rivalry goods are worthless. So, in that traditional economic model, polyexistentials are not economically sound.

In the context of Libre-Halaal software (FOSS) and internet application services the common revenue generation model has been that of providing value added services rather than from the original development of the core open software. Since, as the core Libre-Halaal software is unrestricted polyexistentials, from a market value standpoint, that developed software is worthless.

Yet, the Libre-Halaalness of polyexistentials leads to limitless availability of useful works. This is a profoundly good thing from the perspective of maximizing value, and thus suppressing it is deeply misguided.

Attribution-based economics is a new model that aims to remedy this state of affairs by changing the basis of value from supply and demand to collective recognition. This is facilitated by a process of “inheritance attribution” where we collectively agree on the extent of inheritance of ideas and works in other (e.g., derivative) ideas and works, by means of transparent and evolving standards. This model is capable of recognizing a much larger set of valuable contributions, including forms of value that cannot be coerced into a supply-and-demand equation. That is, in this model, there is no need to artificially restrict availability in order for something to be considered valuable. By virtue of the curious property that innovations on the process are themselves subject to the process of recognition in a self-reflective way, we gain accuracy, and by the property that agreed-upon standards apply equally to all, we gain fairness —guarantees that are at best tenuously present in today’s economic systems.<sup>41</sup>

### 13.7.1 Attribution Based Economics (by Sid Kasivajhula)

This book is a collection of thoughts and beliefs. The role of the author is to organize and direct these thoughts and these beliefs. When we use the word “we”, this is what we mean.

The concept of Attribution Based Economics is relatively new and the best way to present it is to use the words of one of its origins and attribute it to him.

At the emacsConf-2022, a virtual Emacs conference, Sid Kasivajhula presented some thoughts related to the concept of Attribution Based Economics (ABE). We reproduce parts of that presentation below:

When we think about the problems of the world we see global warming, war, appropriation, poverty, and among numerous other problems, also the inability to make a living as an open source developer.

Now this last problem may seem a lot less consequential compared to the other ones, but what if I told you that the solution to this problem and the solutions to the others are one and the same?

### 15.3.2 Denial, Ambivalence, Ignorance, Inevitability and Acceptance

Many think that there is no problem.

Many Americans work for the likes of Facebook, Google, Microsoft, Yahoo, etc. Or they are related and dependent on these companies. If the bread and butter of these companies were to become profiting from crushing autonomy and privacy of the individual, most of their employees would likely not have any interest in facing an honest mirror. That has already happened.

People are naturally good at justifying the morality of their self-interest in a variety of forms. Mass psychology then kicks in and reinforces short term interests towards global mass exploitation. It is an inherent characteristic of citizens of unchecked powers to confuse morality with self-interest. Consider America and Americans.

From the perspective of a drug dealer, drug use is no problem. Many drug pushers are users. They want everybody to be using drugs. After all, it is a profitable business and economics is the basis of everything. When someone tells them that subjecting cocaine to business and economics is wrong, the drug dealer does not have the ear for it.

Individuals' autonomy and privacy are not market commodities. They are part of humanity. The problem that we are pointing to is a human problem. This could well not be a problem for economic creatures existing in an exploitative industrial context — that is how pure raw American capitalism is viewed by many.

This sort of thing happens gradually. People become accustomed to the problem. They become dependent on the problem. They become the problem. The next generation is born into it. And then there is no problem.

Everybody does it. Everybody is on Facebook. What problem?

The public at large, and the young in particular, follow and are manipulated. They sit in awe of Internet technology. Ignorant, they trust the specialists who are there to milk their soul. The latest gadget and the latest Internet feature includes exploitation of another aspect of their privacy. They feel in charge while being used. And they feel empowered.

The concept that these very same awesome capabilities and technology can exist in a healthy context is foreign to the public at large. Industrial tools are all that they have seen, Tools for Conviviality, [4], is Greek to them.

Others kind of see the problem but consider it inevitable. More recently, discussions of loss of privacy in the context of Internet services has become a daily occurrence in mainstream Western press. None of these discussions have any depth and no meaningful cure is even searched for. Many articles and books have been written about the “End of Privacy.” Shallow, subdued nagging — that is the position and role of American press on the problem.

### 15.3.3 Contours of the Cure

In order to cure this disease, we need to conceptualize it in its totality — that of a “Digital Ecosystem”.

The Proprietary American Digital Ecosystem cannot be fixed. Its dynamics are taking it to a particular eventuality — the destruction of civilization and humanity.

Instead, we need to erect an alternative digital ecosystem to stand against it.

## 15.4 Overview of Digital Ecosystems

Our use of the term “Digital Ecosystem” is very broad and includes inter-related software, systems, services, content and societal frameworks including: philosophical, moral, societal, social, economic, business and legal practices — that shape it and are shaped by it.

Here we describe digital ecosystems in four parts.



Figure 15.1: The Proprietary American Digital Ecosystem (Layered Model)

#### Ideology — Societal Frameworks:

Digital Ecosystems exist within societal frameworks. Digital Ecosystems are shaped by societal norms and shape people and society.

Very important aspects of societal frameworks which have immediate impacts on the shape of digital ecosystems are laws and models governing polyexistentials. Societal Agreements governing all that is digital (and more broadly polyexistentials) in the West is based on the Intellectual Property (IP) regime. This has shaped the entirety of Western Digital Ecosystems.

#### Software and Usage Environments:

Software is the digital form that controls other digital forms. As such, it is the foundation of digital ecosystems.

#### Internet Services:

Internet Services consist of *software execution accessed through a network*. As such, software may no longer be in the immediate possession of the user. Internet Services are therefore a distinct part of digital ecosystems – separate from Software.

#### Information and Content:

A primary purpose of digital ecosystems is to facilitate production and communication of information and content. In addition to the content itself, facilities and rules governing production, publication and access to content are distinct parts of digital ecosystems.

## 15.5 The Proprietary American Digital Ecosystem

The broad label that we use for Internet services and software as it exists and is practiced today, is: “The Proprietary American Digital Ecosystem”. We include the term American in this label not just because it is dominated by America, but because it is rooted in American values and American rules. The American purely economic model and widespread practices which are based on Western IPR regime have led to dominance of Internet by large American corporations and the governance of the internet through Corpocracy. These corrupt values and models are now being exported and forced on the rest of the world in the name of Internet.

The manner by which the Proprietary American Digital Ecosystem is shaped by American societal norms is multi-faceted. To better understand this, in Figure 15.1 we provide a layered model.

1. Current capabilities of ByStarEntity (ByStarServiceObject) – what any autonomous services are capable of offering.
2. Current span of ByStarEntity generators – what type of autonomous services (ByName, ByArtist, BySmb, etc) can be readily generated and supported?
3. Current scope of ByStar Federated Services.
4. Scale of user base – how many people are using ByStar?

#### 16.2.5.1 Current Capabilities of ByStarEntity

Every ByStar autonomous service is anchored in a ByStarEntity. Every ByStarEntity can be provisioned to provide any of the current capabilities enumerated below.

- ByStarEntityIds and credentials – single password. [Unix account based]
- PKCS – ByStar Public Key Infrastructure (PKI) – Credentials.
- Autonomous VPN services and ByStar overlay networks. [openvpn based]
- Large amounts of autonomous disk space. [secure ftp based]
- Autonomous synchronization and version control facilities. [git – and also svn and cvs based]
- A Content Management System based website – with both public and private access. [Plone based]
- A conventional public website. [Apache based]
- Mobile websites. [jQuery Mobile based]
- Content publication services. [Plone based]
- A photo gallery. [galleria based]
- Genealogy web services. [geneweb based]
- Mail transfer service (MTA). [qmail based]
- Mail access service. [Secure Courier IMAP based]
- WebMail service. [SquirrelMail based]
- Mailing list services. [Ezmlm based]
- Mailing distributions. [Gnus based]
- LibreTexting. [qmail and emsd based]
- Matched User Environment Profile. [Blee based]

Various other capabilities are in the works. With the ByStarEntity model in place, addition of features is quite simple.

#### 16.2.5.2 Current ByStar Services Sites

Current ByStar services sites are depicted in Figure 16.1.

ByStar services sites are organized by “types” in Figure 16.1. The *Autonomous ByStar Services* are PALS (Possession Assertable Libre Services). An example of *Autonomous ByStar Services* is ByName.net. The *ByStar Central* sites support the infrastructure of ByStar.

Anonymous By* Services	ByAnonymous	ByLeak			
Inter-Autonomous Interaction Facilitaion	ByInteraction	ByHookup			
Federated By* Services	ByTopic ByEvent	ByContent ByBinary	BySource	BySearch	ByLookup
Controlled By* Services	ByFamily	ByWhere	ByMemory	ByEntity	
Autonomous By* services	BySMB ByAuthor	ByName ByArtist	ByAlias ByNumber		
ByStar Central	By-Star Neda	BySource LibreCenter	ByBinary Free Protocols	Liber Services	Halaal Software

Figure 16.1: ByStar Domains Table

### 16.2.5.3 Current Status and Span of ByStarEntity Generators

A number of ByStarEntity Generators—the machinery required for fully automated creation of new service instantiations—are in place for a number of ByStarEntityTypes. Current ByStarEntity Generators are shown in Figure 16.2 under the “ByStar Autonomous” label. We thus have the ability to create unlimited numbers of new accounts in batch mode, or at any time we can “enable” the services, to permit self-service account creation by individual and business users.

### 16.2.5.4 Current Status and Scope of ByStar Federated Services

A number of sites are in place for facilitating inter-autonomous relations. Current Federated Services are shown in Figure 16.2 under the “ByStar Federated” label.

Our initial focus amongst federated service is those used for information aggregation. These include ByTopic, ByContent and BySearch.

### 16.2.5.5 Growth of user base: timing

An important consideration is the point at which we will begin to accept the burden of significant numbers of users.

In the case of a conventional service deployment there is typically a major emphasis placed on early and rapid growth of user base, to demonstrate demand and marketplace viability of the service, and lay claim to a particular portion of functional territory. This was the modus operandi during the dot con era, where claims of user base numbers were an integral part of spin-and-flip and pump-and-dump models. Some of those attitudes still persist.

However, we are not following this standard early proof-of-service approach. This may be appropriate for a conventional new service, where service functionality is the central and most critical issue. But for ByStar, a different timing strategy is required.





Figure 16.2: Libre Services Supporting Organizations

First, as a superset of numerous existing services, proof of service for By\* in functional terms is already demonstrated by the Internet Services industry as it exists today. It is far more important to prove the model itself rather than its functional manifestations, and hasty creation of user base does little to accomplish this.

Instead, we have provided a coherent and complete description of the model in this and our other documents. The theoretical basis for the model is solid, and this will be clear to anyone willing to invest the time to understand it. In addition, a number of working By\* implementations are already in place; examples are provided. Though the scale of usage remains small, these are sufficient to demonstrate the viability of the Libre-Halaal model and the ByStar design, and the value of the resulting services to paying clients.

But a far more important consideration is that installed base is very costly in terms of maintenance and support, and premature exposure to these costs can jeopardize the more critical work of building the underlying model machinery. Therefore, we will not take on the burden of user base until the time and/or context is right for this. This means either that we are fully ready to accept the associated costs of ownership, or that the user base is being taken on in an appropriate context, such as a suitable business partnership.

Under either scenario our strategy is the same: at the right time we will populate the services at large scale by mass creation of By\* service accounts for large existing user bases.

### 16.2.6 Relationship With Existing Realities

The Libre Services and By\* models are revolutionary, and can be expected to have a revolutionary effect on Internet usage. But these models are about service development and functionality, not about technological infrastructure. We are not reinventing the Internet protocols, or any other technical aspect of Internet operation.

What is being presented here is not a tear-down and rebuild operation.

Libre Services and By\* imply no discontinuity, in terms of either technology or service deployment. The implementation model for Libre Services and By\* is wholly evolutionary—there exists a continuous migration path from the proprietary model of today to the Libre model of tomorrow.

### 16.2.6.1 Relationship With the Proprietary American Digital Ecosystem

Based on ideology, the Libre-Halaal ByStar Digital Ecosystem fully avoids proprietary software and proprietary services. We simply avoid The Proprietary American Digital Ecosystem.

But, any and all of our services can be used in the Proprietary American model.

The core of ByStar software is subject to the Affero v3 General Public License and also the Neda Commercial License (dual licensed).

In a document titled:

**A Strategy For Rapidly Becoming An Internet Application Service Provider  
Joining, Adopting and/or Licensing ByStar  
A Public Unsolicited Proposal**  
<http://www.by-star.net/PLPC/180040> — [22]

We describe various options for those interested in joining, adopting and/or licensing ByStar.

### 16.2.6.2 Relationship With FOSS / FLOSS Movements

Libre-Halaal ByStar Ideology and FOSS Ideology have a great deal in common and we closely collaborate with our FOSS brothers and sisters, but the ByStar Libre-Halaal Ideology is distinct.

We invite our “Free Software” and “Open-Source” brothers and sisters to recognize that the “Libre-Halaal Software” model is a more complete model and that the “Libre-Halaal Software” label is a better label.

### 16.2.6.3 Active Private Parallel Digital Ecosystems – Example: NSA

What we want to do on a very large scale and in the open has been done in medium-scale in private.

For instance, the United State’s National Security Agency (NSA) has created a separate parallel private digital ecosystem for its own use. NSA operates the private .nsa TLD; many NSA internal email addresses are of the form username@r21.r.nsa, mirroring the NSA organizational group structure. NSA has a particular ideology for its digital ecosystem which includes a large element of security, confidentiality and secrecy. The NSA, through use of its own particular software and services has created a completely different environment in parallel to the internet.

The precedence of such private parallel digital ecosystems combined with the proven power of Libre-Halaal software demonstrates that widespread realization of ByStar digital ecosystem is very viable.

### 16.2.6.4 Relationship With Piecemeal Privacy Oriented Software and Services

Some engineers kind of get it and have been trying to build various piecemeal privacy and autonomy software and services. Such efforts have always stayed limited in scope and scale. That is primarily for two reasons. First, the engineers have failed to connect with society. And second, piecemeal solutions don’t work.

We build on these piecemeal privacy and autonomy software and services and bring them into ByStar as integrated and complete large scale services.

An example of a piecemeal privacy effort is PGP - Pretty Good Privacy. A bunch of engineers and technologists use it amongst themselves, but PGP never penetrated society at large. ByStar comes with Public Key Infrastructure (PKI) as an integral part of the service and equivalent of PGP is an inherent part of ByStar.

Another example of a piecemeal privacy effort is:

Tor <https://www.torproject.org>.

Tor attempts to accomplish traffic flow confidentiality just through redirection. Traffic flow confidentiality is an inherent part of ByStar which includes redirection plus layer 3 and layer 7 padding as well.

### 16.2.7 ByStar Economics

Having introduced the Libre-Halaal Bystar Digital Ecosystem in philosophical, moral, societal and engineering terms, we now turn our attention to the economic and business dimensions.

We are devout monoexistential bounded-corporations capitalists. We believe in proper ownership rules, free markets and proper regulation. We are pro-business.

The existing capitalist model for monoexistentials is generally correct, in both philosophical and economic terms. But the extension of the monoexistential capitalist model into the domain of polyexistentials, based on the Western IPR regime, is a grave mistake. Philosophically it is wrong. Societally it is harmful to humanity. And economically it is unstable and vulnerable, since it can be displaced by disruptive business models like ours. The ByStar Open Business Plan explains how this will come about, and how we will profit from this.

We expand on this in Chapter 13 – [Global Polyexistential Capitalism](#).

#### 16.2.7.1 Revenue model for Libre-Halaal Software

The Proprietary-Haraam software model, operating under Western copyright restrictions, includes a highly effective recurring revenue generation model: the proprietary software licensing model.

But the Halaal manner-of-existence of software eliminates all restrictions on the distribution and use of software. Thus, the Proprietary-Haraam recurring revenue model is also largely eliminated. Recurring revenues under the Libre-Halaal software model are much less than under the Haraam software model.

#### 16.2.7.2 Revenue model for Libre-Halaal Internet Services

The Halaal manner-of-existence of software creates a powerful generative development model for Libre-Halaal Internet Services. This generative model is absent from Proprietary-Haraam Internet Services. Thus Libre-Halaal Internet Services have a major advantage and can compete directly with Proprietary-Haraam Internet Services in terms of development.

The basic recurring revenue models for Libre-Halaal Internet Service providers are essentially the same as for Proprietary-Haraam Internet Service providers. Therefore in terms of revenue generation, Libre-Halaal and Proprietary-Haraam services are on an equal footing.

#### 16.2.7.3 ByStar Value Chain Analysis

ByStar value chain is a chain of activities that we perform in order to deliver valuable internet services to the market. It is a high-level model of how we take raw externally developed Libre-Halaal software as input, add value to these software packages through various processes, and sell finished services to our customers.

In Figure 16.3, we illustrate the ByStar value chain on the left column and its inter-mixing with proprietary value chains on the right column.

Focusing on the right column of Figure 16.3, notice that “Neda Operated By\* Services” establish a direct relationship with Subscribers and Users at the very top. Note that the scope of these Internet services is everything – the \* in By\* – and that the intended scale of these services is planet-wide. By definition, no Internet services opportunity can be bigger than that.

The arrows between Neda Services and User/Subscriber in Figure 16.3 include an element of “Trust, Loyalty, and Respect” which is the result of “ByStar Ideology” that we presented earlier. The element of trust and respect is fully absent in the left column. In business terms, Trust and Respect, translate into “stickiness” – where the user is more committed to the service. So, all our investments in ideology are actually also business wise.

All of the ByStar value chain software is Libre-Halaal (Free and Open Source) software. ByStar software in Figure 16.3 is shown in two different places.

The software in the lower part represents Debian and/or Ubuntu GNU/Linux and the specific software packages that we have chosen. These are externally developed open-source software packages which are typically subject



Figure 16.3: ByStar Value Chain

to the free software GPL license (or similar) which permits their inclusion in proprietary services. This is often referred to as ASP loophole.

The software in the middle is the software that Neda has developed. It is subject to the “Affero General Public License Version 3” (AGPL3) and Neda Commercial License (Dual Licensed). AGPL3 closes the ASP loophole. Any ASP which uses ByStar software must subject its changes and improvements to AGPL3 and make its changes and improvements publicly available. Those ASPs not wishing to do so, can use ByStar software through the Neda Commercial License.

In the left column of Figure 16.3, we illustrate a typical proprietary ASP who is incorporating ByStar as part of its services based on the Neda Commercial License.

In this environment the model for implementation of By\* service functionality is not one of original software development. Rather, it is a matter of selection and integration of already available software packages. Virtually all existing By\* service functionality has been created this way—in building By\* we have written almost no new software components at all.

Thus we are not so much in the business of software development, as we are in the business of software integration. But the integration of software components to produce a coherent service is far from trivial. We have created a sophisticated technical integration environment for this purpose, called the **BISOS: ByStar Internet Services Operating System** [26].

Design of BISOS and the **ByStarEntity Software Platform** recognize the evolution of underlying external software (bright blue) in the ByStar value chain. This is the extraordinary magic of Libre-Halaal software and services: the ability to take things and reuse them at extremely low cost. This is the fundamental growth dynamic of Libre Services, and the powerful generative force that is lacking in the proprietary model. This is the key dynamic that causes the By\* Libre Services eventually to surpass the proprietary model entirely in terms of features and functionality.

#### 16.2.7.4 ByStar Open Business Plan

The halaal manner-of-existence of software creates a powerful generative development model for Halaal Internet Services. This generative model is absent from Proprietary/Haraam Internet Services. Thus Libre-Halaal Internet Services have a major advantage and can compete directly with Proprietary/Haraam Internet Services in terms of development.

The basic recurring revenue models for Libre-Halaal Internet Service providers are essentially the same as for Proprietary/Haraam Internet Service providers. Thus, in terms of revenue generation, Halaal and Haraam services are on an equal footing.

As part of our responsibility to create a viable implementation construct, we have fully analyzed the business dimension, and we have formulated the business model in the form of an Open Business Plan, titled:

**The Libre-Halaal ByStar Open Business Plan**  
**An Inversion to the Proprietary Internet Services Model**  
**Neda Communication Inc.'s Open Business Plan**  
<http://www.by-star.net/PLPC/180014> — [25]  
<http://www.neda.com/strategicVision/businessPlan>

ByStar open business plan is available in 3 forms; the Condensed Summary (about 12 pages), the Executive Summary (about 15 additional pages) and the full plan (about 85 pages).

Our business plan is viable because we understand the critical dynamics of polyexistentials. The current direction of the internet services industry does indeed present a grave hazard to humanity, and we will indeed safeguard humanity against this. These extraordinary claims provide a unique and powerful marketing message. And they also happen to be true.

### 16.2.8 Understanding the Full ByStar Picture

We have given you a brief summary of ByStar above.

This summary is over simplified and captures the gist of a series of articles that we have developed to analyze and describe various aspects of ByStar.

In ByStar Publications List – <http://www.by-star.net/bxPublications> – we provide pointers to ByStar related articles. These documents evolve as ByStar evolves, and the publications list will be kept up to date. The ByStar publications list is structured primarily for reference. Below we provide a description of how these documents collectively draw a comprehensive picture.

The big ByStar picture is shown in Figure 16.4. Each of the layers in this figure represents either a conceptual definition (shown in blue), or an actual software/service implementation (shown in orange). Each layer builds on the layers beneath.

The layers in Figure 16.4 are color coded. Each of the layers are either:

**A Conceptual Layer.** Representing concepts. Layers 1,2,3,4,7 and 8 are in Green, Blue and Yellow.

**A Tangible Layer.** Representing software/service implementations. Layers 5 and 6 are in Orange and Brown.

The tangible layers are bound by the conceptual layers underneath them and receive legitimacy from those concepts.

The conceptual layers are validated by the tangible layers.

The green layers (1 and 2) at the bottom are philosophical, moral and societal. Their scope is wider than the moral digital ecosystem that we are after. Generally speaking, these are not the domain of engineers. They are the domain of ethicists, philosophers and sociologists.



Figure 16.4: The Libre-Halaal ByStar Digital Ecosystem Conceptual Layering

The blue layers (3, 4 and 8) are philosophical, moral, societal, social and engineering aspects of digital ecosystems that require direct involvement of engineers and the engineering profession. The yellow layer (7) addresses economics and business dimensions of ByStar.

The orange/brown layers (5 and 6) are engineering constructs. They are in-use software and in-use Internet application services.

In ByStar Roadmap: <http://www.by-star.net/bxRoadmap> we provide a reading roadmap to ByStar related articles.

Figure 16.4 shows how the moral, legal, societal, engineering, economic and business dimensions of the ByStar Halaal Digital Ecosystem are layered as described above.

Note the differing characterizations of this layering on the left and right. Both characterizations are valid, but they reflect entirely different viewpoints. The left side characterization is called “The Human Model,” and reflects the philosophical, moral and societal elements of the model. It also identifies the role of the engineering profession in maintaining these elements. The right-side characterization is called “The Venture Capitalist Model,” and is very different from the “The Human Model.” The same elements are present, but now represent their significance as part of an investment strategy. Thus, the moral and societal concerns within the human model are now viewed as a sales and marketing opportunity. This makes clear that when dealing with Venture Capitalists, issues of morality and societal welfare are not the topic of discussion. In this regard Venture Capitalists need only understand that human beings are in fact concerned with vital moral considerations such as “privacy” and “autonomy,” and that these considerations have powerful sales and marketing consequences. And that our unconventional strategy of overturning their sacred-cow – Copyright and Patent model – gives us a huge competitive advantage.

The gigantic picture we have drawn in Figure 16.4 is a blueprint. It represents a complete framework for collab-

3. LAMP addressed a certain segment of internet application services. Its scope was websites development.
4. LAMP focused on a very specific profile of the Linux distribution — Apache and MySQL.
5. LAMP focused on a specific programming language — one of Perl, PHP or Python.

Extending and improving the concept of LAMP can lead to the notion of “A Universal Internet Services OS”.

Such an extension involves two dimensions:

1. An Internet Services OS should cover all internet services — not just web services.
2. An Internet Services OS should fully cover all sides — clients, servers, things in the middle and software-service-continuums.

By “Universal” we are referring to this notion of “covering all sides” from phones and tablets to mainframes and server-clusters. This idea of “Universal Services OS” builds on Debian’s concept of “The Universal Software Operating System”.

### 17.1.2 Operating System, Internet Application Service and Digital Ecosystem

Almost everyone uses email. Email is a widely used application. To make things more explicit, we will use email as an example of an application service.

In Figure 17.1, let’s consider email in the context of operating systems, internet application service and digital ecosystems.

First, let’s take a look at what is happening in the proprietary universe. The five major American proprietary tech companies (Google, Microsoft, Apple, Facebook, and Amazon) have created five distinct digital ecosystems as competing enclaves. In Figure 17.1, *ByStar and Proprietary American Digital Ecosystems*, we are focusing on the first 3 and each of their office and email environments. These ecosystems are mostly separate and isolated from one another, and the economic model of these proprietary digital ecosystems is “Surveillance Capitalism”. As such, when users sign up for a free email account, they are voluntarily forgoing much of their privacy. Sadly, the rest of the world is becoming Americanized through the American Internet. Each of these enclaves also have Mail User Agents that are fully integrated into their digital ecosystems, providing users with address books, calendars, time management and planning tools, multi-lingual authoring tools, and more.

Now, let’s focus on the right side of this picture. On the non-proprietary side, based on the FOSS model, we have ended up with lots of components. We have Debian as a platform, we have Emacs as an editor-centered office environment and lots of great applications. But on the non-proprietary side we don’t have anything that can reasonably be considered a digital ecosystem.

We need non-proprietary digital ecosystems. And that is what ByStar is.

In proprietary digital ecosystems, the scope of the operating system (Chrome, Android, Windows, MacOS) is limited to the usage-side. The service-side OS is unknown due to the proprietary services being opaque. The concept of an Internet Services OS is well established inside of each of the proprietary services providers. Each has their own and parts of their Internet Services OS are exposed to their “Cloud” users.

On the FOSS side, the scope of the LAMP style operating systems is limited to the service-side, with the usage-side being considered agnostic. ByStar and BISOS provide a powerful and universal solution, covering both the service-side and the usage-side.

## 17.2 Overview of BISOS and ByStar Digital Ecosystem

BISOS (ByStar Internet Services OS) is a reification of the abstraction of “A Universal Internet Services OS”. ByStar is a concrete form of the abstraction of “A Unified Autonomous Digital Ecosystem”.





Figure 17.1: ByStar and Proprietary American Digital Ecosystems

BISOS has the following key characteristics.

1. BISOS is both purposeful and general purpose. BISOS is ideology driven. The general purpose of BISOS is to facilitate the creation of digital ecosystems that prioritize autonomy and privacy. The specific purpose of BISOS is to facilitate creation of the Libre-Halaal ByStar Digital Ecosystem.
2. BISOS is layered on top of the Universal Debian software.
3. BISOS facilitates secure and private possession and portability of the user's information through the abstraction of ByStar Portable Objects (BPO).
4. BISOS enables the two-way transfer of Libre Services from the user's own possession to Libre Service providers and between Libre Service providers through the Possession Assertable Libre Services (PALS) abstraction.
5. BISOS creates software-service continuums through universality on both server-side and usage-side.
6. BISOS services integration and usage integration structures are self-confined to select languages: Python, Bash, Elisp and C/C++. Each language environment is augmented with BISOS native frameworks. The primary integration framework of BISOS is Python-Command-Services (PyCS).
7. The primary usage interface for BISOS is Blee (ByStar Libre-Halaal Emacs Environment), which is comprehensive and extends to development environments.
8. BISOS server-side PALS features are based on specific profiles from Debian packages collection. The profiles primary focus on autonomous email and autonomous content publication.
9. BISOS usage-side capabilities are based on specific profiles from Debian packages collection. The profiles primary focus on email handling and content production.
10. BISOS platforms are automated to be recreatable from BPO contained information as physical and virtual images. Linux KVM is the only supported virtualization model.





Figure 17.2: ByStar Portable Object Capabilities

11. BISOS's basic unit is a site. A BISOS-Site includes a private git server and a registrar.

BISOS facilities are used to create the infrastructure of ByStar and various types of ByStar services.

Figure 17.2 depicts layerings of BISOS and of ByStar services. The Universal Debian Gnu/Linux is our foundation on top of which BISOS resides.

The box labeled “Services SW” refers to instances of BISOS service-side debian packages. The box labeled “Facilities SW” refers to instances of BISOS usage-side debian packages. Configuration information for packages reside in BPOs (By\* Portable Objects).

The combination of “Services SW” and its relevant configuration within a BPO, forms a “Portable Services Capability”. The combination of “Facilities SW” and its relevant configuration within a BPO, forms a “Portable Facilities Capability”.

Possession Assertable Libre Service (PALS) is a type of Portable Services Capability. Multi-Account Resident Mail Exchange Environment (MARMEE) is a type of Portable Facility Capability.

Possession Assertable Autonomous Identities (PAAI) are types of BPOs which include the identifiers (e.g., domain names) that enable PALS to become Realized Services.

The stack on the right side of Figure 17.2 depicts BISOS's usage environment which we describe in Section 17.10.

The stack on the left side of Figure 17.2 depicts evolution of platforms in BISOS. A BISOS-Platform is a Debian computer loaded with BISOS software. A BPO-Container is a BISOS-Platform which has received (contains) some BPOs. A PAAI-Container is a BPO-Container which contains one or more PAAI-BPO.

## 17.3 BISOS Engineering Philosophy and Ideology

BISOS is purposeful and ideology driven. Parts of BISOS ideology are rooted in health of society. BISOS also reflects a particular engineering philosophy. Figure 17.3 depicts our choices in adoption of philosophical characteristics from various software development groups, with some adjustments.



Figure 17.3: ByStar Engineering Philosophy

### Unix's Genericity and Conviviality

BISOS is based on the “Unix” model. Not the “Linux” model. We draw a distinct differentiation between “Unix Philosophy” vs “Linux Philosophy” vs “Business Philosophy”. Unix Philosophy is a set of cultural norms and philosophical approaches to convivial software development and usage. Unix Philosophy has been well articulated by Ken Thompson, Doug McIlroy, Kernighan, Pike and others.

Linux Philosophy is a laissez faire adaptation of Unix Philosophy that results in software bloat.

BISOS is firmly rooted in a Unix Philosophy and discounts the Business Philosophy and the Linux philosophy.

### Debian's Universality

Debian insists on running on everything. By everything we mean a large number of CPU architectures. This is accomplished on methodic and durable reliance on primary source code. By everything we also mean the range of very constrained environments to super computers.

This is important for ByStar because BISOS inherits Debian's Universality.

### Emacs's Deep Integration

Blee, BISOS's usage environment, is based on Emacs. Some Emacs builds include a kitchen-sink icon. It is the one feature not yet implemented in Emacs.

Emacs is an integral part of BISOS. It is a framework for consistent integration of internal and external applications. This in turn results in a very convivial usage environment which spans software development, content creation, interpersonal communication and integrated internet application services access.

## 17.4 BISOS: an Over Debian Pure Blend

Debian defines Pure Blend as: “a subset of Debian that is configured to support a particular target group out-of-the-box. One way to understand this is a list of packages that gets installed to provide a focus of use.”

The lower layers of BISOS can be considered a Debian Pure Blend. BISOS-service-side has one deb-pkgs-profile and BISOS-usage-side has another deb-pkgs-profile.

But BISOS goes beyond that. BISOS and Debian are not peers. BISOS is a layer on top of Debian. BISOS provides services-oriented facilities that go beyond the scope of Debian. BISOS has its own policies and practices that are a super set of Debian policies and practices. While the basic unit of Debian is a computer, the basic unit of BISOS is a BISOS-Site.

## 17.5 BISOS’s Basic Unit: BISOS-Site

Typically, the basic unit of an Operating System is one computer — depending on the context the computer is called: a host, a system, a platform, a box, etc.

With BISOS the basic unit is more than one computer. We call BISOS’s basic unit: BISOS-Site. Fundamental BISOS abstractions are based on BISOS Portable Objects (BPO) which are implemented as git accounts. Some BPOs must be private. So, a BISOS-Site must include a private git server — which is implemented as a Gitlab instance. BISOS’s use of BPO is purely through a Python API interface. Gitlab GUI is hardly ever used. BISOS also relies on the uniqueness of names and numbers. BISOS therefore needs an automated registrar for some private names and numbers. For BISOS to fully operate, at a minimum it needs those services.

A BISOS-Site also provides facilities for creation and management of Virtual Machines (VMs) and a simple BISOS-CMDB (configuration management database) — a central repository for storing BISOS-Site related resource. For creation and recreation of VMs (image management), BISOS uses Vagrant.

## 17.6 BISOS Portable Objects (BPO)

A fundamental abstraction of BISOS is the concept of BISOS Portable Objects (BPO). BPOs are packages of information. There are some similarities between BPOs as packages of information and software packages such as deb-packages or rpm-packages.

Like software packages, BPOs are named uniquely and can depend on each other and can be collectively installed and uninstalled. BPOs are used for many things similar to how the files system is used for many things. BPOs can be used to hold the complete configuration information of a system. BPOs can be used to hold configuration information for software packages. BPOs can be used to hold private user data. BPOs can be used to hold collections of content and source code.

For its own operation, BISOS uses various BPO types. Other types of BPOs can be created or generic BPO types (for example the Project type) can be used.

Each BPO consists of a number of Git Repositories (hereafter called “repos”). Each of the BPO’s repos can be synchronized using generic Git tools, but we use Blee/Emacs’s MaGit exclusively.

BPOs are implemented as Gitlab accounts. Gitlab accounts are Unix non-login shell accounts. BISOS’s interactions with Gitlab is exclusively through an API (Remote Operations). Each Gitlab account then can contain repos subject to common access control mechanisms. Gitlab accounts map to BPO-Identifiers (BPO-Id). Each BPO-id then maps to Unix non-login shell accounts. The Unix account then becomes the base for cloning of the repos in the corresponding Gitlab account.

Combinations of profiled deb-packages for internet application services and their configurations in the form of BPOs can then create Libre Services that are possession assertable, portable and transferable.

## 17.7 BISOS Possession Assertable Libre Services (PALS)

Based on capabilities of BPOs and the capabilities of service-side profiled Debian packages, we can now create Libre Services.

BISOS Libre Services can be thought of four parts:

1. Libre-Halaal software of the services (usually a Debian Package)
2. Configuration information for the software for the service (often as a repo of a PALS-BPO)
3. Names and numbers for binding of services (as a repo of a PAAI-BPO)
4. Service owner data (in the form of one or more BPOs)

This model provides for portability and transferability of Libre Services between network abodes. For example, a Libre Service at a provider can be transferred to its owner to be self-hosted.

There are some similarities between PALS-BPO and container virtualization (Docker and Kubernetes). PALS-BPOs include comprehensive information for construction of services and these can be mapped to container virtualization. However, at this time BISOS does not use container virtualization, as it is redundant. BISOS uses BPOs to create and recreate Kernel-based Virtual Machines (KVM) inside of which PALS-BPOs are deployed.

Self-hosting is the practice of running and maintaining a Libre Service under one's own full control at one's own premise. BISOS Possession Assertable Libre Services (PALS) can be initially self-hosted and then transferred to a Libre Service provider. PALS can also be initially externally hosted and then become self-hosted on demand. The concept of "transferability" between network abodes is well supported in BISOS.

### 17.7.1 Network Abodes and Transferability

In the proprietary American digital ecosystem, the concept of network abodes is mostly vague. Names such as cloud and edge are used without much precision, and, the concept of transferability simply does not exist. You cannot self-host your Gmail service.

Within ByStar and BISOS, we have precise definitions for where Libre Services can be realized and where they can be transferred to. This is depicted in Figure 17.4

Let's define "edge" as point of demarcation between the public digital world and the physical world (and its associated private digital environment). In Figure 17.4 this is depicted as a dotted red circle. When by physical world, we mean "things", then in the American Internet, we have the culture and lingo of IoT (Internet of Things) Edge Computing. But what if by the physical world, we mean people — individuals?

The three concentric circles on the outer side of the edge are called "Rims". These are:

1. Exposed Rim.  
Systems in the Exposed Rim are on your premise, and they are externally visible. Wifi hotspots, routers and VPNs are usually in the Exposed Rim. Self-Hosting occurs in the Exposed Rim. Systems in the Exposed Rim should be well secured as they are vulnerable to direct attacks.
2. Inner Rim.  
Systems in the Inner Rim are on your premise behind a firewall. private desktops, file servers, private Gitlab and private registrars are usually in the Inner Rim. Systems in the Inner Rim are usually physically stationary.
3. Outer Rim.  
Systems in the Outer Rim are usually portable devices and at this time they are on your premise behind a firewall. Laptops, Pads, Mobile-Phones (with wifi access) are usually in the Outer Rim. Systems in the Outer Rim are usually portable devices.



Figure 17.4: Network Abodes: A Circular Model For Network Area Labeling

The four concentric circles on the outer side of the edge are called "Rings". These are:

1. Collocation Ring.

Systems in the Collocation Ring are on somebody else's premise (usually a data center), but they belong to you (or are rented by you). A collocation data center is a physical facility that offers space with the proper power, cooling, network connectivity and security to host other people's computing hardware and servers. There is a certain aspect of self-possession in the Collocation Ring.

2. Private Cloud Ring.

Systems in the Private Cloud Ring are usually virtualized and are under your exclusive access.

3. Public Cloud Ring.

Systems in the Public Cloud Ring are usually virtualized and are under your access.

4. Public Internet Application Services.

Examples of Public Internet Application Services in the proprietary American digital ecosystem are Gmail, Facebook and Instagram. You pay for public proprietary internet application services by becoming the product, through your privacy.

In the model of the proprietary American digital ecosystem, a given internet application service typically permanently resides in the ring abodes and is not transferable to other service providers. The service belongs to the service provider and it is locked.

In the ByStar model, the service belongs to its user and it is the user who decides where she wants to realize it. This transferability is accomplished through the abstractions of BPOs (BISOS Portable Objects), PALS (Possession Assertable Libre Services) and PAAI (Possession Assertable Autonomous Identities). In Figure 17.4 the segment labeled "PAAI & PALS" spans the Exposed Rim, the Collocation Ring, the Private Cloud Ring, the Public Cloud Ring and the Application Services Ring. This means that a BISOS based Libre Services can be transferred between any of those network abodes.

BISOS can also be used to provide access to proprietary internet application services. This is shown in the segment labeled “AAS” of Figure 17.4. Abstracted Application Services (AAS) are facilities that allow for abstraction of some proprietary internet application services to be used by BISOS. One such internet service is Gmail. Gmail can be used through Blee-Gnus and BISOS-MARMEE.

### 17.7.2 Ramifications of Libre-Halaal Edge-Oriented Strategies

To illustrate the privacy and autonomy-oriented benefits of the PALS model, let’s compare and contrast The American Internet with ByStar in the context of a very simple but very important human application: “email”. To be more concrete and specific, in the context of the American Internet, let’s use the fictional example of an American politician called “Hillary Clinton”. In the context of ByStar, let’s use the fictional example of an Iranian engineer called “Mohsen Banan”.

In the American Internet environment, the individual typically has at least two email addresses. One is through her work, say at the State Department, as: “hillary.clinton@state.gov”. The other is for personal use, as: “hillary.clinton@gmail.com”. Paying attention to her email addresses, we note that “hillary.clinton” is always on the left side of the “@”. This means that “gmail.com” has risen in the middle and controls “hillary.clinton@” — and millions of others. This means that Google has full possession and full control over Hillary’s personal emails. Her “hillary.clinton@gmail.com” emails are neither autonomous nor private. Now, since Hillary Clinton is an intelligent and powerful American politician, she has recognized that her privacy and autonomy are important and that her email communications should be under her full control. She is rich, so, she goes ahead and sets up her own email server in her basement. We don’t know if that email server was based on proprietary software or not, but we do know that as an individualistic American, she was only focused on addressing her own email autonomy and privacy concerns. Email autonomy and privacy of society at large was not her concern.

In the ByStar environment, the individual similarly also has two sets of email addresses. Mohsen’s work email may well be under the control of his employer, but his private email service and email addresses are under his own control. For personal use, Mohsen has registered and obtained `mohsen.banan.byname.net` for himself.

Notice that while `byname.net` is part of ByStar,

`mohsen.banan.byname.net` belongs to Mohsen. Based on that, he can now create a series of email addresses for himself.

For example, he can use “`bystarPlan@mohsen.banan.byname.net`” for matters related to distribution of this document.

He can use “`card@mohsen.banan.byname.net`” on his visit cards.

Now, let’s compare and contrast the email addresses “hillary.clinton@gmail.com” and “myDesk@mohsen.banan.byname.net”. The right-part of the ‘@’ signifies ownership and control. The right part of ‘@’ controls the left-part of ‘@’. So, `gmail.com` controls “hillary.clinton”. While `mohsen.banan.byname.net` controls “myDesk” and Mohsen, owns `mohsen.banan.byname.net`. Notice that `gmail.com` controls millions of people through their left-part. In ByStar, millions of people can obtain their own right-parts and then control their own left-parts — and own their own portable full email addresses.

Notice that while `gmail.com` has positioned itself in the middle of the network, `mohsen.banan.byname.net` has positioned itself in the edge of the network. Longer domain names which fully take advantage of DNS’s hierarchical design are manifestations of edge-oriented strategies.

Next, let’s compare and contrast the software of the `gmail.com` service against the software of `mohsen.banan.byname.net`. The software of `gmail.com` service is proprietary. It belongs to Google. We don’t know what it does. When you hit the delete button for a particular email, you can no longer see that message. But perhaps Google is keeping all of your deleted messages somewhere, forever. Because it is all proprietary software, you just don’t know what is actually happening with the emails that you may think are yours. The software of `mohsen.banan.byname.net` services is part of the public ByStar software. It is part of BISOS. It is a public resource. That entire software is internally transparent. On your behalf, the engineering profession knows what it does and what it does not. When you delete one of your own email messages, it can be known that it was truly deleted — forever. This is what having a Libre-Halaal Service means.

With ByStar in place, all the Hillary Clintons of this world can have their own email communications under their own full control. We invite Hillary Clinton to join ByStar. As an American politician, perhaps she can start

thinking about solving her society's email problems — not just her own. We welcome her assistance in promoting ByStar.

Consider the privacy and autonomy of such edge-to-edge email communications between “myDesk@mohsen.banan.byname.net” and “myDesk@hillary.clinton.byname.net”.

The mail protocol traffic is of course end-to-end encrypted between mohsen.banan.byname.net and hillary.clinton.byname.net. The message itself can additionally be encrypted. At no point is any third party in possession of the clear-text message. Logs of the message transfer are only in the possession of the two edges. And all of this can be realized on an internet-scale.

All ByStar individual services are intended to be end-to-end and edge-oriented. However, they don't need to reside on the “Rims” side of the network edge. Since ByStar individual services are possession-assertable and portable, they can also be provisioned in the “Rings”. See Figure 17.4 for the references to Edge, Rims and Rings. This provides for options of self-hosting or external-hosting of individual services. So, byname.net can be made to be as convenient as gmail.com yet preserves the guarantees of autonomy and privacy through being possession-assertable, portable, Libre-Halaal, and edge-oriented.

While here we focused on the email service as an end-to-end edge-oriented strategy, similar approaches can be applied to other internet applications and intra-edge applications. In the edge-oriented ByStar model, when you control the thermostat in your own house, that can all happen as a ByStar intra-edge application without loss of privacy and autonomy.

## 17.8 BISOS Model of Platform Universality and Software-Service Continuums

Earlier we made several points about the universality of BISOS. We pointed out that BISOS inherits Debian's universality, and that our design philosophy includes relying on a singular Unix with full cohesion.

We have Service-Side BISOS for creation of internet services and we have Usage-Side BISOS for usage of internet services. These two create the BISOS software-service continuum. This is very powerful because the two sides are very consistent. This is depicted in Figure 17.5.

Note in Figure 17.5 that although the lowest layer (hardware) of the two stacks is very different, most of the rest of the stack is very common. Also note that on the top parts, capabilities are complimentary based on the common lower layers.

The degree of consistency and cohesion that this universality creates is far superior to what exists today in the proprietary American digital ecosystem.

## 17.9 PyCS: BISOS's Integration Framework

BISOS is largely focused on configuration and integration of related software packages towards creation of consistent services. This is typically done with “scripts” that augment the software packages in a consistent way. By scripts, we mean programs that are executed at command line. At times we also need to build Remote Operations (RO) to accommodate remote invocation of central services.

There are three fundamental important choices to be made:

1. What programming language should we use for integration?
2. What command-line framework should we use?
3. What Remote Operations (Web Services, REST, Micro Services) framework should we use?





Figure 17.5: ByStar Platform Layerings and Software-Service Continuums

BISOS primarily uses Python and some Bash for scripting.

There are various Python frameworks for command-line and web services. These include click, FastAPI, Flask, Django, RPyC and various others. None of these provide a comprehensive enough framework for BISOS. BPyF (BISOS Python Framework) is a comprehensive integration framework of BISOS that combines existing capabilities from various Python frameworks.

As depicted in Figure 17.6, BPyF consists of five major parts.

- Common facilities — logging, io, error handling, etc.
- File Parameters (FP) and Schema of File Parameters — BISOS's data representation and configuration model
- PyCS: Python Command Services
- BISOS Abstractions
- CS-Units and CS-MultiUnits

In Figure 17.6, boxes under the dashed line represent various libraries. General purpose libraries (on the right side is light green) provide common facilities such as IO, logging, error handling and configuration management which are used throughout BISOS. Various libraries that represent BISOS abstractions in Python such as BPOs, PALS and PAAL. These are shown on the left side in darker green.

For data representation, BISOS uses its own model called File Parameters. The equivalent functionality of File Parameters is often provided by Yaml and Json in typical open-source software packages.

PyCS is rooted in the model of Expectation Complete Operations (ECO), which allows for local invocation of an ECO to map to command-line invocation and remote invocation of an ECO to map to the microservices model and Remote Operations. This universality of ECOs allows for command-line facilities to become microservices.

Facilities for command line invocation are depicted above the dashed line, on the left side of “internet”. Facilities in support of service (Remote Operation) performers are depicted above the dashed line, on the right side of “internet”.





Figure 17.6: BPyF (BISOS Python Platform) and PyCS

Expectation complete operations are specified and implemented in CS-Units. A CS-Multi-Unit represents a collection of CS-Units. Notice that CS-Unit and CS-Multi-Unit boxes are replicated on both sides of “internet”. This indicates that both commands and remote operations map to expectation complete operations.

Each ECO is capable of describing everything expected from the operation in full detail which includes all typing information. The information in Expectation Complete Operation includes:

- Name of the operation
- All input parameters
  - List of optional and mandatory parameters
  - List of positional arguments
  - Stdin expectations
- All outcome parameters
  - All result parameters
  - All error parameters

The information of expectation complete operation then maps to command-line verbs, parameters and arguments, and similarly for remote operations. The list of available verbs is specified by the CS-Multi-Unit. Since CS-Multi-Units are capable of describing all of the expectations of all of their operations, very powerful automated user interfaces for invocation of operations can be built. The “CS Player” box in Figure 17.6 illustrates that.

Remote operations are implemented using RPyC. RPyC or Remote Python Call, is a transparent library for symmetrical remote procedure calls, clustering, and distributed-computing. Use of RPyC is depicted with the line going through the vertical box labeled “internet”. Names used by invokers and performers are shown in the boxes labeled “RO-Sap” (Remote Operation Service Access Point).

PyCS framework provides a solid foundation for transformation of software into services and integration of software and services in BISOS.



Figure 17.7: A Blee Centric Perspective Of By\* Digital Ecosystem

## 17.10 ByStar Libre-Halaal Emacs user Environment (Blee)

Blee, ByStar Libre-Halaal Emacs Environment, is ByStar’s primary usage environment. It is fully integrated with BISOS and Blee is aware of all ByStar conceptual constructs.

Conventional OS wisdom calls for separation of OS functionality from user-interface/usage-environment. But BISOS is not a traditional OS and Emacs is not a traditional usage-environment.

The concepts of universal platform and software-service-continuum that we presented have ramifications on usage and user experience. ByStar services can thus be greatly enhanced by providing the user with a “matched” environment—a user environment that is closely integrated with the service. This provides the user with features and capabilities that go far beyond what is possible using the traditional generic browser access.

By fully integrating BISOS and Blee, we accomplish a degree of cohesion and conviviality within the ByStar Digital Ecosystem that is absent in the American internet environments. Blee is significantly more broad and sophisticated than other usage environments.

In Figure 17.7 we depict that Blee is part of BISOS and that Blee includes Emacs. Think of Figure 17.7 as a containment hierarchy. The Libre-Halaal ByStar Digital Ecosystems contains both Usage-Side BISOS platforms and Service-Side BISOS platforms. The Usage-Side BISOS platform contains Blee. And Blee contains Emacs.

Emacs is a 40-plus years old editor centered usage environment, with a Lisp engine at its core and an extremely powerful display and editing engine in its nucleus. Emacs is one of the oldest Free Software in continuous use. Over the past 40 plus years, sophisticated engineers have added support for anything and everything to Emacs. Emacs’s well designed fundamental abstractions make it the most convivial usage environment. Emacs is a multi-lingual editor that supports most human languages. But out of the box, Emacs is clunky and difficult to use.

Blee serves two purposes:

1. Blee integrates with BISOS and ByStar services and ByStar concepts.



Figure 17.8: Overview of Blee Features

2. Blee makes Emacs less clunky and easier to use without losing any of Emacs's conviviality.

Figure 17.7 depicts that Emacs contains a very powerful display engine, a very powerful Lisp engine, a very powerful input methods engine and a very powerful applications development framework. Emacs is primarily known as a textual environment. But it is more than that. Emacs is now capable of handling multimedia (images/audio/video) as well. Emacs's display engine supports bidirectional (bidi) text and is fully multilingualized. Emacs supports input methods for many human languages. Emacs's Lisp engine and its applications development framework allow for convenient development and customization of applications.

Blee builds on Emacs.

Figure 17.8 shows some of the salient features of Blee. For each of the programming languages of BISOS (Python, Bash, Elisp, LaTeX, Web environment and C/C++) Blee provides Interactive Development Environments (IDEs) that go beyond the language and include the frameworks and libraries of BISOS.

All coding and all writing in BISOS is based on a model called: COMEEGA (Collaborative Org Mode Enhanced Emacs Generalized Authorship).

COMEEGA is the inverse of Literate Programming, where code is written in native programming mode and then augmented with comments and doc-strings in org-mode. COMEEGA provides the necessary tools to switch between native-mode and org-mode conveniently and is used in BISOS and Blee to ensure a high degree of consistency.

The usage of BISOS's Integration Framework (PyCS) described in Section 17.9 is facilitated in Blee through Blee Command Services Players. Each Command Service, whether it is a command-line or a remote-operation (microservice), is expectations complete and can be run more conveniently through Blee.

Of course, all of BISOS and Blee is self-documented. The documentation takes the form of Blee-Org-Panels which take the form of related org-files. Unlike typical documentation, Blee Org Panels are active. You can modify, configure and customize BISOS and Blee from within Blee-Org-Panels. Additionally, Blee-Org-Panels can be used by users to organize their own information and applications.

All of the key abstractions of BISOS (BPO, PALS, PAAI, AAS), can be managed through Blee.

The combination of Blee and BISOS fully wraps development, management and usage of ByStar services. Such universality facilitates continuous growth of ByStar.

## 17.11 BISOS Software-Service Continuum Apps

Thus far, we have provided an overview of the BISOS infrastructure. Based on these, there are various capabilities that the owner-user can profit from. In BISOS, we call these capabilities “Software-Service Continuum Applications” (SSCA).

As described in Section 17.8 — [BISOS Model of Platform Universality](#) and shown in Figure 17.5, part of the capability is realized in software on the user side and part of the capability may realized on the services side. Since both the user-side and the service-side are based on the universal BISOS platform the resulting combined capability is consistent and flexible.

There are many BISOS software-service continuum applications and the model is open ended. There is an SSCA for genealogy, for photo galleries, and much more.

In BISOS, Software-Service Continuum Applications have a common structure. They typically consist of a three layered stack.

1. BISOS-Svc-Layer: BISOS Services Layer runs as a service-provider and interacts with the BISOS-Sw-Layer.
2. BISOS-Sw-Layer: BISOS Software Layer that facilitates work of Blee-SSCA-Agent and interacts with BISOS-Svc-Layer.
3. Blee-SSCA-Agent: Emacs-Lisp Code of Blee which the user interacts with.

The general model of interactions between BISOS-Sw-Layer and BISOS-Svc-Layer is typically that of Remote Operations where BISOS-Sw-Layer assumes the invoker role and BISOS-Svc-Layer assumes the performer role.

There are two BISOS software-service continuum applications that are foundational. These are email processing and content generation and self-publication.

### 17.11.1 BISOS Email Software-Service Continuum App

Email is a foundational application. BISOS Email SSCA is structured as follows: The Blee-SSCA-Agent for email is called Blee-Gnus. The BISOS-Sw-Layer is called MARMEE (Multi-Account Resident Message Exchange Environment). BISOS-Svc-Layer is called BISOS-Mail-Service.

Figure 17.9 depicts Blee-Gnus and MARMEE in the context of split-MUA (Mail User Agent) Blee-Gnus is the usage environment and MARMEE addresses mail protocols processing. Gnus is a very flexible mail processing environment which is integrated into Emacs.

BISOS uses a modified version of qmail called BISOS-qmail as the MTA (Mail Transfer Agent). When used it as a traditional MTA, we refer to it as PALS-qmail. And on the usage side we call it MARMEE-qmail. For incoming mail within MARMEE, BISOS uses offlineimap.

It is possible to use MARMEE and Blee-Gnus to access other email services. This is done through configuration of an AAS (Abstracted Accessible Service). For example, in addition to ByStar email, an owner-user can also access her gmail account with Blee-Gnus.

### 17.11.2 BISOS Content Generation and Self-Publication

BISOS software-service continuum application for content generation and self-publication is called LCNT (Libre Content).



Figure 17.9: Blee-Gnus and MARMEE as a Split-MUA




Figure 17.10: ByStar Multimedia Document Authorship And Generation

The content generation capabilities of LCNT are akin to Microsoft-Word and PowerPoint. But the model of content generation in BISOS is very different from Microsoft-Word and Microsoft-PowerPoint. We use LaTeX for document processing and COMEEGA-Blee for authorship.

A pictorial overview of multi-media content generation is provided in Figure 17.10. A single LaTeX source file is used to embed text, images, audio and video. This single source file is then processed in a variety of ways with a variety of tools including XeLaTeX and HeVeA to produce a variety of outputs including pdf and html. Multimedia frames/slides are then disposed using reveal.js.

BISOS-LCNT also includes facilities for self-publication where the above mentioned generated content can be pushed to owner-user's web sites and can also be syndicated.

## 17.12 Privacy, Security and Regulatory Ramifications of BISOS

Technological design of BISOS is very different from the technological design of proprietary American internet application services.

BISOS capabilities revolve around the abstraction of the individual and its belongings and delivery of possession and control of those abstractions to the individual. In BISOS, you own and possess your own data and you can own and possess your own services.

BISOS's philosophy is privacy by design.

Privacy by design is the antithesis of the proprietary American internet application services model, which is based on surveillance by design. Surveillance by design leads to centralized architectures and control, while privacy by design architecture leads to distributed architectures and autonomous control.

BISOS's fundamental design has immense security ramifications. Combinations of BPOs, PALS and service recreations capabilities of BISOS render many traditional security models inapplicable. In conjunction with being transferable, autonomous Libre Services are very easily recreatable. In many instances, upon detection of intrusion (or even periodically), after capturing the context of an exploit, a fresh new service replaces the contamination. All of this can be automated.

Since proprietary American internet application services are fundamentally designed for surveillance, the needed societal regulations are complex and ineffective. Since ByStar and BISOS are fundamentally designed for privacy, societal regulations are very simple and effective. ByStar is designed to be self-regulating. ByStar promotes proactive regulations as opposed to the current model of reactive regulations. The engineers have done the work. The politicians just need to understand. The bulk of the needed regulations can amount to exclusive use of PALS Libre Services as defined in Section 15.2.3.1 – [Definition of Possession-Assertable Libre Services](#).

## 17.13 ByStar and Uses of BISOS

The specific purpose of BISOS is to facilitate the creation of Libre-Halaal ByStar Digital Ecosystem.

Let's see how ByStar uses BISOS to realize the underlying model and capabilities of the Libre-Halaal ByStar digital ecosystem.

- ByStar is about redecentralization of the internet. Control and ownership is transferred from central corporations to distributed individuals (as autonomous entities). Rise-of-the-middle model is rejected in favor of the autonomous edges model.

BISOS was designed for all of that.

- ByStar software and internet services are un-owned/publicly-owned and internally transparent.

BISOS 'is Libre-Halaal software subjected to AGPL. The entirety of ByStar Individual Services can be reproduced based on their available sources.





Mohsen BANAN is an Iranian software and internet engineer.

The software and internet services that he publicly offers all conform to the definition of Libre-Halaal Software and Libre-Halaal Internet Services. All of his public writings are web published and unrestricted.

He has never applied for a patent. As an expert witness he has assisted in legal efforts involving invalidation of a number of patents.

He is the principal architect of the ByStar Digital Ecosystem and the primary developer of BISOS (ByStar Internet Services OS).

He has written this book in the context of his responsibilities to his profession.

Knowledge, know-how, uses of know-how, ideas and information are inherently non-scarce. They are **polyexistentials**. Unlike monoexistentials which exist in singular, polyexistentials naturally exist in multiples and are inherently not scarce.

What is abundant in nature is being made artificially scarce through man-made ownership rules called copyright and patents. These ownership rules then permit a certain group which usually take the form of corporations to economically profit from these unnatural and economically motivated artificial scarcities.

In this book we analyze the topic of Intellectual Property Rights (IPR) from a new perspective. The topic of restriction of polyexistentials and Western IPR are one and the same. Yet, the concept of polyexistentials has not appeared in prior discussions of this topic. This is the very first time that the concept and the word “polyexistentials” are being introduced.

The model of polyexistence makes it easy to demonstrate that the concept of Intellectual Property is invalid. This proof is based on logic that is rooted in nature of existence and nature of possession and the requirement for ownership to be in harmony with nature of possession and existence.

Having rejected the Western IPR regime as an erroneous model for governance of polyexistentials, we introduce the **Libre-Halaal model of governance of polyexistentials** towards facilitating conviviality of tools.

We then focus on the digital world and introduce the **Libre-Halaal By\* (ByStar) Digital Ecosystem**, as a moral alternative to the existing proprietary American digital ecosystem. We need non-proprietary digital ecosystems. And that is what ByStar is. Equipped with a multi-disciplinary blueprint, we offer our initial implementation of the ByStar digital ecosystem as a starting point towards concrete solutions.

It is only through full rejection of Western IPR regime and its deep roots in Americanism that humanity can be rescued.

### Distinct And Different

What we are trying to do in this book is distinct and different from the many other books and articles that have been written about Intellectual Property. First, most books on this topic are written by Western lawyers, politicians, economists, journalist, sociologists and academics. We are engineers and we are not Western. Second, this is the very first time that the philosophical concept and terminology of polyexistentials is being used to analyze this topic and this domain. Third, our treatment of this subject is genuinely independent. We are not doing it for money or hype. Finally, unlike most other writings on this topic which amount to naggings of impotents, we are putting a blueprint for a cure on the table. As engineers, we are offering explicit multidisciplinary solutions.

ISBN 978-1-960957-02-3



9 781960 957023