



Ftl_quantum

Forty Two Lyon - Quantum

Ludovic Lemaire lulemair@student.42lyon.fr

Summary: Introduction to quantum programming.

Version: 2.2

Contents

I	Preamble	2
II	Introduction	3
III	Objectives	4
IV	General guidelines	5
V	Mandatory part	6
V.1	Prerequisites	6
VI	Exercise 00: Superposition	7
VII	Exercise 01: Entanglement	8
VIII	Exercise 02: Quantum noise	9
IX	Exercise 03: Deutsch-Jozsa	10
X	Exercise 04: Search algorithm	11
XI	Bonus part	13
XII	Submission and peer-evaluation	14

Chapter I

Preamble

The following is a non-exhaustive list of resources dealing with quantum physics as a whole that we recommend you to read/watch before getting involved in the subject.

- Julien Bobroff's conference at USI on quantum levitation.
- David Louapre's videos about quantum physics.
- The book L'Univers à portée de main, by Christophe Galfard
- The book A Brief History of Time, From the Big Bang to Black Holes, by Stephen Hawking.

These resources will allow you to have some theoretical knowledge that will be very useful in the project. But also to demystify quantum physics, that it is now very well understood and that we use it every day.

Chapter II

Introduction

This project is an introduction to quantum programming. It will challenge you to create different quantum programs, and run them on a real quantum computer.

Chapter III

Objectives

The final goal is to recreate a search algorithm on a quantum computer.

Don't panic, we are aware that quantum physics is a complex subject, take the time you need. The project will try to make you progress gradually before reaching the final goal.

Chapter IV

General guidelines

- You will have to develop your circuits and programs using a quantum programming framework of your choice.
- The following languages/frameworks are allowed (non-exhaustive list):
 - Qiskit (IBM).
 - Cirq (Google).
 - Q# (Microsoft).
 - Any other relevant and freely accessible quantum programming framework, regardless of the programming language used.



You are free to use any relevant and freely accessible quantum computing platform to complete the project.
It is recommended to use a virtual machine or a container to create your working environment.

- You can also use Jupyter Notebook, Google Colaboratory or equivalent if you want, if you use an online version, please push the .ipynb in your repo.
- You must return one file per exercise (.py or .ipynb).
- It goes without saying, but you have to develop everything yourself, you can't use a function that does a search algorithm for you, even partially. This rule applies to all exercises.
- Make sure you understand what you are doing! You will be asked questions during the evaluation.

Chapter V

Mandatory part

V.1 Prerequisites

- Create an account on a quantum computing platform of your choice and retrieve your access credentials or API token if required.



Don't put your credentials or tokens in your repository! Use a local file, environment variable, or a simple copy-paste method during evaluation.


Chapter VI

Exercise 00: Superposition

Write a program that will produce a quantum circuit with a single qubit to obtain this $\frac{1}{\sqrt{2}}(|0\rangle + |1\rangle)$ state using the principle of quantum superposition.

The program should display a visual of the circuit, then run it on a quantum simulator with 500 shots and then display the results in a plot_histogram (you can use a local simulator such as Aer if you wish).

Expected result of the plot_histogram



Be sure you understand the principle of Quantum Superposition and the $\frac{1}{\sqrt{2}}(|0\rangle + |1\rangle)$ notation before moving on.

Chapter VII

Exercise 01: Entanglement

Write a program that will produce a quantum circuit with two qubits in order to obtain this $\frac{1}{\sqrt{2}}(|00\rangle + |11\rangle)$ state using the principle of superposition and quantum entanglement.

The program must display the circuit, then run it on a quantum simulator with 500 shots and then display the results in a `plot_histogram`.



Be sure you understand the principle of quantum entanglement and the $\frac{1}{\sqrt{2}}(|00\rangle + |11\rangle)$ notation before continuing.

Chapter VIII

Exercise 02: Quantum noise

Take the program from the previous exercise, and modify it to run your circuit on a real quantum computer.



Your results between the previous exercise and this one should be different, even though the circuit is identical. It's up to you to understand why.



From there, we strongly advise you to go back to what you have done, and understand the applied math/vector formulas behind each action, and test the different existing gates.


Chapter IX

Exercise 03: Deutsch-Jozsa

You are about to create your first quantum algorithm: the Deutsch-Jozsa algorithm. Although it is not of great practical interest, it is one of the first quantum algorithms that is more efficient than a classical algorithm.

You have to recreate the Deutsch-Jozsa algorithm, it should work with a total number of 4 qubits.

Here are two examples of Oracle Constant and Oracle Balanced circuits.



When applying your algorithm, your circuit should be able to determine whether the Oracle is Constant or Balanced, based on the measurement of your Qubits.

- Your Qubits must be 1 if the Oracle is Balanced.
- Your Qubits must be 0 if the Oracle is Constant.



During the evaluation, other Oracle examples (balanced and constant) will be given to test the validity of your algorithm.

Chapter X

Exercise 04: Search algorithm

The search algorithm, the ultimate goal of this project.

Your algorithm should search for one or more items that meet a given requirement among N unclassified items.

- On a traditional computer, the complexity of the problem is $O(N)$.
- On a quantum computer, the complexity is reduced to $O(\sqrt{N})$.


You will need to have 3 distinct parts:

- The initialization of states.
- The Oracle.
- The Diffuser.


Your algorithm will take a Y number of qubits (minimum 2) and must not require any modification to work.

Similar to the Deutsch-Jozsa algorithm, several Oracles will be provided during the evaluation to verify that your algorithm is working properly.

Here is an example of an Oracle running on 3 qubits:



And here is the expected answer by your algorithm for this oracle:



In addition to making your program containing the quantum search algorithm. During the evaluation, you will have to explain how and why your quantum algorithm is faster than a search algorithm on a classical computer.

Chapter XI

Bonus part

Only additional algorithms will be accepted as a bonus. Points are awarded per extra algorithm implemented and explained, up to 5 additional algorithms (5 points per algorithm, 25 bonus points maximum). Example of interesting algorithms:

- Bernstein-Vazirani.
- Simon.
- Shor.



The bonus part will only be assessed if the mandatory part is PERFECT. Perfect means the mandatory part has been integrally done and works without malfunctioning. If you have not passed ALL the mandatory requirements, your bonus part will not be evaluated at all.

Chapter XII

Submission and peer-evaluation

Turn in your assignment in your `Git` repository as usual. Only the work inside your repository will be evaluated during the defense. Don't hesitate to double check the names of your folders and files to ensure they are correct.