

Digital Pink Card

Use Case Specification

Submitted to:

Asst. Prof. Ma. Rowena C. Solamo
Faculty Member
Department of Computer Science
College of Engineering
University of the Philippines, Diliman

Submitted by:
Cai, Jann Willem B.
Daroya, Carlos Adrian A.
Ocampo, Pauline L.

In partial fulfillment of academic requirements
for the course
CS 191 Software Engineering I
of the
1st Semester, AY 2017-2018

Unique Reference:

The documents are stored in the GitHub Repository: <https://github.com/cadaroya/forgee>.

Unique File Reference: <https://github.com/cadaroya/forgee/blob/master/02-Requirements%20Engineering/2.1%20-%20Check%20computer%20availability.pdf>.

Document Purpose:

The purpose of this document is to describe the preconditions, postconditions, relationships, special requirements, and flow of events associated with Use Case 2.1 Check computer availability.

Target Audience:

The target audience is those who want to know the specific conditions and events associated with Use Case 2.1 Check computer availability.

Revision Control

History Revision:

<i>Revision Date</i>	<i>Person Responsible</i>	<i>Version Number</i>	<i>Modification</i>
10/10/17	Pauline Ocampo	1.0	Initial Document
10/11/17	Pauline Ocampo	1.1	Added unique file reference, moved start symbol on activity diagram

Use-Case Name: 2.1 Check computer availability


Description: The student checks for an available computer. This is done only after the student times in using his UP ID. If a computer is available, he is assigned that computer. Otherwise, he is shown an error message saying that no computers are available.

Preconditions: The student has already timed in.

Flow of Events:

Scenario Name	Description
Scenario 1 (Basic Flow) The student times in and there is an available computer.	1. The student checks for available computers. 2. The student notes the number of the computer assigned to him.
Scenario 2 The student times in but there is no available computer.	1. The student checks for available computers. 2. The student reads the error message saying that no computers are available.

Activity Diagram of the Flow of Events:



Postcondition: The student has an assigned computer.
 The computer assigned to the student is marked unavailable.

Relationships: NONE.

Special Requirements:
 NONE.