

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Ordinary Level

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

659127254

PHYSICS 5054/42

Paper 4 Alternative to Practical

May/June 2012

1 hour

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

You may lose marks if you do not show your working or if you do not use appropriate units.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

1 A student investigates the cooling of water.

Some of the apparatus is set up as shown in Fig. 1.1.




Fig. 1.1

A volume of  $100\,\mathrm{cm^3}$  of boiling water is poured into the beaker. The student starts the stopclock when the temperature of the water is  $90\,^\circ\text{C}$ .

The water is allowed to cool and its temperature  $\theta$  is recorded every 2 minutes.

(a) (	(i)	On Fig. 1.1, draw the thermometer in the most suitable position for measuring temperature of the water as it cools.	the [1]
(	ii)	Suggest a reason why the thermometer should be held in a clamp.	
(i	ii)	Describe how the student avoids parallax error when reading the thermometer.	
(b) (	(i)	The stopclock measures to the nearest second. Suggest why, in this experiment, student does not need to use a digital stopwatch measuring to 0.01 s.	the
			.[1]
(	ii)	Explain why the student places the stopclock close to the beaker.	

(c) The student records his results in a table. Fig. 1.2 shows the student's results.

time t/minutes	θ/°C
0	90
2	76
4	69
6	65
8	61
10	58
12	55

Fig. 1.2

(i) On Fig. 1.3, plot the graph of  $\theta$ /°C on the *y*-axis against *t*/minutes on the *x*-axis. Start your graph from  $\theta$  = 40 °C and t = 0. Draw a curved line of best fit.




Fig. 1.3

[4]

(ii	Explain why the temperature of the wa	nter does not fall to 0°C.	
(iii		taken for the temperature	
(d) T	ne experiment is repeated with the san		[1] wider beaker, as shown
	Fig. 1.4.		stirrer
	water original beaker wa	ter	wider beaker
<i>///.</i>	Fig.	1.4	
	tate and explain the effect of using the wide water to fall from 90°C to 80°C.	der beaker on the time tak	ken for the temperature of

**2** A student uses a pendulum to obtain a value for the acceleration of free fall *g*. Fig. 2.1 shows the pendulum hanging from a fixed support.




		Fig. 2.1 (not to scale)	
(a)	The	e length $\it l$ of the pendulum is measured from the support to the centre of mass of the	bob.
	(i)	On Fig. 2.1, mark and label the length $\it l$ of the pendulum.	[1]
	(ii)	Describe a method of measuring $l$ accurately.	
			[1]
(b)		ee measurements are taken of the time for 20 complete swings of the pendulum. It is also because $T$ for one complete swing.	
(c)	The	value obtained for $l$ is 0.450 m and for $T$ is 1.33 s.	
	Usir	ng the relationship	
		$g = \frac{4\pi^2 l}{T^2}$	
	calc	culate a value for $g$ . Give your answer to 3 significant figures.	
		$g = \dots m/s$	s² [2]
(d)	Sug	gest an improvement to this experiment.	

.....[1]

**3** (a) A student connects a cell, a switch and three resistors to make a circuit. The resistors are labelled A, B and C.

Resistors A and B, the cell and the switch are all in series. Resistor C is in parallel with the cell.

(i) In the space below, draw the circuit diagram.

[2]

- (ii) On your circuit diagram, draw the symbol for a voltmeter, connected to measure the voltage across resistor A. [1]
- (b) A student connects the circuit shown in Fig. 3.1.X, Y and Z are three identical lamps.




Fig. 3.1

The student closes the switch. Lamp Z lights dimly. Lamp X and lamp Y do not light.

Tick TWO of the following which are possible explanations.

both lamp X and lamp Y are faulty		
only lamp X is faulty		
only lamp Y is faulty		
the cell is running down		
a connecting lead from the cell is broken		
the current in lamp X and in lamp Y is too small		

[2]

4	(a)	A st	<b>7</b> tudent finds an old magnet at the back of a drawer containing other magnets.
•			designs an experiment to find out if it is still magnetised.
		(i)	He brings a plotting compass near to end A of the old magnet, as shown in Fig. 4.1.
			old magnet plotting compass
			Fig. 4.1
			State the polarity of end A of the old magnet.
			[1
		(ii)	The plotting compass is then brought near to end B, as shown in Fig. 4.2.
			Fig. 4.2
			State the polarity of end B.
			[1
	(	iii)	Suggest a possible explanation for the student's results.
			[1 scribe how the student can use the plotting compass to plot the shape of the magnetic field und a new magnet. You may use a diagram in your explanation.

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.