


Cambridge IGCSE[™]

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		



COMBINED SCIENCE

0653/33

Paper 3 Theory (Core)

May/June 2022

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.


INFORMATION

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

1 (a) The boxes on the left show different parts of the male and female reproductive system in humans.

The boxes on the right show functions of the different parts.

Draw one straight line from each part to its function.



(b) Fig. 1.1 is a diagram of an insect-pollinated flower.




Fig. 1.1

State the letter on Fig. 1.1 that shows:

the part that makes pollen

where pollination takes place.

[2]

[2]

			3			
(c)	Des	scribe the	process of fertilisation in flowering plants.			
						 [2]
(d)	Fig.	1.2 show	vs a potato plant reproducing without fertilisation.			
			shoots			
			Fig. 1.2			
	(i)	Identify	the type of reproduction shown in Fig. 1.2.			
						[1]
	(ii)	A garde	ner decides to grow potato plants.			
		She cho	ooses the best potatoes from a plant she has already	grow	n.	
			n uses the method shown in Fig. 1.2 to grow new planan using seeds.	ants fr	om her best potatoe	∋s,
		Place a	tick (✓) in one box to show the advantage of using t	his me	ethod.	
			all the offspring will be genetically identical			
			the plants will grow slower			
			the plants will not need water to grow			

[1]

[Total: 8]

the potatoes will taste different

- 2 A student investigates the gases in air.
 - (a) The student leaves blue cobalt(II) chloride paper in air for a few hours.

The cobalt(II) chloride paper turns pink.

(i)	Identify the substance in air that makes the cobalt(II) chloride paper turn pink.	
		F.4

(ii) The student also leaves a small sample of anhydrous copper(II) sulfate in air for a few hours.

State the colour change that is observed when anhydrous copper(II) sulfate is left in air for a few hours.

from to [1]

(b) The student passes clean air through one sample of limewater.

Then he blows air from his lungs through another sample of limewater, as shown in Fig. 2.1.




Fig. 2.1

Carbon dioxide from the student's lungs turns the limewater milky within a few seconds.

The clean air takes a long time to turn the limewater milky.

Suggest why the air from the student's lungs turns the limewater milky faster than the clean air does.

[1]

(c) The student leaves damp blue litmus paper in polluted air for a few hours.

The litmus paper turns red.

Suggest **one** common pollutant in the air, other than carbon dioxide, that makes the litmus paper turn red.

State **one** adverse effect of this pollutant on people's health.

common pollutant	
adverse effect	
	[2]

(d) The student increases the temperature of water in a beaker, as shown in Fig. 2.2.

The Bunsen burner uses natural gas.




Fig. 2.2

(i)	State the name	of the	main	constituent	of	natural	gas.
-----	----------------	--------	------	-------------	----	---------	------

	[1]
ii)	Name one piece of apparatus that can be used to measure the temperature of the water.
	[1]

(iii) State the name given to any chemical reaction that causes a temperature increase.

[Total: 8]

3 Fig. 3.1 shows a solid block at rest on a table.




Fig. 3.1

- (a) (i) On Fig. 3.1, draw a force arrow to show the gravitational force acting on the block. Label this force A. [1]
 - (ii) On Fig. 3.1, draw a force arrow to show the force exerted by the table on the block. Label this force **B**.
 - (iii) The gravitational force on the block is 30 N.

State the magnitude of the force exerted by the table on the solid block.

Give a reason for your answer.

force =N

reason

[1]

(iv) Calculate the mass of the block.

The gravitational force on unit mass is 10 N/kg.

mass =kg [2]


(v) The block has a volume of 0.0040 m³.

Use your answer from (a)(iv) to calculate the density of the block.

density = kg/m³ [2]

(b) A student lifts the block up onto a high shelf.

Complete the boxes to show the sequence of useful energy transfers that occur.



[Total: 10]

4 (a) Fig. 4.1 is a diagram of the human heart.

(i) Complete the labels on Fig. 4.1.




Fig. 4.1

[3]

[2]

(ii) The arrows on Fig. 4.1 show the direction of blood flow.

Use this information to state why vessel **V** is an artery.

.....[1]

(iii) The heart is part of the transport system in humans.

State the name of this transport system.

.....[1]

(b) Arteries and veins transport substances in the human body.

State the name of the **two** transport vessels in plants.

1

2

(c) A student investigates water transport in plants using two leaves from the same plant.

Fig. 4.2 shows the apparatus the student uses.




Fig. 4.2

The student uses the spring balance to measure the mass of each leaf at the start. Both leaves are placed in the same conditions.

The mass of each leaf is then measured again 24 hours later.

Table 4.1 shows the results.

Table 4.1

leaf	mass at start /g	mass at end /g	change in mass /g
Α	31	25	
В	32	31	-1

	/ = Y	O-11-4-	41 1		- C I	C A
1	(i)) Calculate	tno cnan	na in mac	e tar i	Δ 2T Δ
۸	١.	Calculate	tile cilair	uc III IIIas	3 101 1	cai A.

	change in mass =g [1
(ii)	Explain the results in Table 4.1. Use ideas about stomata in your answer.
	[3

[Total: 11]

5 (a) Lithium, sodium and potassium are three elements in Group I of the Periodic Table, as shown in Fig. 5.1.




Fig. 5.1

	Identify which of these three elements has:						
	the	lowest density					
	the	highest reactivity					
	the	highest melting point.	[2]			
(b)	Chlo	orine, bromine and iodine	are three elements in Group VII of the Periodic Table.				
	The	y exist as diatomic molec	cules.				
	(i)	Describe what is meant	by diatomic.				
			[1]			
	(ii)	Complete the dot-and-complecule of chlorine, Cl	ross diagram in Fig. 5.2 to show all the outer shell electrons in	а			

Cl Cl

Fig. 5.2

[2]

	(iii)	State the type of chemical bonding in a molecule of chlorine.
		[1]
(c)	Wh	en sodium and chlorine react together, they form sodium chloride, NaCl.
	(i)	Describe what happens to sodium atoms and to chlorine atoms when they react together.
		Use ideas about electrons in your answer.
		sodium atoms
		chlorine atoms
		[2]
	(ii)	Complete Table 5.1 by stating whether each substance conducts or does not conduct electricity when solid, molten (liquid) or gas.
		Use a tick (✓) for conducts or a cross (✗) for does not conduct in each empty box.
		Table 5.1

	solid	molten (liquid)	gas
sodium			
sodium chloride			
chlorine			

[3]

[Total: 11]

6 Fig. 6.1 shows an ice cube floating in a glass of water.

air




Fig. 6.1

(a) (i) Fig. 6.1 shows four substances: air, ice, water and water vapour.

Identify which substance in Fig. 6.1 fits this description:

'It is made of molecules which are closely packed, arranged in a regular pattern, and cannot move around.'

(ii) The ice slowly disappears.

Name the process by which molecules in the ice cube become molecules in water and state the temperature at which this happens.

process

temperature°C

[2]

(b) Fig. 6.2 shows a ray of light passing through the ice cube.




Fig. 6.2

(i) State the property of light shown in Fig. 6.2.

.....[1]

(ii) State the name of the angle marked i on Fig. 6.2.

......[1]

(c)	A gl	acier is a very large area of ice that moves slowly down a slope or valley.
	One	e glacier in Antarctica is 95 km wide.
	An	explosion causes a loud sound on one side of the glacier.
	(i)	Calculate the time taken for the sound to travel through the ice of the glacier to the other side.
		The speed of sound in ice is 3800 m/s.
		time =s [3]
	(ii)	A human explorer is studying some penguins on the glacier.
		Penguins have a range of hearing from 100 Hz to 15 kHz.
		The sound wave from the explosion has a frequency of 30 Hz.
		Explain why the human explorer can hear the explosion but the penguins cannot hear the explosion.
		[2]
		[Total: 10]

7 (a) The nuts in Fig. 7.1 are a good source of fats.



Fig. 7.1

			3			
	(i)	List the three chemica	al elements that ma	ake up fats.		
						[1]
	(ii)	Fats are large molecu	les made from sma	aller molecul	es.	
		Circle the two smaller	molecules that ma	ake up fat mo	olecules.	
		amino acids	fatty a	cids	glucose	
		glycerol	glycog	en	starch	[0]
						[2]
(b)	Fats	s are digested in the ali	mentary canal.			
	Cor	nplete these sentences	about digestion.			
	Cho	ose words from the list	t.			
	Eac	h word may be used o	nce, more than one	e or not at a	all.	
		absorption	anus	egestion	excretio	1
		mouth	pancreas	;	stomach	
	Foo	d is taken into the		by the pro	cess of ingestion.	
	The	food then passes dow	n the oesophagus	to the		
	The	food then passes into	the small intestine	to complete	the digestion proces	S.
	The	digested food is then r	moved into the bloo	od by the pro	ocess of	
						[3]

(c) Enzymes are used in the process of digestion.

Fig. 7.2 shows the effect of pH on the activity of one enzyme.




Fig. 7.2

Describe the effect of pH on enzyme activity in Fig. 7.2.

U	se	d	at	a	to	su	ppo	ort	your	ans	we	r.	

[2]
[—]

[Total: 8]

8 Petroleum is separated into useful fractions by the process shown in Fig. 8.1.





Fig. 8.1

Each fraction is a mixture of different hydrocarbons.

(a)		ese hydrocarbons are generally unreactive. They burn in air, but they do not react with eous bromine.
	(i)	Name the type of hydrocarbons that do not react with aqueous bromine.
		[1
	(ii)	State one use for gas oil.
		[1
(b)	Nap	ohtha is used to make ethene.
	(i)	Name the process used to make ethene from naphtha.

(ii) Complete the word equation for the complete combustion of ethene, $\mathrm{C_2H_4}$.



[2]

(c)	Eth	ene is used to make a polymer.	
	(i)	State the name of the polymer that is made from ethene.	
			[1]
	(ii)	State the type of polymerisation reaction that makes this polymer from ethene.	
			[1]
		[Total:	7]

9 Two 1.5 V cells are connected to two lamps and a switch.

Fig. 9.1 shows the circuit.




Fig. 9.1

- (a) On Fig. 9.1, draw a voltmeter to measure the potential difference across one cell. [2]
- (b) (i) The current in each lamp is 1.2A.

The potential difference across each lamp is 3.0 V.

Calculate the resistance of each lamp.

	resistance = Ω [2]
(ii)	The lamps operate at 3.0 V.
	Suggest why two cells are needed to light the lamps.

(iii) State which of these values could be the reading on the ammeter.

	0.3A	0.6A	1.2A	2.4A	
current =	A				
Give a reason for	your ans	wer.			
					[1
					lTotal: 7

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

The Periodic Table of Elements

		=	2 He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Ru	radon			
		II/			6	ш	fluorine 19	17	Cl	chlorine 35.5	35	B	bromine 80	53	Н	iodine 127	85	Αt	astatine -			
		5			8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ро	polonium –	116	_	livermonium -
		>			7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
		2			9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	Sn	tin 119	82	Ъ	lead 207	114	Εl	flerovium -
		=			2	М	boron 11	13	Αſ	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	1L	thallium 204			
								1			30	Zu	zinc 65	48	g	cadmium 112	80	£	mercury 201	112	ပ်	copernicium
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium –
	dn										28	z	nickel 59	46	Pd	palladium 106	78	പ	platinum 195	110	Ds	darmstadtium -
	Group										27	රි	cobalt 59	45	格	rhodium 103	77	٦	iridium 192	109	Μţ	meitnerium -
			- エ	hydrogen 1							26	Ь	iron 56	44	Ru	ruthenium 101	92	Os	osmium 190	108	Hs	hassium
					J						25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium —
						loc	SS				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	>	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	д	tantalum 181	105	Op	dubnium –
					10	ato	rela				22	j	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium -
					•			•			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
		=			4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	လွ	strontium 88	26	Ba	barium 137	88	Ra	radium -
		_			8	:=	lithium 7	11	Na	sodium 23	19	×	potassium 39	37	&	rubidium 85	22	S	caesium 133	87	Ļ	francium -
- 1											_											

71	Ľ	lutetium 175	103	ت	lawrencium	I
		ytterbium 173			_	I
69	T	thulium 169	101	Md	mendelevium	_
89	щ	erbium 167	100	Fm	fermium	I
29	운	holmium 165	66	Es	einsteinium	_
99	ò	dysprosium 163	86	ర	californium	ı
65	Д	terbium 159	97	Ř	berkelium	ı
64	gq	gadolinium 157	96	Cm	curium	ı
63	En	europium 152	92	Am	americium	ı
62	Sm	samarium 150	94	Pu	plutonium	ı
61	Pm	promethium -	93	ď	neptunium	ı
09	PZ	neodymium 144	92	\supset	uranium	238
59	P	praseodymium 141	91	Ра	protactinium	231
58	Oe	cerium 140	06	드	thorium	232
22	Гa	lanthanum 139	88	Ac	actinium	-

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).