

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
COMBINED SO	CIENCE		0653/32
Paper 3 (Core)			May/June 2018
			1 hour 15 minutes
Candidates ans	swer on the Question Paper.		
No Additional M	Naterials are required		

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 24.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.








1 (a) The boxes on the left show some structures of the alimentary canal and associated organs. The boxes on the right show their functions.

Draw **one** line from each structure on the left to its correct function on the right. One line has been done for you.



(b) Large pieces of food are broken down by the action of teeth. It is important that teeth are cared for so that they do not decay.

[3]

The composition of 100 cm³ of a soft drink is shown in Table 1.1.

Table 1.1

substance	mass/g
fat	0
carbohydrate as sugar	9.9
fibre	0
protein	0.1

Use the information in Table 1.1 to explain in detail why the soft drink is harmful for teeth.	
[3	1

(c)	State two ways in which people can care for their teeth.
	1
	2
	[2]

2 A student investigates the combustion of a hydrocarbon, as shown in Fig. 2.1.

Gases move through the apparatus in the direction shown by the arrows.





Fig. 2.1

(a)	The	student thinks that carbon dioxide and water are formed when the hydrocarbon burns.
	(i)	Suggest a chemical that the student uses at position X to test for the presence of water.
		[1
	(ii)	The student uses solution Y to test for carbon dioxide.
		Identify solution Y.

(b) Hexane is a hydrocarbon. The products of the complete combustion of hexane are carbon dioxide and water.

Complete the word equation for this reaction.



(c) Name the hydrocarbon that is the main constituent of natural gas.

.....[1]

(d)	(i)	Carbon and hydrogen are non-metallic elements.	
		State the type of bond that forms between atoms of these two elements.	
			[1]
	(ii)	Draw the structure of a molecule of ethane, C ₂ H ₆ .	
			[2]
	(iii)	An atom of carbon is represented by:	
		¹² ₆ C	
		State the atomic number and the number of neutrons in this atom.	
		atomic number	
		number of neutrons	[2]

3 Fig. 3.1 shows a crane carrying a load.

The crane is floating in the sea on a calm day.




Fig. 3.1

(a) (i) The load is stationary.

On Fig. 3.1 draw two force arrows to show the vertical forces acting on the load. [2]

(ii) One of the forces acting on the load is called *tension*.

Name the other force acting on the load.

.....[1]

(b) The crane lifts a load upwards from the sea bed to the surface of the sea at a constant speed of 0.60 m/s. The depth of the sea is 200 m.

Calculate the time taken to lift the load from the sea bed to the surface.

Show your working.

time =s [2]

(c)	The	load being lifted by the crane is a large container full of sea water.
	The	volume inside the container is 5000 dm ³ . The density of sea water is 1.025 kg/dm ³ .
	Cald	culate the mass of sea water being lifted.
	Stat	e the formula you use and show your working.
	form	nula
	worl	king
		mass =kg [2]
(d)		cranes, A and B , are working to lift loads. Crane A has a power output of 35 kW, crane B a power output of 40 kW.
	(i)	Name the unit with the symbol W.
		[1]
	(ii)	Both cranes can lift the same load through the same distance from the sea bed to the surface.
		Explain why the higher power output from crane ${\bf B}$ means it can lift the load to the surface faster than crane ${\bf A}$.
		[2]

4 (a) Gardeners can increase the numbers of plants by splitting a parent plant in two, including the root, as shown in Fig. 4.1.




Fig. 4.1

	(i)	State two reasons why this is an example of asexual reproduction.	
		1	
		2	
			[2]
	(ii)	Describe evidence from Fig. 4.1 which shows that the plant also reproduces sexually.	
			.[1]
(b)	See	eds germinate when they have the correct environmental conditions.	
	In T	Table 4.1 place a tick (1) in all of the boxes which show the conditions needed	for

Table 4.1

condition	needed for germination
carbon dioxide	
chlorophyll	
light	
oxygen	
warmth	
water	

[2]


© UCLES 2018 0653/32/M/J/18

germination.

(c)		rminating seeds use glucose as an energy supply. Enzymes break down the starch sto he seeds to form glucose.	red
	Def	fine the term <i>enzyme</i> .	
			.[2
(d)	(i)	Energy is released in the seeds by aerobic respiration.	
		Write the word equation for aerobic respiration in the boxes provided.	
		+ +	
			[2]
	(ii)	Suggest two uses of the energy released in seeds. 1	
		2	
			[2]

5 (a) A student adds magnesium powder to dilute hydrochloric acid.

She then uses a balance to investigate the rate of this reaction, as shown in Fig. 5.1.



	rig. 5. i	
(i)	Describe the change in the mass, if any, of the conical flask and its contents.	
	Explain your answer.	
	change	
	explanation	
		[2]
(ii)	Describe one change that can be made to decrease the rate of this reaction.	
		[1]
(iii)	Predict the effect of using calcium, rather than magnesium, on the rate of reaction.	
	Explain your answer using ideas about reactivity.	
	effect	
	explanation	
		[2]

(b) Magnesium is produced by the electrolysis of magnesium chloride.		gnesium is produced by the electrolysis of magnesium chloride.
	(i)	State the energy source used in electrolysis.
		[1]
	(ii)	Predict the type of bond present in magnesium chloride.
		[1]
	(iii)	Magnesium chloride is produced when one atom of magnesium combines with two atoms of chlorine.
		Predict the formula of magnesium chloride.
		[1]
	(iv)	Magnesium is also produced by heating magnesium oxide with silicon.
		In this process, oxygen is removed from magnesium oxide.
		State the type of reaction that leads to the loss of oxygen from a substance.
		[1]

6 (a) Fig. 6.1 shows an incomplete electromagnetic spectrum linked to some uses of different parts of the electromagnetic spectrum.

electromagnetic spectrum

gamma rays			ultraviolet	visible light	infra-red	microwaves	radio waves
	nent of	detecting intruders	looking at the Moon with a telescope	checking luggage in airport security	causes sunburn	television transmission	satellite telephones

uses

Fig. 6.1

(i) On Fig. 6.1 complete the empty box in the electromagnetic spectrum. [1]

(ii) On Fig. 6.1 draw **four more** lines so that each type of electromagnetic wave is linked to a use of that type.

Three lines have already been done for you. [2]

(b) Fig. 6.2a and Fig. 6.2b show an experiment to investigate the transfer of thermal energy (heat).




Fig. 6.2a shows the apparatus before the glass bottle is lowered into the hot water.

Fig. 6.2b shows the apparatus after the bottle has been in the water for five minutes.

The bottle and the air inside are slowly heated as thermal energy travels through the glass and warms the air inside. As the bottle is heated, the balloon fills with air.

(i)	Name the process by which thermal energy travels through the glass.
	[1]
(ii)	Suggest why the heating of the air in the bottle is slow.
	[1]
(iii)	Explain why the balloon above the glass bottle fills with warm air as the air is heated.
	[1]

7 (a) The rate of photosynthesis in trees in a European forest changes during the year. Fig. 7.1 shows how the rate of photosynthesis changes between the months of January and August.





Fig. 7.1

Use the information in Fig. 7.1 to state the month during which the trees have the greatest rate of photosynthesis.

.....[1]

(b) Fig. 7.2 shows how the appearance of **one** of the trees in the forest changes from January to June.





same tree in June

Fig. 7.2

In the forest there are many tall trees which are very close together.

The forest also has smaller plants which grow on the ground between the trees.

_	ween March and April.	Jours
		[3]
Son	me trees are removed from the forest.	
(i)	Suggest two reasons why this causes a reduction in the population of birds.	
	1	
	2	
(ii)	Describe one effect this removal of trees has on the soil.	[2]
	bet	Some trees are removed from the forest. (i) Suggest two reasons why this causes a reduction in the population of birds. 1

(a)	(i)	Period 3 of	the Periodic Table co	ontains the elements fro	m sodium to argon.	
		State the cl	nange in metallic cha	racter of the elements for	rom left to right across F	Period
		from		to		
	(ii)	Metal Q ha	s a low melting point	and it is soft. It reacts vi	igorously with water.	
		Predict the	number of the group	in which Q is shown in	the Periodic Table.	
	(iii)	Metal R has	s a high melting poin	t and forms coloured co	mpounds.	
		Name the c	collection of metals in	the Periodic Table whic	h includes R .	
(b)	Bro	mine chlorin	ne and iodine are Gro	oun VII elements		
	sod	lium chloride	s bromine, chlorine and sodium iodide. e shown in Table 8.1		te solutions of sodium	bromi
	sod	lium chloride	and sodium iodide.		te solutions of sodium	bromi
	sod	lium chloride	and sodium iodide.		te solutions of sodium	bromio
	Sor	lium chloride	and sodium iodide. e shown in Table 8.1	Table 8.1		bromid
	Sor	lium chloride me results ar sodium	and sodium iodide. e shown in Table 8.1 bromine	Table 8.1		bromid
	Sor	sodium promide	and sodium iodide. e shown in Table 8.1 bromine	Table 8.1		bromi
	Sor	sodium chloride sodium chloride sodium iodide	and sodium iodide. e shown in Table 8.1 bromine	Table 8.1	iodine	bromi
	Sor	sodium chloride sodium chloride sodium iodide	and sodium iodide. e shown in Table 8.1 bromine x action occurs	Table 8.1	iodine	bromid
	Sor	sodium chloride sodium chloride sodium iodide	and sodium iodide. e shown in Table 8.1 bromine x action occurs reaction	Table 8.1 chlorine	iodine	
(c)	Sor	sodium promide sodium promide sodium iodide	and sodium iodide. e shown in Table 8.1 bromine x action occurs reaction	Table 8.1 chlorine x show which element re	iodine	

(a)	ine	reaction between sodium and chiorine is exothermic.
	Soc	lium chloride is formed in this reaction.
	(i)	State what is meant by exothermic.
		[1]
	(ii)	Suggest one substance that reacts safely with dilute hydrochloric acid to form sodium chloride.
		[1]

9 Fig. 9.1 shows a simple circuit set up to investigate the current through an electric motor.




Fig. 9.1

(a) (i) On Fig. 9.2 use the correct circuit symbols to complete the circuit diagram for the circuit arrangement shown in Fig. 9.1. The symbol for an electric motor is shown.



Fig. 9.2

[3]

(ii) On Fig. 9.2, using the correct circuit symbol, connect a meter into the circuit that can measure the potential difference across the motor. [2]

(b)	The cell has a volt	age of 1.5 V	The resistance	e of the motor	when turning	is 5.0Ω
•	\sim	THE CONTINUE A VOIL	ago or rio v	. The redictaries		willou tairiiing	10 0.0 11.

(i)	Calculate	the	current	through	the	motor.
-----	-----------	-----	---------	---------	-----	--------

State the formula you use and show your working.

formula

working

current =A [2]

(ii) Fig. 9.3 shows a second identical cell added in series with the cell in the circuit in Fig. 9.1.




Fig. 9.3

Suggest what happens to the reading on the meter.

Explain why this happens.

(c) The motor in Fig. 9.3 is placed in front of a mirror and a student tries to look at the reflection of the motor in the mirror, as shown in Fig. 9.4.






Fig. 9.4

State the law of reflection of light.
[1]

(ii) The student cannot see the motor in the mirror, as shown in Fig. 9.4.

On Fig. 9.4 re-draw the mirror in a position where the student's eye can see the reflection of the motor in the mirror. [1]

21

BLANK PAGE

BLANK PAGE

BLANK PAGE

The Periodic Table of Elements

	III/	2	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	=				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	B	bromine 80	53	Н	iodine 127	85	¥	astatine -			
	5				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	Б	tellurium 128	84	Ъ	polonium –	116	_	livermorium -
	>				7	z	nitrogen 14	15	凸	phosphorus 31	33	As	arsenic 75	51	Sb	antimony 122	83	B	bismuth 209			
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	Ъ	lead 207	114	Εl	flerovium -
	=				2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	р О	cadmium 112	80	Нg	mercury 201	112	ű	copernicium
											29	Cn	copper 64	47	Ag	silver 108	62	Au	gold 197	111	Rg	roentgenium -
dno											28	Z	nickel 59	46	Pd	palladium 106	78	ĭ	platinum 195	110	Ds	darmstadtium -
Group											27	ပိ	cobalt 59	45	뫈	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -
		-	I	hydrogen 1							26	Fe	iron 56	44	Ru	ruthenium 101	92	SO	osmium 190	108	R	hassium
											25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium
						loc	SSI				24	ර්	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>Б</u>	tantalum 181	105	Ор	dubnium -
						ato	rela				22	ı	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	꿒	rutherfordium -
								-			21	Sc	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	88	လွ	strontium 88	26	Ba	barium 137	88	Ra	radium
	_				33	:=	lithium 7	£	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ŗ.	francium

71	lutetium 175	103	۲	lawrencium	ı
°	ytterbium 173	102	Š	nobelium	ı
69 Tm	thulium 169	101	Md	mendelevium	ı
88 F	erbium 167	100	Fm	fermium	I
67 H	holmium 165	66	Es	einsteinium	ı
₉ 2	dysprosium 163	86	ర్	californium	ı
65 T	terbium 159	97	Ř	berkelium	ı
99 O	gadolinium 157	96	Cm	curium	I
63 FL	europium 152	92	Am	americium	ı
Sn Sn	samarium 150	94	Pu	plutonium	ı
Pn	promethium	93	dN	neptunium	I
09 Z	neodymium 144	92	\supset	uranium	730
9	praseodymium 141	91	Ра	protactinium	107
88 C	cerium 140	06	T	thorium	707
22	lanthanum 139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is $24\,dm^3$ at room temperature and pressure (r.t.p.).

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.