

## UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS International General Certificate of Secondary Education

CANDIDATE NAME			
CENTRE NUMBER		CANDIDATE NUMBER	
CHEMISTRY			0620/22
Paper 2		Oct	ober/November 2011
			1 hour 15 minutes
Candidates ans	wer on the Question Paper.		

## **READ THESE INSTRUCTIONS FIRST**

No Additional Materials are required.

Write your Centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may need to use a pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.


The number of marks is given in brackets [ ] at the end of each question or part question.

For Exam	iner's Use
1	
2	
3	
4	
5	
6	
7	
Total	

This document consists of 19 printed pages and 1 blank page.



1	The diagram	shows five	different	nieces of	f laboratory	/ glassware	A B	C	D and F
	The diagram	SHOWS HVC	unicicit	pieces of	iaboratory	y glasswale,	, D	, <b>U</b>	, <b>D</b> and <b>L</b> .




(a) Choose from A, B, C, D or E to answer the following questions. Each letter may be used once, more than once or not at all.

Which piece of glassware is best used to

(i)	measure out a volume of liquid accurately,	
(ii)	place a spot of liquid on chromatography paper,	
iii)	condense a liquid with a low boiling point,	
iv)	shake two solutions together to mix them,	
(v)	deliver a variable volume of solution when performing a titration?	

[5]

**(b)** The diagram shows the apparatus used to prepare carbon dioxide in the laboratory.



(i)	State the name of a rock which is made up largely of calcium carbonate.	
		[1]

(ii)	Which one of these statements about carbon dioxide is correct?
	Tick <b>one</b> box.

Carbon dioxide is lighter than air.	
Carbon dioxide is a liquid at room temperature.	
Carbon dioxide is heavier than air.	
Carbon dioxide has the same density as air.	

(iii) Complete the equation for the reaction of calcium carbonate with hydrochloric acid.

[Total: 9]

[1]

Many o	f the elements in the Periodic Table are metals.	
(a) Sta	ate <b>one</b> common use for each of the following metals.	
(i)	copper[1	]
(ii)	platinum[1	]
(iii)	aluminium[1	]
<b>(b)</b> Lea	ad is a metal in Group IV of the Periodic Table.	
(i)	State <b>one</b> adverse effect of lead on health.	
	[1	]
(ii)	Lead has several isotopes. One isotope of lead is	
	<sup>207</sup> <sub>82</sub> Pb	
	State the number of protons and neutrons in this isotope of lead.	
	number of protons[1	]
	number of neutrons[1	]
(c) So	dium is a very reactive metal.	
(i)	A student added a few drops of litmus solution to a large beaker of water. She the dropped a small piece of sodium into the beaker.  Describe what the student would observe during the reaction.	า
	[3	;]
(ii)	Complete the word equation for the reaction of sodium with water.	
	sodium + water $\rightarrow$ +	
	[2	<u>']</u>

(iii) Sodium chloride is formed when sodium burns in chlorine.
Sodium chloride is an ionic compound.
Complete the following sentences about this reaction using words from the list.


	electron	gains	ion	loses	
	molecule	negative	positive	proton	
When	sodium burns in	chlorine, each	sodium atom lo	ses an	and
becom	es a sodium		. Each chloring	e atom	an
electro	n and becomes	a	ion.		[4]

[Total: 15]

**3** Hydrogen peroxide decomposes slowly at room temperature to form water and oxygen. The reaction is catalysed by manganese(IV) oxide.

$$2H_2O_2 \rightarrow 2H_2O + O_2$$

A student used the apparatus shown below to study how changing the concentration of hydrogen peroxide affects the speed of this reaction.




(a)	Apart from the volume of hydrogen peroxide, state two things that the student must keep
	the same in each experiment.

1.	
2.	 [2]

**(b)** The student measured the volume of oxygen produced using three different concentrations of hydrogen peroxide.

The results are shown on the graph below.



(i)	Describe how the speed of the reaction varies with the concentration of hydrogen peroxide.
	[1]
(ii)	Explain why the final volume of oxygen given off is less for graph <b>B</b> than for graph <b>A</b> .
	[1]
(iii)	From the graph, determine
	the time taken for the reaction to be completed when $3\mathrm{g}/\mathrm{dm^3}$ hydrogen peroxide (line <b>A</b> ) was used.
	[1]
	the volume of oxygen produced by $2g/dm^3$ hydrogen peroxide (line <b>B</b> ) in the first 15 seconds.

For Examiner's Use

(c) The student then tested various compounds to see how well they catalysed the reaction. He used the same concentration of hydrogen peroxide in each experiment. The table shows the time taken to produce 20 cm³ of oxygen using each compound as a catalyst.

compound	time taken to produce 20 cm³ of oxygen/s
copper(II) oxide	130
lead(IV) oxide	15
magnesium oxide	did not produce any oxygen
manganese(IV) oxide	18

Put these compounds in order of their effectiveness as catalysts.

worst catalyst			→ bes	t catalyst
				[1]

[Total: 7]

For
Examiner's
Use

4	Natural gas and the hydrocarbons obtained from the distillation of petroleum are important
	fuels.

(a) State the name of the main substance present in natural gas.


- 47
11
 1 1 7

- **(b)** Petroleum is a thick liquid.

  Describe the liquid state in terms of
  - how close the particles are to each other,
  - the arrangement of the particles,
  - the movement of the particles.

		[3]

(c) The diagram shows a distillation column used to separate petroleum into fractions.



- (i) On the diagram, draw an arrow to show where the petroleum vapour enters the column. [1]
- (ii) What do you understand by the term fraction?

10 (iii) In the diagram on page 9, two fractions have not been named. State the name of fraction X (iv) One of the refinery gases is ethane. Draw the structure of ethane showing all atoms and bonds. [1] (v) Which one of these phrases describes ethane correctly? Tick one box. Ethane is an unsaturated hydrocarbon. Ethane is a saturated hydrocarbon. Ethane polymerises to form poly(ethene). Ethane is an alkene. [1] [Total: 11]


For

Examiner's

Use

For Examiner's Use

**5 (a)** Match the phrases on the left with the definitions on the right. The first one has been done for you.



- **(b)** Sodium hydroxide, NaOH, is an ionic compound which dissolves in water to form a strongly alkaline solution.
  - (i) Which one of the following best describes the pH of a concentrated aqueous solution of sodium hydroxide? Put a ring around the correct answer.

pH 2 pH 5 pH 7 pH 8 pH 13 [1]

(ii) Calculate the relative formula mass of sodium hydroxide.

[1]

(iii) The equation describes how sodium hydroxide reacts with hydrochloric acid.


NaOH + 
$$HCl \rightarrow NaCl + H_2O$$

What type of chemical reaction is this?

.....[1

(iv) A student used a syringe to add 1 cm³ portions of hydrochloric acid to an aqueous solution of sodium hydroxide.


For Examiner's Use



Describe how the pH of the solution in the beaker changes as the hydrochloric ac s added until the acid is in excess.	

(c) The diagram shows the apparatus used to electrolyse concentrated aqueous sodium chloride.

For Examiner's Use



Give a description of this electrolysis. In your description include

- what substance the electrodes are made from and the reason for using this substance
- what you would observe during the electrolysis

the names of the substances produced at each electrode.



[Total: 14]

6	When coal is heated in the absence of air, coke is formed together with a gas called coal gas
	and a liquid which contains ammonia.

(a)		e is largely carbon. e <b>one</b> use of coke in industry.	
			[1]
(b)	Two	other forms of carbon are diamond and graphite.	
	(i)	Use your knowledge of the structure of diamond and graphite to explain	
		why graphite is a good lubricant.	
			[1]
		why diamond is very hard.	
			[1]
	(ii)	Give <b>one</b> use of diamond that depends on its hardness.	
			[1]
(c)	The	liquid which contains ammonia can be reacted with sulfuric acid.	
	(i)	Complete the word equation for this reaction	
		ammonia + sulfuric acid →	[1]
	(ii)	Which one of the following elements do most fertilisers contain?	

(d) Coal gas contains methane.

Complete the diagram to show how the electrons are arranged in a molecule of methane.


sodium

sulfur

Put a ring around the correct answer.

nitrogen

chlorine



[1]

(e)	When coal is burnt, sulfur dioxide is given off. Which two of the following statements about sulfur dioxide are correct? Tick <b>two</b> boxes.	For Examiner's Use
	Sulfur dioxide is an acidic oxide.	
	About 20 % of the air is sulfur dioxide.	
	Most of the sulfur dioxide in the air comes from car exhausts.	
	Sulfur dioxide contributes to acid rain.	
	[2]	
	[Total: 9]	

(	(a)	(i)	Give two	characteristics	of a	homologous	series
- 1	(u)	('')	CIVC LVVC	or laracter is ties	Oi u	Homologous	

1.		
2.	[	2]

(ii) Draw the structure of ethanol showing all atoms and bonds.

[1]

(b) One use of ethanol is as a solvent.


A pupil studied the reaction of iodine with zinc.

She first dissolved a few crystals of iodine in ethanol and recorded the temperature of the solution.

The temperature was 18 °C.

She then added excess powdered zinc and recorded the temperature again.

The new temperature was 37 °C.



(i) Is this reaction endothermic or exothermic? Explain your answer.

..... [

(ii) What colour is solid iodine?


.....[1]

(	(C)	The e	equation	for	the	reaction	is
۱		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	qualion	101	uic	1 Caction	13

 $zinc + iodine \rightarrow zinc iodide$ 

When the reaction is complete, the mixture contains zinc iodide dissolved in ethanol and unreacted zinc powder.  Suggest how you can get crystals of zinc iodide from the reaction mixture.
[2]

(d) The diagram shows the structure of zinc iodide.



(i) What is the simplest formula for zinc iodide?

ГA	
 L	Ļ

(ii) The list below shows four different types of structure. What type of structure is zinc iodide? Put a ring around the correct answer.

giant covalent

giant ionic

metallic

molecular

[1]

For
Examiner's
Use

(e)	The equation for the reaction of zinc with dilute nitric acid is
	$4Zn + 10HNO_3 \rightarrow 4Zn(NO_3)_2 + NH_4NO_3 + 3H_2O$
	Write a word equation for this reaction.
	[3]
(f)	Describe a test for ammonium ions.
	test
	result
	[3]

[Total: 15]

## **BLANK PAGE**

DATA SHEET
The Periodic Table of the Elements

	0	4 <b>He</b> Helium	Neon 10 Neon 40 Argon 18 Argon 19 Argon 18 Argon 19 Argon	84 Krypton 36	131 <b>Xe</b> Xenon 54	Rn Radon 86		Lu Lutetium 71	<b>Lr</b> Lawrendur
	=		19 Fluorine 9 35.5 <b>C1</b>	80 <b>Br</b> Bromine 35	127 <b>I</b> lodine 53	At Astatine 85		<b>Yb</b> Ytterbium 70	Nobelium
	5		16 Oxygen 8 32 <b>S</b> Sulfur	79 Se selenium 34	128 <b>Te</b> Telluńum 52	<b>Po</b> Polonium 84		169 <b>Tm</b> Thulium 69	Md Mendelevium
	>		14 Nitrogen 7 31 Phosphorus 15	75 <b>AS</b> Arsenic 33		209 <b>Bi</b> Bismuth 83		167 <b>Er</b> Erbium 68	Fm Fermium
	≥		12 Carbon 6 Silicon 14	73 <b>Ge</b> Germanium 32	Sn Tn 50	207 <b>Pb</b> Lead 82		165 <b>Ho</b> Holmium 67	<b>ES</b> Einsteinium
	=		11 B Boron 5 A 1 Aluminium 13	70 <b>Ga</b> Gallium 31	115 <b>I n</b> Indium	204 <b>T t</b> Thallium 81		162 <b>Dy</b> Dysprosium 66	Californium
				65 <b>Zn</b> Zinc 30	Cd Cadmium 48	201 <b>Hg</b> Mercury 80		159 <b>Tb</b> Terbium 65	<b>BK</b> Berkelium
				64 <b>Cu</b> Copper	108 <b>Ag</b> Silver	197 <b>Au</b> Gold 79		157 <b>Gd</b> Gadolinium 64	Carrium
Group				59 <b>N</b> ickel 28	106 Pd Palladium 46	195 <b>Pt</b> Platinum 78		152 <b>Eu</b> Europium 63	Americium
ō				59 <b>Cob</b>	Rh Rhodium 45	192 <b>I r</b> Iridium 77		Samarium 62	<b>Pu</b>
		Hydrogen		56 <b>Fe</b> Iron	Ru Ruthenium 44	190 <b>Os</b> Osmium 76		Pm Promethium 61	Neptunium
				Manganese	Tc Technetium 43	186 <b>Re</b> Rhenium 75		Neodymium 60	238 <b>U</b>
				Chromium 24	96 <b>Mo</b> Molybdenum 42	184 <b>W</b> Tungsten 74		141 <b>Pr</b> Praseodymium 59	Pa Protactinium
				51 V Vanadium 23	93 <b>Nb</b> Niobium 41	181 <b>Ta</b> Tantalum		140 <b>Ce</b> Cerium 58	232 <b>Th</b>
				48 <b>Ti</b> Titanium	91 Zrconium 40	178 <b>Hf</b> Hafnium 72			nic mass Ibol nic) number
				Scandium 21	89 <b>×</b>	139 <b>La</b> Lanthanum *	227 <b>Ac</b> Actinium 89	d series series	<ul> <li>a = relative atomic mass</li> <li>X = atomic symbol</li> <li>b = proton (atomic) number</li> </ul>
	=		Beryllium 4 24 Magnesium 12	40 <b>Ca</b> Calcium	Strontium	137 <b>Ba</b> Barium 56	226 <b>Ra</b> Radium 88	*58-71 Lanthanoid series	в <b>Х</b>
	_		7 Lithium 3 23 Na Sodium 11	39 Potassium	Rb Rubidium	Caesium 55	<b>Fr</b> Francium 87	*58-71L	Key

The volume of one mole of any gas is 24 dm<sup>3</sup> at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.