

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

COMBINED SCIENCE

0653/31

Paper 3 (Extended)

May/June 2015

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB soft pencil for any diagrams, graphs, tables or rough working.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.



1 (a) Fig. 1.1 shows an early type of airship filled with hydrogen gas.




Fig. 1.1

A hydrogen molecule consists of two hydrogen atoms bonded together.

(i) Draw a diagram to show the electronic structure of a hydrogen molecule.

(ii)	Suggest how the electronic structure causes the positively charged nuclei of the two atoms to be held together.
	r ₄

[2]

(iii) The use of hydrogen for airships declined following a disaster in which an airship caught fire.




Fig. 1.2

	Write a balanced symbol equation for the combustion of hydrogen.	
		[2]
(iv)	Describe the energy transformation which occurs in this exothermic reaction.	
		[4]

(b) Fig. 1.3 shows a modern weather balloon containing hydrogen or helium gas.




Fig. 1.3

Explain why the electronic structure of helium means that it is safer than hydrogen to use in a balloon.

[2]

2 (a) Fig 2.1 shows an animal cell.




Fig. 2.1

(i) Identify the functions of the cell parts on Fig. 2.1 using label lines and the letters shown.

Use C to show the part which controls the cell.

Use **R** to show where chemical reactions, such as respiration, take place. [2]

(ii) One of the chemical reactions that takes place in the cell is aerobic respiration.
Complete the balanced symbol equation for aerobic respiration.

$$C_6H_{12}O_6 + \dots \rightarrow 6CO_2 + \dots$$
 [2]

(b) During exercise food stores are broken down in the body by respiration to release energy for muscles to contract. Some people exercise when they are trying to lose weight.

Anna is trying to lose weight by exercising.

Table 2.1 shows the approximate energy needed for 30 minutes each of four different types of exercise for Anna.

Table 2.1

type of exercise	energy needed for 30 minutes of exercise/kJ				
cycling	850				
golf	670				
swimming	830				
walking	580				

(i) Anna went swimming for 30 minutes and then spent 30 minutes playing golf. Calculate the **total** amount of energy she needs for these activities.

amount of energy needed =kJ [1]

(ii)	From Table 2.1, suggest which two 30-minute activities cause Anna to break down the most of her food stores.
	Explain your answer.
	activities and
	explanation
	[2]
(iii)	The exercise made Anna's pulse rate increase. This meant that her heart was beating more quickly.
	Explain fully how this change in heart rate helps Anna to carry out the exercise.
	[2]
(iv)	Suggest a reason why the energy values given in Table 2.1 cannot be exactly the same for everyone doing the exercise.
	[1]

3 Fig. 3.1 shows a man on a snowboard moving down a hill.



Fig. 3.1

Fig. 3.2 shows a graph of the man's speed as he goes down the hill.




Fig. 3.2

(a) Describe the motion of the man between points

A and B ,	
·	
P and C	
B and C	
	[2]

(b)	Use the area under the graph to calculate the distance travelled by the man between points ${\bf C}$ and ${\bf D}$.
	Show your working.
	distance = m [2]
(c)	Calculate the acceleration of the man between points C and D .
	State the formula you use, show your working and state the unit of your answer.
	formula
	working
	acceleration = unit[3]
(d)	Snow is made of solid ice crystals.
	In the box below, draw a diagram to show the arrangement of particles in a solid.
	One particle has been drawn for you. You need to draw at least 11 more.
	[2]

(a) A sample of soil is mixed with water and filtered.

(i)	Describe a test that would show that the soil is acidic.
	[2]
(ii)	In order to reduce soil acidity, limestone is sometimes added. Limestone consists mainly of calcium carbonate.
	Complete the word equation for the reaction occurring between calcium carbonate and dilute hydrochloric acid.
calciu	m hydrochloric carbon ate + acid → dioxide + +

[2]

(b) Fig 4.1 shows apparatus some students use to investigate the effect of temperature on the rate of reaction between calcium carbonate and dilute hydrochloric acid.




Fig. 4.1

They add pieces of calcium carbonate to the dilute hydrochloric acid and time how long it takes for carbon dioxide to fill the inverted gas jar.

They repeat the experiment several times. Each time the experiment is repeated, the only difference is the temperature of the dilute hydrochloric acid.

Table 4.1 shows the results of the investigation.

(c)

Table 4.1

temperature/°C	time taken to fill the gas jar/s
20	156
30	75
40	37
50	20
60	10

(1)	at higher temperatures.
(ii)	Explain your answer to (i) in terms of the collisions between particles.
	[2]
The	soil treatment described in (a)(ii) adds to the amount of carbon dioxide in the atmosphere
(i)	State another reason why the amount of carbon dioxide in the atmosphere is increasing.
	[1]
(ii)	Describe how this increase could be affecting the environment.
	[1]

5 (a) Fig. 5.1 shows two small flowers of a wind-pollinated grass.




Fig. 5.1

- (i) On Fig. 5.1 draw an arrow to show the transfer of pollen from flower **A** to flower **B** during pollination. [2]
- (ii) Describe **two** adaptations of this grass flower for wind pollination. Use only features visible in Fig. 5.1.

1	 	• • • • • • • • • • • • • • • • • • • •	 	 	 •••••	 	 	
•••	 		 	 	 	 	 	
2	 		 	 	 	 	 	
	 		 	 	 	 	 	 [2]

(b) A student sets up an experiment to investigate the conditions needed for germination of seeds. She uses cotton wool and seeds as shown in Fig. 5.2.

Dish 3 is placed in a fridge with a glass door. The rest of the dishes are left by a window in the laboratory.




Fig. 5.2

After a few days the dishes are examined.

Table 5.1 shows what the student observes.

Table 5.1

dish number	observations
1	all seeds germinated, seedlings 1 cm tall
2	no germination
3	no germination
4	no germination

Using the results in Table 5.1, describe evidence that the following conditions affect germination.

(i)	temperature	
(ii)	pH	. [1]
(iii)	State one other condition, not investigated in this experiment, that is needed germination of seeds.	for
		. [1]
(iv)	For germination to take place the enzymes in the seeds must be active.	
	Use this information to explain fully why the seeds did not germinate in dish 4.	
		[0]

6 Many different musical instruments are played in an orchestra.



Table 6.1 shows the lowest and highest frequencies for the sounds of the musical notes produced by some instruments in an orchestra.

Table 6.1

instrument	lowest frequency/Hz	highest frequency/Hz
bassoon	58	932
cello	65	659
clarinet	147	1865
flute	262	2093
harp	31	3322
trumpet	165	1000
violin	196	2637

(a)	lder	Identify which instrument in Table 6.1					
	(i)	has the largest difference between highest and lowest pitch,	[1]				
	(ii)	produces a sound with the longest wavelength.	[1]				
(b)	A la	arge drum emits sound of frequency 30 Hz.					
	Exp	plain why a drum that emits a frequency of 15 Hz would not be used in an orchestra.					
			[1]				

(c)	Calculate the wavelength for the highest frequency sound made by a trumpet. The speed of sound in air is $330\mathrm{m/s}$.
	State the formula you use and show your working.
	formula
	working
(d)	wavelength =
	Fig. 6.1 On Fig. 6.2 draw a diagram to show how the violin string vibrates when the violinist plucks the string and use your diagram to explain why this produces sound waves
	Fig. 6.2
	[3]
	[6]

7 (a) When a hydrocarbon **D** undergoes cracking, two new compounds, **X** and **Y**, are obtained.

X and **Y** are tested using bromine solution.

These processes are shown in Fig. 7.1.




Fig. 7.1

X is an alkane. Y is an alkene.

(i)	State two conditions needed for cracking.
	1
	2[2]
(ii)	Compare the size of the molecules of compounds ${\bf X}$ and ${\bf Y}$ with the size of the molecules of compound ${\bf D}$.
	[1]
(iii)	Describe the effects on the bromine solution caused by ${\bf X}$ and ${\bf Y}$.
	x
	Υ
	[1]

ethane ethene

© UCLES 2015 0653/31/M/J/15

(b) Draw the molecular structures of ethane and ethene.

(c) Fig. 7.2 shows how bromine is produced from molten lead bromide in a laboratory experiment, $PbBr_2$.




Fig. 7.2

(i)	Explain why bromide ions move to the anode when the switch is closed.	
(ii)	Describe how bromine atoms are formed at the anode.	

8 (a) Fig. 8.1 shows the flow of chemical energy through the food chains in a habitat. The numbers represent the amount of chemical energy per square metre per year.




Fig. 8.1

(i) Calculate the percentage of the chemical energy in the producers that is **not** transferred to the carnivores.

Show your working.

answer =	%	[2]	l

(ii) The source of energy for the producers is sunlight which is needed for photosynthesis.

Describe the role of chlorophyll in energy transformation during photosynthesis.

......[2

(b) Fig. 8.2 shows a food chain in Africa. The information inside the box includes details about the flow of energy into and out of the zebra.




Fig 8.2

(1)	Suggest ways in which energy could be lost at X.	
		. [2]
(ii)	Explain the importance of the decomposers shown in Fig. 8.2.	
		. [2]

9 Fig. 9.1 shows a caravan which uses an electric heater to supply warm air to heat the caravan and to heat water.




Fig. 9.1

Fig. 9.2 shows a circuit diagram for the electric heater. It contains two elements, one for heating the air and one for heating the water.




Fig. 9.2

(a)	(i)	The air around the electric heater is heated. The heated air then flows around the cara and warms the people sitting inside.	ıvan
		Name the process by which the heated air warms up the caravan.	
			. [1]
	(ii)	Explain why the heater causes the warm air to circulate inside the caravan.	
			. [2]
	(iii)	The hot water must be kept hot in the hot water tank after the heater is switched off.	
		Suggest a method of keeping the water hot for a long time in the tank after heating.	
			F4.1

(b) The circuit diagram in Fig. 9.2 only allows both heating elements to be switched on or both heating elements to be switched off.

Complete the circuit diagram in Fig. 9.3 to show a different circuit which allows the people in the caravan to have one element switched on and the other element switched off.




Fig. 9.3

[2]

(c) The resistance of the water heater is 30Ω .

When both elements are switched on, the current in the water-heating element is 8 A and the current in the air-heating element is 4 A.

(i) Calculate the potential difference across the heating elements from the mains electricity supply.

State any formula that you use, show your working and state the unit of your answer.

formula

working

(ii) Use the formula P = IV to calculate the electrical power taken by the warm air heater. Show your working.

© UCLES 2015

DATA SHEET
The Periodic Table of the Elements

	0	4 He lium	20 Neon 10 40 Ar Argon	84 Kr Krypton 36	131 Xe Xenon 54	222 Ra Radon 86		175 Lu Lutetium 71	260 Lawrencium 103
	=		19 Fluorine 9 35.5 C1 Chlorine	80 Br Bromine	127 X Iodine	210 At Astatine 85		Yb Ytterbium 70	No Nobelium 102
	>		16 Oxygen 8 32 Suffur 16	79 Se	128 Te Tellurium 52	Po Polonium 84		169 Tm Thulium 69	258 Md Mendeleviur 101
	>		Nitrogen 7 31 Phosphorus 15	75 AS Arsenic 33	Sb Antimony 51	209 Bi Bismuth		167 Er Erbium 68	257 Fm Fermium 100
	≥		Carbon 6 28 Silicon 14	73 Ge rmanium	Sn Tin 50	207 Pb Lead		165 Ho Holmium 67	252 ES Einsteinium 99
	≡		11 BBoron 5 27 Altminium 13	70 Ga Gallium 31	115 In	204 T 1 Thallium		162 Dy Dysprosium 66	251 Californium 98
2				65 Zn Zinc 30	Cadmium 48	Hg Mercury 80		159 Tb Terbium 65	247 BK Berkelium 97
				64 Copper	108 Ag Silver 47	197 Au Gold		157 Gd Gadolinium 64	247 Cm Curium 96
Group				59 Nickel	106 Pd Palladium 46	195 Pt Platinum 78		152 Eu Europium 63	243 Am Americium 95
ច			1	59 Cobalt 27	103 Rh Rhodium 45	192 Ir Iridium		Samarium 62	Putonium
		T Hydrogen		56 Iron	Pu Ruthenium 44	190 Os Osmium 76		Pm Promethium 61	Neptunium
•				Mn Manganese 25	Tc Technetium 43	186 Re Rhenium		Neodymium 60	238 U Uranium 92
				Cr Chromium 24	96 Mo Molybdenum 42	184 W Tungsten 74		Pr Praseodymium 59	Pa Protactinium 91
				51 V Vanadium 23	Niobium 41	181 Ta Tantalum		140 Ce Cerium 58	232 Th Thorium 90
				48 T itanium 22	91 Zr Zirconium 40				nic mass Ibol Ion) number
				Scandium 21	89 × Yttrium 39	139 La Lanthanum 57 *	227 AC Actinium 89	oid series d series	 a = relative atomic mass X = atomic symbol b = atomic (proton) number
	=		Be Beryllium 4 24 Nagnesium 12	40 Ca Calcium	Strontium	137 Ba Barium 56	226 Ra Radium 88	* 58–71 Lanthanoid series † 90–103 Actinoid series	т Х
	_		Lithium 3 23 8 Na Sodium	39 K Potassium 19	85 Rb Rubidium 37	133 Cs Caesium 55	223 Fr Francium 87	* 58–71 † 90–10	Key

The volume of one mole of any gas is 24dm³ at room temperature and pressure (r.t.p.).

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.