

Cambridge International Examinations

Cambridge International General Certificate of Secondary Education

0620/11 **CHEMISTRY**

October/November 2017 Paper 1 Multiple Choice (Core)

45 minutes

Additional Materials: Multiple Choice Answer Sheet

Soft clean eraser

Soft pencil (type B or HB is recommended)

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.

Do not use staples, paper clips, glue or correction fluid.

Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

DO **NOT** WRITE IN ANY BARCODES.

There are forty questions on this paper. Answer all questions. For each question there are four possible answers A, B, C and D.

Choose the one you consider correct and record your choice in soft pencil on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.

Any rough working should be done in this booklet.

A copy of the Periodic Table is printed on page 16.

Electronic calculators may be used.


The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level1/Level 2 Certificate.

This document consists of 15 printed pages and 1 blank page.

© UCLES 2017



🖾 🖾 CAMBRIDGE International Examinations 1 The diagram shows how the arrangement of particles changes when a substance changes state.



Which change of state is shown?

- A boiling
- **B** condensation
- **C** evaporation
- **D** sublimation
- **2** Which method can be used to separate a mixture of salt and water to obtain **both** parts of the mixture?
 - A crystallisation
 - **B** distillation
 - C evaporation
 - **D** filtration
- 3 A student put 25.0 cm³ of dilute hydrochloric acid into a conical flask.

The student added 2.5 g of solid sodium carbonate and measured the change in temperature of the mixture.


Which apparatus does the student need to use to obtain the most accurate results?


- **A** balance, measuring cylinder, thermometer
- B balance, pipette, stopwatch
- **C** balance, pipette, thermometer
- **D** burette, pipette, thermometer
- **4** Propanone, C₃H₆O, is a liquid at room temperature.


What is the boiling point of pure propanone?

- **A** -61 °C to -51 °C
- **B** −56 °C
- **C** 51 °C to 61 °C
- **D** 56 °C

5 Which statement about the boxes P, Q and R is correct?







- **A** Box P contains two compounds and box R contains two elements.
- **B** Box P contains two elements and box Q contains a mixture.
- **C** Box P contains two elements and box Q contains one compound.
- **D** Box Q contains two compounds and box R contains a mixture.
- **6** The number of particles in atoms W, X, Y and Z are shown.

	protons	electrons	neutrons
W	6	6	6
Х	6	6	7
Y	7	7	7
Z	7	7	8


Which statement is correct?

- **A** W and X are isotopes of carbon.
- **B** X and Y are isotopes of nitrogen.
- C X has a mass number of 12.
- **D** Z has an atomic number of 8.
- 7 Which row describes the type of bonding present in substances 1 and 2?

	substance 1	substance 2	
Α	methane has ionic bonding	graphite has covalent bonding	
В	graphite has ionic bonding	potassium chloride has covalent bonding	
С	potassium chloride has ionic bonding	methane has covalent bonding	
D	potassium chloride has ionic bonding	graphite has ionic bonding	

Substances with giant covalent structures can be used as lubricants and as cutting tools for hard 8 materials.

The diagram shows how the atoms are arranged in two giant covalent substances, X and Y.



Which statement is correct?

- Only X is used as a cutting tool and only Y is used as a lubricant.
- Only X is used as a lubricant and only Y is used as a cutting tool.
- **C** X and Y are both used as cutting tools.
- **D** X and Y are both used as lubricants.
- 9 The equation shows the thermal decomposition of magnesium carbonate ($M_r = 84$).

$$MgCO_3 \rightarrow MgO + CO_2$$

Which mass of magnesium oxide is formed when 21.0 g of magnesium carbonate are completely decomposed?

1.9 g


B 4.0 g

C 10.0 g

D 40.0 g

© UCLES 2017

10 Electricity is passed through concentrated aqueous sodium chloride. Inert electrodes are used.



What is formed at the negative electrode?

- A chlorine
- **B** hydrogen
- **C** oxygen
- **D** sodium
- **11** Two chemical processes are described.
 - During the combustion of gasoline, energy is1......
 - During the electrolysis of sulfuric acid, energy is2......

Which words complete gaps 1 and 2?


	1	2
Α	given out	given out
В	given out	taken in
С	taken in	given out
D	taken in	taken in

12 When dilute sulfuric acid reacts with aqueous sodium hydroxide, the temperature of the solution increases.

Which words describe this reaction?

- A endothermic and neutralisation
- **B** endothermic and redox
- C exothermic and neutralisation
- **D** exothermic and redox
- **13** The mass of a beaker and its contents is plotted against time.

Which graph represents what happens when sodium carbonate reacts with an excess of dilute hydrochloric acid in an open beaker?



14 When blue copper(II) sulfate is heated, a white solid and water are formed.

The white solid turns blue and gives out heat when water is added to it.

Which terms describe the blue copper(II) sulfate and the reactions?

	the blue copper(II) sulfate is	reactions	
Α	a mixture	can be reversed	
В	a mixture	cannot be reversed	
С	hydrated	can be reversed	
D	hydrated	cannot be reversed	

- **15** Which changes increase the rate of reaction between calcium carbonate and dilute hydrochloric acid?
 - 1 increasing the concentration of the acid
 - 2 increasing the temperature
 - 3 increasing the size of the pieces of calcium carbonate
 - **A** 1, 2 and 3 **B** 1 and 2 only **C** 1 and 3 only **D** 2 and 3 only

16 The equations for two reactions P and Q are given.

P
$$2NaNO_2 + O_2 \rightarrow 2NaNO_3$$

$$Q \quad 2\underline{Hg}O \, \rightarrow \, 2Hg \, + \, O_2$$

In which of these reactions does oxidation of the underlined substance occur?

	Р	Q
Α	✓	✓
В	✓	X
С	X	✓
D	X	X

17 What is **not** a typical characteristic of acids?

- **A** They react with alkalis producing water.
- **B** They react with **all** metals producing hydrogen.
- **C** They react with carbonates producing carbon dioxide.
- **D** They turn blue litmus paper red.
- **18** Magnesium, phosphorus and chlorine are elements in the same period of the Periodic Table.

Which row describes the type of oxide formed by each of these elements?

	magnesium	phosphorus	chlorine
Α	acidic	acidic	basic
В	acidic	basic	basic
С	basic	acidic	acidic
D	basic	basic	acidic

19 Zinc sulfate is made by reacting an excess of zinc oxide with dilute sulfuric acid.

The excess zinc oxide is then removed from the solution.

Which process is used to obtain solid zinc sulfate from the solution?

- **A** crystallisation
- **B** dissolving
- **C** filtration
- **D** fractional distillation

20	What is	used to	test for	chlorine?
	vviiatio	uocu io	LUGE IUI	

- A a glowing splint
- B damp litmus paper
- **C** limewater
- **D** potassium manganate(VII) solution

21 Which statements about the trends across a period of the Periodic Table are correct?

- 1 Aluminium is more metallic than sodium.
- 2 Beryllium is more metallic than carbon.
- 3 Boron is more metallic than lithium.
- 4 Magnesium is more metallic than silicon.
- **A** 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4
- 22 Astatine is an element in Group VII of the Periodic Table.

Astatine is1..... reactive than iodine.

The melting point of astatine is2..... than the melting point of iodine.

Astatine is3..... in colour than bromine.

Which words complete gaps 1, 2 and 3?

	1	2	3
Α	less	higher	darker
В	less	lower	lighter
С	more	higher	darker
D	more	lower	lighter

23 Which row describes the properties of a typical transition element?

	melting point	forms coloured compounds	can act as a catalyst
Α	high	no	no
В	high	yes	yes
С	low	no	yes
D	low	yes	no

24	Wh	y is argon gas used to fill electric lamps?
	Α	It conducts electricity.
	В	It glows when heated.
	С	It is less dense than air.
	D	It is not reactive.
25	Wh	at is a property of all metals?
	Α	conduct electricity
	В	hard
	С	low melting points
	D	react with water
26	Wh	ich material is not involved in the large-scale extraction of iron from iron ore?
	Λ	hauvite

27 Some reactions of three metals are listed in the table.

metal	metal reacts with dilute hydrochloric acid	metal oxide is reduced by carbon
Р	yes	no
Q	no	yes
R	yes	yes


What is the order of reactivity of the metals?

	most reactive		least reactive
Α	Р	R	Q
В	Q	Р	R
С	R	Р	Q
D	R	Q	Р

28 Which uses of the metals shown are both correct?

	aluminium	stainless steel
Α	aircraft bodies	cutlery
В	car bodies	aircraft bodies
С	chemical plant	food containers
D	food containers	car bodies

29 The flow chart shows stages in the treatment of river water to produce drinking water.



What occurs at stages X and Y?

	Х	Y
Α	distillation	chlorination
В	distillation	filtration
С	filtration	chlorination
D	filtration	distillation

	30	Which	gas is	s over	30%	of	air?
--	----	-------	--------	--------	-----	----	------

- **A** argon
- B carbon dioxide
- C nitrogen
- **D** oxygen
- 31 Iron is a metal that rusts in the presence of oxygen and water.

Mild steel is used for1..... and is prevented from rusting by2......

Stainless steel does not rust. It is produced by3..... iron with another metal.

Which words complete gaps 1, 2 and 3?

	1	3				
Α	car bodies	greasing	covering			
В	car bodies	painting	mixing			
С	cutlery	greasing	covering			
D	cutlery	painting	mixing			

32 A mixture produces a gas both when it reacts with an acid and when it reacts with an alkali.

Which ions are present in the mixture?


- A ammonium ions and carbonate ions
- **B** ammonium ions and oxide ions
- **C** hydrogen ions and carbonate ions
- **D** hydrogen ions and oxide ions
- 33 Some marble chips (calcium carbonate) are heated strongly and substances X and Y are formed.

Substance X is a white solid that reacts with water, giving out heat. Substance Y is a colourless gas.

What are substances X and Y?

	X	Y
Α	calcium chloride	oxygen
В	calcium hydroxide	carbon dioxide
С	calcium oxide	carbon dioxide
D	calcium sulfate	oxygen

34 The structures of some organic molecules are shown.



Which structures represent an alkane with four carbon atoms?

- 1 only
- В 2 and 3
- C 2 and 4
- 3 and 4
- Some of the fractions obtained from the fractional distillation of petroleum are used as fuels for vehicles.

Which two fractions are used as fuels for vehicles?

- Α bitumen fraction and gasoline fraction
- bitumen fraction and naphtha fraction В
- C gasoline fraction and kerosene fraction
- kerosene fraction and lubricating fraction D
- 36 Burning fossil fuels releases heat energy.

Which substance is not a fossil fuel?

- Α coal
- В hydrogen
- C natural gas
- D petroleum
- 37 X, Y and Z are three hydrocarbons.

X CH₂=CH₂

CH₃-CH=CH₂

Z CH₃-CH₂-CH=CH₂

What do compounds X, Y and Z have in common?

- 1 They are all alkenes.
- 2 They are all part of the same homologous series.
- They all have the same boiling point. 3

1, 2 and 3

1 and 2 only

С

1 and 3 only **D** 2 and 3 only


38 The table shows bonds that are present and bonds that are not present in compound X.

bond	
C–C	✓
C=C	X
C–H	✓
C-O	✓
C=O	✓
O–H	✓

What type of compound is X?

- A a carboxylic acid
- B an alcohol
- C an alkane
- **D** an alkene


39 The diagram shows a reaction sequence.



Which row names the processes X, Y and Z?

	X	Z	
Α	cracking	fermentation	respiration
В	cracking	hydration	combustion
С	distillation	fermentation	respiration
D	distillation	hydration	combustion

40 Molecules of a substance react together as shown.



Which type of reaction has taken place?

- A cracking
- **B** oxidation
- **C** polymerisation
- **D** reduction

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

	III/	2 :	He	helium 4	10	Ne	neon 20	18	Ā	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	R	radon			
	IIA				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	Н	iodine 127	85	Αţ	astatine -			
					8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>e</u>	tellurium 128	84	Ъ	molod –	116	^	livermorium -
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	>				9	O	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	Sn	tin 119	82	Pb	lead 207	114	Εl	flerovium -
	≡				2	М	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	ပ	cadmium 112	80	Нg	mercury 201	112	S	copernicium -
											29	Cn	copper 64	47	Ag	silver 108	62	Αn	gold 197	111	Rg	roentgenium -
Group											28	z	nickel 59	46	Pd	palladium 106	78	చ	platinum 195	110	Ds	darmstadtium -
Gro											27	ဝိ	cobalt 59	45	牊	rhodium 103	77	Ir	iridium 192	109	Mt	meitnerium -
		F :	I	hydrogen 1							26	Ьe	iron 56	44		-		SO	osmium 190	108	Hs	hassium –
											25	M	manganese 55	43	ပ	technetium -	75	Re	rhenium 186			bohrium –
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	g	niobium 93	73	<u>a</u>	tantalum 181	105	В	dubnium –
						ato	rek				22	i=	titanium 48	40	Zr	zirconium 91	72	士	hafnium 178	104	꿆	rutherfordium —
											21	လွ	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89-103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium -
	_				ဇ	=	lithium 7	1	Na	sodium 23	19	¥	potassium 39	37	В	rubidium 85	55	S	caesium 133	87	Ŧ	francium -

71	Lu lutetium 175	103	ت	lawrencium	ı
	TD ytterbium 173				
69 E	thulium 169	101	Μd	mendelevium	ı
88 1	erbium 167	100	Fm	ferminm	ı
29	holmium 165	66	Es	einsteinium	ı
99	dysprosium 163	86	ŭ	californium	ı
65 H	terbium 159	26	益	berkelium	ı
64	gadolinium 157	96	CB	curium	ı
63	Eu europium 152	98	Am	americium	ı
62	samarium 150	94	Pn	plutonium	ı
61	promethium	93	dΝ	neptunium	ı
09	neodymium 144	95	⊃	uranium	238
59	praseodymium 141	91	Ра	protactinium	231
88 6	Cerium 140	06	느	thorium	232
22	lanthanum 139	88	Ac	actinium	I
() () () () () () () () () ()	lanulanonus		actinoids		

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).