

## **Cambridge Assessment International Education**

Cambridge International General Certificate of Secondary Education

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		
PHYSICS			 062	25/43

Paper 4 Theory (Extended)

October/November 2019

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

Take the weight of 1.0 kg to be 10 N (acceleration of free fall =  $10 \,\text{m/s}^2$ ).

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

This syllabus is regulated for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.





1 Fig. 1.1 is the top view of a tank in an aquarium. The tank is filled with salt water.




Fig. 1.1 (not to scale)

The depth of the water in the tank is 2.0 m.

(a) Calculate the volume of the water in the tank.

volume =	 1:31

**(b)** The density of the water in the tank is  $1.1 \times 10^3 \text{kg/m}^3$ .

Calculate the mass of the water in the tank.

(c) Calculate the pressure due to the water at a level of 0.80 m above the base of the tank.

[3]	pressure =	
[Total: 8]		

[2]
[1]

[Total: 6]

**3** (a) Fig. 3.1 shows a waterfall.




Fig. 3.1

	(1)	Describe the main energy transfer which is taking place as the water falls.	[2]
	(ii)	The speed of the water as it hits the bottom is 21 m/s.	
		Calculate the height h of the waterfall.	
		height =	[3]
	(iii)	State and explain any assumption you made in (ii).	
			[1]
(b)	The	Sun is the source of energy for most energy resources used to produce electricity.	
	Sta	te <b>two</b> energy resources that have another source for their energy.	
	1.		
	2.		[2]

Explain in terms of forces between molecules and arrangement of molecules, why solids, liquids and gases have these properties.  Solids  Liquids  Gases	Solids have a fixed shape. Liquids adapt to the shape of their container. Gases fill their container.
Liquids	
Liquids	Solids
Liquids	
Gases	
Gases	Liquids
Gases	
	Gases

[Total: 6]

5

	electric kettle contains water at a temperature of $19^{\circ}$ C. The kettle has a power rating of $3.0\mathrm{kW}$ is switched on for $3.5$ minutes.
(a)	Calculate the energy supplied to the kettle by the electricity supply.
	alactrical anargy
	electrical energy =[3]
(b)	At 3.5 minutes, the temperature of the water reaches $100^{\circ}$ C. The volume of the water in the kettle is $1700\text{cm}^3$ and its density is $1.0\text{g/cm}^3$ . The specific heat capacity of water is $4200\text{J/(kg}^{\circ}\text{C)}$ .
	Calculate the thermal energy gained by the water.
	thermal energy =[5]
(c)	
	efficiency =[2]
	[Total: 10]

**6** Fig. 6.1 represents wavefronts of a sound wave travelling in air from left to right.




Fig. 6.1

(a)	Sta	te the name given to the:		
	(i)	region around A in the diagram		[1]
	(ii)	region around B in the diagram.		[1]
(b)	On	Fig. 6.1, draw a double-headed arrow	to show <b>one</b> wavelength.	[1]
(c)	The	loudness of the sound increases at th	ne same pitch.	
	Sta	e and explain any change there would	d be in the pattern of wavefronts shown in Fig. 6.	.1.
				[3]
(d)	The	wave passes into water.		
	Sta	e and explain any change in the patte	rn of wavefronts shown in Fig. 6.1.	
				[3]
			[Total	l: 9]

7 (a) Fig. 7.1 shows the position of a converging lens, its principal axis and an object O.




Fig. 7.1

Each principal focus of the lens is labelled F.

Suggest a reason for this.

On Fig. 7.1, draw a ray diagram to locate the position of the image formed by the lens.

Label the image I. [3]

(b) Describe the nature of the image I. [2]

(c) Images formed by lenses sometimes have coloured edges.

.....[1]

[Total: 6]

8 (a) Fig. 8.1 shows a negatively charged conducting sphere.



Fig. 8.1

On Fig. 8.1, draw the electric field pattern around the sphere. [2]

(b) The current in an electrical device is 0.21 A.

Calculate the charge that flows during a 75 s period of time.

charge = ..... [2]

[Total: 4]

**9** Fig. 9.1 shows a circuit containing an LED and two resistors in parallel, each of resistance *R*.




Fig. 9.1

The normal operating voltage of the LED is 2.1 V and the normal current is 0.19A.

- (a) (i) The potential difference (p.d.) across the LED is measured with a voltmeter.
  - On Fig. 9.1, draw the symbol for this voltmeter connected to the circuit.
  - (ii) The current in the LED is measured with an ammeter.
    - On Fig. 9.1, draw the symbol for this ammeter connected to the circuit. [1]
- **(b)** Calculate the value of *R* when the LED is operating normally.

	[5

[Total: 7]

[1]

**10** (a) A magnet and a coil are attached separately to a door and a door frame as shown in Fig. 10.1.

The purpose of the arrangement is to activate a circuit connected to an LED indicator when the door is opening or closing. This will provide a visual indication that the door is being used.




Fig. 10.1

Initially, the door is closed and then it is opened.

(i)	Explain why the indicator comes on and then goes off when the door is opened.
	[2]
(ii)	The door shuts. The indicator comes on more brightly but for a shorter time than it did in (i). Suggest and explain why this happens.
	[2]

(b)	A circuit breaker is recommended for use with an electric lawnmower.
	State <b>two</b> reasons for this recommendation.
	reason 1
	reason 2
	[2]
	[Total: 6]

11	(a)	The circles shown in Fig. 11.1 represent three gold nuclei. Three $\alpha$ -particles are approaching the gold nuclei.
		$\alpha$ -particle $\longrightarrow$
		$\alpha$ -particle $\longrightarrow$
		$\alpha$ -particle —
		Fig. 11.1
		On Fig. 11.1, complete the path of each $\alpha$ -particle. [3]
	(b)	A detector of radioactivity in a laboratory indicates an average of 16 counts/min when no radioactive samples are present. A radioactive sample of half-life 1.5 days is placed close to the detector, which indicates a count rate of 208 counts/min.
		Calculate the count rate that is indicated 6 days later.
		count rate = counts/min [4]

(C)	selenium-79. These isotopes are radioactive with half-lives of many thousands of years.
	State <b>three</b> economic and environmental consequences of producing this waste.
	[3]
	[Total: 10]

## **BLANK PAGE**

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.