

## **Cambridge Assessment International Education**

Cambridge International General Certificate of Secondary Education

COMBINED SO	CIENCE		0653/32
CENTRE NUMBER		CANDIDATE NUMBER	
CANDIDATE NAME			

Paper 3 (Core)

May/June 2019

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

## **READ THESE INSTRUCTIONS FIRST**

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 20.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.

© UCLES 2019

1 (a) Fig. 1.1 is a diagram showing five of the characteristics of living organisms.




Fig. 1.1

(1)	Complete Fig. 1.1 by adding the <b>two</b> missing characteristics of living organisms.	[2]
(ii)	Describe the differences in how plants and animals obtain their nutrition.	
	Plants obtain their nutrition by	
	Animals obtain their nutrition by	
		[2]

(b)	Plai	nts and a	animals c	an detec	t and res	spond t	o chang	es in th	eir envir	onment.		
	(i)	Name t	his chara	cteristic.								
												[1]
	(ii)	Use wo	ords in the	list to c	omplete	the foll	owing se	entence	es about	plant resp	onses.	
		You ma	ıy use ea	ch word	once, m	ore tha	n once c	or not a	t all.			
	C	downwa	rds	grav	itropism	1	gravi	ty	phot	osynthes	sis	
			photo	otropisn	n	sidev	vays	u	pwards			
		When	a see	d germ	ninates	in th	e soil	the	radicle	(young	root)	grows
		This re	esponse	is call	ed					. When	the p	olumule
		(young	shoot)	is abov	e groun	d it g	rows to	wards	light. T	his respo	nse is	called
												[3]
(c)			n use hor creted into							a hormone	e is adr	enaline
	Sta	te <b>two</b> et	ffects of a	ıdrenalin	e on the	body.						
	1											
	2											[2]
											[To	otal: 10]

2 (a) Sodium chloride is an ionic compound. It dissolves in water.

Water is a covalent compound.

(i)	State the formula of sodium chloride.	
		[1]
(ii)	Describe the formation of ionic bonds and of covalent bonds.	
	Use ideas about electrons in your answer.	
	ionic bonds	
	covalent bonds	
		[2]
(iii)	Use the words <i>solvent</i> , <i>solute</i> and <i>solution</i> to describe sodium chloride, water aqueous sodium chloride.	and
	Sodium chloride is a	
	Water is a	
	Aqueous sodium chloride is a	

**(b)** A student uses the apparatus shown in Fig. 2.1 for the electrolysis of concentrated aqueous sodium chloride.

[2]




Fig. 2.1

(i)	State whether this electrolysis is a physical change or a chemical change.	
	Explain your answer.	
	change	
	explanation	
		[1]
(ii)	Name the non-metallic element used to make the inert electrodes.	1.1
		[1]
(iii)	Name the positive and the negative electrodes.	
	positive	
	negative	[1]
(iv)	During this electrolysis two gases are produced.	
	Identify the gases produced at the positive and at the negative electrodes.	
	positive	
	negative	
		[2]
		[Total: 10]

3 (a) Below is a list of some types of wave.

	gam	ma	infrared	microwave		sound	
		ultraviol	et	visible light	X-rays	<b>3</b>	
Sta	te <b>one</b> wave fro	om the list	that is:				
(i)	not an electro	magnetic	wave				
							 [1]
(ii)	used in the tra	nsmissior	n of satelli	ite television			
							 [1]
(iii)	can cause sur	nburn.					
							 [1]
<b>(b)</b> In s	ome swimming	pools a w	ave mac	hine is used to ge	nerate v	vater waves.	

Fig. 3.1 shows how the machine's electric motor moves a large paddle backwards and forwards in the water to make the waves.




Fig. 3.1

Fig. 3.2 shows part of the circuit diagram for the electric motor.




Fig. 3.2

On Fig. 3.2 complete the circuit diagram by adding the circuit symbols for:

- 1. an ammeter to measure the current through the motor
- a circuit component that enables the value of the current in the circuit to be changed 2.
- 3. a voltmeter to measure the voltage of the a.c. supply.

[4]

**(c)** The motor speed is increased so the paddle moves faster.

Suggest **one** effect this will have on the waves produced by the paddle.

[Total: 8]

4 (a) When a banana is peeled the exposed surface turns from white to brown, as shown in Fig. 4.1.



Fig. 4.1

A banana is cut into four equal slices. The slices are treated as shown in Fig. 4.2 and left in dishes on a laboratory bench for 30 minutes.




Fig. 4.2

The results are shown in Table 4.1.

Table 4.1

dish	colour of banana after 30 minutes
Α	changes from white to brown
В	stays white
С	stays white
D	stays white

	(i)	Oxygen in the air is needed for a banana slice to change colour from white to brown.	
		Explain this using evidence from dish <b>C</b> in Fig. 4.2, and Table 4.1.	
			[2]
	(ii)	An enzyme is also needed for a banana slice to change colour from white to brown.	
		Explain this using evidence from dish <b>B</b> in Fig. 4.2 and Table 4.1.	
			[2]
	(iii)	Suggest why the banana does not go brown in dish <b>D</b> .	
/I_ \	\		ניו
(b)		en a boy eats the banana, it tastes sweet because it contains reducing sugar.	
	Des	scribe the test for reducing sugar, and state the positive result.	
	test		
	resi	ult	 [2]
		[Total	
		L	- 4

**5 (a)** Petroleum contains hydrocarbons. These are separated into useful fractions by fractional distillation, as shown in Fig. 5.1.




Fig. 5.1

	(1)	Identify a fraction shown in Fig. 5.1 used for fuel in cars.	
			[1]
	(ii)	Identify a fraction shown in Fig. 5.1 used for bottled gas for heating and cooking.	
			[1]
(b)	(i)	Name the type of hydrocarbon which contains only single bonds.	
			[1]
	(ii)	Identify the products of the complete combustion of hydrocarbons.	
		and	[1]
(c)	Con	npound <b>X</b> is made from large hydrocarbon molecules in a reaction called cracking.	
	Con	npound <b>X</b> reacts with aqueous bromine, changing it from orange to colourless.	
	Mol	ecules of compound <b>X</b> join together to form a polymer.	
	(i)	Suggest the identity of compound <b>X</b> .	
			[1]
	(ii)	State the type of polymerisation in which molecules of compound <b>X</b> form a polymer.	

- (d) Hydrocarbon molecules contain atoms of the elements carbon and hydrogen only.
  - (i) A carbon atom has 6 electrons.

Complete Fig. 5.2 to show the electronic structure of this carbon atom.




Fig. 5.2

[1]

(ii) Complete the dot-and-cross diagram in Fig. 5.3 to show the covalent bond in a molecule of hydrogen gas,  $\rm H_2$ .

н н

Fig. 5.3

[1]

(iii)	State why covalent bonds, rather than ionic bonds, form between carbon atoms a hydrogen atoms.	and
		[1]

[Total: 9]

6 (a) Fig. 6.1 shows the Celsius temperature scale from -273 °C up to 300 °C.

Six points on the scale are labelled A, B, C, D, E and F.





Fig. 6.1

On Fig. 6.2 draw lines to link each description to the letter showing the correct temperature in Fig. 6.1. One has been done for you.



**Fig. 6.2** [3]

(b) Fig. 6.3 and Fig. 6.4 show two different kinds of thermometer.




Fig. 6.3 Fig. 6.4

(i) Describe the property of liquids that is used in the thermometer in Fig. 6.3.

(ii) The thermometer in Fig. 6.4 uses electrical properties to measure temperature.

Suggest an electrical property of materials that might change with temperature and so be used to measure temperature.

\_\_\_\_\_\_\_[1]

(c)		temperature at the surface of the Sun is nearly $6000^{\circ}\text{C}$ , so it is losing a lot of energy into ce all the time.
	(i)	On Earth, people feel the thermal energy as the energy from the Sun falls on their skin.
		State how energy from the Sun is transferred through space to the Earth.
		[1]
	(ii)	The Sun is made of very hot gases. The centre of the Sun is hotter than the surface of the Sun.
		Suggest the main method of thermal energy transfer from inside the Sun to the surface of the Sun.
		Give a reason for your answer.
		method
		reason
		[2]

[Total: 8]

**7 (a)** A person's balanced diet must contain all nutrients in the correct amounts according to the person's needs.

The person eats the meal shown in Fig. 7.1. The food items and the main nutrients they contain are labelled.




Fig. 7.1

(i)	State <b>two</b> reasons why the meal shown in Fig. 7.1 is unbalanced.
	1
	2[2]
(ii)	Suggest one food the person can add to the meal to make it balanced.
	Explain your answer.
	food
	explanation
	[2]

				13			
(b)		ne carbohydrates ha ch are made when r				je molecules called p	olymers
	Fig.	7.2 shows a molec	ule of glucose,	and a part of a	a polymer of	glucose.	
					\_	<b>\_</b>	
		glucose molecule	sm	all part of a po	olymer of glu	cose	
			ı	Fig. 7.2			
	(i)	Underline the nam	es of <b>two</b> polyn	ners of glucos	e in the list.		
		amino acid	fat enz	zyme gly	ycogen	hormone	
		oil	protein	starch	sugar		[2]
	(ii)	Explain why chemi	cal digestion of	large molecul	es is neede	d in the alimentary c	anal.
							[2]
(	(iii)	State <b>two</b> areas in	the alimentary	canal where c	hemical dig	estion takes place.	
		1					
		2					[2]

[Total: 10]

8	<b>(a)</b> Alu	Aluminium reacts with iron oxide to form iron in an exothermic reaction.  Aluminium does not react with calcium oxide.									
	Alu										
	(i)	Place the three metals, aluminium, iron and calcium, in order from most to least reactive									
		most reactive									
		least reactive									
			[1]								
	(ii)	Complete the word equation for the reaction between aluminium and iron oxide.									
		+ aluminium oxide +									
			[2]								
	(iii)	State whether aluminium is oxidised or reduced during this reaction.									
		Explain your answer.									
		aluminium is									
		explanation									
			[1]								
	<b>(b)</b> Co	pper oxide, CuO, contains copper(II) ions.									
	Wh	nen copper oxide is mixed with carbon, there is no reaction.  State what must be done to this mixture to obtain copper.									
	(i)										
			[1]								
	(ii)	State the test for copper(II) ions.									
		Give the result that shows the presence of copper(II) ions.									
		test									
		result									
			[2]								

[Total: 7]

**9** Fig. 9.1 shows a forklift truck moving a large heavy box towards a shelf.




Fig. 9.1

- (a) The arrows labelled P, Q, R and S show four forces acting on the forklift truck.
  - (i) State which letter represents the frictional forces acting on the moving truck.

.....[1]

(ii) The truck stops and the motor is switched off. State the letters of all the forces that now have a value of 0 N.

.....[1]

(b) The box has a mass of 500 kg.

The forklift truck lifts the box upwards from rest on the ground using a force to push the box up. Fig. 9.2 shows the directions of the forces acting on the box.




Fig. 9.2

(i) The gravitational field strength g is 10 N/kg.

Calculate the weight **W** of the box.

**W** = ...... N [1]

(ii)	State how the upward force ${\bf U}$ on the box compares with the weight ${\bf W}$ of the box as the box begins to move upwards.
	[1]
(iii)	The truck lifts the box towards two shelves, one at 1m above the ground, the other at 3m above the ground.
	Compare the work required to lift the box from the ground to the higher shelf with the work required to lift the box from the ground to the lower shelf.
	Explain your answer.

(c) The truck is driven a distance of 225 m to collect another box.

Fig. 9.3 shows the speed-time graph for this journey.




Fig. 9.3

(i) Calculate the average speed of the truck on this journey.

Show your working.

	average speed =	m/s	[2]
(ii)	Describe the motion of the truck between 0s and 20s.		
			[1]

(iii)	) The truck is driven by an electric motor powered by a battery.								
	Complete the energy transfers involved.								
	from energy in the battery								
	to energy driving the motor								
	to kinetic energy of the truck.	[2]							

[Total: 11]

The Periodic Table of Elements

	<b>II</b>	2	Ε̈́	helium 4	10	Ne	neon 20	18	Ą	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Ru	radon				
	II/				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	ğ	bromine 80	53	н	iodine 127	85	¥	astatine -				
					8	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ъ	polonium –	116	^	livermorium	
	>				7	z	nitrogen 14	15	۵	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	: <u>.</u>	bismuth 209				
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	20	S	tin 119	82	В	lead 207	114	Εl	flerovium	
	=				2	В	boron 11	13	Ρl	aluminium 27	31	Ga	gallium 70	49	I	indium 115	81	11	thallium 204				
											30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	ပ်	copernicium	
											29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium	
dno											28	Z	nickel 59	46	Pd	palladium 106	78	Ŧ	platinum 195	110	Ds	darmstadtium -	
Group											27	ဝိ	cobalt 59	45	格	rhodium 103	77	'n	iridium 192	109	¥	meitnerium -	
		- :	I	hydrogen 1							26	Fe	iron 56	44	R	ruthenium 101	9/	SO	osmium 190	108	Hs	hassium	
											25	Mn	manganese 55	43	ည	technetium -	75	Re	rhenium 186	107	Bh	bohrium	
						pol	ass				24	ဝ်	chromium 52	42	Mo	molybdenum 96	74	≯	tungsten 184	106	Sg	seaborgium	
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	qN	niobium 93	73	Та	tantalum 181	105	Вb	dubnium	
						ato	rek				22	ı	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	ጟ	rutherfordium -	
								•			21	လွ	scandium 45	39	>	yttrium 89	57-71	lanthanoids		89–103	actinoids		
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	88	Š	strontium 88	26	Ba	barium 137	88	Ra	radium	
	_				3	:=	lithium 7	£	Na	sodium 23	19	¥	potassium 39	37	Rb	rubidium 85	55	Cs	caesium 133	87	ŗ	francium	

71 Lu	lutetium 175	103	۲	lawrencium -	
70 Yb	ytterbium 173	102	Š	nobelium	
e9 Tm	thulium 169	101	Md	mendelevium -	
8 Д	erbium 167	100	Fm	fermium	
~ 연	holmium 165	66	Es	einsteinium	
<sub>®</sub> ≧	dysprosium 163	86	Ç	californium	
65 Tb	terbium 159	6	Ř	berkelium	
Gd 64	gadolinium 157	96	Cm	curium	
63 Fu	europium 152	92	Am	americium	
Sm Sm	samarium 150	94	Pu	plutonium	
Pm Pm	promethium -	93	dN	neptunium –	
9 <b>P</b>	neodymium 144	92	$\supset$	uranium 238	)
® <b>ન</b>	praseodymium 141	91	Ра	protactinium 231	,
လို့ လို	cerium 140	06	H	thorium 232	1
57 <b>La</b>	lanthanum 139	88	Ac	actinium	

lanthanoids

actinoids

The volume of one mole of any gas is  $24\,dm^3$  at room temperature and pressure (r.t.p.).

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.