

Cambridge Assessment International Education

Cambridge International General Certificate of Secondary Education (9–1)

CANDIDATE NAME					
CENTRE NUMBER			CANDIDATE NUMBER		

132539014

CO-ORDINATED SCIENCES

0973/31

Paper 3 Theory (Core)

May/June 2019

2 hours

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A copy of the Periodic Table is printed on page 28.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

1 (a) Fig. 1.1 is a diagram of a plant cell.




Fig. 1.1

Table 1.1 shows some of the parts labelled in Fig. 1.1.

Use Fig. 1.1. to complete Table 1.1.

Table 1.1

name of part	letter in Fig. 1.1	function
	Α	controls what enters and leaves the cell
		site of photosynthesis
		stops cell from bursting
nucleus		contains genetic material

[4]

(b)	Carbon dioxide is one of the raw materials needed for photosynthesis.				
	(i)	State one other raw material needed for photosynthesis.			
		[1	1]		
	(ii)	Describe how carbon dioxide moves into cells.			
		Include the name of the process in your answer.			


[Total: 8]

2	Chlorine and argon are gaseous elements in Period 3 of the Periodic Table.								
	(a)	Stat	State one use of chlorine.						
		use	of chlorine						
				[1]					
	(b)	An	argon atom contains 18 electrons.						
		(i)	State the electronic structure of argon.						
				[1]					
		(ii)	State, in terms of electronic structure of atoms, why argon is unreactive.						
				[1]					
		(iii)	Information about the atomic structure of a particle ${\bf J}$ is shown below.						
			number of protons in the nucleus 17 electronic structure 2,8,8						
			Explain why particle J is a negative chloride ion.						
				[2]					
	(c)	Chle	orine, Cl_2 , combines with hydrogen, H_2 , to form hydrogen chloride, HCl .						
		(i)	Balance the symbol equation for this reaction.						
			$Cl_2 + H_2 \rightarrow HCl$	[1]					
		(ii)	Fig. 2.1 shows the covalent bond in a molecule of hydrogen chloride.						
			HC1						
			Fig. 2.1						
			State the number of electrons in this bond.						
				[1]					
			[Tota	l: 7]					

2	(0)	A obower	io connected	to on	alaatriaal	numn to	inorooo	the flow	of wotor
J	(a)	A SHOWER	is connected	เบลา	electrical	pullip to	increase	trie now	oi water.

Fig. 3.1 shows an incomplete circuit diagram for the shower pump.

(i) Complete Fig. 3.1 by adding a switch and two resistors all in series with the power supply and motor.






Fig. 3.1

[3]

(ii) The two resistors in the pump circuit have values of 4Ω and 6Ω .

Calculate the combined resistance of the two resistors in series.

resistance = Ω [1]

(iii) The potential difference across the resistors is 50 volts. Use your answer to (a)(ii) to calculate the current in the circuit.

Show your working.

current = A [2]

(iv)	An electrician measures the current in the circuit. Describe how the ammeter is connect to measure the current.	ted
		[1]
(v)	Draw the symbol for an ammeter.	

[1]

- **(b)** A boy combs his hair while looking in a plane mirror. He notices the reflection of a spider in the mirror.
 - (i) Write the letter **X** on Fig. 3.2 to show the position of the image of the spider.




Fig. 3.2

[1]

(ii) Circle the two correct words or phrases that describe the image of the spider in the mirror.

diminished	enlarged	laterally inverted	
	same size	upside down	
			[2]

(iii) On Fig. 3.2, draw the path of a ray of light from the spider to show how the student can see the spider in the mirror. [2]

[Total: 13]

4 (a) The menstrual cycle of females can vary from approximately 24 to 32 days.

Fig. 4.1 is a diagram which represents the menstrual cycle for one female.




Fig. 4.1

	(1)	State the number of days of the menstrual cycle shown in Fig. 4.1.	
			[1]
	(ii)	Menstruation is the breakdown and loss of the uterus lining.	
		Place ticks (✓) in the boxes on Fig. 4.1 to show on which days menstruation occurs.	[1]
	(iii)	Place a cross (X) in one box on Fig. 4.1 to show when ovulation occurs.	[1]
b)	Des	scribe the changes that occur to the uterus lining after menstruation.	
	••••		[2]
			121

(c) Complete the sentences about fertilisation using words from the list.

	Each word or phrase may	be used once, more	than once or not at a	all.	
	baby	nuclei	ovaries	ovum	
		placenta	zygote		
	The sperm meets the		in the oviduct.		
	Fertilisation is the fusion of	of the two			
	Fusion results in the forma	ation of a single cell	called a		21
				Į.	3]
(d)	Sperm cells pass through occurs in the oviduct.	several parts of the	female reproductive	system before fertilisatio	n
	Name two of these parts.				
	1				
	2				
				[2	2]

[Total: 10]

Sulfur d	lioxide and ammonia are gaseous compounds.	
(a) Su	lfur dioxide is released when fossil fuels burn.	
(i)	Name two fossil fuels.	
	1	
	2	
		[2]
(ii)	Explain why burning fossil fuels releases sulfur dioxide.	
		[2]
(iii)	The pH of water is 7.	
	When sulfur dioxide dissolves in water, the pH changes to 2.	
	Explain this observation.	
		[1]
(iv)	Describe one way that sulfur dioxide can damage the environment.	
(b) (i)	State the chemical formula of ammonia.	
		[1]
(ii)	Ammonia and sulfur dioxide are used in the production of ammonium sulfate.	
	Explain why ammonium sulfate is added to soil used to grow crops.	
		[2]
	Па	tal: 10]

6 (a) A boy travels in an elevator from the ground floor of an apartment building. He goes up to the 10th floor.

Fig. 6.1 shows a speed-time graph of the elevator.




Fig. 6.1

(i) The elevator travels 30 m upwards and stops.

Calculate the average speed of the elevator as it travelled upwards.

Show your working.

average speed = m/s [2]

(ii) Use Fig. 6.1 to find the length of time the elevator travels at a constant speed.

time = seconds [1]

(b) The boy makes a telephone call on his mobile phone (cell phone).

The mobile phone screen provides information using visible light and it transmits conversations using microwaves.

(i) Write **microwaves** and **visible light** in their correct positions in the electromagnetic spectrum in Fig. 6.2.


gamma rays	ultraviolet				radio waves
---------------	-------------	--	--	--	-------------

Fig. 6.2

[2]

(ii) Draw a line from each type of electromagnetic radiation to its use.

One of the lines has been drawn for you.



(c) The mobile phone case uses a magnet and a strip of steel within the case to keep it closed.

Describe how the magnet and the steel strip keeps the phone case closed.

.....[1]

[Total: 8]

BLANK PAGE

7 The graph in Fig. 7.1 shows the effect of temperature on the rate of transpiration through a leaf.




Fig. 7.1

(a)	Describe the trends shown in Fig. 7.1.
	[2
(b)	Water vapour is lost through the stomata during transpiration.
	Suggest a reason for the difference between the rate of transpiration in the upper and lowe epidermis.
	[1

- (c) Complete the graph in Fig. 7.2 to show the effect of humidity on the rate of transpiration.

 Include on your graph:
 - labels for both axes
 - a sketch of a suitable line.



Fig. 7.2

[2]

(d) The words in the list are parts of a plant through which water travels.

Write the words in the correct order to show the pathway of water through the plant.

One has been done for you.

mesophyll cells	esophyll cells root cortex cells		
	stomata	xylem	
			pathway
			of water
sto	omata	\	

[2]

[Total: 7]

Mos	Most elements in the Periodic Table are metals.					
(a)	State a physical test and the result which shows that a solid has a metallic property.					
	physical test					
	res	ult				
					[2]	
(b)	(i)	State the terr	m used for a mix	ture of metals.		
` ,	()					
	(ii)	Table 8.1 sho		emperatures of solid X and solid		
	(,	14510 0.1 0110	owo tho mounty t	Table 8.1	· - ·	
				Table 6.1	1	
			solid	melting temperature/°C		
			X	327		
			Z	183 to 250		
		Use the informetals or pur		8.1 to decide whether solid X a	and solid Z are mixtures of	
		Explain your	answers.			
	X is					
	Z is					
	explanation					
					[2]	

(c) The elements below are listed in order of reactivity.

calcium (most reactive)
aluminium
carbon
iron
copper (least reactive)

Fig. 8.1 shows apparatus a student uses to investigate the reaction between powdered carbon and powdered copper oxide.




Fig. 8.1

When the student heats carbon with copper oxide, a gas bubbles through solution **S**. Solution **S** turns cloudy.

(i)	State the name of the gas given off and deduce the identity of solution S .	
	gas	
	solution S	 [2]
		[-]
(ii)	Identify the type of chemical reaction that occurs between carbon and copper oxide.	
	Explain your answer.	
	type of reaction	
	explanation	
		[2]
(iii)	When carbon is heated with calcium oxide, no reaction occurs.	
	Explain this observation.	
		[1]

(d)	(i)	Name an ore from which aluminium is extracted.				
		[1]				
	(ii)	State one reason, other than cost, why aluminium is recycled.				
		[1]				
		[Total: 12]				

9 (a) Fig. 9.1 shows a teacher using a photocopier.



		Fig. 9.1			
	Complete the sentences to describe how a photocopier works.				
	Elec cha	ctrons are added to a light sensitive plate to give the plate arge.			
	To attract ink to the light sensitive plate, the ink powder is given acharge.				
	This	s is because charges attract.	[3]		
(b)	In a	thunder cloud the movement of charge creates lightning and thunder together.			
	A so	cientist sees the lightning and then hears the thunder 10 seconds later.			
	(i)	The sound travels at 330 m/s.			
		Calculate how far away she is from the lightning.			
		Show your working and state the unit			
		distance = unit	[3]		
	(ii)	Suggest why the scientist hears the thunder later than she sees the lightning.			
			[1]		

(c)	The scientist drives away from the thunder storm. The engine of the car provides a horizon force of 5000 N. The wind from the storm also pushes the car forwards with a force of 500 line.		
	(i)	Calculate the resultant horizontal force acting on the car.	
		resultant force = N [1]	
	(ii)	The wind then changes direction and pushes the car backwards with a force of 500 N.	
		Calculate the horizontal force the car engine must provide to produce the same resultant force as in (c)(i) .	
		force from car engine =	
		[Total: 9]	

10 (a) The pie chart in Fig. 10.1 shows the proportion of different nutrients contained in a meal.




Fig. 10.1

(i)	State which nutrient forms the largest part of the meal.	
		[1
(ii)	Name the two other important types of nutrients that are not shown in Fig. 10.1.	
	1	
	2	
		[2

(b) The meal contains fats.

Describe the test for fats and the positive result.

te	est	 	 	 	
• • • •	• • • • • • • • • • • • • • • • • • • •	 	 	 •	
no	ositive result				
~~	coc roour	 	 	 	

[Total: 6]

[3]

11 Fig. 11.1 shows the structures of four molecules, A, B, C and D.




Fig. 11.1

(a)	State which of the molecules in Fig. 11.1
	are hydrocarbons
	are alkanes
	is unsaturated
	is ethanol.
	You may use each letter once, more than once or not at all. [4]

(b) Fig. 11.2 shows apparatus a student uses to investigate the combustion of ethanol.




Fig. 11.2

The student records the combined mass of the burner and ethanol.

She lights the burner and starts the stopclock.

She records the balance reading every minute for 15 minutes.

A graph of her results is shown in Fig. 11.3.




Fig. 11.3

(i) Use the graph to find the change in mass during the experiment.

(ii) Use your answer to (b)(i) to calculate the change in mass per minute during the experiment.

(iii)	Explain why the	mass decreases.			
(c) (i)	Complete the wo	ord equation to show	two compound	ds that react to pro	oduce ethanol.
		+	\rightarrow	ethanol	
					[2]
(ii)	Ethanol is also r	nade by the action o	f yeast on gluc	ose.	
	Name this proce	ess.			
					[1]
					[Total: 11]

BLANK PAGE

12 (a) Fig. 12.1 shows a crane used to construct a wind turbine.

The crane lifts a generator and three individual turbine blades.

The generator has a weight of 500 000 N.

Each blade has a weight of 100000 N.

The crane lifts each item from the ground to a height of 75 m.




Fig. 12.1

(i)	State which part of the turbine requires the crane to do the most work in order to lift the
	part to a height of 75 m.

Explain your answer.

part	
•	
explanation	
	F 4.
	[1]

(ii) The crane is lifting a blade.

Calculate the moment of the weight of the blade about the pivot of the crane.

Show your working.

turning moment = Nm [2]


	(iii)	Explain why the counterweight is able to keep this system in equilibrium.
		[1]
(b)	(i)	Complete the sequence of energy transfers in a wind turbine.
		energy of the wind
		————> energy from the generator [2]
	(ii)	State one advantage and one disadvantage of wind turbines as an energy resource.
		advantage
		disadvantage[2]
(c)		the blades of the wind turbine rotate, they produce a low pitch sound. As the wind speed eases, the blades rotate faster and the pitch of the sound increases.
	(i)	State how the frequency of the sound changes as the blades rotate faster.
		[1]
	(ii)	The sound the wind turbine blades make is audible to a healthy human ear.
		State the range of audible frequencies for a human ear.
		Hz [1]
		[Total: 10]

13 (a) The boxes on the left show some terms used when describing inheritance.

The boxes on the right show some definitions.

Draw one line from each term to its correct definition.

One has been done for you.



(b) Table 13.1 shows some of the features of genes and chromosomes.

Place a tick (\checkmark) in the boxes to identify the features of genes and chromosomes.

Table 13.1

	found in nucleus	contains genetic material	codes for a single protein
gene			
chromosome			

[3]

(c) Some chromosomes control the inheritance of sex.

Fig. 13.1 is a genetic diagram to show the inheritance of sex.

Complete Fig. 13.1.

		male gametes				
		X				
female	X					
gametes						

phenotypic ratio male : female

Fig. 13.1

[3]

[Total: 9]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.

Ś
₹
<u>a</u>
Ĕ
ž
ш
-
6
able
$\overline{}$
Ħ
Ë
ပ
=
Q
iodi
∵⊏
Ð
Δ
Φ
þ
F

	III/	2	He	helium 4	10	Ne	neon 20	18	Ar	argon 40	36	궃	krypton 84	54	Xe	xenon 131	98	Rn	radon			
	\				6	ш	fluorine 19	17	Cl	chlorine 35.5	35	Br	bromine 80	53	Н	iodine 127	85	Αt	astatine -			
	>				80	0	oxygen 16	16	ഗ	sulfur 32	34	Se	selenium 79	52	<u>a</u>	tellurium 128	84	Ро	polonium —	116	_	livermorium –
	>				7	Z	nitrogen 14	15	₾	phosphorus 31	33	As	arsenic 75	51	Sp	antimony 122	83	Ξ	bismuth 209			
	≥				9	ပ	carbon 12	14	S	silicon 28	32	Ge	germanium 73	50	S	tin 119	82	Ъ	lead 207	114	Εl	flerovium –
	≡				2	В	boron 11	13	Αl	aluminium 27	31	Ga	gallium 70	49	In	indium 115	81	11	thallium 204			
											30	Zu	zinc 65	48	g	cadmium 112	80	Нg	mercury 201	112	ت ت	copemicium
											29	Cn	copper 64	47	Ag	silver 108	79	Αn	gold 197	111	Rg	roentgenium -
Group											28	Z	nickel 59	46	Pd	palladium 106	78	귙	platinum 195	110	Ds	darmstadtium -
Gre											27	රි	cobalt 59	45	몬	rhodium 103	77	'n	iridium 192	109	Ψ	meitnerium -
		_	I	hydrogen 1							26	Ь	iron 56	44	Ru	ruthenium 101	9/	Os	osmium 190	108	¥	hassium -
										25	Mn	manganese 55	43	ပ	technetium -	75	Re	rhenium 186	107	Bh	bohrium –	
					_	pol	ass				24	ပ်	chromium 52	42	Mo	molybdenum 96	74	≥	tungsten 184	106	Sg	seaborgium -
				Key	atomic number	atomic symbo	name relative atomic mass				23	>	vanadium 51	41	q	niobium 93	73	<u>⊏</u>	tantalum 181	105	Op	dubnium -
						atc	ie.				22	i=	titanium 48	40	Zr	zirconium 91	72	Ξ	hafnium 178	104	Ŗ	rutherfordium -
											21	Sc	scandium 45	39	>	yttrium 89	57–71	lanthanoids		89–103	actinoids	
	=				4	Be	beryllium 9	12	Mg	magnesium 24	20	Ca	calcium 40	38	ഗ്	strontium 88	99	Ba	barium 137	88	Ra	radium -
	_				3	:=	lithium 7	7	Na	sodium 23	19	¥	potassium 39	37	S S	rubidium 85	55	S	caesium 133	87	ъ́	francium -
	3 201	٥													007	3/31/	/ 1. //	1/4 0	`			

71	ŋ	lutetium	175	103	۲	lawrencium	I
70	Υp	ytterbium	173	102	8	nobelium	ı
69	Tm	thulium	169	101	Md	mendelevium	ı
89	Щ	erbium	167	100	Fm	ferminm	I
29	운	holmium	165	66	Es	einsteinium	ı
99	ò	dysprosium	163	86	ర	californium	ļ
99	Tp	terbium	159	26	BK	berkelium	ı
64	Вd	gadolinium	157	96	CB	curium	I
63	En	europium	152	92	Am	americium	I
62	Sm	samarium	150	94	Pu	plutonium	ı
61	Pm	promethium	ı	93	d N	neptunium	ı
09	PΝ	neodymium	144	92	⊃	uranium	238
59	Ą	praseodymium	141	91	Ра	protactinium	231
58	Ce	cerium	140	06	T	thorium	232
22	La	lanthanum	139	88	Ac	actinium	ı

lanthanoids

actinoids

The volume of one mole of any gas is $24\,\mathrm{dm}^3$ at room temperature and pressure (r.t.p.).