```
import Vue from 'vue'
import App from './App'
Vue.config.productionTip = false
App. mpType = 'app'
Vue. prototype. vuePrototype = '枣红'
// 引入全局 uView
import uView from 'uview-ui'
Vue.use(uView)
import store from '@/store'
let vuexStore = require('@/store/$u.mixin.js') // 引入uView提供的对 vuex的简写法文件
Vue. mixin(vuexStore)
let mpShare = require('uview-ui/libs/mixin/mpShare. is'): // 引入uView 对小程序分享的 mixin
封装
Vue. mixin (mpShare)
// 自定义
import { http } from '@/request/index. js' // 全局挂载引入, 配置相关在该 index. js 文件里修改
import requestUrl from '@/request/interface.js' // 接口数据
import say from '@/utils/say.js' // 话语
import tools from '@/utils/tools.js'
Vue. prototype. $http = http
Vue.prototype.requestUrl = requestUrl
Vue. prototype. $say = say;
Vue. prototype. $tools = tools;
Vue. prototype. $onLaunched = new Promise (resolve => {
Vue.prototype.$isResolve = resolve
})
const app = new Vue({
store,
...Арр
})
app. $mount()
import { mapMutations, mapState } from 'vuex';
import { saveImagePopupDataMixin } from '@/mixins/save-image-popup.js';
import topicItem from '@/components/topic/item.vue'
import textCase from '@/components/text-case/text-case.vue'
import textResult from '@/components/text-case/result.vue'
import articleItem from '@/components/article/item.vue'
export default {
components: {
textCase,
textResult,
topicItem,
articleItem
mixins: [saveImagePopupDataMixin],
data () {
return {
keywords: '', // 搜索内容
pageIndex: 1, // 页码
currentTab: 0,
```

```
triggered: false, // 设置当前下拉刷新状态, true 表示下拉刷新已经被触发, false 表示下拉刷新
未被触发
// tabGroup: [
// { name: '话术', pageIndex: 1, pageSize: 10, dataList: [], isGetData: false, noDataShow:
false, noMoreDate: false },
// { name: '文案', pageIndex: 1, pageSize: 10, dataList: [], isGetData: false, noDataShow:
false, noMoreDate: false },
// { name: '问答', pageIndex: 1, pageSize: 10, dataList: [], isGetData: false, noDataShow:
false, noMoreDate: false },
// { name: '文章', pageIndex: 1, pageSize: 10, dataList: [], isGetData: false, noDataShow:
false, noMoreDate: false },
// { name: '拓展', pageIndex: 1, pageSize: 10, dataList: [], isGetData: false, noDataShow:
false, noMoreDate: false },
// { name: '趣味', pageIndex: 1, pageSize: 10, dataList: [], isGetData: false, noDataShow:
false, noMoreDate: false },
// ],
tabGroup: [],
isDelShow: false,
loading: false, // 加载中
downloadToday: 0, // 今日下载量
womanSetting: false, // 女版设置
swiperList: [], // 轮播列表
adKeywordList: [], // 广告关键词列表
adKeyWords: "", // 缓存的广告关键词
preKeywords: "", // 前一个广告关键词
fromStorageKewWords: false, // 从缓存取关键广告词
isFirstNeedAdvertBanner: true, // 是否首次需要获取广告图片
}
},
computed: {
...mapState(['hasLogin', 'userInfo', 'globalConfig', 'advert'])
async onLoad (options) {
let that = this;
this. tabGroup = [
{ name: '话术', value: 'word', pageIndex: 1, pageSize: 10, dataList: [], isGetData: false,
noDataShow: false, noMoreDate: false },
// { name: '文案', value: 'poetry', pageIndex: 1, pageSize: 10, dataList: [], isGetData: fa
lse, noDataShow: false, noMoreDate: false },
// { name: '文章', value: 'article,', pageIndex: 1, pageSize: 10, dataList: [], isGetData:
false, noDataShow: false, noMoreDate: false },
// { name: '拓展', value: 'encyclopedia', pageIndex: 1, pageSize: 10, dataList: [], isGetDa
ta: false, noDataShow: false, noMoreDate: false },
// { name: '趣味', value: 'tool', pageIndex: 1, pageSize: 10, dataList: [], isGetData: fals
e, noDataShow: false, noMoreDate: false },
// value: 'word, tool, encyclopedia, answer, poetry, article, share, bargin', label: '话术+工具趣
味+拓展百科+作答+文案+文章+分享+砍价'
if (this.globalConfig.PLATE_LIST.includes('poetry')) {
this.tabGroup.push({ name: '文案', value: 'poetry', pageIndex: 1, pageSize: 10, dataList:
```

```
[], isGetData: false, noDataShow: false, noMoreDate: false },)
if (this.globalConfig.PLATE LIST.includes('article')) {
this.tabGroup.push({ name: '文章', value: 'article,', pageIndex: 1, pageSize: 10, dataList:
 [], isGetData: false, noDataShow: false, noMoreDate: false })
if (this.globalConfig.PLATE_LIST.includes('encyclopedia')) {
this.tabGroup.push({ name: '拓展', value: 'encyclopedia', pageIndex: 1, pageSize: 10, dataL
ist: [], isGetData: false, noDataShow: false, noMoreDate: false })
if (this.globalConfig.PLATE_LIST.includes('tool')) {
this.tabGroup.push({ name: '趣味', value: 'tool', pageIndex: 1, pageSize: 10, dataList: [],
 isGetData: false, noDataShow: false, noMoreDate: false })
}
if (!this.hasLogin) {
uni.navigateTo({ url: '/pages/login/authorize' })
if (this. hasLogin) {
this.getUserInfo();
let womanSetting = uni.getStorageSync('womanSetting')
if (womanSetting && womanSetting === 'Y') {
this.womanSetting = true;
let adKeywordListStr = uni.getStorageSync('adKeywordList') | '';
if (adKeywordListStr) {
this.adKeywordList = JSON.parse(adKeywordListStr);
this. keywords = options. keywords && options. keywords !== "" ? options. keywords : '';
if (this.isFirstNeedAdvertBanner) {
this.getBannerList()
this. init();
},
onReady () {
},
onShow () {
/* 建议放在 onReady 里执行,提前加载广告 */
let obj = \{\}
let advertId = null
// 插屏广告
// #ifdef MP-WEIXIN
obj = wx
advertId = this.advert.wxIndexInterstitialAd
// #endif
// #ifdef MP-QQ
obj = qq
advertId = this.advert.qqIndexInterstitialAd
// #endif
if (this.globalConfig.ADVERT_SHOW === '0') {
```

```
// 显示广告
if (obj.createInterstitialAd && advertId) {
let interstitialAd = obj.createInterstitialAd({ adUnitId: advertId })
interstitialAd.onLoad(() => {
interstitialAd. show().catch((err) => {
console.error(err)
console.log('onLoad event emit')
})
interstitialAd.onError((err) => {
console.log('onError event emit', err)
})
interstitialAd.onClose((res) => {
console.log('onClose event emit', res)
})
}
},
watch: {
keywords (newVal) {
if (newVal) {
this. isDelShow = true; //HM 修改 直接点击页面预设关键字样式异常,注销
this.isDelShow = false;
},
},
methods: {
... mapMutations(['login']),
// 初始化
init () {
let that = this
if (this.keywords === undefined || this.keywords === '') {
uni. showToast({ title: '请输入关键词', icon: 'none' })
return
}
if (this.keywords.length > 24) {
uni. showToast({ title: '最长 24 个字符,请重新输入', icon: 'none'})
return
this. tabGroup. for Each (v \Rightarrow \{
v.isGetData = false
v.noDataShow = false
v. dataList = [] // 列表
v.pageIndex = 1
})
this.getDataFunc()
},
// 触底
onLower () {
```

```
if (this.tabGroup[this.currentTab].pageIndex
&& this. tabGroup[this.currentTab]. totalPages
&& this.tabGroup[this.currentTab].pageIndex > this.tabGroup[this.currentTab].totalPages) {
return
this.getDataFunc();
// 获取数据
getDataFunc () {
let that = this;
if (this.keywords == '' || this.keywords.trim() == '') {
uni. showToast({ title: '请输入您要搜索的内容', icon: 'none' })
return
}
if (this.userInfo.energy <= 0) {
uni.showModal({
title: '搜索次数不足,无法查看',
content: that. $tools. isMpIos()? 'ios 用户请联系客服': '升级会员, 1000 万+话术无限制查看拷
贝',
showCancel: true,
confirmText: '做任务',
cancelText: '升级会员',
success: function (res) {
if (res.confirm) {
// #ifdef MP
uni.reLaunch({ url: '/pages/my/index' });
// #endif
// #ifdef APP-PLUS || H5
that.navTo('/pages/common/member');
// #endif
} else if (res.cancel) {
that.navTo('/pages/common/member');
});
return
} else {
this. consume()
if (this.tabGroup[this.currentTab].name === '话术') {
this.getLoveWord()
} else if (this.tabGroup[this.currentTab].name === '文案') {
this.getTextCaseList()
} else if (this.tabGroup[this.currentTab].name === '问答') {
this.getTopicList()
} else if (this.tabGroup[this.currentTab].name === '文章') {
this.getArticleList()
} else if (this.tabGroup[this.currentTab].name === '拓展') {
this.getEncyclopediaList()
} else if (this.tabGroup[this.currentTab].name === '趣味') {
```

```
this.getToolList()
},
// 消耗体力
consume () {
let that = this
let params = { type: 'word' }
if (this.globalConfig && this.globalConfig. IS CONSUME TIMES === '0') {
that. $http. post(that. requestUrl. api. consume, params). then (res => {
if (res. statusCode === 200 && res. data. code === 200) {
console. log("消耗体力")
} else {
console. log("未消耗体力")
})
},
// 获取话术列表
getLoveWord () {
let that = this
let params = {}
let tabItem = this. tabGroup[this. currentTab];
params = {
pageIndex: tabItem.pageIndex,
pageSize: tabItem.pageSize,
state: 0,
active: 0,
orderBy: 'download count DESC, length(`content`) ASC',
keywords: this. $tools. innerHTML(that. keywords. trim()),
if (that.globalConfig. IS COMMON DATA === '0') {
params.appId = that.requestUrl.api.commonAppId
} else if (that.globalConfig.IS COMMON DATA === '1') {
params.appId = that.requestUrl.api.appId
} else if (that.globalConfig.IS COMMON DATA === '2') {
params.appId = ''
if (!that.isFirstNeedAdvertBanner) {
that.getBannerList();
that. $http. post(that. requestUrl. api. getLoveWord, params). then (res => {
if (res. statusCode === 200 && res. data. code === 200) {
let resp = res. data. data. list
if (resp. length > 0) {
resp. for Each ((v, i) \Rightarrow \{
v.btnTitle = "复制"
if (that.userInfo && that.userInfo.memberGrade = 'basic' && i > 0) {
v.btnTitle = "领取"
if (that.globalConfig && that.globalConfig.PAY_MODEL && that.globalConfig.PAY_MODEL === 'pa
```

```
y') {
v.messageType = "pay"
// #ifdef APP-PLUS || H5
if (that.userInfo && that.userInfo.memberGrade == 'basic' && tabItem.pageIndex !== 1) {
v.btnTitle = "领取"
if (that.globalConfig && that.globalConfig.PAY MODEL && that.globalConfig.PAY MODEL === 'pa
y') {
v.messageType = "pay"
// #endif
if (v.appId && v.appId.toString() === that.requestUrl.api.wenanAppId) {
v. contentList = [v. content]
} else {
v. contentList = v. content. split("\n")
}
})
tabItem.pageIndex += 1
tabItem. dataList = tabItem. dataList. concat (resp)
tabItem.isGetData = true;
tabItem. totalPages = res. data. data. pages
tabItem. totalSize = res. data. data. total
tabItem.noDataShow = tabItem.dataList.length === 0 ? true : false
if (tabItem. totalSize === 10 || (tabItem. pageIndex > tabItem. totalPages && tabItem. totalPage
es > 1)) {
// 没有更多数据
tabItem.noMoreDate = true
} else {
uni.showToast({ title: res.data.data, icon: 'none' })
}).catch(reason => {
console.log('Failed: ' + reason);
});
},
// 获取文案列表
getTextCaseList () {
let that = this
let tabItem = this.tabGroup[this.currentTab];
tabItem.noDataShow = false
let params = {}
params = {
pageIndex: tabItem.pageIndex,
pageSize: tabItem.pageSize,
state: 0,
active: 0,
```

```
collectUserId: '',
fIdName: tabItem.title,
orderBy: 'download count DESC',
keywords: that.keywords.trim()
if (this.hasLogin) {
params.collectUserId = this.userInfo.userId
if (this.globalConfig. IS COMMON DATA === '0') {
params.appId = that.requestUrl.api.wenanAppId
} else if (this.globalConfig.IS COMMON DATA === '1') {
params. appId = that.requestUrl.api.appId
that. $http. post(that. requestUrl. api. getLoveWord, params). then (res => {
if (res. statusCode === 200 && res. data. code === 200) {
let resp = res. data. data. list
if (resp. length > 0) {
resp. for Each (v \Rightarrow \{
v.allShow = v.content.length <= that.wordLength ? true : false
if (that.hasLogin) {
v.userName = that.userInfo.name
v. avatar = that. userInfo. headIcon
} else {
v.userName = that.mpInfo.mpName
v. avatar = that. mpInfo. logo
})
tabItem.pageIndex += 1
tabItem. dataList = tabItem. dataList. concat (resp)
tabItem.isGetData = true;
tabItem. totalPages = res. data. data. pages
tabItem. totalSize = res. data. data. total
tabItem.noDataShow = tabItem.dataList.length === 0 ? true : false
if (tabItem. totalSize === 10 || (tabItem. pageIndex > tabItem. totalPages && tabItem. totalPag
es > 1)) {
// 没有更多数据
tabItem.noMoreDate = true
} else {
uni. showToast({ title: res. data. data, icon: 'none' })
})
}.
// 获取话题列表
getTopicList () {
let that = this
let params = {}
let tabItem = this.tabGroup[this.currentTab];
tabItem.noDataShow = false
```

```
params = {
pageIndex: tabItem.pageIndex,
pageSize: tabItem.pageSize,
state: 0,
orderBy: 'recommend',
appId: this.requestUrl.api.appId,
keywords: that.keywords.trim()
that.loaded = false:
that. $http. post(that. requestUrl. api. getTopicList, params). then (res => {
that.loaded = true;
if (res. statusCode === 200 && res. data. code === 200) {
let resp = res. data. data. list
if (res. data. data. list. length > 0) {
resp. for Each (v \Rightarrow \{
var images = []
if (v.images && v.images.length > 0) {
images = v. images. split(", ")
if (images. length > 1) {
images = images. slice(0, 1)
v.allShow = v.content.length <= that.wordLength ? true : false
v.images = images
})
tabItem. dataList = tabItem. dataList. concat (resp)
tabItem.pageIndex += 1
tabItem.isGetData = true
tabItem. totalPages = res. data. data. pages
tabItem. totalSize = res. data. data. total
tabItem.noDataShow = tabItem.dataList.length === 0 ? true : false
if (tabItem.totalSize === 10 || (tabItem.pageIndex > tabItem.totalPages && tabItem.totalPage
es > 1)) {
// 没有更多数据
tabItem.noMoreDate = true
} else {
uni.showToast({ title: res.data.data, icon: 'none' })
}).catch(reason => {
console.log('Failed: ' + reason);
});
},
// 获取文章列表
getArticleList () {
let that = this
let params = {}
let tabItem = this.tabGroup[this.currentTab];
tabItem.noDataShow = false
```

```
params = {
pageIndex: tabItem.pageIndex,
pageSize: tabItem.pageSize,
state: 0,
fId: tabItem.id,
orderBy: 'is top ASC, create time DESC',
keywords: that.keywords.trim()
if (this.globalConfig. IS COMMON DATA === '0') {
params.appId = that.requestUrl.api.commonAppId
} else if (this.globalConfig.IS COMMON DATA === '1') {
params. appId = that.requestUrl.api.appId
that. $http. post(that.requestUrl.api.getArticleList, params).then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
let resp = res. data && res. data. data && res. data. data. list ? res. data. data. list : []
if (res. data. data. list. length > 0) {
resp. for Each (v \Rightarrow \{
var images = []
if (v. images. length > 0) {
images = v.images.split(";")
v. images = images
})
tabItem.pageIndex += 1
tabItem. dataList = tabItem. dataList. concat (resp)
tabItem.isGetData = true;
tabItem. totalPages = res. data. data. pages
tabItem. totalSize = res. data. data. total
tabItem.noDataShow = tabItem.dataList.length === 0 ? true : false
if (tabItem.totalSize === 10 || (tabItem.pageIndex > tabItem.totalPages && tabItem.totalPag
es > 1)) {
// 没有更多数据
tabItem.noMoreDate = true
} else {
uni. showToast({ title: res. data. data, icon: 'none' })
\}).catch(reason => {
console.log('Failed: ' + reason);
});
},
// 获取拓展列表
getEncyclopediaList () {
let that = this
let params = {}
let tabItem = this.tabGroup[this.currentTab];
tabItem.noDataShow = false
params = {
```

```
pageIndex: tabItem.pageIndex,
pageSize: tabItem.pageSize,
state: 0,
fId: tabItem. id,
orderBy: 'is top ASC, create time DESC',
keywords: that.keywords.trim()
if (this.globalConfig. IS COMMON DATA === '0') {
params. appId = that.requestUrl.api.wenanAppId
} else if (this.globalConfig.IS COMMON DATA === '1') {
params. appId = that.requestUrl.api.appId
that. $http. post(that.requestUrl.api.getArticleList, params).then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
let resp = res. data && res. data. data && res. data. data. list ? res. data. data. list : []
tabItem.pageIndex += 1
tabItem. dataList = tabItem. dataList. concat (resp)
tabItem.isGetData = true;
tabItem. totalPages = res. data. data. pages
tabItem. totalSize = res. data. data. total
tabItem.noDataShow = tabItem.dataList.length === 0 ? true : false
if (tabItem. totalSize === 10 || (tabItem. pageIndex > tabItem. totalPages && tabItem. totalPag
es > 1)) {
// 没有更多数据
tabItem.noMoreDate = true
} else {
uni.showToast({ title: res.data.data, icon: 'none' })
}).catch(reason => {
console.log('Failed: ' + reason);
});
},
// 获取工具列表
getToolList () {
let that = this
let params = {}
let tabItem = this. tabGroup[this. currentTab];
tabItem.noDataShow = false
params = {
pageIndex: tabItem.pageIndex,
pageSize: tabItem.pageSize,
state: 0,
fId: tabItem.id,
// orderBy: 'download count DESC, update time DESC',
orderBy: 'update_time DESC',
keywords: that.keywords.trim()
if (this.globalConfig.IS_COMMON_DATA === '0') {
params.appId = that.requestUrl.api.toolAppId
```

```
} else if (this.globalConfig.IS COMMON DATA === '1') {
params. appId = that. requestUrl. api. appId
} else if (this.globalConfig.IS COMMON DATA === '2') {
params.appId = ''
that. $http. post(that. requestUrl. api. getLoveWord, params). then (res => {
if (res. statusCode === 200 && res. data. code === 200) {
let resp = res. data && res. data. data && res. data. data. list ? res. data. data. list : []
tabItem.pageIndex += 1
tabItem. dataList = tabItem. dataList. concat (resp)
tabItem.isGetData = true;
tabItem. totalPages = res. data. data. pages
tabItem. totalSize = res. data. data. total
tabItem.noDataShow = tabItem.dataList.length === 0 ? true : false
if (tabItem. totalSize === 10 || (tabItem. pageIndex > tabItem. totalPages && tabItem. totalPag
es > 1)) {
// 没有更多数据
tabItem.noMoreDate = true
} else {
uni. showToast({ title: res. data. data, icon: 'none' })
\}).catch(reason => {
console.log('Failed: ' + reason);
});
},
// 清除输入框
clear () {
//HM 修改 收起键盘
// uni.hideKeyboard();
this. keywords = '';
},
// 复制文本
handleCopy (p, v) {
let that = this;
if (!this.hasLogin) {
uni.navigateTo({ url: '/pages/login/authorize' })
return
}
if (!this.handleAuth()) {
return:
if (this.globalConfig.DAY_MAX_COPY_TIMES < this.userInfo.downloadToday && this.hasLogin &&
this.userInfo.memberState != 1) {
// 今日下载数大于最大限制 且 会员不在有效期 不给下载
uni.showModal({
title: '已达今日最大拷贝数',
content: "成为会员,立享 1000 万+高情商话术无限制拷贝",
cancelText: '开通会员',
confirmText: '任务领取',
```

```
success: function (res) {
if (res. confirm) {
// #ifdef MP
that.switchTo('/pages/my/index')
// #endif
// #ifdef APP-PLUS || H5
that.navTo('/pages/common/member')
// #endif
} else if (res.cancel) {
that.navTo('/pages/common/member')
// uni.reLaunch({ url: '/pages/user/zone' });
}
});
return
let firstTimes = this.globalConfig.DOWNLOAD_NO_ADVERT_TIMES ? this.globalConfig.DOWNLOAD_NO
ADVERT TIMES : -1;
let secondTimes = -1;
let thirdTimes = -1;
// #ifdef MP
if (firstTimes && firstTimes !== -1) {
secondTimes = 10 + firstTimes;
thirdTimes = 25 + firstTimes;
}
// #endif
let flag = this.downloadToday == firstTimes || this.downloadToday == secondTimes || this.do
wnloadToday == thirdTimes ? true : false;
if (this.globalConfig.ADVERT SHOW === '0' && this.downloadToday >= 0 && flag) {
this. showRewardAdvert(p, v);
return;
} else {
this.copyDo(p, v)
},
// 复制文本
copyDo (p, v) {
let that = this;
uni.setClipboardData({
data: p,
success: function () {
that.downloadToday = that.downloadToday + 1;
that.loveWordOperate(v.id)
that.consume()
});
},
// 复制文本
copyCustomer () {
let that = this;
```

```
uni.setClipboardData({
data: this.globalConfig && this.globalConfig.CONTACT WX && this.globalConfig.CONTACT WX.toS
tring() ? this. globalConfig. CONTACT WX. toString() : 'glh 426',
success: function () {
uni.showModal({
title: '温馨提示',
content: '客服微信号' + that. globalConfig. CONTACT_WX. toString() + '已复制,去微信加好友开通
showCancel: false,
confirmText: '确定',
success: function (res) {
});
});
},
// 文案操作 download collect unCollect
loveWordOperate (id) {
let that = this
if (this. loading) return
this. loading = true
let params = {}
params = {
wordId: id,
operate: 'download',
that. $http. post(that.requestUrl.api.loveWordOperate, params).then(res => {
that.loading = false;
if (res. statusCode === 200 && res. data. code === 200) {
uni.showToast({ title: '复制成功'})
} else {
uni. showToast({ title: res. data. data, icon: 'none' })
}).catch(reason => {
that.loading = false;
console.log('Failed: ' + reason);
})
}.
navTo (url) {
if (!this.hasLogin) {
uni.navigateTo({ url: '/pages/login/authorize' })
} else {
uni.navigateTo({ url: url })
},
switchTo (url) {
if (!this.hasLogin) {
uni.navigateTo({ url: '/pages/login/authorize' })
} else {
uni.switchTab({ url: url })
```

```
}
}.
// 显示激励广告
showRewardAdvert (p, v) {
let obj = \{\};
let that = this;
let advertId = null
// #ifdef MP-WEIXIN
ob.j = wx
advertId = this.advert.wxActivityOrderRewardAd
// #endif
// #ifdef MP-QQ
obj = qq
advertId = this.advert.qqActivityOrderRewardAd
// #endif
if (this.globalConfig.ADVERT SHOW === '0') {
let videoAd = null
if (obj.createRewardedVideoAd && advertId) {
videoAd = obj.createRewardedVideoAd({
adUnitId: advertId
})
videoAd.onLoad(() => { })
videoAd.onError((err) => { })
videoAd. onClose((res) => {
if (res && res.isEnded | res === undefined) {
that.copyDo(p, v);
} else {
//不下发奖励
obj. showToast({ title: '看个视频,给小编鼓励一下', icon: 'none'})
}
})
// 用户触发广告后,显示激励视频广告
if (videoAd) {
videoAd. show().catch(() => {
// 失败重试
videoAd.load()
. then (() \Rightarrow videoAd. show())
.catch(err => {
that.loading = false
console. log('激励视频 广告显示失败')
})
})
// 读取用户信息
getUserInfo () {
let that = this;
that. $http. get(that.requestUrl.api.getUserInfo).then(res => {
```

```
if (res. statusCode === 200 && res. data && res. data. code === 200) {
that. login(res. data. data); // 存储登录信息
that.downloadToday = res.data.data.downloadToday;
})
},
// 未授权
handleAuth () {
let that = this:
let flag = true;
// #ifdef MP-WEIXIN || APP-PLUS || H5
if (this.hasLogin && this.userInfo.memberGrade == 'basic') {
uni.showModal({
title: '非会员或会员已过期',
content: that. $tools. isMpIos()? 'ios 用户请联系客服': '成为会员, 立享 1000 万+高情商话术全
量查询拷贝',
cancelText: that. $tools. isMpIos() ? '我知道了': '开通会员',
confirmText: '任务领取',
success: function (res) {
if (res.confirm) {
// #ifdef MP
that.switchTo('/pages/my/index')
// #endif
// #ifdef APP-PLUS || H5
that.navTo('/pages/common/member')
// #endif
} else if (res.cancel) {
that.navTo('/pages/common/member')
// uni.reLaunch({ url: '/pages/user/zone' });
}
});
flag = false
// #endif
return flag;
},
// 切换 tab
changeTab (e) {
this.currentTab = e.index
// 切换 swiper
changeSwiper (e) {
this.currentTab = e.detail.current;
if (!this.tabGroup[this.currentTab].isGetData) {
this.getDataFunc()
}
},
// 下拉刷新
onRefresh () {
```

```
if (this. triggered) return;
if (!this.triggered)
//界面下拉触发,triggered 可能不是 true,要设为 true
this. triggered = true;
this.tabGroup[this.currentTab].dataList = []
this.tabGroup[this.currentTab].pageIndex = 1
this.tabGroup[this.currentTab].noDataShow = false
this.getDataFunc()
setTimeout(() \Rightarrow \{
//触发 onRestore, 并关闭刷新图标
this. triggered = false;
this. loading = false:
}, 1000)
},
throttleSearch () {
uni. $u. throttle(this. init(), 500)
},
// 一键保存
onSave (isAuth, saveImageResult, hasImage) {
this.isAuth = isAuth
this.saveImageResult = saveImageResult
this.hasImage = hasImage
this.resultShow = true
},
// 轮播图
getBannerList () {
let that = this
let flag = false
if (that.isFirstNeedAdvertBanner) {
flag = true
that.adKeyWords = that.keywords
} else {
if (!that.fromStorageKewWords) {
// 没有从缓存拿过
if (uni.getStorageSync('adKeyWords')) {
flag = true;
that.adKeyWords = uni.getStorageSync('adKeyWords');
that.fromStorageKewWords = true;
}
if (that.adKeywordList.length) {
that. adKeywordList. forEach (v \Rightarrow \{
if (that. keywords. index0f(v) !== -1) {
// 命中
flag = true
that.adKeyWords = v
that.fromStorageKewWords = true;
})
}
```

```
}
if (flag) {
let params = { pageIndex: 1, pageSize: 10, state: 0, orderBy: 'banner index ASC', appId: th
at.requestUrl.api.appId }
if (!that.isFirstNeedAdvertBanner) {
params. adWords = that. adKeyWords
uni.setStorageSync('adKeyWords', that.adKeyWords); // 缓存起来
that. $http. post(that.requestUrl.api.getBannerList, params).then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
that.isFirstNeedAdvertBanner = false
that.swiperList = res. data. data. list. filter(v => {
return v.imgType === 'resultFixed'
})
})
// 点击了自定义广告
handleBannerAdvert (e) {
this. $tools. handleSkip(this. hasLogin, e)
}
import { mapMutations, mapState } from 'vuex';
import mSearch from '@/components/mehaotian-search-revision/mehaotian-search-revision.vue';
import articleItem from '@/components/article/item.vue'
import textCase from '@/components/text-case/text-case.vue'
import FloatAd from './components/float.vue'
import PopupAd from './components/popup.vue'
export default {
components: {
//引用 mSearch 组件,如不需要删除即可
mSearch,
textCase,
articleItem,
FloatAd,
PopupAd
},
data () {
return {
total: 1588,
refresh: false, // 下拉刷新
showTips: true, // 提示
allLabelList: [], // 话术分类
articleList: [], // 文章
hotWordList: [], // 热门关键词
swiperList: [], // 轮播列表
popupList: [], // 弹窗列表
floatList: [], // 浮窗列表
```

```
encyclopediaList: [], // 百科列表
toolList: [], // 工具列表
indexFixedList: [], // 首页固定广告图
colorList: ['#FA5701', '#E6A23C', '#409EFF', '#FDC941', '#98A3F7', '#fd8fad', '#61D67B', '#
F56C6C', '#8CC5FF', '#F7B17D', '#FD8D48', '#79BBFF'],
}
},
computed: {
...mapState(['hasLogin', 'userInfo', 'globalConfig', 'readTipsTime', 'mpInfo'])
// 下拉刷新
onPullDownRefresh () {
this.refresh = true
setTimeout(() \Rightarrow \{
this.refresh = false
uni.stopPullDownRefresh()
this.init()
}, 500);
},
onLoad () {
this. total = this. $u. random(1000, 5000);
onShow () {
},
async onReady () {
await this. $onLaunched;
if (JSON. stringify(this. globalConfig) !== '{}') {
this. init();
} else {
setTimeout(() => {
this. init();
}, 1000)
},
methods: {
... mapMutations(['login', 'handleHotWord']),
init () {
this.getHotWord();
this.getLabelAll();
this.getToolList();
if (this.globalConfig && this.globalConfig.PLATE LIST && this.globalConfig.PLATE LIST.inclu
des('article')) {
this.getArticleList();
if (this.globalConfig && this.globalConfig.PLATE LIST && this.globalConfig.PLATE LIST.inclu
des('encyclopedia')) {
this.getEncyclopediaList();
this.getBannerList();
},
```

```
navTo (url) {
if (!this.hasLogin) {
uni.navigateTo({ url: '/pages/login/authorize' })
} else {
uni.navigateTo({ url: url })
switchTo (url) {
if (!this.hasLogin) {
uni.navigateTo({ url: '/pages/login/authorize' })
} else {
uni.switchTab({ url: url })
},
// 获取工具
getToolList () {
let that = this
let params = {
pageIndex: 1,
pageSize: 12,
state: 0,
orderBy: 'label index ASC, update time DESC'
if (this.globalConfig.IS_COMMON_DATA === '0') {
params.appId = that.requestUrl.api.toolAppId
} else if (this.globalConfig.IS_COMMON_DATA === '1') {
params.appId = that.requestUrl.api.appId
that.loading = true;
that. $http.post(that.requestUrl.api.getLabelTwo, params).then(res => {
that.loading = false;
if (res. statusCode === 200 && res. data. code === 200) {
that. toolList = res. data. data. list
}).catch(reason => {
that.loading = false;
console.log('Failed: ' + reason);
});
},
// 获取类目
getLabelAll () {
let that = this
let params = {}
if (this.globalConfig. IS COMMON DATA === '0') {
params.appId = that.requestUrl.api.commonAppId
} else if (this.globalConfig.IS_COMMON_DATA === '1') {
params.appId = that.requestUrl.api.appId
that.loading = true;
that. $http. post(that. requestUrl. api. getLabelAll, params). then(res => {
```

```
that.loading = false;
if (res. statusCode === 200 && res. data. code === 200) {
that.allLabelList = res.data.data
}).catch(reason => {
that.loading = false;
console.log('Failed: ' + reason);
});
},
// 获取文章列表
getArticleList () {
let that = this
let params = {}
params = { pageIndex: 1, pageSize: 4, state: 0, orderBy: 'is_top ASC, create_time DESC' }
if (this.globalConfig. IS COMMON DATA === '0') {
params.appId = that.requestUrl.api.commonAppId
} else if (this.globalConfig.IS COMMON DATA === '1') {
params.appId = that.requestUrl.api.appId
that. $http. post(that.requestUrl.api.getArticleList, params).then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
let resp = res. data. data. list
if (res. data. data. list. length > 0) {
resp. for Each (v \Rightarrow \{
var images = []
if (v. images. length > 0) {
images = v.images.split(";")
v.images = images
v. title = v. title. length > 20 ? v. title. slice(0, 20) + '...' : v. title
})
that.articleList = resp
})
},
// 获取百科列表
getEncyclopediaList () {
let that = this
let params = {}
params = { pageIndex: 1, pageSize: 4, state: 0, orderBy: 'is top ASC, create time DESC' }
if (this.globalConfig.IS_COMMON_DATA === '0') {
params.appId = that.requestUrl.api.wenanAppId
} else if (this.globalConfig.IS COMMON DATA === '1') {
params.appId = that.requestUrl.api.appId
that. $http. post(that.requestUrl.api.getArticleList, params).then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
let resp = res. data. data. list
if (res. data. data. list. length > 0) {
```

```
resp. for Each (v \Rightarrow \{
var images = []
if (v. images. length > 0) {
images = v.images.split(";")
v.images = images
v.title = v.title.length > 20 ? v.title.slice(0, 20) + '...' : v.title
that.encyclopediaList = resp
})
}.
// 配置图
getBannerList () {
let that = this
let params = { pageIndex: 1, pageSize: 10, state: 0, orderBy: 'banner_index ASC', appId: th
at.requestUrl.api.appId }
that. $http.post(that.requestUrl.api.getBannerList, params).then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
let flag = true
that. swiperList = res. data. data. list. filter (v => {
return v.imgType === 'banner'
that.popupList = res.data.data.list.filter(v => \{
return v.imgType === 'popup'
that. floatList = res. data. data. list. filter (v => {
return v.imgType === 'float'
that.indexFixedList = res.data.data.list.filter(v => {
return v.imgType === 'indexFixed'
}
})
},
// 热门关键词
getHotWord () {
let that = this
let params = {}
params = { pageIndex: 1, pageSize: 999, state: 0, orderBy: 'is top ASC, update time DESC' }
if (this.globalConfig.IS_COMMON_DATA === '0') {
params.appId = that.requestUrl.api.commonAppId
} else if (this.globalConfig.IS COMMON DATA === '1') {
params.appId = that.requestUrl.api.appId
that. $http. post(that. requestUrl. api. getHotWord, params). then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
let list = [];
if (res. data. data. list. length > 0) {
```

```
res. data. data. list. forEach (v => {
list. push (v. title)
})
that. handleHotWord(list): // 存储热门关键词
that. hotWordList = this. $u. randomArray(list). splice(0, 12)
}
})
},
// 点击了自定义广告
handleBannerAdvert (e) {
this. $tools. handleSkip(this. hasLogin, e)
},
// 操作
handleTool (e, type) {
let gotoType = ''
let navType = ''
let url = ''
if (type === 'banner') {
e. navType = e. navType
e.url = e.url
e. gotoType = e. gotoType ? e. gotoType : 'navigateTo'
if (type === 'tool') {
e.navType = e.linkType
e.url = e.gotoUrl
e.gotoType = e.gotoType
}
this. $tools. handleSkip(this. hasLogin, e)
}
import { mapMutations, mapState } from 'vuex';
import taskList from '@/components/task/list.vue'
export default {
components: {
taskList
},
data () {
return {
loading: false,
menuTwoList: [
{ name: '订单列表', icon: 'file-text', url: '/pages/pay/orderRecord', },
{ name: '客服中心', icon: 'server-man', url: '/pages/common/customer'},
{ name: '更多好玩', icon: 'grid', url: '/pages/my/fun' },
{ name: '设置', icon: 'setting', url: '/pages/my/setting'},
],
memberLeftTime: 10, // 会员剩余天数提醒
memberLeftCurDay: 0, // 会员当前剩余天数
memberProtectTime: null, // 会员保护时间
```

```
taskConfigList: [], // 任务列表
dataInfo: {}, // 用户信息
activeCode: '',
},
computed: {
...mapState(['hasLogin', 'userInfo', 'globalConfig']),
onLoad () {
if (!this.hasLogin) {
this.getTaskConfig()
},
// 下拉刷新
onPullDownRefresh () {
setTimeout(() => {
if (this.hasLogin) {
this.getUserInfo()
uni.stopPullDownRefresh()
}, 500);
},
onShow () {
if (this.hasLogin) {
this.getUserInfo()
},
methods: {
... mapMutations(['login']),
// 读取用户信息
getUserInfo () {
let that = this;
that. $http. get(that.requestUrl.api.getUserInfo).then(res => {
if (res. statusCode === 200 && res. data && res. data. code === 200) {
that. login(res. data. data); // 存储登录信息
that. dataInfo = res. data. data;
that.memberProtectTime = that.dataInfo.memberProtectTime ? that.$tools.formatDateTime(that.
dataInfo.memberProtectTime, 'yyyy-MM-dd'): '' // 会员保护时间
that.memberLeftCurDay = that.$tools.getDifferDay((new Date()).getTime(), that.dataInfo.memb
erProtectTime); // 会员剩余时间
that.getTaskConfig()
} else {
uni.showToast({ title: res.data.data, icon: 'none' })
})
},
navTo (url) {
if (this.hasLogin) {
if (url === '/pages/my/contact' && this.globalConfig.BARGAIN_SHOW !== '0') {
return;
```

```
uni.navigateTo({ url: url })
} else {
uni.navigateTo({ url: '/pages/login/authorize' })
},
// 图片预览
preview (urls) {
// 预览图片
uni.previewImage({
current: 0,
urls: urls,
longPressActions: {
itemList:['发送给朋友', '保存图片', '收藏'],
success: function (data) {
console. log('选中了第' + (data. tapIndex + 1) + '个按钮, 第' + (data. index + 1) + '张图片');
},
fail: function (err) {
console. log(err. errMsg);
}
});
},
// 获取任务配置
getTaskConfig () {
let that = this;
let param = { appId: that.requestUrl.api.appId, pageIndex: 1, pageSize: 5, state: 0, orderB
y: 'label index DESC' }
that. $http. post(that. requestUrl. api. getTaskConfig, param). then(res => {
if (res. statusCode === 200 && res. data && res. data. code === 200 && res. data. data. list. lengt
h > 0) {
that. taskConfigList = res. data. data. list;
uni.showToast({ title: res.data.data, icon: 'none' })
})
},
// 跳转
switchTo (url) {
if (this. hasLogin) {
uni.switchTab({ url: url })
} else {
uni.navigateTo({ url: '/pages/login/authorize' })
},
// 搜索次数提示
energyTips () {
let that = this;
uni.showModal({
title: '提示',
```

```
content: '搜索查询会消耗搜索次数,可通过完成任务或升级会员获取',
cancelText: '我知道了',
confirmText: '会员中心',
success (res) {
if (res.confirm) {
that.navTo('/pages/common/member');
} else if (res.cancel) {
console. log('用户点击取消');
}
})
},
// 会员到期
memberExpireTips () {
let that = this;
uni.showModal({
title: '提示',
content: that.memberProtectTime + '会员到期,提前续约会员享好礼',
cancelText: '我知道了',
confirmText: '会员中心',
success (res) {
if (res.confirm) {
that.navTo('/pages/common/member');
} else if (res.cancel) {
console. log('用户点击取消');
}
})
},
// 复制文本
copyDo (p) {
uni.setClipboardData({
data: p. toString(),
success: function () {
uni.showToast({ title: "复制成功", icon: 'none' })
}
});
},
// 激活码打开
inputDialogToggle () {
if (this.hasLogin) {
this. $refs. inputDialog. open()
uni.navigateTo({ url: '/pages/login/authorize' })
}
},
// 激活码关闭
dialogInputClose () {
this. $refs. inputDialog. close()
},
```

```
// 激活码确认
dialogInputConfirm (val) {
let that = this;
if (!val) {
uni. showToast({ title: "激活码不能为空", icon: 'none' })
return
if (val.length > 10) {
uni.showToast({ title: "激活码长度最大 10 个字符", icon: 'none' })
return
if (val. length != val. replace(/[^\w]/g, ''). length) {
uni. showToast({ title: "激活码格式不正确", icon: 'none' })
return
that.activeCode = val
uni. $u. throttle (this. activeCodeUpdate, 1000)
activeCodeUpdate () {
let that = this;
let param = { activeCode: that.activeCode }
that. $http. post(that.requestUrl.api.activeCodeUpdate, param).then(res => {
if (res. statusCode === 200 && res. data && res. data.code === 200) {
that.activeCode = ""
that. $refs. inputDialog. close()
uni. showToast({ title: "恭喜您成功升级会员", icon: 'none' })
setTimeout(() \Rightarrow \{
that.getUserInfo()
}, 1000)
} else {
that.activeCode = ""
uni. showToast({ title: res. data. data, icon: 'none' })
})
}.
import { mapMutations, mapState } from 'vuex';
export default {
data () {
return {
copyChecked: false,
womanSetting: false,
},
onLoad () {
this.copyChecked = uni.getStorageSync('agreeClipboardData') && uni.getStorageSync('agreeCli
pboardData') === 'Y' ? true : false;
this.womanSetting = uni.getStorageSync('womanSetting') && uni.getStorageSync('womanSetting')
 === 'Y' ? true : false;
```

```
},
computed: {
...mapState(['hasLogin', 'userInfo', 'globalConfig']),
},
methods: {
... mapMutations(['logout']),
// 剪切板
changeCopy (e) {
let that = this;
that.copyChecked = e.detail.value;
uni.setStorage({
key: 'agreeClipboardData',
data: that.copyChecked? 'Y': 'N',
success () {
uni. showToast({ title: that.copyChecked ? '已开启授权剪切板': '已关闭授权剪切板', icon: 'n
one' })
}
});
},
// 剪切板
changeSex (e) {
let that = this;
that.womanSetting = e.detail.value;
uni.setStorage({
key: 'womanSetting',
data: that.womanSetting?'Y': 'N',
success () {
uni. showToast({ title: '设置成功', icon: 'none' })
});
},
navTo (url) {
if (this. hasLogin) {
uni.navigateTo({ url: url })
} else {
uni.navigateTo({ url: '/pages/login/authorize' })
}
},
// 检查更新
checkUpgrade () {
let cr = 0
if (uni.getSystemInfoSync().platform === 'android') {
cr = this. $tools.compareVersion(this.requestUrl.api.version, this.globalConfig.ANDROID_VERS
ION)
} else if (uni.getSystemInfoSync().platform === 'ios') {
cr = this. $tools. compareVersion(this.requestUrl.api.version, this.globalConfig.IOS_VERSION)
if (cr < 0) {
this. handleUpdate()
} else {
```

```
uni.showToast({ title: "当前已是最新版本", icon: 'none' });
},
handleUpdate () {
uni.showModal({
title: '温馨提示',
content: '有最新版本,是否升级',
confirmText: '确定',
cancelText: '取消',
success: function (res) {
if (res.confirm) {
let platform = uni.getSystemInfoSync().platform
if (platform === 'android') {
uni.showLoading({
title: '下载更新中....'
});
uni.downloadFile({
url: this.globalConfig.ANDROID ADDRESS,
success: (downloadResult) => {
uni. hideLoading();
if (downloadResult.statusCode === 200) {
plus.runtime.install(downloadResult.tempFilePath, {
force: false
}, function () {
plus.runtime.restart();
}, function (e) {
console.error('install fail...');
});
}
},
fail () {
uni. showToast({ title: '更新失败,请重试', icon: 'none' })
uni.hideLoading();
}
}):
} else if (platform === 'ios') {
//在 App Store Connect 中的 App Store 下的 app 信息,可找到 appleId
let appleId = 1586132017
plus.runtime.launchApplication({
action: itms-apps://itunes.apple.com/cn/app/id${appleId}?mt=8`
}, function (e) {
console.log('Open system default browser failed: ' + e.message);
});
} else if (res.cancel) {
});
},
// 服务协议
```

```
serviceAgreement () {
let url = this.requestUrl.api.serviceAgreement
uni.navigateTo({ url: '/pages/webview/webview?url=' + encodeURIComponent(JSON.stringify(ur
1)) })
},
// 隐私政策
privacyPolicy () {
let url = this.requestUrl.api.privacyPolicy
uni.navigateTo({ url: '/pages/webview/webview?url=' + encodeURIComponent(JSON.stringify(ur
1)) })
},
// 退出登录
userLoginOut () {
let that = this;
uni.showModal({
title: '提示',
content: '退出后不会删除任何历史数据,下次登录依然可以使用账号。',
showCancel: true,
cancelText: '取消',
confirmText: '退出登录',
success: function (res) {
if (res. confirm) {
that. $http. post(that. requestUrl. api. userLoginOut, null). then (res => {
if (res. statusCode === 200 && res. data. code === 200) {
that. logout():
uni.showToast({ title: '己退出登录'})
// #ifdef APP-PLUS | H5
uni.reLaunch({
url: '/pages/login/authorize'
})
// #endif
// #ifdef MP
"iv": infoRes.iv, //类型: String 必有字段 备注:无
"openid": that.openid,//类型: String 必有字段 备注: 快捷登录返回的 openid
                                                                                       //
类型: String 必有字段 备注: 创建人
"appId": that.requestUrl.api.appId, // 当前应用 appId
if (that.inviteId) params.inviteId = that.inviteId
// params.inviteId = '100001'
let url = uni.getStorageSync('PLATFORM') === 'MP-WEIXIN' ? that.requestUrl.api.wxInfoLogin :
uni.getStorageSync('PLATFORM') === 'MP-QQ' ? that.requestUrl.api.qqInfoLogin : that.reques
tUrl. api. wxInfoLogin;
that. $http. post(url, params). then(res => {
if (res. statusCode === 200 && res. data && res. data. code === 200) {
uni.setStorage({
key: 'authorization',
data: res. data. data,
success: function () {
that.getUserInfo();
```

```
});
} else {
uni. showToast({ title: res. data. data, icon: 'none' })
that.maskShow = false
})
},
fail: res \Rightarrow {
console. log("uni. getUserProfile fail res:" + JSON. stringify(res));
that.maskShow = false
//拒绝授权
uni. showToast({ title: '您拒绝了请求', icon: 'none' })
return:
}
}):
} else if (platForm === 'MP-QQ' || platForm === 'MP-TOUTIAO' || platForm === 'MP-ALIPAY' ||
platForm === 'MP-BAIDU') {
uni.getUserInfo({
provider: uni.getStorageSync('PLATFORM') === 'MP-WEIXIN' ? 'weixin' :
uni.getStorageSync('PLATFORM') === 'MP-QQ' ? 'qq' :
uni.getStorageSync('PLATFORM') === 'MP-TOUTIAO' ? 'toutiao' :
uni.getStorageSync('PLATFORM') === 'MP-ALIPAY' ? 'alipay' :
uni.getStorageSync('PLATFORM') === 'MP-BAIDU' ? 'baidu' : 'weixin',
success: function (infoRes) {
console. log("infoRes:")
console. log(infoRes)
let params = {}
params = {
"encrypted data": infoRes.userInfo.encryptedData, //类型: String 必有字段 备注: 无
"iv": infoRes.userInfo.iv, //类型: String 必有字段 备注:无
"openid": that.openid,//类型: String 必有字段 备注: 快捷登录返回的 openid
                                                                                        //
类型: String 必有字段 备注: 创建人
"appId": that.requestUrl.api.appId, // 当前应用appId
"avatarUrl": infoRes. userInfo. avatarUrl,
"city": infoRes.userInfo.city,
"country": infoRes.userInfo.country,
"gender": infoRes.userInfo.gender,
"language": infoRes. userInfo. language,
"nickName": infoRes.userInfo.nickName,
"province": infoRes. userInfo. province,
// #ifdef MP-QQ
// qq 小程序返回结构有变化
params.iv = infoRes.iv ? infoRes.iv : ''
params.encrypted data = infoRes.encryptedData ? infoRes.encryptedData : ''
// #endif
if (that.inviteId) params.inviteId = that.inviteId
let url = uni.getStorageSync('PLATFORM') === 'MP-WEIXIN' ? that.requestUrl.api.wxInfoLogin :
uni.getStorageSync('PLATFORM') === 'MP-QQ' ? that.requestUrl.api.qqInfoLogin :
uni.getStorageSync('PLATFORM') === 'MP-TOUTIAO' ? that.requestUrl.api.toutiaoInfoLogin :
```

```
uni.getStorageSync('PLATFORM') === 'MP-ALIPAY' ? that.requestUrl.api.alipayInfoLogin :
uni.getStorageSync('PLATFORM') === 'MP-BAIDU' ? that.requestUrl.api.baiduInfoLogin :
that.requestUrl.api.wxInfoLogin;
that. $http. post(url, params). then(res => {
if (res. statusCode === 200 && res. data && res. data. code === 200) {
uni.setStorage({
key: 'authorization',
data: res. data. data,
success: function () {
that.getUserInfo();
}):
} else {
uni. showToast({ title: res. data. data, icon: 'none' })
that.maskShow = false
}).catch(reason => {
that.maskShow = false;
console.log('Failed: ' + reason);
});
},
fail: res \Rightarrow {
console.log("uni.getUserInfo fail res:" + JSON.stringify(res));
that.maskShow = false
//拒绝授权
uni.showToast({ title: '您拒绝了请求', icon: 'none' })
return;
}
});
// 获取用户信息
getUserInfo () {
let that = this
that. $http. get(that.requestUrl.api.getUserInfo).then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
let resp = res. data. data;
that.login(resp); // 存储登录信息
var pages = getCurrentPages(); // 获取当前页面栈
var prePage = pages[pages.length - 2]; // 上一个页面
prePage.data.init = true // A 页面 init 方法 为 true
if (!that.dataSession && that.globalConfig && that.globalConfig.MEMBER_PROTECT_DAYS > 0) {
// 是否已经注册过的凭证,有值代表已注册
that.maskShow = false
that.popupShow = true
} else {
setTimeout(() => {
uni.showToast({ title: '登录成功'})
that.maskShow = false
```

```
uni.navigateBack({ delta: 1 }); // 返回上一页
}
} else {
that.maskShow = false
uni.showToast({ title: res.data.data, icon: 'none' })
}).catch(reason => {
that.maskShow = false;
console.log('Failed: ' + reason);
});
},
// 取消登录
cancelLogin () {
var pages = getCurrentPages(); // 获取当前页面栈
var prePage = pages[pages.length - 2]; // 上一个页面
prePage.data.init = true // A 页面 init 方法 为 true
setTimeout(() \Rightarrow \{
uni.navigateBack({ delta: 1 }); // 返回上一页
}, 0)
},
// 领取奖励
getReward () {
this.popupShow = false
uni.showToast({ title: '领取成功'})
setTimeout(() \Rightarrow \{
uni.navigateBack({ delta: 1 }); // 返回上一页
}, 300)
}
import {
mapMutations
} from 'vuex';
// import Json from '@/Json' //测试用数据
const form = require("@/utils/form/formValidation.js")
const util = require('@/utils/form/util.js')
import inputSms from './inputSMS.vue'
import awardPopup from '@/components/common/award-popup.vue'
export default {
components: {
inputSms,
awardPopup
},
data () {
return {
mobile: '',
btnText: "获取验证码",
password: '',
confirmPassword: '',
```

```
inviteId: '', // 邀请码
loading: false,
smsShow: false, // 验证码弹框
popupShow: false, // 奖励弹窗
},
onLoad () {
},
methods: {
... mapMutations(['login']),
inputChange (e) {
const key = e. currentTarget. dataset. key;
this[key] = e. detail. value;
},
navBack () {
uni.navigateBack();
},
navTo (url) {
uni.navigateTo({
url: url
})
},
// 检查表单
checkForm () {
let that = this:
//表单规则
let rules = [{
name: "mobile",
rule: ["required", "isMobile"],
msg:["请输入手机号","请输入正确的手机号"]
}, {
name: "password",
rule: ["required", "isEnAndNo"],
msg: ["请输入密码", "密码为8~20位数字和字母组合"]
}, {
name: "confirmPassword",
rule: ["required", "isEnAndNo"],
msg: ["请输入确认密码", "密码为8~20位数字和字母组合"]
}];
//进行表单检查
let formData = {
mobile: that.mobile,
password: that.password,
confirmPassword: that.confirmPassword,
};
let checkRes = "";
if (that.password !== that.confirmPassword) {
checkRes = "两次密码不匹配"
checkRes = form.validation(formData, rules);
```

```
if (checkRes) {
uni.showToast({ title: checkRes, icon: "none" });
return false
return true
},
// 下一步
nextStep () {
let that = this;
if (that.checkForm()) {
let params = {
phone: that.mobile,
msgType: 1 //类型: Number 必有字段 备注: 0-通用 1-注册, 2-登录, 3-重置密码, 4-修改信息
that. $http. post(that. requestUrl. api. sendVcode, params). then (res => {
// that.smsShow = true
// that. $refs. inputSms. reloadSms()
if (res. statusCode === 200 && res. data. code === 200) {
//获取短信
that.smsShow = true
that. $refs. inputSms. reloadSms()
uni. showToast({ title: res. data. data, icon: 'none' });
}).catch(err => {
uni.showToast({
title: err.errMsg,
icon: 'none'
});
});
}
},
// 注册
toRegister (vcode) {
let that = this:
if (!this.checkForm()) {
return
let params = {
phone: that.mobile,
vcode: vcode,
password: that.password,
if (this.inviteId) {
params.inviteId = that.inviteId
that.loading = true;
that. $http. post(that.requestUrl.api.registerByVCode, params). then (res => {
if (res. statusCode === 200 && res. data. code === 200) {
uni.showToast({ title: '注册成功', icon: 'success' })
```

```
if (that.globalConfig && that.globalConfig.MEMBER PROTECT DAYS > 0) {
that.loading = false
that.popupShow = true
} else {
setTimeout(() => {
uni.redirectTo({
url: '/pages/login/appLogin/loginByTel?mobile=' + that.mobile,
that.loading = false
}, 1500);
} else {
that.loading = false;
uni. showToast({ title: res. data. data, icon: 'none' });
})
},
// 领取奖励
getReward () {
let that = this;
that.popupShow = false
uni.showToast({ title: '领取成功'})
setTimeout(() \Rightarrow \{
uni.redirectTo({
url: '/pages/login/appLogin/loginByTel?mobile=' + that.mobile,
})
}, 300)
},
import {
mapMutations,
mapState
} from 'vuex';
import setPassword from './setPassword.vue'
export default {
components: {
setPassword
},
data () {
return {
autoStatus: true,
errCode: '',
setPasswordShow: false,
resolve: {
'20202': '终端未开启 SIM 流量',
'30005': '设备不支持/未开启数据流量/其他原因',
'40101': '检查一下手机卡类型是否是正常运营商手机卡,关闭飞行模式后重新尝试',
'40201': '检查一下手机卡类型是否是正常运营商手机卡,关闭飞行模式后重新尝试',
'40301': '检查一下手机卡类型是否是正常运营商手机卡,关闭飞行模式后重新尝试',
```

```
}
}
},
computed: {
...mapState(['mpInfo', 'hasLogin']),
},
onLoad () {
this.isAutoLogin()
},
methods: {
... mapMutations(['login']),
navTo (url) {
uni.navigateTo({
url: url
})
},
// 判断是否支持一键登陆
isAutoLogin () {
let that = this
uni.getProvider({ //获取可用的服务提供商
service: 'oauth',
success: function (res) {
console. log('获取可用的服务提供商')
console.log(res.provider) // ['weixin', qq', 'univerify']
}
});
uni.preLogin({ //预登录
provider: 'univerify', //用手机号登录
success () {
console. log('预登录成功')
that.autoStatus = true
},
fail (err) {
//预登录失败
console. log('预登录失败')
that.autoStatus = false
console.log('错误码:' + err.errCode)
console. log(err.errMsg)
that.errCode = err.errCode
}
})
},
submitlogin () {
let that = this;
uni.login({ //正式登录,弹出授权窗
provider: 'univerify',
univerifyStyle: { // 自定义登录框样式
"fullScreen": true, // 是否全屏显示, true 表示全屏模式, false 表示非全屏模式, 默认值为 false。
"backgroundColor": "#fffffff", // 授权页面背景颜色,默认值: #fffffff
"phoneNum": {
```

```
"color": "#2281F5", // 手机号文字颜色 默认值: #000000
},
"authButton": {
"normalColor": "#3479f5", // 授权按钮正常状态背景颜色 默认值: #3479f5
"highlightColor": "#2861c5", // 授权按钮按下状态背景颜色 默认值: #2861c5(仅 ios 支持)
"disabledColor": "#73aaf5", // 授权按钮不可点击时背景颜色 默认值: #73aaf5 (仅 ios 支持)
"textColor": "#ffffff", // 授权按钮文字颜色 默认值: #ffffff
"title": "本机号码一键登录" // 授权按钮文案 默认值: "本机号码一键登录"
},
success (res) {
// 正式登录成功
console.log(res.authResult); // {openid:'登录授权唯一标识', access token:'接口返回的 token'}
// 在得到 access token 后,通过 callfunction 调用云函数
uniCloud.callFunction({
name: 'getPhoneNumber', // 云函数名称
data: { //传给云函数的参数
'access token': res.authResult.access token, // 客户端一键登录接口返回的 access token
'openid': res.authResult.openid // 客户端一键登录接口返回的 openid
},
success (callRes) {
console. log('调用云函数成功')
console. log(callRes)
if (callRes && callRes.result && callRes.result.code === 0 && callRes.result.success && cal
1Res. result. phoneNumber) {
that.registerByOneKey(callRes.result.phoneNumber)
uni. showToast({ title: "一键登录云函数解析出错", icon: 'none' });
}
},
fail (callErr) {
console. log('调用云函数出错' + callErr)
complete () {
uni.closeAuthView() //关闭授权登录界面
}
})
}.
fail (err) {
// 正式登录失败
uni.showToast({ title: "正式登录失败", icon: 'none' });
that.errCode = err.errCode
console. log (err. errCode)
console. log(err.errMsg)
uni.closeAuthView() //关闭授权登录界面
})
},
// 一键登录
registerByOneKey (phone) {
```

```
let that = this;
that. $http. post(that. requestUrl. api. registerByOneKey, { phone: phone }). then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
// 返回的 token 作了处理,要判断是否返回了 password
uni.setStorage({
key: 'authorization',
data: res. data. data. token,
success: function () {
if (res. data. data. isSetPassword) {
// 已设置密码,直接登录
that.getUserInfo()
} else {
// 未设置密码
that.setPasswordShow = true
}
});
} else {
uni. showToast({ title: res. data. data, icon: 'none' });
}
})
},
// 获取用户信息
getUserInfo () {
let that = this;
that. $http. get(that.requestUrl.api.getUserInfo).then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
that. login (res. data. data);
uni.showToast({ title: '登录成功'})
setTimeout(() => {
uni.reLaunch({ url: '/pages/index/index' });
}, 500)
} else {
uni. showToast({ title: res. data. data, icon: 'none' });
})
import { mapMutations, mapState } from 'vuex';
import advert from '@/components/advert/advert.vue'
export default {
components: {
advert
},
data () {
return {
answer: ''
noticeStr: '', // 轮播内容
question: {},
```

```
resultShow: false, // 结果弹框
result: null, // 0-答对, 1-答错
rightTimes: 0, // 连对次数
errorTimes: 0, // 连错次数
tips: '', // 提示
emoji: ''
wordType: 'word',
rightEmoji: ['/static/images/biaoqing/love.png', '/static/images/biaoqing/happy.png', '/sta
tic/images/biaoqing/cool.png'],
}
},
computed: {
...mapState(['hasLogin', 'userInfo', 'globalConfig', 'advert'])
},
onLoad () {
let that = this;
let nameList = [
"据说答题好的人智商和情商都很高",
"快来试一下,测一下自己的应变能力",
"问题答得好,生活没烦恼",
"如果是闯关,你能一站到底吗",
"才貌双全,说的就是你吧",
"文明发言,健康答题,你是最棒的",
let noticeList = []
that. $u. randomArray (nameList). for Each ((v, i) => {
that.noticeStr = nameList[i]
})
that.tips = that.$say.say(0, that.rightTimes)
if (this.globalConfig.PLATE LIST && this.globalConfig.PLATE LIST.includes('answer')) {
this. init()
}
},
// 下拉刷新
onPullDownRefresh () {
setTimeout(() => {
uni.stopPullDownRefresh()
this. init()
}, 500);
},
methods: {
... mapMutations(['login']),
init () {
if (this. hasLogin) {
if (this. userInfo. active === 0) {
this.getLoveWordAnswerList(); // 用户获取题目
} else {
uni.showToast({ title: '账号已被封号,无法操作', icon: 'none' })
}
}
```

```
},
// 用户获取题目
getLoveWordAnswerList () {
let that = this;
let params = {
pageIndex: 1,
pageSize: 1,
state: 1,
active: 1,
reportCount: 0,
orderBy: 'user',
that. $http. post(that.requestUrl.api.getLoveWordAnswerList, params).then(res => {
if (res. data && res. data. code === 200 && res. data. data. list. length > 0) {
that. total = res. data. data. total
that. question = res. data. data. list[0]
that.question.title = that.question.content
if (that.question.appId === 'wx91963481527504a7' \mid \mid that.question.appId === 'wx3e84c6dd1c76
bba1' | that. question. appId === '1110669493') {
// 文案
that.wordType = 'wenan'
that.question.downloadInitCount = Math.ceil(Math.random() * 1000)
that.question.collectInitCount = Math.ceil(Math.random() * 1000) + Math.ceil(Math.random()
* 1000)
} else {
uni.showToast({ title: res.data.data, icon: 'none' })
})
},
// 读取用户信息
getUserInfo () {
let that = this;
that. $http. get(that.requestUrl.api.getUserInfo).then(res => {
if (res. data && res. data. code === 200) {
console. log('读取用户信息成功')
that. login(res. data. data); // 存储登录信息
}
})
nextGo () {
this.answer = ""
this.resultShow = false;
this.analysisShow = false;
this.getLoveWordAnswerList();
},
clear () {
this.answer = ''
},
navTo (url) {
```

```
uni.navigateTo({ url: url })
}.
// 提交
submit () {
let that = this;
if (this.userInfo && this.userInfo.active !== 0) {
uni.showToast({ title: "您已被封号,无法提交", icon: 'none' })
return
}
if (!this.answer) {
uni.showToast({ title: "还没有作答哦,请先答题", icon: 'none' })
return
if (this. answer && this. answer. length < 6) {
uni.showToast({ title: "内容太少了, 再加点吧", icon: 'none' })
return
}
let re = /select|update|delete|exec|count|'|"|=|;|>|<|%/i;
if (re. test(this. answer)) {
uni.showToast({ title: "内容不合规,请重新编辑", icon: 'none' })
return
let params = {
appId: this.requestUrl.api.appId,
belongId: this. question. id,
content: this.question.title + '\n' + this.answer,
title: this. question. title,
userId: this.userInfo.userId,
fId: '',
fIdName: '',
userName: this.userInfo.name,
avatar: this.userInfo.headIcon
this. $http.post(this.requestUrl.api.wordAnswerSave, params).then(res => {
if (res. data && res. data. code === 200) {
if (that.rightTimes < 4) {</pre>
that.rightTimes = that.rightTimes + 1
that.emoji = that.rightEmoji[that.$u.random(0, 2)]
that.tips = that.$say.say(0, that.rightTimes)
that.resultShow = true
that.getReward()
uni. showToast({ title: res. data. data, icon: 'none' })
});
},
// 下发奖励
getReward () {
let that = this;
```

```
let params = { configKey: that.requestUrl.params.WORD }
that. $http. post(that. requestUrl. api. getReward, params). then (res => {
if (res. statusCode === 200 && res. data. code === 200) {
console.log("下发奖励成功")
})
},
report () {
let that = this:
let params = { wordId: this.question.id, operate: 'report' }
that. $http. post(that.requestUrl.api.loveWordOperate, params).then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
uni.showToast({ title: '感谢您的提议', icon: 'none' })
that.nextGo();
})
import {
mapActions,
mapMutations,
mapState
} from 'vuex';
import wenan from '@/components/text-case/text-case.vue'
import result from '@/components/text-case/result.vue'
export default {
components: {
wenan,
result
},
data () {
return {
keywords: '', // 搜索词
wordList: [], // 文案列表
noDataShow: false, // 没有结果
loading: false, // 加载中
resultShow: false, // 保存结果
saveImageResult: false, // 保存图片结果
hasImage: false, // 是否有图片
isAuth: true, // 是否已授权
wordLength: 120, // 字符截取长度开启全文
pageSetting: {
pageIndex: 1, // 页码
pageSize: 10, // 每页页数
totalPages: 0, // 总页数
totalSize: 0, // 总数
},
}
},
```

```
computed: {
...mapState(['hasLogin', 'userInfo', 'mpInfo', 'globalConfig', 'advert'])
},
async onLoad (options) {
if (this. globalConfig. PLATE LIST && this. globalConfig. PLATE LIST. includes ('poetry')) {
this. init();
}
},
onShow () {
/* 建议放在 onReady 里执行,提前加载广告 */
let obj = \{\}
let advertId = null
// 插屏广告
// #ifdef MP-WEIXIN
ob.j = wx
advertId = this.advert.wxIndexInterstitialAd
// #endif
// #ifdef MP-QQ
obj = qq
advertId = this.advert.qqIndexInterstitialAd
if (this. globalConfig. ADVERT SHOW === '0') {
// 显示广告
if (obj.createInterstitialAd && advertId) {
let interstitialAd = obj.createInterstitialAd({ adUnitId: advertId })
interstitialAd.onLoad(() => {
interstitialAd. show().catch((err) => {
console.error(err)
console.log('onLoad event emit')
})
interstitialAd.onError((err) => {
console.log('onError event emit', err)
})
interstitialAd.onClose((res) => {
console.log('onClose event emit', res)
})
}
}
onReady () \{ \},
// 下拉刷新
onPullDownRefresh () {
setTimeout(() => {
uni.stopPullDownRefresh()
this. init()
}, 500);
},
// 到底
onReachBottom () {
```

```
if (this.pageSetting.pageIndex <= this.pageSetting.totalPages && !this.loading && this.hasL
ogin) {
this.getLoveWord()
},
methods: {
... mapActions(['handlePreviewImage',]),
init () {
this.pageSetting.pageIndex = 1;
this.wordList = [];
this.getLoveWord()
},
// 获取列表
getLoveWord () {
let that = this
this.noDataShow = false
let params = {}
params = {
pageIndex: this.pageSetting.pageIndex,
pageSize: this.pageSetting.pageSize,
state: 0,
active: 0,
byUser: true,
orderBy: 'create_time DESC'
if (this.globalConfig.IS_COMMON_DATA === '0') {
params.appId = that.requestUrl.api.wenanAppId
} else if (this.globalConfig.IS COMMON DATA === '1') {
params.appId = that.requestUrl.api.appId
that. loading = true;
that. $http.post(that.requestUrl.api.getLoveWord, params).then(res => {
that.loading = false;
if (res. statusCode === 200 && res. data. code === 200) {
let resp = res. data. data. list
if (resp. length > 0) {
resp. for Each (v \Rightarrow \{
v.allShow = v.content.length <= that.wordLength ? true : false
})
that.pageSetting.pageIndex += 1
if (that.pageSetting.pageIndex > res.data.data.pages) {
that. pageSetting. pageIndex = 1
that.wordList = that.wordList.concat(resp)
that.pageSetting.totalPages = res.data.data.pages
that.pageSetting.totalSize = res.data.data.total
// 无数据展示
if (that.wordList.length === 0) {
that.noDataShow = true
```

```
}
} else {
uni. showToast({ title: res. data. data, icon: 'none' })
})
},
// 预览图片
previewImage (p) {
let params = {
images: p,
current: 0
this. handlePreviewImage (params)
},
// 一键保存
onSave (isAuth, saveImageResult, hasImage) {
this.isAuth = isAuth
this.saveImageResult = saveImageResult
this.hasImage = hasImage
this.resultShow = true
},
navTo (url) {
if (!this.hasLogin) {
uni.navigateTo({ url: '/pages/login/authorize' })
} else {
uni.navigateTo({ url: url })
},
import { mapState } from 'vuex';
export default {
components: {
},
data () {
return {
show: false,
list: [],
content: '',
title: '',
fId: '',
fIdName: '',
image: [],
action: 'https://www.tuodanlianai.top/',
sizeType: ['compressed'],
hasUpload: false,
pickerIndex: 0,
}
},
computed: {
```

```
...mapState(['hasLogin', 'userInfo', 'globalConfig', 'advert'])
},
onLoad (option) {
if (this. globalConfig && this. globalConfig. SAFE SHOW === '0') {
uni.setNavigationBarTitle({ title: '记录' });
} else {
uni.setNavigationBarTitle({ title: '备用'});
this.getLabelTwo()
},
onShow () {
/* 建议放在 onReady 里执行,提前加载广告 */
let obj = \{\}
let advertId = null
// 插屏广告
// #ifdef MP-WEIXIN
obj = wx
advertId = this.advert.wxIndexInterstitialAd
// #endif
// #ifdef MP-QQ
ob.j = qq
advertId = this.advert.qqIndexInterstitialAd
// #endif
if (this.globalConfig.ADVERT_SHOW === '0') {
// 显示广告
if (obj.createInterstitialAd && advertId) {
let interstitialAd = obj.createInterstitialAd({ adUnitId: advertId })
interstitialAd.onLoad(() => {
interstitialAd. show().catch((err) => {
console. error (err)
})
console. log('onLoad event emit')
interstitialAd.onError((err) => {
console.log('onError event emit', err)
})
interstitialAd.onClose((res) => {
console.log('onClose event emit', res)
})
}
onUnload () {
if (!this.hasUpload && this.image !== "") {
this. deleteImgs()
},
methods: {
// 获取类目
getLabelTwo () {
```

```
let that = this
let params = {}
params = { state: 0, pageIndex: 1, pageSize: 9999 }
if (this.globalConfig. IS COMMON DATA === '0') {
params.appId = that.requestUrl.api.wenanAppId
} else if (this.globalConfig.IS COMMON DATA === '1') {
params. appId = that.requestUrl.api.appId
} else if (this.globalConfig.IS COMMON DATA === '2') {
params.appId = ''
that.loading = true;
that. $http. post(that. requestUrl. api. getLabelTwo, params). then(res => {
that.loading = false;
that. list = []
if (res. statusCode === 200 && res. data. code === 200) {
let reps = res. data. data. list
if (reps. length > 0) {
reps. for Each ((v, i) \Rightarrow \{
v. value = v. id;
v.label = v.title;
if (i !== 0) {
that. list. push (v. title)
})
})
},
// 调用接口,编辑数据
saveLoveWord () {
let that = this
if (this.userInfo.active !== 0) {
uni.showToast({ title: '账号已被封号,无法操作', icon: 'none'})
return
if (this.userInfo.wordToday >= this.globalConfig.WORD_LIMIT) {
uni.showToast({ title: '今日提交次数已达上限', icon: 'none'})
return
}
let params = {
title: this. title,
content: this. content,
state: 1,
active: 1,
isTop: 1,
downloadInitCount: 0,
collectInitCount: 0,
image: '',
fId: this.fId,
fIdName: this.fIdName,
```

```
userId: this.userInfo.userId,
userName: this.userInfo.name.
avatar: this.userInfo.headIcon
if (this. image. length > 0) {
params. image = this. image. map( => .url). toString()
if (this.globalConfig. IS COMMON DATA === '0') {
params.appId = that.requestUrl.api.commonAppId
} else if (this.globalConfig.IS COMMON DATA === '1') {
params.appId = that.requestUrl.api.appId
that. $http. post(that. requestUrl. api. saveLoveWord, params). then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
that.hasUpload = true
uni.showToast({ title: '提交成功', mask: true })
setTimeout(() => {
that.getReward();
}, 1000)
setTimeout(() \Rightarrow \{
uni.navigateBack({ delta: 1 }); // 返回上一页
}, 1500)
} else {
uni.showToast({ title: res.data.data, icon: 'none' })
})
},
// 下发奖励
getReward () {
let that = this;
let params = { configKey: that.requestUrl.params.WORD }
that. $http. post(that. requestUrl. api. getReward, params). then (res => {
if (res. statusCode === 200 && res. data. code === 200) {
console. log("下发奖励成功")
})
},
onConfirm (e) {
this.pickerIndex = parseInt(e.detail.value)
this.fId = e.detail.value
this. fIdName = this. list[parseInt(e. detail. value)]. title
},
// 读取文件 -- 头像
afterReadImage (e) {
this.multipleUpload(e)
},
// 多张图片上传
async multipleUpload (event) {
let that = this;
// 当设置 mutiple 为 true 时, file 为数组格式, 否则为对象格式
```

```
let lists = [].concat(event.file)
if (lists.length > 9) {
uni.showToast({
title: '最多上传9张图片',
icon: 'none'
})
return
for (let i = 0; i < lists. length; <math>i++) {
const result = await this.uploadDo(lists[i])
},
// 执行上传
uploadDo (event) {
let that = this;
let url = that.requestUrl.api.baseUrl + that.requestUrl.api.fileUpload;
// #ifdef H5
url = that.requestUrl.api.h5Sign + that.requestUrl.api.fileUpload;
// #endif
return new Promise((resolve, reject) => {
uni.uploadFile({
url: url,
filePath: event.url,
name: 'uploadFile',
formData: {
user: 'test'
},
success (res) {
resolve (res. data. data)
let resp = JSON. parse (res. data)
if (resp && resp. code === 200) {
let obj = \{\};
obj.url = that.requestUrl.api.fileUrl + resp.data
obj.name = '图' + that.image.length + 1
that.image = []
that.image.push(obj)
}
});
})
},
// 删除图片
deleteImgs () {
let that = this
let params = {
pathList: this.image.map(_ => _.url).toString()
that. $http. post(that. requestUrl. api. deleteFile, params). then(res => {
if (res. statusCode === 200 && res. data. code === 200) {
that.image = []
```

```
console. log("删除图片")
})
},
// 文件超出大小限制
oversize () {
uni.showToast({
title: "图片最大不能超过 2M",
icon: 'none'
})
},
},
import { mapMutations, mapState } from 'vuex';
export default {
components: {
},
data () {
return {
articleData: {},
}
},
computed: {
...mapState(['hasLogin', 'userInfo', 'advert', 'globalConfig'])
},
// 下拉刷新
onPullDownRefresh () {
setTimeout(() \Rightarrow \{
uni.stopPullDownRefresh()
if (this.articleData.id !== null) {
this.findArticle()
}, 500);
},
onLoad (options) {
this.articleData.id = options.id ? options.id : ''
if (this.articleData.id !== null) {
this.findArticle()
}
if (this.hasLogin) {
if (this.userInfo.energy <= 0) {
uni.showModal({
title: '搜索次数不足',
content: '做任务/升级会员, 获取搜索次数',
showCancel: false,
success: function (res) {
if (res.confirm) {
uni.reLaunch({ url: '/pages/my/index' });
}
}
```

```
});
return
} else {
this.consume()
},
onShow () {
/* 建议放在 onReady 里执行,提前加载广告 */
let obj = \{\}
let advertId = null
// 插屏广告
// #ifdef MP-WEIXIN
ob.j = wx
advertId = this.advert.wxIndexInterstitialAd
// #endif
// #ifdef MP-QQ
obj = qq
advertId = this.advert.qqIndexInterstitialAd
// #endif
if (this. globalConfig. ADVERT SHOW === '0') {
// 显示广告
if (obj.createInterstitialAd && advertId) {
let interstitialAd = obj.createInterstitialAd({ adUnitId: advertId })
interstitialAd.onLoad(() => {
interstitialAd. show().catch((err) => {
console.error(err)
})
console.log('onLoad event emit')
interstitialAd.onError((err) => {
console.log('onError event emit', err)
interstitialAd.onClose((res) => {
console.log('onClose event emit', res)
})
},
methods: {
... mapMutations(['login']),
// 消耗体力
consume () {
let that = this
if (this.globalConfig && this.globalConfig.IS_CONSUME_TIMES === '0') {
let params = { type: 'article' }
that. $http.post(that.requestUrl.api.consume, params).then(res => {
console.log("消耗体力")
})
}
```

```
},
// 获取文章
findArticle () {
let that = this;
that. $http. get(that.requestUrl.api.findArticle + '?id=' + that.articleData.id).then(res =>
if (res. statusCode === 200 && res. data. code === 200) {
that.articleData = res.data.data
that.articleData.isAdvert = that.articleData.isAdvert.toString()
console. log("that.articleData.isAdvert: " + that.articleData.isAdvert)
that.articleData.content = res.data.data.content.replace(/\<img/gi, '<img style="width:100%;
height:auto;display:block; margin: 10px 0;"')
uni. showToast({ title: res. data. data, icon: 'none' })
})
},
import { mapState } from 'vuex';
import articleItem from '@/components/article/item.vue'
export default {
components: {
articleItem
},
data () {
return {
currentTab: 0,
tabSelectedList: [],
loading: false, // 加载中
triggered: false, // 设置当前下拉刷新状态, true 表示下拉刷新已经被触发, false 表示下拉刷新
未被触发
},
computed: {
...mapState(['hasLogin', 'userInfo', 'advert', 'globalConfig']),
},
onLoad (option) {
if (this.globalConfig.PLATE_LIST && this.globalConfig.PLATE_LIST && this.globalConfig.PLATE
_LIST.includes('article')) {
this.getArticleGroup()
}
},
onShow () {
/* 建议放在 onReady 里执行,提前加载广告 */
let obj = \{\}
let advertId = null
// 插屏广告
// #ifdef MP-WEIXIN
obj = wx
```

```
advertId = this.advert.wxIndexInterstitialAd
// #endif
// #ifdef MP-QQ
obj = qq
advertId = this.advert.ggIndexInterstitialAd
// #endif
if (this. globalConfig. ADVERT SHOW === '0') {
// 显示广告
if (obj.createInterstitialAd && advertId) {
let interstitialAd = obj.createInterstitialAd({ adUnitId: advertId })
interstitialAd.onLoad(() => {
interstitialAd.show().catch((err) => {
console.error(err)
})
console.log('onLoad event emit')
interstitialAd.onError((err) => {
console.log('onError event emit', err)
interstitialAd.onClose((res) => {
console.log('onClose event emit', res)
}
},
// 下拉刷新
onPullDownRefresh () {
setTimeout(() \Rightarrow \{
uni.stopPullDownRefresh()
}, 500);
},
methods: {
// 获取文章分类列表
getArticleGroup () {
let that = this
let params = {}
params = {
pageIndex: 1,
pageSize: 999,
state: 0,
orderBy: 'is top ASC'
if (this.globalConfig.IS_COMMON_DATA === '0') {
params.appId = that.requestUrl.api.commonAppId
} else if (this.globalConfig.IS COMMON DATA === '1') {
params.appId = that.requestUrl.api.appId
that.tabSelectedList = []
that. loading = true;
that. $http.post(that.requestUrl.api.getArticleGroup, params).then(res => {
```

```
that.loading = false;
if (res. statusCode === 200 && res. data. code === 200 && res. data. data. list. length > 0) {
let resp = res. data. data. list
if (resp. length > 0) {
resp. for Each ((v, i) \Rightarrow \{
let obj = \{\};
obj.name = v.title
obj.noDataShow = false
obj.isGetData = false
obj.id = v.id;
obj. title = v. title;
obj.name = v.title; // 设置标题
obj.pageIndex = 1;
obj.pageSize = 10;
obj. dataList = [];
if (i < 6) {
that. tabSelectedList. push (obj)
} else {
that.tabUnSelectedList.push(obj)
}
})
that.getArticleList()
}).catch(reason => {
that.loading = false;
console.log('Failed: ' + reason);
});
},
// 触底
onLower () {
if (this. tabSelectedList[this.currentTab].pageIndex
&& this.tabSelectedList[this.currentTab].totalPages
&& this.tabSelectedList[this.currentTab].pageIndex > this.tabSelectedList[this.currentTab].
totalPages) {
return
this.getArticleList();
}
import { mapMutations, mapState } from 'vuex';
import staticGoods from '@/components/goods/static-goods.vue'
import basicGoods from '@/components/goods/basic-goods.vue'
import advert from '@/components/advert/advert.vue'
export default {
components: {
basicGoods,
staticGoods,
advert
```

```
},
data () {
return {
src: 'https://ss3.bdstatic.com/70cFv8Sh_Q1YnxGkpoWK1HF6hhy/it/u=3032562195,2010430756&fm=26
&gp=0. jpg',
activityList: [], // 活动列表
activityIdList: [], // 活动 id 列表
ordrList: [], // 订单列表
loading: false, // 加载中
pageSetting: {
pageIndex: 1, // 页码
pageSize: 10, // 每页页数
totalPages: 0, // 总页数
totalSize: 0, // 总数
},
}
},
computed: {
...mapState(['hasLogin', 'userInfo', 'globalConfig', 'advert']),
onLoad (option) {
},
onShow () {
if (this.globalConfig.BARGAIN_SHOW === '0') {
this. init()
/* 建议放在 onReady 里执行,提前加载广告 */
let obj = \{\}
let advertId = null
// 插屏广告
// #ifdef MP-WEIXIN
obj = wx
advertId = this.advert.wxIndexInterstitialAd
// #endif
// #ifdef MP-QQ
ob.j = qq
advertId = this.advert.qqIndexInterstitialAd
// #endif
if (this.globalConfig.ADVERT_SHOW === '0') {
// 显示广告
if (obj.createInterstitialAd && advertId) {
let interstitialAd = obj.createInterstitialAd({ adUnitId: advertId })
interstitialAd.onLoad(() => {
interstitialAd. show().catch((err) => {
console.error(err)
})
console.log('onLoad event emit')
})
interstitialAd.onError((err) => {
console.log('onError event emit', err)
```

```
})
interstitialAd.onClose((res) => {
console.log('onClose event emit', res)
})
}
// 下拉刷新
onPullDownRefresh () {
setTimeout(() \Rightarrow \{
uni.stopPullDownRefresh()
this. init()
}, 500);
},
methods: {
// 初始化
init () {
this.activityList = [] // 活动列表
this.ordrList = [] // 订单列表
this.pageSetting.pageIndex = 1
if (this. hasLogin) {
this.getOrderList():
} else {
this.getActivityList()
}
},
// 获取订单列表
getOrderList () {
let that = this
// 状态: 0-砍价中 1-砍价成功 2-砍价失败 3-已兑换
let params = { pageIndex: 1, pageSize: this.globalConfig.ACTIVITY ORDER MAX, state: 0, user
Id: this.userInfo.userId }
that. loading = true;
that.activityIdList = [];
that. $http.post(that.requestUrl.api.getOrderList, params).then(res => {
that.loading = false;
if (res. statusCode === 200 && res. data. code === 200) {
that.ordrList = res.data.data.list
if (that.ordrList.length > 0) {
// 倒计时 处理
that. ordrList. for Each (v \Rightarrow \{
let c t = new Date().getTime(); // 此时时间戳
let f_t = v.createTime + v.duration * 60 * 60 * 1000; // 结束时间戳
if (f t > c t) {
v.timestamp = f t - c t;
} else {
v.timestamp = 0
that. activityIdList. push (v. activityId)
})
```

```
that.getActivityList()
}).catch(reason => {
that.loading = false;
console.log('Failed: ' + reason);
});
},
// 获取活动列表
getActivityList () {
let that = this
let params = {}
params = {
pageIndex: this.pageSetting.pageIndex,
pageSize: this.pageSetting.pageSize,
appId: this.requestUrl.api.appId,
state: 0,
that.loading = true;
that. $http. post(that.requestUrl.api.getActivityList, params).then(res => {
that.loading = false;
if (res. statusCode === 200 && res. data. code === 200) {
if (res. data. data. list. length > 0) {
res. data. data. list. for Each (v \Rightarrow \{
if (that.activityIdList.indexOf(v.id) === -1) {
that.activityList.push(v)
}
})
that.pageSetting.pageIndex += 1
that. pageSetting. totalPages = res. data. data. pages
that.pageSetting.totalSize = res.data.data.total
}).catch(reason => {
that.loading = false;
console.log('Failed: ' + reason);
});
},
// 创建订单
handleActivityBtn (p) {
let that = this
if (this. hasLogin) {
if (p. isAdvert === 1) {
// 不需要广告
this.insertOrder(p)
} else {
let obj = \{\}
let advertId = null
// #ifdef MP-WEIXIN
obj = wx
```

```
advertId = this.advert.wxActivityOrderRewardAd
// #endif
// #ifdef MP-QQ
obj = qq
advertId = this.advert.qqActivityOrderRewardAd
// #endif
if (this.globalConfig.ADVERT_SHOW === '0') {
// 在页面中定义激励视频广告
let videoAd = null
// 在页面 onLoad 回调事件中创建激励视频广告实例
if (obj.createRewardedVideoAd && advertId) {
videoAd = obj.createRewardedVideoAd({
adUnitId: advertId
})
videoAd.onLoad(() \Rightarrow \{ \} )
videoAd.onError((err) => { })
videoAd. onClose((res) => {
if (res && res. isEnded | res === undefined) {
//正常播放结束,可以下发奖励
that.insertOrder(p)
} else {
that.loading = false;
//不下发奖励
obj.showToast({ title: '任务未完成', icon: 'none' })
})
// 用户触发广告后,显示激励视频广告
if (videoAd) {
videoAd. show().catch(() => {
// 失败重试
videoAd. load()
. then (() \Rightarrow videoAd. show())
. catch(err \Rightarrow \{
that.loading = false;
console. log('激励视频 广告显示失败')
})
})
} else {
uni.navigateTo({ url: '/pages/login/authorize' })
},
// 生成订单
insertOrder (p) {
if (this.hasLogin) {
if (this.userInfo.active !== 0) {
uni.showToast({ title: '账号已被封号,无法操作', icon: 'none' })
```

```
return
let that = this
let params = {
activityId: p.id
that.loading = true;
that. $http. post(that. requestUrl. api. insertOrder, params). then(res => {
that.loading = false;
if (res. statusCode === 200 && res. data. code === 200) {
that.navTo('/pages/activity/detail?orderNo=' + res.data.data)
uni.showToast({ title: res.data.data, icon: 'none' })
}).catch(reason => {
that.loading = false;
console.log('Failed: ' + reason);
});
} else {
uni.navigateTo({ url: '/pages/login/authorize' })
}
```