

---

# AUDIOMAN PROGRAM - USER GUIDE

---

## Overview

AudioMAN is a user-friendly tool designed for efficient file path generation, modification, and renaming. By combining multiple columns of text data, it ensures consistency while allowing flexibility in column inputs—making it ideal for batch processing and file organization.

The program also includes tools to modify paths through truncation or text replacement before applying changes to actual files. Additionally, it features an automated renaming system that organizes files into structured directories based on the generated paths.

---

## Features

- ✓ **Dynamic Column Management** – Add or remove columns dynamically, with support for up to 12 columns across two rows.
- ✓ **ID Column Selection** – Choose one column as the reference for path generation.
- ✓ **Automatic Value Expansion** – Single-value columns are automatically expanded to match the reference column length.
- ✓ **File Extension Support** – Append an optional file extension (e.g., .wav, .csv) to each generated path.
- ✓ **Path Truncation** – Remove parts of a file path based on a specific character or a defined number of characters.
- ✓ **Text Replacement in Paths** – Quickly find and replace specific text within file paths.
- ✓ **Automated File Renaming** – Copy files into a structured \_renamed folder and rename them based on generated paths while preserving subdirectories.
- ✓ **Error Handling** – Built-in warnings and error messages guide users through column mismatches or invalid inputs.

---

## Getting Started

### Launching the Program

- ◆ **Windows Users:** Run the .exe file.
  - ◆ **Mac Users:** Run the .dmg file.
-

## How to Use

### 1. Generate New Paths / Add More Paths

#### ✦ What it does:

Creates file paths by concatenating values entered in each column.

#### ✦ Steps:

1. Add up to 12 columns to put your text and remove them as needed
2. Enter text into the textboxes for each column. Each line represents a separate entry.
3. Ensure the ID column contains the reference row count. Other columns should either:
  - Match the ID column in the number of entries, or
  - Contain a single value (automatically expanded).
4. *(Optional)* Add a file extension (e.g., .wav, .csv).
5. *(Optional)* Copy in the first column all file paths from a directory, including the ones in subdirectories.
6. Use the "ID Column" dropdown to select the reference column.

#### ✦ To generate your list of path you can choose one of the two options:

- Click "Generate New Paths" to create concatenated paths. The results will appear in the Result area and will overwrite whatever was already in the result area.

- Click "Add More Paths" to add concatenated paths below the one that are already in the Result area.

---

### 2. Truncate Paths

#### ✦ What it does:

Removes part of a file path from either the left or right based on your selection.

#### ✦ Steps:

1. Use your generated paths or manually enter text (copy/paste) into the "Result" textbox.
2. Choose whether to truncate based on:
  - A specific number of characters

- A specific character (e.g., /, -)
- 3. Select "Left" (keep the right part) or "Right" (keep the left part).
- 4. Click "Apply Truncation".

⚠ Important: The program searches for the first occurrence of the specified character. If the character isn't found in all paths, an error will be displayed.

---

## 3. Replace Text in Paths

✦ What it does:

Finds and replaces specific text within file paths.

✦ Steps:

1. Enter the text you want to replace.
2. Enter the new text (or nothing if you want to erase the text you entered)
3. ).
4. Click "Apply Replace".

💡 Tip: Use this to adjust filenames or modify folder names before renaming.

⚠ Important: The program searches for the first occurrence of the text you entered. If the text isn't found in all paths, an error will be displayed.

---

## 4. Renaming Files

✦ What it does:

Copies all files from a selected folder into a new \_renamed folder and renames them based on the generated paths. The program also creates necessary subdirectories.

✦ Steps:

1. Select the source folder where your files are stored.
2. Click "Rename".
3. Files will be copied into a \_renamed folder, preserving subfolder structure.

⚠ Important: Ensure the number of copied files matches the number of generated paths to avoid errors.

---

## 5. Clear All: Reset Everything

✦ What it does:

Resets all text fields, selections, and settings, clearing any loaded paths.

💡 Use this when: You want to start over with a clean slate.

---

## Results

✓ Generated or modified paths appear in the Result area.

✓ Example output for three columns (Col 1, Col 2, Col 3) with a .txt extension:

```
value1_part1_value2.txt
```

```
value1_part2_value2.txt
```

```
value1_part3_value2.txt
```

---

This tool makes file organization and batch renaming seamless and efficient. 🚀