Untitled

Wenjing Li 2/16/2020

Question 3

3(a)

```
#loads package
library(ISLR)
data(Weekly)
#fit logistic model
logistic_model = glm(Direction ~ Lag1 + Lag2, data = Weekly, family = binomial)
summary(logistic_model)
##
## Call:
## glm(formula = Direction ~ Lag1 + Lag2, family = binomial, data = Weekly)
## Deviance Residuals:
     Min
           1Q Median
                              3Q
                                     Max
## -1.623 -1.261
                 1.001
                         1.083
                                   1.506
##
## Coefficients:
              Estimate Std. Error z value Pr(>|z|)
##
## (Intercept) 0.22122 0.06147 3.599 0.000319 ***
## Lag1
             -0.03872
                          0.02622 -1.477 0.139672
## Lag2
              0.06025
                          0.02655
                                  2.270 0.023232 *
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## (Dispersion parameter for binomial family taken to be 1)
##
      Null deviance: 1496.2 on 1088 degrees of freedom
## Residual deviance: 1488.2 on 1086 degrees of freedom
## AIC: 1494.2
## Number of Fisher Scoring iterations: 4
3(b)
#leave-the-first-one-out logistic model
logistic_model_leave1 = glm(Direction ~ Lag1 + Lag2, data = Weekly[-1,], family = binomial)
summary(logistic model leave1)
```

```
## Call:
## glm(formula = Direction ~ Lag1 + Lag2, family = binomial, data = Weekly[-1,
##
## Deviance Residuals:
      Min
                1Q
                    Median
                                  3Q
                                          Max
## -1.6258 -1.2617 0.9999
                              1.0819
                                       1.5071
##
## Coefficients:
##
              Estimate Std. Error z value Pr(>|z|)
## (Intercept) 0.22324
                          0.06150
                                   3.630 0.000283 ***
              -0.03843
                          0.02622 -1.466 0.142683
## Lag1
## Lag2
               0.06085
                          0.02656
                                    2.291 0.021971 *
## ---
## Signif. codes: 0 '***' 0.001 '**' 0.05 '.' 0.1 ' ' 1
## (Dispersion parameter for binomial family taken to be 1)
##
      Null deviance: 1494.6 on 1087 degrees of freedom
## Residual deviance: 1486.5 on 1085 degrees of freedom
## AIC: 1492.5
## Number of Fisher Scoring iterations: 4
3(c)
#predicts the direction of the first observation
sum(logistic_model_leave1$coefficients*cbind(1,Weekly[1,2:3]))
```

[1] 0.287534