



## **NetApp accounts**

### **Set up and administration**

NetApp

November 10, 2022

# Table of Contents

- NetApp accounts ..... 1
  - Managing your NetApp account..... 1
  - Monitoring operations in your account ..... 9
- Roles ..... 14

# NetApp accounts

## Managing your NetApp account

After you perform initial setup, you can administer your account settings later by managing users, service accounts, workspaces, Connectors, and subscriptions.

[Learn more about how NetApp accounts work.](#)

## Managing your account with the Tenancy API

If you want to manage your account settings by sending API requests, then you'll need to use the *Tenancy* API. This API is different than the BlueXP API, which you use to create and manage Cloud Volumes ONTAP working environments.

[View endpoints for the Tenancy API](#)

## Creating and managing users

The user's in your account can access the manage the resources in your account's workspaces.

### Adding users

Associate users with your NetApp account so those users can create and manage working environments in BlueXP.

### Steps

1. If the user hasn't already done so, ask the user to go to [NetApp BlueXP website](#) and sign up.
2. From the top of BlueXP, click the **Account** drop-down.



3. Click **Manage Account** next to the currently selected account.



4. From the Members tab, click **Associate User**.
5. Enter the user's email address and select a role for the user:
  - **Account Admin**: Can perform any action in BlueXP.
  - **Workspace Admin**: Can create and manage resources in assigned workspaces.
  - **Compliance Viewer**: Can only view Cloud Data Sense compliance information and generate reports for workspaces that they have permission to access.
  - **SnapCenter Admin**: Can use the SnapCenter Service to create application consistent backups and restore data using those backups. *This service is currently in Beta.*
6. If you selected Workspace Admin or Compliance Viewer, select one or more workspaces to associate with that user.



The image shows a dialog box titled "Associate User" with a user icon at the top. Below the title, there is a light blue banner with the text: "To add a user to your NetApp Cloud Account, that user must already have signed up at [NetApp Cloud Central](#). Enter the email address that they used when signing up with Cloud Central." Below this banner, there are three input fields: "User's Email" containing "test@netapp.com", "Role" set to "Workspace Admin", and "Associate User to Workspaces" containing "Workspace-1" with a close button (X) and a dropdown arrow. At the bottom, there are two buttons: "Cancel" and "Associate User".

**Associate User**

To add a user to your NetApp Cloud Account, that user must already have signed up at [NetApp Cloud Central](#). Enter the email address that they used when signing up with Cloud Central.

User's Email

test@netapp.com

Role

Workspace Admin

Associate User to Workspaces

Workspace-1 X

Cancel Associate User

7. Click **Associate**.

## Result

The user should receive an email from NetApp BlueXP titled "Account Association." The email includes the information needed to access BlueXP.

## Removing users

Disassociating a user makes it so they can no longer access the resources in a NetApp account.

### Steps

1. From the top of BlueXP, click the **Account** drop-down and click **Manage Account**.



2. From the Members tab, click the action menu in the row that corresponds to the user.



3. Click **Disassociate User** and click **Disassociate** to confirm.

### Result

The user can no longer access the resources in this NetApp account.

## Managing a Workspace Admin's workspaces

You can associate and disassociate Workspace Admins with workspaces at any time. Associating the user enables them to create and view the working environments in that workspace.

### Steps

1. From the top of BlueXP, click the **Account** drop-down and click **Manage Account**.



2. From the Members tab, click the action menu in the row that corresponds to the user.



3. Click **Manage Workspaces**.
4. Select the workspaces to associate with the user and click **Apply**.

## Result

The user can now access those workspaces from BlueXP, as long as the Connector was also associated with the workspaces.

## Creating and managing service accounts

A service account acts as a "user" that can make authorized API calls to BlueXP for automation purposes. This makes it easier to manage automation because you don't need to build automation scripts based on a real person's user account who can leave the company at any time. And if you're using federation, you can create a token without generating a refresh token from the cloud.

You give permissions to a service account by assigning it a role, just like any other BlueXP user. You can also associate the service account with specific workspaces in order to control the working environments (resources) that the service can access.

When you create the service account, BlueXP enables you to copy or download a client ID and client secret for the service account. This key pair is used for authentication with BlueXP.

### Creating a service account

Create as many service accounts as you need to manage the resources in your working environments.

### Steps

1. From the top of BlueXP, click the **Account** drop-down.



2. Click **Manage Account** next to the currently selected account.



3. From the Members tab, click **Create Service Account**.
4. Enter a name and select a role. If you chose a role other than Account Admin, choose the workspace to associate with this service account.
5. Click **Create**.
6. Copy or download the client ID and client secret.

The client secret is visible only once and is not stored anywhere by BlueXP. Copy or download the secret and store it safely.

7. Click **Close**.

### Obtaining a bearer token for a service account

In order to make API calls to the [Tenancy API](#), you'll need to obtain a bearer token for a service account.

[Learn how to create a service account token](#)

### Copying the client ID

You can copy a service account's client ID at any time.

#### Steps

1. From the Members tab, click the action menu in the row that corresponds to the service account.



2. Click **Client ID**.
3. The ID is copied to your clipboard.

## Recreating keys

Recreating the key will delete the existing key for this service account and then create a new key. You won't be able to use the previous key.

### Steps

1. From the Members tab, click the action menu in the row that corresponds to the service account.



2. Click **Recreate Key**.
3. Click **Recreate** to confirm.
4. Copy or download the client ID and client secret.

The client secret is visible only once and is not stored anywhere by BlueXP. Copy or download the secret and store it safely.

5. Click **Close**.

## Deleting a service account

Delete a service account if you no longer need to use it.

### Steps

1. From the Members tab, click the action menu in the row that corresponds to the service account.





2. Click **Delete**.
3. Click **Delete** again to confirm.

## Managing workspaces

Manage your workspaces by creating, renaming, and deleting them. Note that you can't delete a workspace if it contains any resources. It must be empty.

### Steps

1. From the top of BlueXP, click the **Account** drop-down and click **Manage Account**.
2. Click **Workspaces**.
3. Choose one of the following options:
  - Click **Add New Workspace** to create a new workspace.
  - Click **Rename** to rename the workspace.
  - Click **Delete** to delete the workspace.

## Managing a Connector's workspaces

You need to associate the Connector with workspaces so Workspace Admins can access those workspaces from BlueXP.

If you only have Account Admins, then associating the Connector with workspaces isn't required. Account Admins have the ability to access all workspaces in BlueXP by default.

[Learn more about users, workspaces, and Connectors.](#)

### Steps

1. From the top of BlueXP, click the **Account** drop-down and click **Manage Account**.
2. Click **Connector**.
3. Click **Manage Workspaces** for the Connector that you want to associate.
4. Select the workspaces to associate with the Connector and click **Apply**.

## Managing subscriptions

After you subscribe from a cloud provider's marketplace, each subscription is available from the Account Settings widget. You have the option to rename a subscription and to disassociate the subscription from one or more accounts.

For example, let's say that you have two accounts and each is billed through separate subscriptions. You might

disassociate a subscription from one of the accounts so the users in that account don't accidentally choose the wrong subscription when creating a Cloud Volume ONTAP working environment.

[Learn more about subscriptions.](#)

### Steps

1. From the top of BlueXP, click the **Account** drop-down and click **Manage Account**.
2. Click **Subscriptions**.

You'll only see the subscriptions that are associated with the account that you're currently viewing.

3. Click the action menu in the row that corresponds to the subscription that you want to manage.



| Name                                   | Service             | Cloud Provider | Status       |
|--|---------------------|----------------|--------------|
| QA Subscription                        | test-service        | aws            | Unsubscribed |
| metering service subscription QA !!!!! | cloud-volumes-ontap | aws            | Subscribed   |

4. Choose to rename the subscription or to manage the accounts that are associated with the subscription.

## Changing your account name

Change you account name at any time to change it to something meaningful for you.

### Steps

1. From the top of BlueXP, click the **Account** drop-down and click **Manage Account**.
2. In the **Overview** tab, click the edit icon next to the account name.
3. Type a new account name and click **Save**.

## Allowing private previews

Allow private previews in your account to get access to new NetApp cloud services that are made available as a preview in BlueXP.

Services in private preview are not guaranteed to behave as expected and might sustain outages and be missing functionality.

### Steps

1. From the top of BlueXP, click the **Account** drop-down and click **Manage Account**.
2. In the **Overview** tab, enable the **Allow Private Preview** setting.

## Allowing third-party services

Allow third-party services in your account to get access to third-party services that are available in BlueXP. Third-party services are cloud services similar to the services that NetApp offers, but they're managed and

supported by third-party companies.

**Steps**

1. From the top of BlueXP, click the **Account** drop-down and click **Manage Account**.
2. In the **Overview** tab, enable the **Allow Third Party Services** setting.

**Disabling the SaaS platform**

We don't recommend disabling the SaaS platform unless you need to in order to comply with your company's security policies. Disabling the SaaS platform limits your ability to use NetApp's integrated cloud services.

The following services aren't available from BlueXP if you disable the SaaS platform:

- Cloud Data Sense
- Kubernetes
- Cloud Tiering
- Global File Cache

If you do disable the SaaS platform, you'll need to perform all tasks from [the local user interface that is available on a Connector](#).



This is an irreversible action that will prevent you from using the BlueXP SaaS platform. You'll need to perform actions from the local Connector. You won't have the ability to use many of NetApp's integrated cloud services, and re-enabling the SaaS platform will require the help of NetApp support.

**Steps**

1. From the top of BlueXP, click the **Account** drop-down and click **Manage Account**.
2. In the Overview tab, toggle the option to disable use of the SaaS platform.

**Monitoring operations in your account**

You can monitor the status of the operations that BlueXP is performing to see if there are any issues that you need to address. You can view the status in the Notification Center, in the Timeline, or have notifications sent to your email.


This table provides a comparison of the Notification Center and the Timeline so you can understand what each has to offer.

| Notification Center  | Timeline  |
|--|---|
| Shows high level status for events and actions   | Provides details for each event or action for further investigation |
| Shows status for the current login session - the information won't appear in the Notification Center after you log off | Retains status for the last month                                   |
| Shows only actions initiated in the user interface   | Shows all actions from the UI or APIs                               |

| Notification Center  | Timeline  |
|--|---|
| Shows user-initiated actions   | Shows all actions, whether user-initiated or system-initiated |
| Filter results by importance   | Filter by service, action, user, status, and more             |
| Provides the ability to email notifications to Account users and to others | No email capability   |

## Monitoring activities using the Notification Center

Notifications track the progress of operations that you've initiated in BlueXP so you can verify whether the operation was successful or not. They enable you to view the status for many BlueXP actions that you initiated during your current login session. Not all services report information into the Notification Center at this time.

You can display the notifications by clicking the notification bell () in the menu bar. The color of the little bubble in the bell indicates the highest level severity notification that is active. So if you see a red bubble, it means there's an important notification that you should look at.



You can also configure BlueXP to send notifications by email so you can be informed of important system activity even when you're not logged into the system. Emails can be sent to any users who are part of your NetApp Cloud Account, or to any other recipients who need to be aware of certain types of system activity. See [Setting email notification settings](#) below.

### Notification types

Notifications are classified in the following categories:

| Notification type | Description   |
|-------------------|---|
| Critical          | A problem occurred that might lead to service disruption if corrective action is not taken immediately.   |
| Error             | An action or process ended with failure, or could lead to failure if corrective action is not taken.  |
| Warning           | An issue that you should be aware of to make sure it does not reach the critical severity. Notifications of this severity do not cause service disruption, and immediate corrective action might not be required. |
| Recommendation    | A system recommendation for you to take an action to improve the system or a certain service; for example: costs saving, suggestion for new services, recommended security configuration, etc.                    |
| Information       | A message that provides additional information about an action or process.  |
| Success           | An action or process completed successfully.  |

### Filtering notifications

By default you'll see all notifications. You can filter the notifications that you see in the Notification Center to show only those notifications that are important to you. You can filter by BlueXP "Service" and by notification "Type".

The screenshot shows two filter panels. The 'Filter Services (All)' panel on the left has three items: 'Digital Wallet (3)' with a checked checkbox, 'Active IQ (2)' with a checked checkbox, and 'AppTemplate (1)' with an unchecked checkbox. Below these are 'Clear' and 'Apply' buttons. The 'Filter Type (All)' panel on the right has six items: 'Information (0)' (unchecked), 'Success (1)' (unchecked), 'Warning (2)' (checked), 'Error (1)' (checked), 'Critical (0)' (checked with a greyed-out checkbox), and 'Recommendation (0)' (unchecked). Below these are 'Clear' and 'Apply' buttons.

For example, if you want to see only "Error" and "Warning" notifications for BlueXP operations, select those entries and you'll see only those types of notifications.

### Setting email notification settings

You can send specific types of notifications by email so you can be informed of important system activity even when you're not logged into BlueXP. Emails can be sent to any users who are part of your NetApp Account, or to any other recipients who need to be aware of certain types of system activity.



- At this time, only Cloud Sync and Cloud Backup are sending notifications by email. Additional services will be added in future releases.
- Sending email notifications is not supported when the Connector is installed in a site without internet access.

By default, BlueXP Account Admins will receive emails for all "Critical" and "Recommendation" notifications. All other users and recipients are configured, by default, not to receive any notification emails.

You must be an Account Admin to customize the notifications settings.

### Steps

1. From the BlueXP menu bar, click **Settings > Alerts and Notifications Settings**.



2. Select a user, or multiple users, from either the *Account Users* tab or the *Additional Recipients* tab, and choose the type of notifications to be sent:
  - To make changes for a single user, click the menu in the Notifications column for that user, check the types of Notifications to be sent, and click **Apply**.
  - To make changes for multiple users, check the box for each user, click **Manage Email Notifications**, check the types of Notifications to be sent, and click **Apply**.

The screenshot shows the 'Account Users' tab with a list of users. The 'Manage Emails Notifications' dropdown menu is open, showing options for notification types. The 'Error' option is selected, and the 'Apply' button is highlighted.

| Email  | Name    | Role            |
|--|---------|-----------------|
| <input type="checkbox"/> Sabar@netapp.com                  | Sabar V | Account Admin   |
| <input checked="" type="checkbox"/> activeiq@netapp-st.com | nadav   | Account Admin   |
| <input checked="" type="checkbox"/> nand@netapp.com        | AnanK   | Account Admin   |
| <input type="checkbox"/> apra@netapp.com                   | Aradev  | Workspace Admin |
| <input type="checkbox"/> ash@netapp.com                    | AshG    | Account Admin   |

Notification Types:

- ☒ Critical
- ☐ Recommendation
- ☐ Info
- ☐ Warning
- ☒ Error

Buttons: Clear, Apply

## Adding additional email recipients

The users who appear in the *Account Users* tab are populated automatically from the users in your NetApp Account (from the [Manage Account page](#)). You can add email addresses in the *Additional Recipients* tab for other people, or groups, who do not have access to BlueXP, but who need to be notified about certain types of alerts and notifications.

### Steps

1. From the Alerts and Notifications Settings page, click **Add New Recipients**.

The 'Add New Recipient' form contains the following fields:

- Email:** saul.jenkin@gmail.com
- Name:** Saul Jenkin
- Notification Type:** Critical, Recommendation, Error (all selected)

Buttons: Add New Recipient, Cancel

2. Enter the name, email address, and select the types of Notifications that recipient will receive, and click **Add New Recipient**.

## Dismissing notifications

You can remove notifications from the page if you no longer need to see them. You can dismiss all notifications at once, or you can dismiss individual notifications.

To dismiss all notifications, in the Notification Center, click and select **Dismiss All**.



To dismiss individual notifications, hover your cursor over the notification and click **Dismiss**.



## Auditing user activity in your account

The Timeline in BlueXP shows the actions that users completed to manage your account. This includes management actions such as associating users, creating workspaces, creating Connectors, and more.

Checking the Timeline can be helpful if you need to identify who performed a specific action, or if you need to identify the status of an action.

### Steps

1. From the BlueXP menu bar, click **Settings > Timeline**.
2. Under the Filters, click **Service**, enable **Tenancy**, and click **Apply**.

### Result

The Timeline updates to show you account management actions.

## Roles

The Account Admin, Workspace Admin, Compliance Viewer, and SnapCenter Admin roles provide specific permissions to users.

The Compliance Viewer role is for read-only Cloud Data Sense access.

| Task                                    | Account Admin | Workspace Admin | Compliance Viewer | SnapCenter Admin |
|---|---------------|-----------------|-------------------|------------------|
| Manage working environments             | Yes           | Yes             | No                | No               |
| Enable services on working environments | Yes           | Yes             | No                | No               |
| View data replication status            | Yes           | Yes             | No                | No               |
| View the timeline                       | Yes           | Yes             | No                | No               |
| Switch between workspaces               | Yes           | Yes             | Yes               | No               |



| Task  | Account Admin | Workspace Admin | Compliance Viewer | SnapCenter Admin |
|---|---------------|-----------------|-------------------|------------------|
| View Data Sense scan results                        | Yes           | Yes             | Yes               | No               |
| Delete working environments                         | Yes           | No              | No                | No               |
| Connect Kubernetes clusters to working environments | Yes           | No              | No                | No               |
| Receive the Cloud Volumes ONTAP report              | Yes           | No              | No                | No               |
| Create Connectors                                   | Yes           | No              | No                | No               |
| Manage NetApp accounts                              | Yes           | No              | No                | No               |
| Manage credentials                                  | Yes           | No              | No                | No               |
| Modify BlueXP settings                              | Yes           | No              | No                | No               |
| View and manage the Support Dashboard               | Yes           | No              | No                | No               |
| Remove working environments from BlueXP             | Yes           | No              | No                | No               |
| Install an HTTPS certificate                        | Yes           | No              | No                | No               |
| Use the SnapCenter Service                          | Yes           | Yes             | No                | Yes              |

#### Related links

- [Setting up workspaces and users in the NetApp account](#)
- [Managing workspaces and users in the NetApp account](#)

## Copyright information

Copyright © 2022 NetApp, Inc. All Rights Reserved. Printed in the U.S. No part of this document covered by copyright may be reproduced in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or storage in an electronic retrieval system—without prior written permission of the copyright owner.

Software derived from copyrighted NetApp material is subject to the following license and disclaimer:

THIS SOFTWARE IS PROVIDED BY NETAPP “AS IS” AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE, WHICH ARE HEREBY DISCLAIMED. IN NO EVENT SHALL NETAPP BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

NetApp reserves the right to change any products described herein at any time, and without notice. NetApp assumes no responsibility or liability arising from the use of products described herein, except as expressly agreed to in writing by NetApp. The use or purchase of this product does not convey a license under any patent rights, trademark rights, or any other intellectual property rights of NetApp.

The product described in this manual may be protected by one or more U.S. patents, foreign patents, or pending applications.

LIMITED RIGHTS LEGEND: Use, duplication, or disclosure by the government is subject to restrictions as set forth in subparagraph (b)(3) of the Rights in Technical Data -Noncommercial Items at DFARS 252.227-7013 (FEB 2014) and FAR 52.227-19 (DEC 2007).

Data contained herein pertains to a commercial product and/or commercial service (as defined in FAR 2.101) and is proprietary to NetApp, Inc. All NetApp technical data and computer software provided under this Agreement is commercial in nature and developed solely at private expense. The U.S. Government has a non-exclusive, non-transferrable, nonsublicensable, worldwide, limited irrevocable license to use the Data only in connection with and in support of the U.S. Government contract under which the Data was delivered. Except as provided herein, the Data may not be used, disclosed, reproduced, modified, performed, or displayed without the prior written approval of NetApp, Inc. United States Government license rights for the Department of Defense are limited to those rights identified in DFARS clause 252.227-7015(b) (FEB 2014).

## Trademark information

NETAPP, the NETAPP logo, and the marks listed at <http://www.netapp.com/TM> are trademarks of NetApp, Inc. Other company and product names may be trademarks of their respective owners.