1. Univariate Polynomial Expressions

1.1 Classification of Univariate Polynomial Expressions

Definition 1.1.1 - Indeterminate.

x

An indeterminate is a symbol that is treated as a variable, but does not stand for anything else but itself and is used as a placeholder.

- it does **not** designate a constant or a parameter
- it is **not** an unknown that could be solved for
- it is **not** a variable designating a function argument

[wikipediate:indeterminate]

Definition 1.1.2 - Coefficient.

 Cx^k

A coefficient, *C* is a real number multiplicative factor.

Definition 1.1.3 - Univariate Monomial.

 $C_k x^k$

A univariate monomial is made up of two factors. The first factor of a monomial, C_k , is the coefficient. The second factor of each monomial, x^k , is an indeterminate raised to a non-negative integer power k.

Example 1.1 - id:20141120-202842.

Express $1x^2$ in canonical form.



Solution:

 x^2

MId(??)

Definition 1.1.4 - Univariate Polynomial Expression.

$$\sum_{k=0}^{n} C_k x^n = C_n x^n + C_{n-1} x^{n-1} + \dots + C_k x^k + \dots + C_2 x^2 + C_1 x^1 + \underbrace{C_0}_{C_0 x^0}$$
 (1.1)

A univariate polynomial in an indeterminate x is an expression made up of one or more summands of the form $C_k x^k$, which are called monomials. The first factor of each monomial, C_k , is a numerical factor called the coefficient where $C_k \in$. The second factor of each monomial, x^k , is an indeterminate raised to a non-negative integer power i.

[wikipedia:polynomial]

Definition 1.1.5 - Degree of the Indeterminate.

$$x^k$$

The exponent of an indeterminate power, k is called the degree of the indeterminate. [wikipedia:polynomial]

Definition 1.1.6 - Degree of the Univarite Polynomial.

$$C_n x^n + C_{n-1} x^{n-1} + \dots + C_k x^k + \dots + C_2 x^2 + C_1 x^1 + \underbrace{C_0}_{C_0 x^0}$$

The degree of the univariate polynomial is determined by the monomial with the largest degree of the indeterminate.

1.2 Degree -1 Univariate Polynomials

Monomials

1.3 Degree O Univariate Polynomials

$$C_n x^n + C_{n-1} x^{n-1} + \dots + C_k x^k + \dots + C_2 x^2 + C_1 x^1 + \underbrace{C_0}_{C_0 x^0}$$

Degree 0 univariate polynomial expressions are made up of univariate monomials, C_0 , called constants. The power identity is an indeterminate raised to a power of 0 has a value of 1. Thus, $x^0 = 1$ and results in the monomial $C_0 \cdot 1$. The canonical form of a product does not show the multiplicative identity factor, so what remains of this monomial product is only the coefficient factor C_0 and from now on will be referred to as a constant.

Example 1.2 - id:20141121-093747.

Express $13x^0$ in canonical form.



13

Monomials

Degree 0 univariate polynomial expressions are usually a monomial in their canonical form if C_0 is a non-zero real number. The exception is if $C_0 = 0$, the additive identity, then the result is the zero polynomial, which can be considered a degree -1 polynomial.

The expression can be manipulated into its monomial canonical form by simplifying the expression. Simplifying the expression can be defined as evaluating the expression by following order of operations, which is the same as evaluating an arithmetic expression.

1.4 Degree 1 Univariate Polynomials

$$C_n x^n + C_{n-1} x^{n-1} + \dots + C_k x^k + \dots + C_2 x^2 + C_1 x^1 + \underbrace{C_0}_{C_0 x^0}$$

Degree 1 univariate polynomial expressions can be expressed with at most two different terms and consequently this expression in its canonical form has at most two monomial summands – called a binomial.


Definition 1.4.1 - Univariate Like Terms.

$$C_1 x^k = C_2 x^k$$

Two or more univariate monomials are defined as having like terms if each monomial has the same term, which will be the same indeterminate raised to the same positive integer power.

Sometimes the word term is used to describe monomials (including both the coefficient and the term), which may be confusing when trying to define like terms. For this reason, we will refer to the summands of a polynomial as monomials.

The monomials $5x^1$ and $3x^1$ can be described as having like terms because they share the common term x^1 . One could also say that $5x^1$ and $3x^1$ are like terms by definition and consequently giving the reader an impression that $5x^1$ and $3x^1$ are terms themselves.



Example 1.3 - id:20141120-202042.

Express $5x^1$ in canonical form



Solution: 5x MId(??) Example 1.4 – id:20141121-093439. Express $7x^{1} + 5$ in canonical form. Solution: 7x + 5 MId(??)

Monomials

Essential Questions 1.1

1. How do we simplify univariate polynomial expressions?

If the constant monomial is 0, the additive identity, then the canonical form of a degree 1 univariate polynomial is a degree 1 monomial.

Simplifying Univariate Monomial Expressions

The definition of a univariate monomial expression is based on the expanded canonical form of some polynomial expression. It might be that the original expression might not be in the expanded canonical form, so a process called simplifying by expanding will be introduced to manipulate the expression such that it can be written in its expanded canonical form.

This process of simplifying by expanding polynomial expressions will be developed to the extent that it will be used to simplify multivariate polynomials. We will start by simplifying univariate monomial expressions.

Example 1.5 - id:20141120-203846.

Simplify 6x + 7x



Solution:

Notice that the indeterminate of each monomial is of degree 1; however, the exponent 1 is not shown. The monomials 6x and 7x have a like term of x.

$$(6+7)x$$
 DPF(??) 13x OOA(??)

Notice that the sum of two monomials that have like terms can be found by adding the coefficients of the monomials. The distributive property in the factoring direction provides some insight to why we can add the coefficients of monomials that have like terms.



Less Steps Solution:

13x

OOA(??)

Example 1.6 - id:20141027-075159.

Simplify $7 \, \text{cm} + 8 \, \text{cm}$



Solution:

(7+8) cm DPF(??) 15 cm OOA(??)

Remember, if a monomial does not have a coefficient factor, then it's implied that the coefficient factor is 1, the multiplicative identity, and consequently its not explicitly shown.

Example 1.7 - id:20141121-185558.

Simplify x + 5x



Solution:

It can be useful when simplifying expressions to make the multiplicative identity (MId) factor explicit.

$$1x + 5x$$
 MId(??)
 $(1+5)x$ DPF(??)
 $6x$ OOA(??)



$$1x + 5x MId(??)$$

$$6x OOA(??)$$

As one becomes more experienced, there is no reason to make the multiplicative identity coefficient explicit.



Less Steps Solution:

6x OOA(??)

Notation 1.1 (Operation of Negation (ONeg)).

$$-a = \neg a \tag{1.2a}$$

$$\neg a = -a \tag{1.2b}$$

I have used a different symbol, \neg , as the prefix negation operator only to differentiate it from the minus sign infix operator symbol, \neg , which is also used as the infix operator for the dyadic operation of subtraction. I will refer to this change of symbol as ONeg. This is used only as a teaching tool and should not be confused with the logic negation operator. Another advantage of using this symbol is that it reduces the number of delimiters used in an expression for example, \neg a versus (-a).

- *Negative five:* −5
- *Negative five:* ¬5
- Four minus five: 4-5
- Four minus negative five: 4 -5
- Four minus negative five: 4 (-5)
- Four minus negative five: $4 \neg 5$
- Negative four minus five: -4-5
- *Negative four minus five:* $\neg 4 5$

Example 1.8 - id:20141121-190857.

Simplify 8x - 6x



$$8x + \neg 6x$$
 DOS(??)

$$(8 + \neg 6)x$$
 DPF(??)

$$2x$$
 OOA(??)

S

Less Steps Solution:

$$8x + \neg 6x$$
 DOS(??)
$$2x$$
 OOA(??)

Example 1.9 – id:20141121-193636.

Simplify 3x - 5x



Solution:

$$3x + \neg 5x$$
 DOS(??)

 $(3 + \neg 5)x$
 DPF(??)

 $\neg 2x$
 OOA(??)

 $-2x$
 ONeg(1.2b)



Less Steps Solution:

$$3x + \neg 5x$$
 DOS(??)
 $\neg 2x$ OOA(??)
 $-2x$ ONeg(1.2b)



Less Steps Solution:

$$-2x$$
 OOA(??)

Example 1.10 - id:20141106-150622.

Simplify 13x - x



Solution:

$$13x - 1x$$
 MId(??)

 $13x + \neg 1x$
 DOS(??)

 $(13 + \neg 1)x$
 DPF(??)

 $12x$
 OOA(??)



Less Steps Solution:

$$13x + \neg x \qquad DOS(??)$$

$$12x \qquad OOA(??)$$

It is possible for a univariate monomial to have more than two terms in its non-canonical form. The associative property of addition will be used to help simplify these expressions.

Example 1.11 - id:20141121-184652.

Simplify the expression 3x + 7x + 8x



$$(3x + 7x) + 8x$$
 APA(??)
 $(3 + 7)x + 8x$ DPF(??)
 $10x + 8x$ OOA(??)
 $(10 + 8)x$ DPF(??)
 $18x$ OOA(??)



Less Steps Solution:

$$(3x + 7x) + 8x$$
 APA(??)
 $10x + 8x$ OOA(??)
 $18x$ OOA(??)

You might have noticed that this expression could be simplified in one step by adding the coefficient of the three monomials 3x, 7x and 8x, which have the like term x.



Less Steps Solution:

18*x*

OOA(??)

Example 1.12 - id:20141106-152020.

Simplify 4x - 2x - x



Solution:

$$4x - 2x - 1x$$
 MId(??)
 $4x + \neg 2x + \neg 1x$ DOS(??)
 $(4 + \neg 2)x + \neg 1x$ DPF(??)
 $2x + \neg 1x$ OOA(??)
 $(2 + \neg 1)x$ DPF(??)
 $1x$ OOA(??)
 x MId(??)



Less Steps Solution:

$$4x + \neg 2x + \neg x$$
 DOS(??)

$$x$$
 OOA(??)

Example 1.13 - id:20141108-194431.

Simplify $-3 \cdot 7x - 2x \cdot 4$





Less Steps Solution:

$$-3 \cdot 7x + \neg 2x \cdot 4$$
 DOS(??)
 $\neg 3 \cdot 7 \cdot x + \neg 2 \cdot 4 \cdot x$ CPM(??)
 $\neg 21x + \neg 8x$ OOM(??)
 $-29x$ OOA(??)

Example 1.14 - id:20141108-194156.

Simplify $3 \cdot 5x + 3x \cdot 4$



Solution:

$$3 \cdot 5 \cdot x + 3 \cdot x \cdot 4$$
 JTC(??)
 $3 \cdot 5 \cdot x + 3 \cdot 4 \cdot x$ CPM(??)
 $(3 \cdot 5) \cdot x + (3 \cdot 4) \cdot x$ APM(??)
 $15 \cdot x + 12 \cdot x$ OOM(??)
 $15x + 12x$ CTJ(??)
 $(15 + 12)x$ DPF(??)
 $27x$ OOA(??)



$$3 \cdot 5 \cdot x + 3 \cdot 4 \cdot x$$
 CPM(??)
 $15x + 12x$ OOM(??)
 $27x$ OOA(??)

Example 1.15 - id:20141108-173613.

Simplify $8x \cdot 5$



Solution:

$$8 \cdot x \cdot 5$$
 JTC(??)

 $8 \cdot 5 \cdot x$
 CPM(??)

 $(8 \cdot 5) \cdot x$
 APM(??)

 $40 \cdot x$
 OOM(??)

 $40x$
 CTJ(??)

Binomials

Example 1.16 - id:20141109-090809.

Simplify by expanding 5(x + 4)



Solution:

$$5(1x + 4)$$
 MId(??)
 $5 \cdot 1x + 5 \cdot 5$ DPF(??)
 $5 \cdot 1 \cdot x + 5 \cdot 5$ JTC(??)
 $5 \cdot x + 25$ OOM(??)
 $5x + 25$ CTJ(??)



Less Steps Solution:

$$5x + 20$$
 DPE(??)

Example 1.17 - id:20141109-091015.

Simplify by expanding 5(3x - 9)



Solution:

$$5(3x + \neg 9)$$
 DOS(??)
 $5 \cdot 3x + 5 \cdot \neg 9$ DPE(??)
 $5 \cdot 3 \cdot x + 5 \cdot \neg 9$ JTC(??)
 $15 \cdot x + \neg 45$ OOM(??)
 $15x + \neg 45$ CTJ(??)
 $15x - 45$ DOS(??)



Less Steps Solution:

$5(3x + \neg 9)$	DOS(??)
$15x + \neg 40$	DPE(??)
15x - 40	DOS(??)

Example 1.18 - id:20141109-092448.

Simplify by expanding -(5x + 7)



Solution:

$$\neg 1(5x + 7)$$
 MId(??)
 $\neg 1 \cdot 5x + \neg 1 \cdot 7$ DPE(??)
 $\neg 1 \cdot 5 \cdot x + \neg 1 \cdot 7$ JTC(??)
 $\neg 5 \cdot x + \neg 7$ OOM(??)
 $\neg 5x + \neg 7$ CTJ(??)
 $\neg 5x - 7$ DOS(??)
 $-5x - 7$ ONeg(1.2b)



$$-5x - 7$$

DPE(**??**)

Example 1.19 - id:20141109-092651.

Simplify by expanding -13(7x - 9)



Solution:

$$\neg 13(7x + \neg 9)$$
 DOS(??)
 $\neg 13 \cdot 7x + \neg 13 \cdot \neg 9$ DPE(??)
 $\neg 13 \cdot 7 \cdot x + \neg 13 \cdot \neg 9$ JTC(??)
 $\neg 91 \cdot x + 117$ OOM(??)
 $\neg 91x + 117$ CTJ(??)
 $-91x + 117$ ONeg(1.2b)



Less Steps Solution:

$$-13(7x + \neg 9)$$
 DOS(??)
-91x + 117 DPE(??)

Example 1.20 - id:20141109-092910.

Simplify by expanding a(x + b), where $a, b \in \mathbb{Z}$



Solution:

a(1x+b)	MId(??)
$a \cdot 1x + a \cdot b$	DPE(??)
$a \cdot 1 \cdot x + a \cdot b$	JTC(??)
$1 \cdot a \cdot x + a \cdot b$	CPM(??)
1ax + ab	JTC(??)
ax + ab	MId(??)



$$ax + ab$$

DPE(??)

Example 1.21 - id:20141109-093220.

Simplify by expanding 5(x + 2) + 4



Solution:

$$5(1x + 2) + 4$$
 MId(??)
 $5 \cdot 1x + 5 \cdot 2 + 4$ DPE(??)
 $5 \cdot 1 \cdot x + 5 \cdot 2 + 4$ JTC(??)
 $5 \cdot x + 10 + 4$ OOM(??)
 $5x + 10 + 4$ CTJ(??)
 $5x + 14$ OOA(??)



Less Steps Solution:

$$5x + 10 + 4$$
 DPE(??) $5x + 14$ OOA(??)

Example 1.22 - id:20141109-093419.

Simplify by expanding 7x + 5(4x + 8)



$$7x + 5 \cdot 4x + 5 \cdot 8$$
 DPE(??)
 $7 \cdot x + 5 \cdot 4 \cdot x + 5 \cdot 8$ JTC(??)
 $7 \cdot x + 20 \cdot x + 40$ OOM(??)
 $7x + 20x + 40$ CTJ(??)
 $(7 + 20)x + 40$ DPF(??)
 $27x + 40$ OOA(??)

Example 1.23 - id:20141109-094928.

Simplify by expanding 4(3x + 4) + x + 6



Solution:

MId(??)	4(3x + 4) + 1x + 6
DPE(??)	$4 \cdot 3x + 4 \cdot 4 + 1x + 6$
JTC(??)	$4 \cdot 3 \cdot x + 4 \cdot 4 + 1 \cdot x + 6$
OOM(??)	$12 \cdot x + 16 + 1 \cdot x + 6$
CTJ(??)	12x + 16 + 1x + 6
CPA(??)	12 + 1x + 16 + 6
DPF(??)	(12+1)x+16+6
OOA(??)	13x + 22



Less Steps Solution:

$$12x + 16 + x + 6$$
 DPE(??)
 $12x + x + 16 + 6$ CPA(??)
 $13x + 22$ OOA(??)

Example 1.24 - id:20141109-095151.

Simplify by expanding 5(x-4) + 3x - 5



$$5(1x-4) + 3x - 5$$
 MId(??)
 $5(1x+74) + 3x + 75$ DOS(??)
 $5 \cdot 1x + 5 \cdot 74 + 3x + 75$ DPE(??)
 $5 \cdot 1 \cdot x + 5 \cdot 74 + 3 \cdot x + 75$ JTC(??)
 $5 \cdot x + 720 + 3 \cdot x + 75$ OOM(??)
 $5x + 720 + 3x + 75$ JTC(??)
 $5x + 3x + 720 + 75$ CPA(??)
 $(5+3)x + 720 + 75$ DPF(??)
 $8x + 725$ OOA(??)
 $8x - 25$ DOS(??)



Less Steps Solution:

DOS(??)	$5(x + \neg 4) + 3x + \neg 5$
DPE(??)	$5x + \neg 20 + 3x + \neg 5$
CPA(??)	$5x + 3x + \neg 20 + \neg 5$
OOA(??)	$8x + \neg 25$
DOS(??)	8x - 25

Example 1.25 - id:20141109-095536.

Simplify by expanding 8x - 5 - 4(x - 3)



Solution:

8x - 5 - 4(1x - 3)	MId(??)
$8x + \neg 5 + \neg 4(1x + \neg 3)$	DOS(??)
$8x + \neg 5 + \neg 4 \cdot 1x + \neg 4 \cdot \neg 3$	DPE(??)
$8 \cdot x + \neg 5 + \neg 4 \cdot 1 \cdot x + \neg 4 \cdot \neg 3$	JTC(??)
$8 \cdot x + \neg 5 + \neg 4 \cdot x + 12$	OOM(??)
$8x + \neg 5 + \neg 4x + 12$	CTJ(??)
$8x + \neg 4x + \neg 5 + 12$	CPA(??)
$(8 + \neg 4)x + \neg 5 + 12$	DPF(??)
4x + 7	OOA(??)



$$8x + \neg 5 + \neg 4(x + \neg 3)$$
 DOS(??)
 $8x + \neg 5 + \neg 4x + 12$ DPE(??)
 $8x + \neg 4x + \neg 5 + 12$ CPA(??)
 $4x + 7$ OOA(??)

Example 1.26 - id:20141109-095842.

Simplify by expanding 5(x + 3) + 3(x + 2)



Solution:

DPE(??)	$5 \cdot x + 5 \cdot 3 + 3 \cdot x + 3 \cdot 2$
OOM(??)	$5 \cdot x + 15 + 3 \cdot x + 6$
CTJ(??)	5x + 15 + 3x + 6
CPA(??)	5x + 3x + 15 + 6
DPF(??)	(3+5)x+15+6
OOA(??)	8x + 21



Less Steps Solution:

$$5x + 15 + 3x + 6$$
 DPE(??)
 $5x + 3x + 15 + 6$ CPA(??)
 $8x + 21$ OOA(??)

1.5 Degree 2 Univariate Polynomials

Monomials

Example 1.27 - id:20141106-151138.

Simplify $4x^2 + 12x^2$



$$(4+12)x^2$$
 DPF(??)
 $16x^2$ OOA(??)



Less Steps Solution:

$$16x^2$$
 OOA(??)

Example 1.28 - id:20141106-154547.

Simplify
$$x^2 - x + x^2 + x$$



Solution:

$$1x^{2} - 1x + 1x^{2} + 1x$$
 MId(??)
 $1x^{2} + \neg 1x + 1x^{2} + 1x$ DOS(??)
 $1x^{2} + 1x^{2} + \neg 1x + 1x$ CPA(??)
 $(1+1)x^{2} + (\neg 1+1)x$ DPF(??)
 $2x^{2} + 0x$ OOA(??)
 $2x^{2}$ MId(??)



Less Steps Solution:

$$x^{2} + \neg x + x^{2} + x$$
 DOS(??)
 $x^{2} + x^{2} + \neg x + x$ CPA(??)
 $2x^{2}$ OOA(??)

Example 1.29 - id:20141108-194709.

Simplify
$$-2x4x - x \cdot -x3$$





Less Steps Solution:

Rule 1.5.1 - Product of a Common Base Powers (PrCBPo).

$$b^m \cdot b^n = b^{m+n} \tag{1.3a}$$

$$b^{m+n} = b^m \cdot b^n \tag{1.3b}$$

Rule 1.5.2 - Quotient of a Common Base Powers (QCBPo).

$$\frac{b^m}{b^n} = b^{m-n} \tag{1.4a}$$

$$b^{m-n} = \frac{b^m}{h^n} \tag{1.4b}$$

Rule 1.5.3 - Power of a Power (PoPo).

$$(b^m)^k = b^{m \cdot k} \tag{1.5a}$$

$$b^{m \cdot k} = (b^m)^k \tag{1.5b}$$

Example 1.30 - id:20141108-191616.

Simplify $-5x \cdot 4x$



Solution:

ONeg(1.2a)	$\neg 5x \cdot 4x$
JTC(??)	$\neg 5 \cdot x \cdot 4 \cdot x$
CPM(??)	$\neg 5 \cdot 4 \cdot x \cdot x$
PrCBPo(1.3a)	$\neg 5 \cdot 4 \cdot x^2$
APM(??)	$(\neg 5 \cdot 4) \cdot x^2$
OOM(??)	$\neg 20 \cdot x^2$
CTJ(??)	$\neg 20x^2$
ONeg(1.2b)	$-20x^{2}$



Less Steps Solution:

$$\neg 5 \cdot 4 \cdot x \cdot x \qquad \text{CPM(??)} \\
\neg 5 \cdot 4 \cdot x^2 \qquad \text{PrCBPo(1.3a)} \\
-20x^2 \qquad \text{OOM(??)}$$

Binomials

Example 1.31 - id:20141106-152339.

Simplify $3x^2 + 2x + 5x^2 + 4x$



Solution:

$$3x^{2} + 5x^{2} + 2x + 4x$$
 CPA(??)
 $(3+5)x^{2} + (2+4)x$ DPF(??)
 $8x^{2} + 6x$ OOA(??)

If needed we could continue and express it in the simplified factored form using the distributive property

$$(4x + 3)2x$$
 DPF(??)



$$3x^2 + 5x^2 + 2x + 4x$$
 CPA(??)
 $8x^2 + 6x$ OOA(??)

Example 1.32 - id:20141107-121834.

Simplify $\left(\sqrt{9-x^2}\right)^2$



Solution:



Less Steps Solution:

$$9 - x^2$$
 PoPo(1.5a)

It might be easier to view this using a variable substitution for the radicand, $9 - x^2$. Let $k = 9 + \neg 1x^2$.

$\left(\sqrt{k}\right)^2$	MId(??)
$\left(\sqrt{k}\right)^2$	DOS(??)
$\left[(k)^{\frac{1}{2}}\right]^2$	RTPo(??)
k	PoPo(1.5a)
$9 + \neg 1x^2$	CPA(??)
$\neg 1x^2 + 9$	CPA(??)
$\neg x^2 + 9$	MId(??)
$-x^2 + 9$	ONeg(1.2b)



Dependencies:example ??-20141105-144223

Example 1.33 - id:20141209-145211.

Simplify $2x(2x + 4) + x^2 \cdot 2 \cdot 1 + 0$



Solution:

$$2x \cdot 2x + 2x \cdot 4 + x^{2} \cdot 2 \cdot 1 + 0 \qquad DPE(??)$$

$$2 \cdot x \cdot 2 \cdot x + 2 \cdot x \cdot 4 + x^{2} \cdot 2 \cdot 1 + 0 \qquad JTC(??)$$

$$2 \cdot 2 \cdot x \cdot x + 2 \cdot 4 \cdot x + 2 \cdot 1 \cdot x^{2} + 0 \qquad CPM(??)$$

$$2 \cdot 2 \cdot x^{2} + 2 \cdot 4 \cdot x + 2 \cdot 1 \cdot x^{2} + 0 \qquad PrCBPo(1.3a)$$

$$4 \cdot x^{2} + 8 \cdot x + 2 \cdot x^{2} + 0 \qquad OOM(??)$$

$$4x^{2} + 8x + 2x^{2} + 0 \qquad CTJ(??)$$

$$4x^{2} + 2x^{2} + 8x \qquad APA(??)$$

$$(4 + 2)x^{2} + 8x \qquad DPF(??)$$

$$6x^{2} + 8x \qquad OOA(??)$$



Dependencies:example ??-20141209-144203

Trinomials

Example 1.34 - id:20141109-133008.

Simplify by expanding (x + 5)(x - 8)



Solution:

$$(1x+5)(1x-8) \qquad \text{MId}(??)$$

$$(1x+5)(1x+8) \qquad \text{DOS}(??)$$

$$1x(1x+8)+5(1x+8) \qquad \text{DPE}(??)$$

$$1x\cdot 1x+1x\cdot -8+5\cdot 1x+5\cdot -8 \qquad \text{DPE}(??)$$

$$1\cdot x\cdot 1\cdot x+1\cdot x\cdot -8+5\cdot 1\cdot x+5\cdot -8 \qquad \text{JTC}(??)$$

$$1\cdot 1\cdot x\cdot x+1\cdot x+1\cdot 5\cdot x+8\cdot 5 \qquad \text{CPM}(??)$$

$$1\cdot 1\cdot x^2+-8\cdot 1\cdot x+1\cdot 5\cdot x+8\cdot 5 \qquad \text{PrCBPo}(1.3a)$$

$$1\cdot x^2+-8\cdot x+5\cdot x+40 \qquad \text{OOM}(??)$$

$$1x^2+-8x+5x+40 \qquad \text{CTJ}(??)$$

$$1x^2+-3x+40 \qquad \text{OOA}(??)$$

$$1x^2-3x-40 \qquad \text{DOS}(??)$$

$$x^2-3x-40 \qquad \text{MId}(??)$$



Less Steps Solution:

$$(x + 5)(x + \neg 8)$$
 DOS(??)
 $x(x + \neg 8) + 5(x + \neg 8)$ DPE(??)
 $x^2 + \neg 8x + 5x + \neg 40$ DPE(??)
 $x^2 - 3x - 40$ OOA(??)

Example 1.35 - id:20141109-133316.

Simplify by expanding (x + a)(x + b), where $a, b \in \mathbb{Z}$



$$(1x + a)(1x + b) \qquad MId(??)$$

$$1x(1x + b) + a(1x + b) \qquad DPE(??)$$

$$1x \cdot 1x + 1x \cdot b + a \cdot 1x + a \cdot b \qquad DPE(??)$$

$$1 \cdot x \cdot 1 \cdot x + 1 \cdot x \cdot b + a \cdot 1 \cdot x + a \cdot b \qquad JTC(??)$$

$$1 \cdot 1 \cdot x \cdot x + 1 \cdot b \cdot x + 1 \cdot a \cdot x + a \cdot b \qquad CPM(??)$$

$$1 \cdot 1 \cdot x^2 + 1 \cdot b \cdot x + 1 \cdot a \cdot x + a \cdot b \qquad PrCBPo(1.3a)$$

$$1 \cdot x^2 + 1 \cdot b \cdot x + 1 \cdot a \cdot x + a \cdot b \qquad OOM(??)$$

$$1x^2 + 1bx + 1ax + ab \qquad CTJ(??)$$

$$1x^2 + (1b + 1a)x + ab \qquad DPF(??)$$

$$x^2 + (b + a)x + ab \qquad MId(??)$$



Less Steps Solution:

$$x(x+b) + a(x+b)$$
 DPE(??)
 $x^2 + (b+a)x + ab$ DPE(??)

Example 1.36 - id:20141109-140659.

Simplify by expanding (2x + 3)(5x + 13)



Solution:

$$2x(5x + 13) + 3(5x + 13) \qquad DPE(??)$$

$$2x \cdot 5x + 2x \cdot 13 + 3 \cdot 5x + 3 \cdot 13 \qquad DPE(??)$$

$$2 \cdot x \cdot 5 \cdot x + 2 \cdot x \cdot 13 + 3 \cdot 5 \cdot x + 3 \cdot 13 \qquad JTC(??)$$

$$2 \cdot 5 \cdot x \cdot x + 2 \cdot 13 \cdot x + 5 \cdot 3 \cdot x + 3 \cdot 13 \qquad CPM(??)$$

$$2 \cdot 5 \cdot x^2 + 2 \cdot 13 \cdot x + 5 \cdot 3 \cdot x + 3 \cdot 13 \qquad PrCBPo(1.3a)$$

$$10 \cdot x^2 + 26 \cdot x + 16 \cdot x + 39 \qquad OOM(??)$$

$$10x^2 + 26x + 15x + 39 \qquad CTJ(??)$$

$$10x^2 + 41x + 39 \qquad OOA(??)$$



$$2x(5x + 13) + 3(5x + 13)$$
 DPE(??)
 $10x^2 + 26x + 15x + 39$ DPE(??)
 $10x^2 + 41x + 39$ OOA(??)

Example 1.37 – id:20141109-141019.

Simplify by expanding (-3x - 5)(7x + 8)



Solution:

ONeg(1.2a)	$(\neg 3x - 5)(7x + 8)$
DOS(??)	$(\neg 3x + \neg 5)(7x + 8)$
DPE(??)	$\neg 3x(7x+8) + \neg 5(7x+8)$
DPE(??)	$\neg 3x \cdot 7x + \neg 3x \cdot 8 + \neg 5 \cdot 7x + \neg 5 \cdot 8$
JTC(??)	$\neg 3 \cdot x \cdot 7 \cdot x + \neg 3 \cdot x \cdot 8 + \neg 5 \cdot 7 \cdot x + \neg 5 \cdot 8$
CPM(??)	$\neg 3 \cdot 7 \cdot x \cdot x + \neg 3 \cdot 8 \cdot x + \neg 5 \cdot 7 \cdot x + \neg 5 \cdot 8$
PrCBPo(1.3a)	$\neg 3 \cdot 7 \cdot x^2 + \neg 3 \cdot 8 \cdot x + \neg 5 \cdot 7 \cdot x + \neg 5 \cdot 8$
OOM(??)	$\neg 21 \cdot x^2 + \neg 24 \cdot x + \neg 35 \cdot x + \neg 40$
CTJ(??)	$\neg 21x^2 + \neg 24x + \neg 35x + \neg 40$
OOA(??)	$-21x^2 + -59x + -40$
DOS(??)	$-21x^2 - 59x - 40$
ONeg(1.2b)	$-21x^2 - 59x - 40$



Less Steps Solution:

$$(-3x + \neg 5)(7x + 8)$$
 DOS(??)
 $\neg 3x(7x + 8) + \neg 5(7x + 8)$ DPE(??)
 $\neg 21x^2 + \neg 24x + \neg 35x + \neg 40$ CTJ(??)
 $-21x^2 - 59x - 40$ OOA(??)

Example 1.38 - id:20141109-141347.

Simplify by expanding (ax + b)(cx + d), where $a, b, c, d \in \mathbb{Z}$



$$ax(cx+d) + b(cx+d)$$

$$ax \cdot cx + ax \cdot d + b \cdot cx + b \cdot d$$

$$a \cdot x \cdot c \cdot x + a \cdot x \cdot d + b \cdot c \cdot x + b \cdot d$$

$$a \cdot c \cdot x \cdot x + a \cdot d \cdot x + b \cdot c \cdot x + b \cdot d$$

$$a \cdot c \cdot x^2 + a \cdot d \cdot x + b \cdot c \cdot x + b \cdot d$$

$$acx^2 + adx + bcx + bd$$

$$acx^2 + (ad + bc)x + bd$$
DPE(??)



Less Steps Solution:

$$ax(cx+d) + b(cx+d)$$
 DPE(??)
 $acx^2 + (ad+bc)x + bd$ DPE(??)

Example 1.39 - id:20141105-161225.

Simplify $\left(2 - \frac{x}{2}\right)^2$ by expanding.





Less Steps Solution:

$$7x + 20x + 40$$
 DPE(??)
 $27x + 40$ OOA(??)

 $\frac{1}{4}x^2 - 2x + 4$

DOS(??)

1.6 Degree 3 Univariate Polynomials

Monomials

Binomials

Trinomials

Polynomials

1.7 Degree n Univariate Polynomials

Monomials

Binomials

Trinomials

Polynomials