University of Lethbridge Department of Mathematics and Computer Science 12th February, 2015, 10:55 - 11:45 am

MATH 1410B - Test #1

Last Name:		
First Name:		
Student Number:		
Tutorial Section:		

Record your answers below each question in the space provided. Left-hand pages may be used as scrap paper for rough work. If you want any work on the left-hand pages to be graded, please indicate so on the right-hand page.

Partial credit will be awarded for partially correct work, so be sure to show your work, and include all necessary justifications needed to support your arguments.

No external aids are allowed, with the exception of a 5-function calculator.

For grader's use only:

Page	Grade
2	/10
3	/10
4	/10
5	/10
Total	/40

[2]

[2]

- 1. SHORT ANSWER: For each of the questions below, please provide a short (one line) answer.
 - (a) Do the values x=3, y=-2, z=4 provide a solution to the system of equations below? Why or why not?

- (b) If A is an $m \times n$ matrix and B is a $k \times l$ matrix, what condition on the numbers [2] k, l, m, n is needed for the product AB to be defined?
 - (c) The matrix $E = \begin{bmatrix} 1 & 0 & 0 \\ 2 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$ is an elementary matrix. If A is any other 3×3 matrix, what elementary row operation would let us obtain EA from A?
- [2] (d) Identify the matrices below as symmetric, antisymmetric, or neither:

$$\begin{bmatrix} 1 & 2 \\ 2 & -3 \end{bmatrix} \qquad \begin{bmatrix} 1 & 3 \\ 2 & 4 \end{bmatrix} \qquad \begin{bmatrix} 0 & 4 \\ -4 & 0 \end{bmatrix}$$

[2] (e) What does it mean to say that an $n \times n$ matrix A is invertible?

[10] 2. Find the general solution to the following system of linear equations:

$$x + 3z + w = 2$$

- 3. Suppose A, B, and X are 2×2 matrices.
- [3] (a) Given that $X^T 2A = B$, solve for X in terms of A and B.

[3] (b) If $A = \begin{bmatrix} 3 & -1 \\ 2 & 4 \end{bmatrix}$ and $B = \begin{bmatrix} 2 & 0 \\ 0 & 5 \end{bmatrix}$ and X is as in part (a), determine the entries of X.

[4] 4. Suppose that A, B, C, and D are $n \times n$ matrices, with A, B, and C invertible. Given that $BA^{-1}XAC = BD^{T},$

solve for X in terms of A, B, C, and D.

- 5. Let $A = \begin{bmatrix} 3 & 6 \\ -3 & -5 \end{bmatrix}$.
- [5] (a) Find A^{-1} .

[3] (b) Write A^{-1} as a product of elementary matrices.

[2] (c) Write A as a product of elementary matrices.