## Problem 3

**Problem 1.**  $\forall X \in \mathtt{PNat}, \mathrm{fact}(X) = \mathrm{fold}*(\mathrm{mkl2}(X)).$ 

*Proof.* By direct proof.

What to show: fact(x) = fold\*(mkl2(x))

where  $x \in PNat$ .

$$\frac{\operatorname{fact}(x)}{\longrightarrow} \frac{\operatorname{fold*}(\operatorname{mkl1}(x))}{\operatorname{fold*}(\operatorname{rev}(\operatorname{mkl1}(x)))} \qquad \qquad \text{(by Lemma 1)}$$

$$\longrightarrow \operatorname{fold*}(\operatorname{mkl2}(x)) \qquad \qquad \text{(by Problem 1)}$$

$$\longrightarrow \operatorname{fold*}(\operatorname{mkl2}(x)) \qquad \qquad \text{(by Problem 2)}$$

**Lemma 1.**  $\forall X \in PNat, fact(X) = fold*(mkl1(X)).$ 

*Proof.* By structural induction on X.

## (1) Base case

What to show: fact(0) = fold\*(mkl1(0)).

$$\frac{\text{fact}(0)}{\text{fold*}(\underline{\text{mkl1}(0)})} \longrightarrow \underline{\text{fold*}(nil)} \qquad \text{(by fact1)}$$

$$\longrightarrow \underline{\text{s}(0)} \qquad \text{(by mkl1-1)}$$
(by fold\*-1)

## (2) Induction case

What to show: fact(s(x)) = fold\*(mkl1(s(x)))Induction hypothesis: fact(x) = fold\*(mkl1(x))where  $x \in PNat$ .

$$\frac{\operatorname{fact}(\operatorname{s}(x))}{\longrightarrow} \underbrace{\operatorname{s}(x) * \operatorname{fact}(x)}_{} (\operatorname{by fact2})$$

$$\longrightarrow (x * \underbrace{\operatorname{fact}(x)}_{}) + \operatorname{fact}(x) (\operatorname{by *2})$$

$$\longrightarrow (x * \operatorname{fold*}(\operatorname{mkl1}(x))) + \underbrace{\operatorname{fact}(x)}_{} (\operatorname{by IH})$$

$$\longrightarrow (x * \operatorname{fold*}(\operatorname{mkl1}(x))) + \operatorname{fold*}(\operatorname{mkl1}(x)) (\operatorname{by IH})$$

$$\operatorname{fold*}(\underbrace{\operatorname{mkl1}(\operatorname{s}(x))}_{}) \longrightarrow \underbrace{\operatorname{fold*}(\operatorname{s}(x) \mid \operatorname{mkl1}(x))}_{} (\operatorname{by mkl1-2})$$

$$\longrightarrow \underbrace{\operatorname{s}(x) * \operatorname{fold*}(\operatorname{mkl1}(x))}_{} (\operatorname{by fold*-2})$$

$$\longrightarrow (x * \operatorname{fold*}(\operatorname{mkl1}(x))) + \operatorname{fold*}(\operatorname{mkl1}(x)) (\operatorname{by *2})$$