

NAME
NOM

CD INCID 1903-1939

No. ON

1939 MONTHLY COMMUNICABLE DISEASE INCIDENCE,
MISSING DATA ARE : ALL MONTHS OF 1914, 1926, & 1927.
INCLUDES MONTHLY TOTAL DEATHS, BY COMMUNICABLE DISEASE,
39.

NAME
NOM

CD INCID 1903-1939

1903 TO 1939 MONTHLY COMMUNICABLE DISEASE INCIDENT. MISSING DATA ARE : ALL MONTHS OF 1914, 1926, & 1938.
ALSO, INCLUDES MONTHLY TOTAL DEATHS, BY COMMUNICABLE DISEASE,
1903 - 1939.

Cases and Deaths from Contagious Diseases for the Years
1903, 1904 and 1905.

Year 1903 by Months.	Population reporting.	Small-pox.				Scarlatina.	Diphtheria.	Measles.	Whooping Cough.	Typhoid or Malaria.	Tuber- culosis.	Total deaths from all causes.	Rate per 1,000 per annum.				
		Cases.	Deaths.	Cases.	Deaths.			Cases.	Deaths.								
January	2,008,300	196	10	500	90	510	59	6	6	20	163	163	2,150	12.8			
February	1,941,632	153	4	550	104	200	27	9	7	7	60	20	163	2,176	13.4		
March	1,917,600	175	1	515	95	228	24	6	2	6	60	18	221	2,429	14.7		
April	1,990,231	122	2	295	61	203	28	6	3	19	19	57	16	195	2,336	13.4	
May	1,973,050	66	2	391	43	205	22	6	4	18	18	48	22	232	2,193	13.3	
June	1,954,631	30	..	297	52	191	26	26	14	30	20	42	13	175	1,848	11.3	
July	1,951,220	29	1	187	26	209	36	5	5	11	11	47	18	139	1,873	11.5	
August	1,901,021	15	1	103	14	122	24	15	5	12	115	32	147	1,992	12.5		
September	2,095,666	10	..	100	6	240	30	11	11	111	37	149	2,028	11.6	
October	2,081,543	7	..	232	9	541	66	1	1	17	17	178	43	169	2,120	12.2	
November	2,051,900	5	..	276	9	474	64	5	5	14	14	109	30	137	2,081	12.1	
December	2,059,650	13	..	231	20	474	72	1	4	120	24	169	169	169	2,141	12.5	
	23,984,844	820	21	3,677	529	599	478	86	53	1	158	148	1,012	25	176	2,267	12.6
											1	4	120	65	176	12 per 1,000 per 1000	

Average population reporting, 1,998,737=91% of Province.

Year 1904 by Months.	Population reporting.	Small-pox.				Scarlatina.	Diphtheria.	Measles.	Whooping Cough.	Typhoid or Malaria.	Tuber- culosis.	Total deaths from all causes.	Rate per 1,000 per annum.			
		Cases.	Deaths.	Cases.	Deaths.			Cases.	Deaths.							
January	2,013,643	103	..	380	24	382	53	32	2	18	39	23	179	2,200	13.1	
February	1,924,976	41	1	251	13	289	42	41	1	16	16	18	185	2,322	14.4	
March	1,917,081	48	..	234	12	267	48	39	2	6	6	50	18	200	2,416	15.1
April	1,998,269	33	..	161	10	169	28	98	7	26	7	29	20	219	2,290	13.7
May	2,038,083	10	..	128	7	204	29	107	2	4	3	42	32	229	2,331	13.7
June	2,030,857	40	1	136	5	257	36	41	1	46	9	40	15	212	1,902	11.2
July	1,960,250	13	1	91	9	149	13	15	4	25	8	65	10	185	1,861	11.4
August	1,941,000	8	..	132	9	172	25	3	1	19	15	293	50	196	2,024	12.4
September	2,012,114	8	1	102	7	164	20	12	3	31	7	182	66	156	1,987	11.8
October	2,092,300	1	..	177	10	239	34	1	1	20	7	265	63	169	2,091	12.0
November	1,900,100	2	..	205	8	316	45	12	1	171	43	127	127	127	1,910	12.0
December	1,959,643	2	..	165	15	437	65	125	526	4	68	39	166	159	2,079	12.7
	23,789,316	309	4	2,165	129	3,015	438	526	32	7	279	45	90	1,263	2,165	12.8
														25,411	per 1000	

Average population, 1,982,443=90% of the Province.

CASES AND DEATHS FROM CONTAGIOUS DISEASES FOR THE YEARS
1903, 1904 AND 1905—*Continued*

Year 1905 by Months.	Population reporting.	Cases.	Deaths.	Small-pox.	Scarlatina.	Diphtheria.	Measles.	Whooping Cough.	Typhoid or Malaria.	Tuber- culosis.	Total deaths from all causes.	Rate per 1,000 per annum.					
January	2,019,590	10	223	12	412	67	268	4	27	4	69	21 174 169	2,216 13.1				
February	1,935,897	8	209	16	270	35	119	2	22	3	43	19 177 165	2,263 14.0				
March	1,946,271	16	168	8	223	27	154	5	54	5	30	16 208 200	2,417 14.9				
April	1,903,402	70	2	157	7	212	27	494	27	45	4	37	10 211 198	2,164 13.6			
May	1,980,887	35	...	89	6	220	31	880	1	89	97	31	18 204 200	2,148 13.1			
June	2,059,515	19	...	96	5	212	40	420	11	40	8	43	19 210 207	1,933 11.5			
July	1,959,311	8	...	52	2	128	12	90	3	80	21	89	19 166 144	1,871 11.4			
August	1,990,065	8	1	30	2	132	21	26	4	141	16	256	43 153 147	2,200 13.2			
September	2,010,100	14	2	27	1	143	20	32	1	97	14	278	45 153 152	2,128 12.1			
October	1,984,157	63	...	96	1	191	29	25	1	36	6	350	48 170 163	2,047 12.3			
November	2,010,532	183	...	122	5	267	30	28	3	85	11	210	55 134 134	2,080 12.4			
December	1,959,700	123	...	151	5	231	28	40	2	35	6	307	48 172 172	2,116 12.9			
	23,759,427	547	5	1,420	70	2,641	367	2,576	64	751	106	1,743	361	2,232	2,051	25,583	12.8 per 1000

Average population reporting, 1,979,952 = 90%.

Municipalities Having Highest Number of Cases and Deaths of Typhoid Fever for Year 1905.

Cities, Towns and Villages.	Cases.	Deaths.	Cities, Towns and Villages.	Cases.	Deaths.
Toronto	197	40	Brockville	7	1
Pembroke	64	8	Bracebridge	7	1
Port Arthur	100	4	Cobden	7	1
London	63	10	Ingersoll	6	...
Parry Sound	59	4	Tillsonburg	6	1
Copper Cliff	51	8	Deseronto	5	1
St. Catharines	40	2	Ottawa	4	4
Brantford	39	2	Lindsay	4	1
Hamilton	42	9	Mount Forest	4	...
Rainy River	37	1	Bosanquet	13	...
Fort William	85	6	Onieda	10	...
Owen Sound	27	2	N. Walsingham	9	2
Sarnia	31	...	Osnabruck	8	...
Guelph	23	2	Wallace	8	3
North Bay	26	14	Cramahe	6	...
Toronto Junction	19	...	Harley	5	...
Kenora	14	1	Tuckersmith	5	...
Kingston	13	3	Rochester	5	...
Woodstock	11	3	*Gosford, N.	6	...
New Liskeard	10	8	Hallam	4	...
"Soo"	9	3	Humphrey	4	2
Uxbridge	9	...	Sheffield	4	...
Galt	8	...	Carrick	4	...
Hespeler	8	...			

* For December alone.

TABLE A.

Return of Contagious Diseases by Quarters for the Years 1903 and 1904.

	Diseases.	1903.		1904	
		Cases.	Deaths.	Cases.	Deaths.
First Quarter.....	Smallpox.....	523	15	192	1
	Scarlatina.....	1,565	289	865	49
	Diphtheria.....	933	110	938	143
	Measles.....	15	112	5
	Whooping Cough.....	20	29	29
	Typhoid.....	185	63	107	59
	Tuberculosis.....	560	564	564
Total.....		3,201	1,072	2,807	850
Second Quarter.....	Smallpox.....	218	4	83	1
	Scarlatina.....	983	156	425	22
	Diphtheria.....	599	76	630	93
	Measles.....	21	246	10
	Whooping Cough.....	57	76	19
	Typhoid.....	147	51	111	67
	Tuberculosis.....	602	660	644
Total.....		1,947	967	2,231	856
Third Quarter.....	Smallpox.....	54	2	29	2
	Scarlatina.....	390	46	225	25
	Diphtheria.....	571	90	485	8
	Measles.....	10	30	8
	Whooping Cough.....	34	75	30
	Typhoid.....	273	87	540	126
	Tuberculosis.....	435	537	512
Total.....		1,288	704	2,021	761
Fourth Quarter.....	Smallpox.....	25	5
	Scarlatina.....	739	38	550	33
	Diphtheria.....	1,491	202	992	144
	Measles.....	9	138	9
	Whooping Cough.....	35	88	12
	Typhoid.....	407	97	504	145
	Tuberculosis.....	475	462	445
Total.....		2,662	851	2,739	788
Total contagious diseases cases and deaths for the year.....		9,098	3,597	9,798	3,255

TABLE B.

Cases and Deaths for the Year 1904 by months. Average Population Reporting 1,982,443, or 90 per cent., the Death Rate being 12.8 per 1000 per annum.

	Smallpox.	Scarlatina.	Diphtheria.	Measles.	Whooping Cough.	Typhoid.	Tuber-	Deaths from all causes.	Rates per 1,000						
	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.	Cases.								
January.....	103	0	380	24	382	53	32	2	18	2,200	13.1				
February.....	41	1	251	13	289	42	41	1	16	185	2,322	14.4			
March.....	48	0	234	12	267	48	39	2	6	50	200	2,416	15.1		
April.....	33	0	161	10	169	28	98	7	26	7	29	2,290	13.7		
May.....	10	0	128	7	204	29	107	2	4	3	42	2,331	13.7		
June.....	40	1	136	5	257	36	41	1	46	9	40	15	1,902	11.2	
July.....	13	1	91	9	149	13	15	4	25	8	65	10	1,861	11.4	
August.....	8	0	132	9	172	25	3	1	19	15	293	50	1,888	2,024	12.4
September.....	8	1	102	7	164	20	12	3	31	7	182	66	145	1,987	11.8
October.....	1	0	177	10	239	34	1	1	20	7	265	63	159	2,091	12.0
November.....	2	0	205	8	316	45	12	1	23	1	171	43	127	1,910	12.0
December.....	2	0	168	15	437	65	125	7	45	4	68	39	159	2,077	12.7
Total.....	309	4	2,165	129	3,045	438	526	32	279	90	1,262	397	2,166	25,411	

Returns of Contagious Diseases for the Year 1905.

Showing Mortality, Cases by Months and Death Rate.

1905.	Population reported on.	Smallpox.		Scarlatina.		Diphtheria.		Measles.		Whooping Cough.		Typhoid or Malaria.		Tuber- culosis.		Total deaths from all causes.	Rate per 1,000 per annum.
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.		
January.....	2,019,590	10	..	223	12	412	67	268	4	27	4	69	21	174	169	2,216	13.1
February.....	1,935,897	8	..	209	16	270	35	119	2	22	3	43	19	177	165	2,263	14.0
March.....	1,946,271	16	..	168	8	223	27	154	5	54	5	30	16	208	200	2,417	14.9
April.....	1,903,402	70	2	157	7	212	27	494	27	45	4	37	10	211	198	2,164	14.6
May.....	1,980,887	35	..	89	6	220	31	880	1	89	3	31	18	204	200	2,148	13.1
June.....	2,059,515	19	..	96	5	212	40	420	11	40	8	43	19	210	207	1,933	11.5
July.....	1,959,311	8	..	52	2	128	12	90	3	80	21	89	19	166	144	1,871	11.4
August.....	1,990,065	8	1	30	2	132	21	26	4	141	16	256	43	153	147	2,200	13.2
September.....	2,010,100	14	2	27	1	143	20	32	1	97	13	278	45	158	152	2,128	12.1
October.....	1,984,157	63	..	96	1	191	29	25	1	36	6	350	48	170	168	2,047	12.3
November.....	2,010,532	183	..	122	5	267	30	28	3	85	11	210	55	134	134	2,080	12.4
December.....	1,959,700	123	..	151	5	231	28	40	2	35	6	307	48	172	172	2,116	12.9
		549	5	1,420	70	2,641	367	2,576	64	751	106	1,743	361	2,132	2,051	25,583	12.8

Average death rate per 1,000, 12.8.

✓52

1906

Report of Secretary.

Contagious Diseases, 1906.

To the Chairman and the Members of the Provincial Board of Health:

GENTLEMEN,—I beg to submit tabulated statement of returns of cases of contagious diseases notified during the year 1906, and deaths therefrom, also deaths from all causes for the same period, and to permit of comparison I also submit similar returns for the year 1905.

It will be noted that the returns cover 91 per cent of the estimated population of the Province, and must not be taken as final. They are simply indicative of the general morbidity from contagious disease and approximate as regards total number of deaths, the figures as presented showing the death rate of the Province to be 13.0 per 1,000 of the population, being 0.2 of an increase over the year 1905.

All of which is respectfully submitted.

Feb. 5th, 1907.

CHAS. A. HODGETTS, Secretary,
Chief Health Officer of Ontario.

Cases and Deaths from Contagious Diseases for the Year 1906.

1906.	Population reported on.		Small pox.		Scarlatina.		Diphtheria.		Measles.		Whooping Cough.		Typhoid or Malaria.		Tuber- culosis.		Total deaths from all causes.	Rate per 1,000.	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.			
January	2,072,331	150	137	4	176	21	31	4	76	10	168	51	165	165	165	165	2,447	14.1	
February	2,001,010	55	120	5	168	23	62	4	143	10	442	45	200	196	200	196	2,173	13.0	
March	1,884,922	27	113	6	169	10	115	3	68	10	243	67	187	180	180	180	2,301	14.9	
April	2,002,100	53	131	3	129	12	256	16	92	8	68	24	189	182	189	182	2,295	13.7	
May	1,995,477	48	112	2	98	16	145	12	205	15	49	13	244	223	223	223	2,186	13.2	
June	2,057,296	35	98	3	190	21	206	6	105	18	42	7	182	171	171	171	1,978	11.4	
July	1,850,000	24	2	80	2	106	23	68	7	55	6	80	20	146	136	136	136	1,669	10.9
August	2,091,183	11	45	6	125	8	35	7	119	21	276	72	180	177	177	177	2,570	14.2	
September	2,070,613	15	51	2	116	19	41	3	96	14	668	83	129	129	129	129	2,315	13.7	
October	2,101,200	9	70	7	376	41	119	1	83	19	788	151	165	160	160	160	2,870	15.5	
November	1,952,100	7	107	4	260	45	226	3	21	11	480	113	141	134	134	134	2,010	12.3	
December	1,961,000	48	112	12	203	26	147	7	13	4	178	51	153	143	143	143	2,100	12.8	
	24,039,232	482	2	1,176	56	2,116	265	1,451	73	1,076	146	3,482	697	2,081	1,996	2,081	2,081	26,414	13.1

Average population reporting, 2,003,270, being 91% of the Province—making the death rate per 1,000 13.0.

Cases and Deaths from Contagious Diseases for the Years
1907 and 1906 by Months.

Months 1907.	Population.	Small-pox.		Scarlatina.		Diphtheria.		Measles.		Whooping Cough.		Typhoid or Malaria.		Tuber-culosis.		Total deaths from all causes.	Rate per 1,000.
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.		
January.....	2,060,922	102	...	201	3	188	32	315	5	133	18	146	55	112	175	2,532	14.7
February.....	2,128,320	73	...	159	3	156	20	337	5	34	8	145	45	170	170	2,760	15.0
March.....	2,088,311	62	...	235	5	143	16	327	13	87	11	72	29	212	212	2,736	15.7
April.....	2,110,151	106	1	225	6	143	16	195	22	27	3	53	24	203	203	2,433	13.8
May.....	1,997,500	81	...	128	5	159	32	369	23	49	15	77	23	167	165	2,225	13.3
June.....	2,060,000	58	...	195	10	125	20	376	35	78	15	51	17	143	143	2,078	12.1
July.....	1,951,000	49	...	144	10	124	14	60	5	104	16	57	15	152	147	1,853	11.5
August.....	1,922,325	24	...	86	9	157	15	23	7	77	26	155	33	149	144	2,110	13.1
September.....	1,965,124	28	...	157	9	169	26	14	...	79	7	262	50	121	115	2,122	13.0
October.....	2,001,100	34	...	210	6	226	25	39	2	56	11	234	50	163	157	2,200	13.1
November.....	1,961,100	100	...	444	6	338	31	332	...	34	4	165	40	147	143	2,070	12.6
December.....	1,962,100	116	...	116	...	462	20	244	35	336	5	130	44	166	159	2,117	12.9
	24,207,953	833	1	646	92	2,172	283	2,723	119	695	37	139	1,547	425	1,933	27,237	13.4

Average population reporting, 2,017,330=92%.

Months 1906.	Population.	Small-pox.		Scarlatina.		Diphtheria.		Measles.		Whooping Cough.		Typhoid or Malaria.		Tuber-culosis.		Total deaths from all causes.	Rate per 1,000.
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.		
January.....	2,072,331	150	...	137	4	176	21	31	4	76	10	168	51	165	165	2,447	14.1
February.....	2,001,010	55	...	120	5	168	23	62	4	143	10	442	45	200	196	2,172	13.0
March.....	1,884,922	27	...	113	6	169	10	115	3	68	10	243	67	187	180	2,301	14.9
April.....	2,002,100	53	...	121	3	129	12	256	16	92	8	68	24	189	182	2,295	13.7
May.....	1,995,477	48	...	112	2	98	16	145	12	205	15	49	13	224	223	2,186	13.2
June.....	2,057,296	35	...	98	3	190	21	206	6	105	18	42	7	182	171	1,978	11.4
July.....	1,850,000	24	2	80	2	106	23	68	7	55	6	80	20	146	136	1,669	10.9
August.....	2,041,183	11	...	45	6	125	8	35	7	119	21	276	72	182	177	2,570	14.2
September.....	2,070,613	15	...	51	2	116	19	41	3	96	14	668	83	129	129	2,315	13.7
October.....	2,101,200	9	...	70	7	376	41	119	1	83	19	788	151	165	160	2,370	13.5
November.....	1,952,100	7	...	107	4	260	45	226	7	148	11	480	113	141	134	2,010	12.3
December.....	1,961,000	48	...	112	147	265	26	13	1,451	73	1,076	148	697	1,993	2,100	12.8	
	24,039,232	482	2	116	56	2,176	2	116	2,116	73	2,116	148	3,482	1,993	2,081	13.1	

Average population reporting, 2,003,270=91%.

CASES AND DEATHS OF CONTAGIOUS DISEASES REPORTED FOR YEAR 1908, BY MONTHS.

Month.	Municipalities Reporting.	Smallpox.		Scarlatina.		Diphtheria.		Measles.		Whooping Cough.		Typhoid or Malaria.		Tuberculosis.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
January	757.....	217	0	502	30	270	55	189	2	73	6	61	24	184	184
February	748.....	112	1	406	19	211	27	185	4	30	8	73	27	184	184
March.....	760.....	85	2	529	15	157	27	80	1	54	16	102	12	217	204
April.....	747.....	118	1	351	15	165	20	87	1	27	10	121	20	213	197
May.....	732.....	30	0	122	10	132	14	108	1	28	5	100	30	187	180
June	721.....	54	0	208	9	220	29	38	4	57	16	91	21	175	170
July.....	705.....	4	0	127	6	124	23	15	3	40	18	118	31	145	140
August	715.....	6	0	74	2	115	14	3	2	96	19	329	50	145	141
September.....	725.....	10	0	167	4	148	35	18	7	135	11	437	83	158	146
October.....	718.....	50	0	315	7	318	44	13	1	51	14	500	123	141	137
November	710.....	134	0	358	10	286	27	13	6	87	14	212	93	116	110
December.....	718.....	121	1	354	19	331	52	43	1	76	7	132	49	138	125
		941	5	3,513	146	2,477	367	792	33	754	144	2,276	563	2,103	1,918

2003

Report of the Secretary of the Monthly Morbidity and Mortality Statistics of Communicable Diseases as reported by Municipal Clerks
for the Year ending December 31st, 1909.

Number of Divisions (Municipalities) Reporting.	Months.	Smallpox.		Scarlatina.		Diphtheria.		Measles.		Whooping Cough.		Typhoid.		Tuberculosis.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
731.....	January	122	0	322	16	341	42	42	2	83	14	72	24	158	151
745.....	February	183	0	348	18	238	32	23	8	125	15	64	26	146	131
750.....	March.....	98	1	197	15	285	33	19	6	48	13	113	34	206	203
745.....	April.....	126	0	247	14	148	21	56	9	74	8	63	26	185	178
703.....	May.....	87	0	277	16	186	34	140	20	68	14	66	25	175	169
735.....	June	60	0	266	8	176	21	88	23	29	8	72	22	154	151
481.....	July.....	19	0	251	18	156	24	45	18	46	9	126	18	128	104
697.....	August	22	0	257	14	158	18	39	11	73	18	432	50	139	133
713.....	September	8	0	248	16	176	28	59	6	47	17	793	102	127	110
753.....	October.....	10	0	280	14	217	35	103	20	62	11	310	98	160	153
714.....	November	90	0	353	19	245	35	132	10	27	6	315	58	130	120
608.....	December.....	49	0	415	21	309	63	129	1	50	11	109	35	133	120
		874	1	3,461	189	2,635	386	857	134	732	144	2,535	578	1,841	1,723

CASES AND DEATHS FROM CONTAGIOUS DISEASES REPORTED FOR THE YEAR 1910, BY MONTHS.

Number of Municipalities Reporting.	Months.	Infantile Paralysis.		Cerebro-spinal Meningitis.		Smallpox.		Scarlatina.		Diphtheria.		Measles.		Whooping Cough.		Typhoid or Malaria.		Tuberculosis.		Total Deaths.		
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	
715.....	January	98	0	429	23	209	36	967	12	45	2	111	38	151	144	255						
717.....	February	46	0	421	19	286	42	937	7	72	12	197	31	153	153	264						
705.....	March.....	81	0	357	20	204	28	570	11	24	13	162	45	196	167	284						
758.....	April.....	84	0	335	18	149	23	584	25	119	14	72	23	192	168	271						
720.....	May.....	48	0	316	25	153	22	564	19	39	8	51	26	151	145	245						
715.....	June	55	0	329	18	227	32	794	32	53	5	68	27	172	157	271						
537.....	July.....	59	0	204	28	178	17	248	23	25	12	81	16	115	102	198						
625.....	August	17	1	144	10	178	29	49	12	20	12	339	48	120	107	219						
434.....	September.....	5	0	123	3	227	23	45	5	14	5	295	38	75	70	144						
650.....	October.....	46	8	0	0	5	0	306	14	261	21	49	4	11	0	416	53	132	126	226		
709.....	November.....	21	5	5	4	28	0	340	15	224	14	65	5	23	5	266	50	105	83	181		
725.....	December.....	14	2	10	8	33	0	494	15	263	36	339	7	28	6	134	30	113	77	181		
		81	15	15	12	559	1	3,798	208	2,559	328	5,211	162	473	94	2,192	425	1,675	1,499	2,739		

CASES AND DEATHS FROM CONTAGIOUS DISEASES REPORTED WEEKLY BY LOCAL BOARDS OF HEALTH FOR THE YEAR 1911.

C. B. H.

Month.	Infantile Paralysis.		Cerebro-spinal Meningitis.		Smallpox.		Scarlatina.		Diphtheria.		Measles.		Whooping Cough.		Typhoid or Malaria.		Tuberculosis	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
January	2	6	6	50	413	21	175	14	203	6	20	375	25	90	74
February	4	4	80	619	32	213	31	204	4	19	2	476	37	131	114
March	4	2	7	7	57	1	711	25	176	24	369	8	22	4	300	41	127	91
April	9	9	13	13	58	1	593	41	229	28	391	13	25	2	84	16	150	110
May	1	1	4	4	44	438	28	171	20	254	9	42	2	41	11	135	109
June	4	4	4	45	1	310	13	211	28	116	19	29	4	81	20	129	118
July	6	3	1	35	164	9	176	20	129	10	35	10	101	16	73	52
August	5	2	2	2	14	112	3	141	12	7	1	40	4	210	27	82	67
September	5	2	1	1	9	174	2	225	26	17	1	31	6	327	34	94	75
October	9	9	20	155	8	315	26	65	2	35	8	182	26	68	49
November	3	3	3	28	188	9	244	20	108	2	28	2	103	13	72	49
December	2	2	41	264	19	355	31	112	2	5	1	197	21	113	68
	39	19	56	54	481	3	4,141	210	2,631	280	1,975	77	331	45	2,477	287	1,272	974

Only 42 per cent. of these deaths are reported weekly by Local Boards of Health. See correct number in Tuberculosis table by ages.

same as scarlatina?

CASES AND DEATHS FROM COMMUNICABLE DISEASES REPORTED WEEKLY BY LOCAL BOARDS OF HEALTH FOR THE YEAR 1912.

Month.	Smallpox.		Scarlet Fever		Diphtheria.		Measles.		Whooping Cough.		Typhoid.		Tuberculosis		Infantile Paralysis.		Cerebro-spinal Meningitis.	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
January	38	285	10	248	38	89	2	110	5	41	12	117	55	1	5	4
February	73	193	15	182	23	111	12	44	7	36	15	92	58	2	1	3	3
March	106	2	298	16	238	22	300	4	183	12	87	10	154	84	2	2
April	103	238	16	156	15	579	3	110	9	34	14	117	78	2	2	12	12
May	52	1	297	8	169	28	588	15	94	18	35	13	100	58	4	4
June	16	207	4	160	10	287	7	193	17	39	9	123	55	5	5
July	23	230	5	123	9	106	3	42	9	550	15	92	56	7	7
August	31	140	10	193	27	64	3	348	30	1,022	94	179	119	15	8	13	13
September	4	97	6	118	14	80	3	109	16	299	31	111	60	12	6	4	4
October	5	144	1	200	22	126	1	34	4	173	36	101	67	13	1	2	2
November	33	165	12	237	13	91	1	44	2	142	27	148	80	3	1	1
December	51	252	8	316	17	218	4	103	13	111	29	191	90	1	1	1	1
	535	3	2,646	111	2,340	238	2,684	58	1,414	142	2,569	305	1,525	*860	49	19	59	58

* Only 36 per cent. of these deaths are reported weekly by Local Boards of Health. See correct number in Tuberculosis table by ages.

2546

*mislabeled is should be
1914*

CASES AND DEATHS FROM COMMUNICABLE DISEASES REPORTED WEEKLY BY LOCAL BOARDS OF HEALTH FOR THE YEAR 1913.

1915

	Smallpox.		Scarlet Fever.		Diphtheria.		Measles.		Whooping Cough.		Typhoid.		Tuberculosis.		Infantile Paralysis.		Cerebro-spinal Meningitis.	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
January.....	76	0	320	3	201	29	184	3	89	3	48	14	126	64	7	4
February.....	60	0	410	6	216	10	427	3	63	2	49	10	136	72	7	7
March.....	47	0	447	6	198	19	682	6	47	4	39	10	98	64	1	0	6	5
April.....	31	0	349	11	147	13	609	5	180	8	55	5	145	90	17	15
May.....	39	0	275	13	183	10	691	21	96	6	36	9	110	65	2	0	3	3
June	32	0	203	6	158	6	859	7	108	9	43	5	99	55	2	1	3	0
July	34	0	80	1	144	12	422	4	34	5	127	9	97	47	3	1	4	4
August	6	0	71	2	172	10	148	2	52	5	126	10	124	72	11	0	5	5
September.....	14	0	49	2	158	15	107	4	34	2	140	22	80	45	5	2	3	3
October.....	23	0	128	2	358	22	182	2	20	4	227	8	113	71	3	1	8	3
November.....	55	2	164	2	329	35	201	2	42	1	92	10	94	60	2	0	3	3
December.....	94	0	226	6	508	32	372	1	33	7	78	14	113	71	0	0	3	3
	511	2	2,722	60	2,772	213	4,884	60	798	56	1,060	125	1,335	*776	29	5	68	55

* Tuberculosis, only 34 in every 100 deaths are reported weekly by Local Boards of Health. The M.O.H. and Secretaries are requested to press the matter of reporting all cases of communicable disease occurring in their municipalities. The information is tabulated in the Toronto office and forwarded to the District Offices of Health whose business is to assist the M.O.H.'s in checking outbreaks of disease.

PROVINCIAL BOARD OF HEALTH.

CASES AND DEATHS FROM COMMUNICABLE DISEASES REPORTED WEEKLY BY LOCAL BOARDS OF HEALTH FOR THE YEAR 1915.

	Smallpox.		Scarlet Fever.		Diphtheria.		Measles.		Whooping Cough.		Typhoid.		Tuberculosis.		Infantile Paralysis.		Cerebro-spinal Meningitis.	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
January.....	170	0	204	3	303	25	241	1	20	2	147	7	95	2	1	0	6	6
February.....	117	0	162	2	281	12	623	2	67	2	106	4	119	64	13	8
March.....	97	0	160	3	206	9	972	11	60	5	45	5	191	103	26	22
April.....	38	1	171	2	187	15	922	5	80	6	27	5	144	92	17	14
May.....	55	0	112	3	191	13	659	9	39	5	24	6	114	81	15	9
June	44	0	99	2	166	16	559	17	65	3	38	4	78	58	1	0	13	8
July	26	0	83	2	173	10	496	6	133	9	53	5	105	70	1	0	13	7
August.....	39	0	54	2	124	5	162	2	104	5	54	6	90	59	7	7
September.....	5	0	76	2	140	12	105	5	104	4	148	13	101	54	2	2	4	3
October.....	5	0	57	3	310	13	400	6	61	2	155	27	114	61	4	1	10	9
November.....	10	0	97	0	283	17	1,113	9	38	3	61	12	107	64	2	1	7	5
December.....	20	1	140	5	355	22	3,432	34	111	5	62	2	98	66	2	0	8	7
	626	2	1,415	29	2,719	169	9,684	107	882	51	920	96	1,356	*774	13	4	139	105
Total for 1914	511	2	2,722	60	2,772	213	4,884	60	798	56	1,060	125	1,335	*776	29	5	68	55
" " 1913	774	2	2,746	101	2,194	233	7,895	134	484	84	1,519	213	1,576	*1,040	35	20	61	48
" " 1912	535	3	2,646	111	2,340	238	2,634	58	1,414	142	2,569	305	1,525	*860	49	19	59	58

* Tuberculosis, only 40 in every 100 deaths are reported weekly by Local Boards of Health. The Medical Officers of Health and Secretaries are requested to press the matter of reporting all cases of communicable disease occurring in their municipalities. The information is tabulated in the Toronto office and forwarded to the District Officers of Health whose business is to assist the Local Medical Officers of Health in checking outbreaks of disease.

CASES AND DEATHS FROM COMMUNICABLE DISEASES, REPORTED WEEKLY BY LOCAL BOARDS OF HEALTH FOR THE YEAR 1916.

Months.	Smallpox.		Scarlet Fever.		Diphtheria.		Measles.		Whooping Cough.		Typhoid.		Tuberculosis.		Infantile Paralysis.		Cerebro-spinal Meningitis.	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
January	21	152	3	297	42	3,018	59	136	10	35	8	140	68	1	1	21	17
February	34	165	2	223	13	2,793	35	268	9	259	19	166	85	26	15
March	32	252	11	265	23	5,158	47	283	13	74	24	182	120	34	20
April	8	185	1	197	17	3,206	44	140	14	36	11	178	124	23	14
May	10	120	7	170	7	2,980	14	160	10	60	12	175	82	1	7	4
June	44	121	2	165	17	2,039	14	135	7	35	7	153	86	2	1	11	9
July	9	3	80	9	179	18	1,234	8	179	8	76	9	143	82	20	3	14	10
August	5	37	183	11	243	190	7	190	18	103	69	44	5	20	15
September	30	266	35	94	181	9	196	17	151	78	76	7	10	8
October	6	73	362	35	248	1	253	1	127	14	141	64	31	7	12	9
November	1	85	467	28	515	3	91	4	74	11	132	56	10	2	8	1
December	4	149	4	438	38	449	2	189	5	63	8	149	70	5	1	9	7
Totals 1916.....	174	3	1,449	39	3,212	284	21,977	227	2,205	97	1,225	158	1,813	984	190	27	195	129
.. 1915.....	626	2	1,415	29	2,719	169	9,684	107	882	51	920	96	1,356	774	13	4	139	105
.. 1914.....	511	2	2,722	60	2,772	213	4,884	60	798	56	1,060	125	1,335	776	29	5	68	55
.. 1913.....	774	2	2,746	101	2,194	233	7,895	134	484	84	1,519	213	1,576	1,040	35	20	61	48
.. 1912.....	535	3	2,646	111	2,340	238	2,634	58	414	142	2,569	305	1,525	860	49	19	59	58

Only 40% of the deaths from Tuberculosis are reported weekly by the Local Boards of Health.

CASES AND DEATHS FROM COMMUNICABLE DISEASES BY MONTHS FOR THE YEAR 1917.

Months.	Smallpox.		Scarlet Fever.		Diphtheria.		Measles.		Whooping Cough.		Typhoid.		Tuberculosis.		Infantile Paralysis.		Cerebro-spinal Meningitis.	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
January	9	171	3	368	22	1,180	6	165	4	60	9	97	79	1	12	8
February	6	141	2	278	19	1,235	2	94	3	20	4	144	7	4	16	12
March	13	260	6	356	27	1,700	2	112	4	40	9	182	109	15	10
April	12	197	3	223	20	842	5	76	2	36	6	165	96	1	15	9
May	10	200	2	198	9	663	3	88	1	184	6	151	75	1	1	5	5
June	13	173	8	215	14	488	7	56	5	14	3	158	76	4	12	1
July	21	98	3	213	15	277	1	101	1	40	2	144	69	5	1	1
August	16	67	2	227	17	114	1	209	6	71	11	174	66	36	3	5	4
September	6	98	1	316	15	104	172	7	111	11	118	46	27	1	9	6
October	17	130	2	375	20	141	1	98	6	69	5	160	68	14	4	2
November	37	188	432	16	384	142	9	37	6	101	52	7	1	14	5
December	65	304	6	369	29	667	3	357	6	143	11	113	76	2	1	7	5
Totals	225	2,027	38	3,590	223	7,795	31	1,670	54	825	83	1,707	819	102	11	113	66

Only about 40% of the deaths from Tuberculosis are reported weekly by the Local Boards of Health.

CASES AND DEATHS FROM COMMUNICABLE DISEASES FOR THE YEAR 1918

From Weekly Reports of Local Boards of Health

Months.	Smallpox.		Scarlet Fever.		Diphtheria.		Measles.		Whooping Cough.		Typhoid.		Tuberculosis.		Infantile Paralysis.		Cerebro-spinal Meningitis.		Syphilis		Gonorrhoea		Chancroid	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
January	79	...	337	7	394	32	1,013	13	367	8	24	7	187	63	4	1	15	4	3	...	10
February	91	...	357	4	289	18	861	6	168	6	35	13	131	69	1	...	17	10
March	47	1	339	9	347	23	1,256	15	286	12	27	10	101	71	13	9
April	39	...	383	16	349	22	1,461	11	240	4	38	5	187	122	17	12
May	71	...	324	6	193	14	1,935	12	251	8	27	4	209	124	13	6
June	15	...	196	4	136	13	1,426	8	277	11	24	6	172	147	8
July	38	...	158	5	195	10	748	1	169	12	42	15	178	109	15	13	66	+108	280	9
August	21	...	101	1	164	11	347	6	246	12	240	27	206	116	1	...	108	246	7
September	17	1	127	2	230	18	110	1	179	11	165	24	172	95	11	4	3	...	114	246	4
October	6	...	187	3	351	52	188	4	72	31	111	31	259	181	2	...	6	4	56	193
November	6	...	159	9	167	30	68	8	60	23	46	13	159	124	1	...	8	5	17	75	2
December ..	5	...	194	4	278	24	18	3	57	5	18	3	161	138	9	6	64	110	4
Total year	436	2	2,862	70	3,093	267	9,431	88	2,372	133	797	142	2,122	1,359	34	11	118	80	425	1,012	29
Total yr. 1918	435	2	2,862	70	3,093	267	9,431	88	2,372	133	797	142	2,122	1,359	34	11	118	80	425	1,012	29
" 1917	225	...	2,027	38	3,590	223	7,795	31	1,670	54	825	83	1,707	819	102	11	113	66
" 1916	174	3	1,449	39	3,212	284	21,977	227	2,205	97	1,225	158	1,813	984	190	27	195	129
" 1915	626	2	1,415	29	2,719	169	9,684	107	882	51	920	96	1,356	774	13	4	139	105
" 1914	511	2	2,722	60	2,772	213	4,884	60	798	56	1,060	125	1,335	776	29	5	68	55
" 1913	774	2	2,746	101	2,194	233	7,895	134	484	84	1,519	213	1,576	1,040	35	20	61	48
" 1912	535	3	2,646	111	2,340	238	2,634	58	414	142	2,569	305	1,525	869	49	19	59	58
" 1911	481	3	4,141	210	2,631	280	1,975	77	331	45	2,477	286	1,272	976	39	19	56	54
" 1910	559	1	3,798	208	2,559	323	5,211	162	473	94	2,192	425	1,675	1,499	81	15	15	12
" 1909	874	1	3,461	189	2,635	386	857	134	732	144	2,535	578	1,841	1,723
" 1908	941	5	3,513	146	2,477	367	792	33	754	144	2,276	563	2,103	1,918

* The monthly returns include only deaths from pulmonary tuberculosis or consumption, and not other tubercular diseases.

†Two weeks.

CASES AND DEATHS FROM COMMUNICABLE DISEASES

Reported Weekly by Local Boards of Health for year 1919

Months.	Smallpox.		Scarlet Fever.		Diphtheria.		Measles.		Whooping Cough.		Typhoid.		Tuberculosis of Lungs.		Infantile Paralysis.		Cerebro-spinal Meningitis.		Syphilis.		Gonorrhoea.		Chancroid.		Influenza and Pneumonia.		Total Deaths.	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
January	40	206	4	294	26	5	56	6	11	2	186	156	4	4	125	138	1	1,514	
February...	41	337	11	329	34	21	1	41	2	12	3	226	144	14	13	85	153	5	812	
March.....	39	1	445	10	413	49	39	69	4	13	3	242	196	18	12	97	183	4	703	
April.....	32	330	7	204	30	53	2	48	3	10	3	191	152	12	12	110	139	3	478	
May.....	98	2	391	7	264	27	34	46	8	18	6	233	188	12	11	98	129	5	355	
June	68	2	310	6	273	27	104	63	2	22	7	228	183	7	5	4	4	108	154	10	165	
July.....	51	1	154	3	186	19	83	80	8	34	.8	210	147	7	11	10	83	139	7	60	
August	30	120	2	190	28	64	112	14	69	16	196	109	3	8	8	104	169	5	58	
September..	48	1	187	4	291	39	51	1	141	9	101	31	105	93	9	6	5	115	151	7	89	
October....	38	277	2	452	50	96	1	166	6	98	21	169	135	14	1	5	3	79	121	3	139	
November ..	1,128	438	7	621	50	412	2	127	7	53	24	159	124	2	11	8	100	171	4	174	
December ..	1,433	2	554	17	744	65	1,026	14	214	9	51	21	111	95	7	2	26	9	109	110	5	188	
Total	3,046	9	3,749	80	4,261	444	1,988	21	1,163	78	492	145	2,234	2,1722	49	8	131	99	1,213	1,757	59	4,735	7,327

* Weekly reports of deaths from Tuberculosis give only 83%.

most
fatal in
History of Paris

CASES AND DEATHS FROM COMMUNICABLE DISEASES
 Reported Weekly by Local Boards of Health for the Year 1920

Month	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid		Tuberculosis		Infantile Paralysis		Cerebro-spinal Meningitis		Syphilis		Gonorrhea		Chancroid		Influenza and Pneumonia		Acute Primary Pneumonia	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	1188	6	642	21	636	70	1296	16	162	19	42	12	145	135	2	8	7	112	94	3	20158	1345	970	297		
February.....	883	9	646	24	551	84	1623	36	168	23	42	16	201	183	2	1	13	10	72	84	2	20	158	1345	970	297		
March.....	446	7	560	29	451	56	1256	23	136	31	27	7	213	173	1	1	64	77	2	3853	734	602	297			
April.....	305	4	487	12	418	58	1618	27	135	17	33	14	223	193	7	5	93	137	7	177	143	302	297			
May.....	290	383	10	378	46	2264	45	99	12	41	12	237	127	1	1	8	7	81	107	3	61	53	293	297			
June.....	349	371	12	432	45	3613	22	151	15	31	12	220	184	2	1	9	9	167	183	4	49	39	260	297			
July.....	142	169	4	302	46	1419	15	106	5	35	8	161	82	2	3	3	131	135	9	9	116	297			
August.....	171	173	4	273	36	626	10	178	21	67	10	192	129	5	1	6	6	208	217	9	7	7	96	297			
September.....	93	1	188	3	434	51	142	5	177	15	75	11	180	113	7	2	5	4	157	213	8	6	6	46	297			
October.....	310	1	387	3	711	45	290	3	218	22	148	34	152	130	3	1	6	4	205	383	19	13	8	142	297			
November.....	437	413	11	666	43	303	1	177	14	113	21	145	99	6	4	4	4	219	259	16	37	31	116	297			
December.....	555	5	1107	17	778	74	913	7	335	16	59	25	181	114	*	7	3	7	7	229	269	9	45	12	242	297		
	5169	33	5130	150	5940	654	15423	210	2042	210	713	182	2259	1622	37	14	77	67	1740	2158	82	24284	2411	3482	297			

*Only about 85% of deaths are reported by Local Boards of Health.

5526 6030

2250 1662

1738

24484

CASES AND DEATHS FROM COMMUNICABLE DISEASES
Reported Weekly by Local Boards of Health for the Year 1921

Date 1921	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid		Tuberculosis		Infantile Paralysis		Cerebro-spinal Meningitis		Syphilis		Gonorrhea		Chancroid		Influenza Pneumonia		Pneumonia		
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	
January.....	902	3	613	17	876	63	595	9	396	9	43	13	166	114	3	3	12	12	211	157	245	12	34	18	271				
February.....	867	5	622	15	565	59	395	8	257	17	37	10	194	147	240	221	8	53	17	374							
March.....	526	4	436	16	447	47	238	4	237	19	30	11	181	134	6	9	5	211	157	10	78	42	315					
April.....	383	2	365	7	409	34	284	0	165	16	32	5	196	121	7	6	219	236	1	90	30	250						
May.....	533	1	386	11	434	32	516	8	228	15	38	8	224	130	3	2	10	7	261	252	6	31	19	181					
June.....	170	2	289	6	371	20	390	2	194	7	29	5	220	105	9	9	112	155	3	2	2	126						
July.....	104	1	101	3	285	19	223	3	227	7	44	18	165	121	3	0	4	4	159	204	4	2	2	114					
August.....	24		114	3	264	28	56		151	6	152	27	213	139	23	3	3	1	144	175	5	2	2	83					
September.....	48		171	5	294	25	14		150	10	120	31	175	115	17	1	8	8	226	166	1	35	4	98					
October.....	16		384	15	685	56	16	3	129	7	100	30	176	118	21	4	4	4	271	256	4	10	5	129					
November.....	76		513	12	940	82	36	1	78	9	72	21	207	117	10	1	6	5	256	287	2	14	14	169					
December.....	128		600	16	743	60	94	2	95	9	28	5	174	139	1	0	5	3	183	230	5	4	4	215					
	3777	18	4564	126	6313	525	2851	40	2307	131	725	184	2286	1500	81	20	79	66	2477	2584	61	355	159	2325					

*Only 73% of deaths reported.

4594

2291

CASES AND DEATHS FROM COMMUNICABLE DISEASES

Reported Weekly by Local Boards of Health for Year 1922

Date	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid		Tuberculosis		Infantile Paralysis		Cerebro-spinal Meningitis		Syphilis		Gonorrhœa		Chancroid		Influenza Pneumonia		Primary Pneumonia	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	170	...	518	14	486	54	205	3	89	5	28	5	160	151	2	...	7	6	183	195	1	31	288					
February.....	185	...	610	17	403	38	554	1	158	5	31	5	171	117	6	6	181	138	3	41	289					
March.....	113	...	446	18	320	32	695	4	61	13	21	11	172	136	8	7	218	252	4	84	409					
April.....	79	...	249	11	308	27	1266	8	69	8	13	7	207	135	1	1	9	8	194	165	6	30	372					
May.....	88	...	219	5	190	16	2165	10	119	11	23	6	200	122	4	4	104	143	3	118	245					
June.....	104	...	151	5	191	19	2103	4	65	6	24	2	204	142	3	3	219	210	...	18	140					
July.....	40	...	157	5	159	17	890	7	79	3	92	7	144	101	3	...	6	5	143	121	3	...	85					
August.....	31	...	141	4	197	10	250	2	163	4	63	17	113	109	92	11	7	6	247	270	7	7	72					
September.....	19	1	180	4	180	19	62	...	196	8	79	7	180	111	55	9	8	6	138	210	3	4	76					
October.....	21	1	369	5	395	40	166	...	149	11	111	32	175	112	38	2	4	4	229	170	2	14	129					
November.....	76	...	461	9	385	29	235	...	309	8	37	11	156	84	10	1	3	3	147	217	4	10	172					
December.....	51	1	449	14	315	40	359	1	234	8	54	17	196	122	4	1	6	6	133	179	3	18	282					
	977	3	3950	111	3529	341	8950	40	1691	90	576	127	2078	*1442	205	25	71	64	2136	2270	39	375	2559					

*Only 75% of deaths reported.

CASES AND DEATHS FROM COMMUNICABLE DISEASES

Reported Weekly by Local Boards of Health for Year 1923

Date	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid		Tuberculosis		Infantile Paralysis		Cerebro-spinal Meningitis		Influenza		Acute Influenza Pneumonia		Acute Primary Pneumonia		Syphilis		Gonorrhoea		Chancroid		
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths			
January.....	43	0	368	10	236	25	331	4	376	14	59	10	169	117	2	1	6	5	39	18	362	149	160	3							
February.....	23	0	309	13	156	21	703	7	402	30	27	4	173	137	2	2	11	9	335	83	756	100	84	1							
March.....	26	0	343	17	224	29	1227	9	432	24	557	22	187	128	12	10	317	66	540	161	178							
April.....	29	0	329	11	170	21	1148	7	286	18	338	54	173	118	4	3	13	11	84	22	332	122	125	3							
May.....	17	0	395	7	165	14	2359	14	142	16	89	24	221	118	9	8	47	12	250	99	209	6							
June.....	13	0	280	20	203	22	2149	14	199	19	38	11	188	147	3	3	13	150	166	174	1							
July.....	14	0	243	4	225	24	1412	11	208	20	58	8	188	108	2	1	5	3	3	13	47	87	127	1						
August.....	9	0	215	6	194	12	256	3	197	13	114	14	213	135	8	4	83	161	212	7								
September.....	29	0	270	6	245	17	95	0	230	8	131	25	169	74	6	2	2	1	7	2	93	173	222	6							
October.....	23	0	517	8	286	13	208	0	185	7	137	16	187	90	9	90	130	242	4									
November.....	58	0	680	11	374	22	293	0	369	6	68	13	116	58	1	0	2	0	7	128	187	91	2							
December.....	51	0	1060	18	457	24	762	1	179	6	49	11	166	85	2	1	1	1	9	128	166	168	9							
Totals.....	335	0	5011	131	2935	244	10843	70	3205	181	1665	212	2150	*1315	19	10	64	59	874	207	2959	1699	1992	43							
1922.....	977	6	3950	111	3529	410	8950	40	1691	90	576	127	2078	1442	205	25	71	64	375	2559	2136	2270	39							

NOTE.—*Only 65 per cent. reported.

5009

1701

CASES AND DEATHS FROM COMMUNICABLE DISEASES
 REPORTED WEEKLY BY LOCAL BOARDS OF HEALTH FOR YEAR, 1924

Date	Smallpox	Scarlet Fever	Diphtheria	Measles	Whooping Cough	Typhoid	Tuberculosis	Infantile Paralysis	Cerebro-Spina Meningitis	Influenza	Acute Primary Pneumonia	Syphilis	Gonorrhoea	Chancroid	Dysentery	Encephalitis Lethargica	German Measles	Mumps	Paratyphoid Fever	Septic Sore Throat	Tetanus	Goitre			
	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases	Cases			
	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths	Deaths			
1924																									
January	50	0	870	13	318	25	1222	7	181	6	38	5	172	89	0	0	1	120	6	218	113	..	142	..	
February	125	14	940	10	294	38	1914	4	202	5	23	3	145	101	0	0	2	139	15	180	101	..	108	..	
March	166	28	1134	28	250	25	2811	8	140	10	25	2	155	100	0	0	9	744	21	251	215	..	199	..	
April	49	3	691	12	188	20	3209	4	140	4	34	7	180	93	0	0	6	2	..	14	232	118	..	98	..
May	32	2	659	8	270	26	4577	13	141	4	56	2	217	105	0	0	9	8	..	14	188	115	..	75	..
June	24	0	510	14	227	12	4321	12	104	3	47	1	162	89	0	0	9	5	9	6	149	96	..	133	..
July	7	0	267	3	220	12	1645	8	109	4	77	4	137	60	0	0	2	1	..	2	68	45	..	124	..
August	6	0	339	7	269	16	879	3	300	4	120	8	156	74	3	0	9	518	3	45	121	..	175	..	
September	13	0	195	1	183	6	233	0	225	5	114	13	119	61	35	2	7	7	6	1	82	85	..	175	..
October	73	0	397	3	396	24	887	0	174	3	125	8	166	73	20	3	7	6	..	4	137	85	..	146	..
November	21	0	736	10	494	39	1034	4	488	5	89	11	165	63	20	2	10	8	..	8	153	142	..	191	..
December	33	0	618	9	364	27	1363	2	279	3	85	12	123	64	6	1	3	4	..	13	115	95	..	119	..
Total	599	47	7354	118	3473	268	24095	65	2483	56	833	76	1897	972	84	8	74	55	..	107	1818	1331	..	1695	..
1923	353	0	501	13	2935	241	10843	70	3205	181	1663	212	2150	1313	19	10	64	59	..	874	2959	1699	..	1992	..
1922	977	6	3950	111	3529	410	8950	40	1691	90	576	127	2078	1442	205	25	71	64	..	2559	2136	..	2270	..	

7356

270

136

1685

CASES AND DEATHS FROM COMMUNICABLE DISEASES
 REPORTED WEEKLY BY LOCAL BOARDS OF HEALTH FOR YEAR, 1925

1925	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid		Tuberculosis		Infantile Paralysis		Cerebro-spinal Meningitis		Influenza		Acute Primary Pneumonia		Syphilis		Gonorrhoea		Chancroid		Chickenpox		Encephalitis Lethargica		German Measles		Mumps		Scarlet Sore Throat					
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths								
January.....	27	0	700	14	347	34	2033	0	480	6	58	9	212	112	2	0	7	5	67	33	131	250	124	..	216	..	110	..	88	..	322	..	363	..	108	..	38	..				
February.....	13	1	621	10	285	17	1576	3	427	8	40	3	158	88	4	3	8	4	24	24	163	241	15	..	539	..	398	..	7	..	13	..	112	..	3	..						
March.....	16	0	681	8	265	15	1663	7	464	13	72	8	159	80	1	1	3	3	55	55	101	220	2	..	119	..	215	..	4	..	6	..	27	..	1281	..	15	..				
April.....	12	0	603	8	182	16	1643	2	352	10	26	2	142	83	0	0	2	2	160	36	119	203	177	..	88	..	322	..	4	..	3	..	848	..	2	..				
May.....	16	1	507	6	192	10	2152	3	400	11	53	9	209	92	5	2	3	3	28	28	168	168	177	..	215	..	4	..	3	..	457	..	2	..	21	..	478	..	1	..
June.....	12	1	326	1	142	12	1063	2	269	7	46	3	165	85	0	0	5	2	10	7	126	48	132	..	1	..	457	..	1	..	4	..	23	..	300	..	1	..				
July.....	8	0	252	3	151	19	642	0	345	9	57	3	158	82	4	0	0	0	5	0	77	65	146	..	1	..	330	..	10	..	10	..	6	..	108	..	4	..				
August.....	7	0	141	2	244	10	164	0	305	10	111	5	133	44	19	0	4	1	2	2	37	112	112	..	1	..	133	..	88	..	9	..	1	..	29	..	4	..				
September.....	25	0	162	5	271	16	59	0	295	7	130	8	148	62	37	0	4	1	10	10	85	79	134	88	..	9	..	1	..	1	..	43	..	1	..				
October.....	19	0	384	6	407	14	399	0	247	6	137	5	142	66	17	0	5	5	11	11	165	128	141	460	..	2	..	6	..	103	..	5	..						
November.....	31	0	514	4	279	19	530	0	130	3	76	10	139	75	3	0	0	1	14	14	177	105	142	..	1	..	859	..	4	..	4	..	306	..	4	..						
December.....	32	1	558	13	266	25	489	0	113	7	53	5	166	62	0	0	2	0	31	31	197	74	148	597	..	5	..	19	..	295	..	10	..						
Total.....	218	4	5449	80	3031	207	12413	17	3827	97	859	70	1931	931	92	6	43	27	41	251	1946	1302	..	1708	25	5356	2	67	47	168	1	6160	..	55	2							
1924.....	599	47	7354	118	3473	268	24095	65	2483	56	833	76	1897	972	84	8	74	55	000	107	1818	1331	1695	..	30	5791	..	46	30	858	1	7669	..	55	4							
1923.....	353	0	5011	131	2935	241	10843	70	3205	181	1663	212	2150	1313	19	10	64	59	000	874	2959	1699	1992	..	43						

PROVINCIAL BOARD OF HEALTH FOR 1928

19

COMMUNICABLE DISEASES REPORTED BY LOCAL BOARDS OF HEALTH FOR YEAR 1928

1928

	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid		Tuberculosis		Poliomylitis		Cerebro Spinal Meningitis		Influenza		Acute Primary Pneumonia		Syphilis		Gonorrhoea		Chancroid		Chicken Pox		German Measles		Mumps		Septic Sore Throat			
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths						
January.....	288	1	533	3	325	14	1,149	1	342	3	50	6	101	58	2	0	2	3	15	11	25	188	124	0	142	0	107	0	331	0	1,141	0	33	0	3,596	0	4	1
February.....	204	0	685	2	271	14	1,599	1	333	8	41	2	122	50	0	0	2	3	15	23	38	192	74	0	107	0	1	0	939	0	6	2	4,244	0	55	1		
March.....	130	0	667	1	235	17	2,299	1	422	0	40	1	157	72	2	1	2	3	37	18	47	244	243	1	115	0	0	0	1,026	0	0	4	5,467	2	23	0		
April.....	51	0	437	2	207	8	2,021	0	268	9	19	3	119	66	3	0	2	2	6	12	14	183	184	0	115	0	0	0	541	0	4	1	32	0	2,570	0	12	0
May.....	41	0	375	7	208	11	2,003	2	292	5	41	2	163	68	1	1	7	5	47	15	20	158	72	3	113	0	0	0	547	0	4	1	22	0	1,195	0	1	0
June.....	41	0	378	2	216	15	2,403	3	310	6	38	2	164	81	1	1	6	4	61	44	22	166	131	0	166	0	2	0	1,043	0	5	3	15	0	1,063	0	1	0
July.....	18	0	148	1	155	8	903	0	218	3	48	4	123	41	3	0	5	4	5	9	5	68	72	1	129	0	1	0	398	1	0	1	4	0	295	0	0	0
August.....	5	0	67	0	157	8	265	11	430	1	79	5	123	73	3	1	2	1	3	5	15	24	89	0	152	0	0	0	142	0	0	0	0	0	171	0	2	1
September.....	31	0	164	3	238	10	87	1	490	7	138	4	127	55	27	2	3	0	0	6	6	75	161	1	269	0	1	0	128	0	1	1	3	0	169	1	0	0
October.....	23	0	194	1	287	14	185	0	250	5	89	3	102	44	23	1	2	2	12	6	10	69	86	0	185	0	0	0	411	0	2	0	8	0	196	0	0	0
November.....	16	0	316	6	210	10	709	0	335	1	41	8	85	56	16	0	5	0	1	12	18	92	0	96	0	2	0	810	0	2	2	15	0	329	0	1	0	
December.....	16	0	544	7	409	19	2,565	4	460	0	91	4	165	44	4	0	4	4	4,528	94	92	257	149	0	257	0	13	0	1,492	1	1	2	27	0	507	0	10	1
Total.....	864	1	4,508	35	2,918	148	16,188	24	4,147	48	715	44	1,551	708	85	7	42	81	4,730	255	312	1,716	1,477	6	2,062	0	22	0	8,618	2	24	18	242	0	19,802	3	109	4
1927.....	1,523	2	6,289	42	3,346	205	13,405	19	3,526	29	867	35	1,534	732	51	15	39	25	179	156	160	1,488	1,440	6	1,758	0	36	0	8,401	0	16	12	4,214	0	5,035	0	32	1
1926.....	706	3	5,640	38	2,818	179	18,420	42	3,679	67	581	32	1,660	821	71	6,37	23	0	0,388	0	2,169	1,256	0	1,539	0	11	0	7,787	0	21	16	3,223	0	1,784	0	18	1	

CASES AND DEATHS FROM COMMUNICABLE DISEASES REPORTED BY LOCAL BOARD OF HEALTH

1929	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid		Tuberculosis		Poliomyelitis		Cerebro Spinal Meningitis		Influenza		Acute Primary Pneumonia		Syphilis		Gonorrhoea		Chancroid		Chickenpox		Encephalitis Lethargica		German Measles		Mumps		Septic Sore Throat	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths						
January.....	38	0	391	0	300	23	2,418	12	274	0	21	1	96	46	2	0	15	4	7,495	323	108	490	90	0	99	0	773	1	19	0	369	0	0	0				
February.....	133	0	465	5	273	7	3,521	6	368	2	87	3	114	56	0	2	10	5	509	100	37	228	131	3	164	0	0	0	548	0	1	0						
March.....	69	0	646	7	261	25	4,534	10	466	1	30	4	127	44	0	1	11	2	154	49	58	261	216	2	197	0	3	2	775	1	3	0						
April.....	83	0	455	4	212	13	2,387	1	621	4	85	2	116	51	0	0	13	1	153	16	57	147	216	0	207	0	0	0	593	0	2	0						
May.....	86	0	378	1	129	9	1,889	1	432	1	35	1	72	50	0	0	10	2	26	3	20	132	145	0	156	0	0	0	576	0	0	0						
June.....	87	0	446	2	239	14	3,077	2	550	1	66	0	171	44	2	2	4	5	17	2	14	158	158	2	189	0	6	0	1,366	0	2	1						
July.....	57	0	164	0	184	11	954	3	347	0	23	2	116	35	1	0	1	3	8	3	6	91	208	0	262	0	0	0	547	0	0	0						
August.....	17	0	145	0	189	9	403	1	486	2	102	3	157	58	104	5	8	1	1	2	2	102	178	2	223	0	1	0	228	0	0	0						
September.....	19	0	193	1	338	23	177	0	461	5	98	11	121	54	227	9	6	1	3	2	4	104	114	0	260	0	0	0	196	0	2	2						
October.....	9	0	333	0	369	18	399	1	188	10	77	3	112	44	105	5	11	1	2	5	4	131	181	0	212	0	1	0	587	0	3	4						
November.....	55	0	656	4	500	20	636	2	421	3	92	3	134	51	30	1	8	4	8	0	13	141	234	0	217	0	0	0	2,065	0	1	1						
December.....	55	0	585	7	267	13	384	0	283	2	22	0	71	30	6	1	4	2	6	9	16	148	159	0	141	0	0	0	1,550	0	1	0						
1929 Total.....	706	0	4,857	31	3,261	185	20,799	39	4,897	31	738	33	1,407	563	477	26	101	31	8,382	514	339	2,133	2,030	9	2,327	0	18	2	9,819	2	18	40						
1927 Total.....	1,523	2	6,289	42	3,346	205	13,405	19	3,525	29	867	35	1,534	732	51	15	39	25	179	156	160	1,488	1,440	6	1,758	0	36	0	8,401	0	16	12						
1928 Total.....	864	1	4,508	35	2,918	148	16,188	24	4,147	48	715	44	1,531	708	85	7	42	31	4,730	255	312	1,716	1,477	6	2,062	0	22	0	8,618	2	24	18						

CASES AND DEATHS FROM CONTAGIOUS DISEASES REPORTED BY LOCAL BOARDS OF HEALTH

1930

	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid Fever		Tuberculosis		Polio		Cerebro Spinal Meningitis		Influenza		Acute Primary Pneumonia		Syphilis		Gonorrhoea		Chancroid		Chickenpox		Encephalitis Lethargica		German Measles		Mumps		Scrofula		Soptic Sore Throat	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths						
January.....	51	0	739	3	269	13	627	0	311	0	21	2	85	55	2	1	7	4	20	5	30	187	110	0	159	0	1,183	0	0	0	177	0	223	0	0	0				
February.....	77	0	905	3	218	13	1,605	2	380	0	27	1	101	52	0	0	4	5	68	13	29	211	169	0	111	0	1	0	795	2	0	0	288	0	102	0	2	1		
March.....	149	0	1,432	5	246	6	4,412	1	309	1	55	2	133	84	0	0	10	4	74	7	62	230	184	0	203	0	7	1	1,180	0	5	4	621	0	230	0	28	0		
April.....	74	0	1,049	5	167	7	2,785	4	281	1	5	0	131	70	0	0	12	5	43	10	24	224	204	0	189	0	0	0	836	0	2	1	791	0	152	0	21	1		
May.....	94	0	881	11	237	18	1,883	2	231	1	36	1	194	75	2	0	14	7	30	10	35	236	240	0	194	0	1	0	821	1	4	1	994	0	169	0	8	0		
June.....	47	0	511	2	237	7	1,319	0	232	0	30	0	129	48	2	0	11	5	13	3	17	130	122	0	130	0	6	0	836	0	1	1	429	0	130	0	1	0		
July.....	24	0	272	3	165	6	489	0	261	1	37	1	132	37	12	4	8	4	6	4	4	61	198	0	181	0	0	0	556	0	2	2	47	0	40	0	0	0		
August.....	22	0	182	3	225	13	201	0	367	3	71	0	98	91	175	16	27	4	9	2	13	74	187	1	204	0	1	0	218	0	0	1	14	0	28	0	3	0		
September.....	9	0	192	0	247	5	51	0	317	0	102	2	146	51	215	11	16	1	18	2	5	63	203	0	283	0	2	0	102	0	0	1	5	0	42	0	0	1		
October.....	34	0	435	1	373	11	57	0	315	2	126	11	134	48	174	18	7	2	9	5	6	101	109	3	95	0	3	0	380	0	1	1	7	0	152	0	0	0		
November.....	62	0	621	1	459	17	105	0	370	1	73	8	209	51	80	11	2	2	12	0	20	153	354	0	501	0	3	0	1,365	0	1	0	31	0	595	0	6	1		
December.....	4	0	612	1	355	14	83	0	338	4	50	2	136	29	9	0	2	5	14	4	25	126	143	0	172	0	0	0	1,196	0	0	0	26	0	448	0	296	5		
1930 Total.....	647	0	7,831	38	3,198	130	13,617	9	3,712	14	633	30	1,628	691	671	61	120	48	316	65	270	1,796	2,223	4	2,422	0	26	1	9,477	3	16	14	3,430	0	2,341	0	365	9		
1928 Total.....	864	1	4,508	35	2,918	148	16,188	24	4,147	48	715	44	1,531	708	85	7	42	31	4,730	255	312	1,716	1,477	6	2,062	0	22	0	8,618	2	24	18	242	0	19,802	3	109	4		
1929 Total.....	708	0	4,857	31	3,261	185	20,799	39	4,897	31	738	33	1,407	563	477	26	101	31	8,382	514	339	2,133	2,030	9	2,327	0	18	2	9,819	2	18	10	308	0	4,003	0	73	2		

1931	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid Fever		Tuberculosis		Poliomylitis		Cerebro-Spinal Meningitis		Influenza		Syphilis		Gonorrhoea		Chancroid		Chickpox		Encephalitis Lethargica		German Measles		Mumps		Septic Sore Throat			
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths						
January.....	47	0	1,029	7	357	14	159	0	266	6	34	4	121	55	2	0	6	3	32	9	41	202	187	1	174	0	0	0	1,827	0	1	1	790	1	3	1		
February....	25	0	747	4	150	11	152	0	331	3	17	1	126	31	2	0	4	1	239	35	25	204	260	0	275	0	0	0	1,028	0	.1	1	888	0	1	1		
March.....	16	0	766	2	130	5	258	0	316	5	21	3	135	72	1	0	5	0	105	35	24	275	153	1	145	0	1	0	972	0	0	2	721	0	11	0		
April.....	12	0	502	0	118	7	228	0	319	2	24	2	109	52	0	0	4	0	66	4	8	149	142	2	159	0	0	0	696	0	0	1	398	0	5	0		
May.....	32	0	831	3	157	10	1,222	1	437	6	34	3	175	77	3	1	3	1	12	5	15	165	248	0	255	0	0	0	1,081	0	0	0	195	0	424	0	0	0
June.....	21	0	449	5	110	9	770	1	271	0	43	0	156	38	3	2	10	5	3	2	9	90	86	2	121	0	0	0	812	0	0	0	96	0	291	0	1	1
July.....	22	0	210	2	103	7	570	1	317	1	44	4	112	33	6	1	4	2	3	0	3	79	245	1	296	0	0	0	328	0	1	1	17	0	132	0	29	0
August....	10	0	150	0	153	5	675	0	514	7	131	5	161	63	35	3	9	1	0	0	9	65	117	0	224	0	0	0	173	0	3	1	20	0	103	0	1	0
September....	7	0	123	3	140	3	103	0	319	2	108	7	94	42	58	2	5	1	3	0	7	79	123	2	226	0	1	0	126	0	0	1	12	0	84	0	0	0
October....	19	0	269	1	348	13	307	0	389	0	146	8	176	64	31	1	11	6	3	1	23	106	189	1	371	0	0	0	324	0	2	0	21	0	313	0	0	0
November....	13	0	411	1	328	12	1,080	0	596	0	101	3	152	33	18	2	5	3	8	1	19	120	171	1	251	0	0	0	708	0	3	3	9	0	426	0	41	3
December....	6	0	468	0	274	11	2,428	3	578	1	53	2	209	29	2	0	4	2	5	2	25	107	193	0	298	0	8	0	898	0	1	1	23	0	464	1	14	1
1931—Total...	230	0	5,955	28	2,368	107	7,952	6	4,653	33	756	42	1,726	589	161	12	79	25	479	94	208	1,641	2,114	1	2,798	0	10	0	8,973	0	12	12	635	0	5,034	2	106	1
1930—Total...	647	0	7,831	38	3,198	130	13,617	9	3,712	14	633	30	1,628	691	671	61	120	48	316	65	270	1,796	2,223	4	2,422	0	26	1	9,477	3	16	14	3,430	0	2,311	0	365	9
1929—Total...	708	0	4,857	31	3,261	185	20,799	39	4,897	31	738	33	1,407	563	477	26	101	31	8,382	514	339	2,133	2,030	9	2,327	0	18	2	9,819	2	18	10	308	0	4,003	0	73	2

SUMMARY OF COMMUNICABLE DISEASES REPORTED BY LOCAL BOARDS OF HEALTH, 1932

1932

	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid Fever		Tuberculosis		Poliomyelitis		Cerebro-Spinal Meningitis		Influenza		Acute Primary Pneumonia		Syphilis		Gonorrhoea		Chancroid		Chickenpox		Encephalitis Lethargica		German Measles		Mumps		Septic Sore Throat		
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths					
January.....	14	0	526	4	315	11	4,926	0	844	2	23	2	185	66	2	0	9	5	11	10	29	156	234	1	286	0	0	0	1,194	0	2	1	56	0	703	0	11	4	
February.....	21	0	451	1	170	9	4,198	12	542	6	22	4	195	45	2	1	3	2	187	9	34	153	198	4	203	1	2	0	894	0	2	0	44	0	890	0	17	0	
March.....	2	0	426	3	116	8	3,375	0	465	2	4	0	152	47	1	0	5	3	1,518	44	56	206	121	1	127	0	1	0	794	0	4	1	35	0	797	0	8	1	
April.....	9	0	412	4	129	8	3,529	4	596	2	21	1	252	91	2	0	9	7	835	58	50	288	216	1	261	0	3	0	604	0	3	1	37	0	1,422	0	7	2	
May.....	24	0	274	1	86	4	5,835	9	464	0	19	2	235	52	1	0	5	2	25	12	29	136	129	2	143	0	0	0	613	0	0	0	75	0	1,096	0	6	2	
June.....	0	0	217	0	94	7	3,753	0	455	2	36	0	203	42	2	1	2	1	0	2	7	77	189	2	213	0	0	0	970	0	3	2	15	0	979	1	6	1	
July.....	1	0	142	0	98	3	1,944	0	463	3	42	1	244	53	5	0	1	2	0	4	6	92	269	0	319	0	1	0	480	0	2	1	16	0	289	0	33	0	
August.....	3	0	83	0	79	5	388	2	420	6	45	1	165	27	26	3	2	2	8	1	4	70	64	0	100	0	0	0	169	0	1	1	6	0	111	0	1	1	
September....	3	0	76	0	98	4	127	0	380	6	94	4	163	57	53	1	2	0	1	2	7	61	172	1	240	0	1	0	102	0	1	2	6	0	157	0	2	0	
October.....	1	0	229	5	104	5	839	0	320	8	91	6	201	37	59	5	6	3	3	6	35	121	141	2	272	0	0	0	702	0	0	2	4	0	226	0	0	1	
November....	0	0	240	1	126	4	997	1	324	1	42	0	110	28	21	0	1	0	50	1	24	74	237	0	359	0	0	0	1,140	0	1	0	23	0	308	0	3	0	
December....	13	0	352	2	81	4	2,334	9	374	3	12	2	225	54	1	1	1	1	1,284	22	82	196	140	0	302	0	0	0	1,506	0	2	1	25	0	563	0	1	1	
1932—Total...	91	0	5,438	21	1,496	72	32,245	37	5,647	41	451	23	2,330	599	175	12	46	28	3,922	171	363	1,630	2,110	14	2,825	1	8	0	9,168	0	2	1	12	342	0	7,541	1	95	13
1931—Total...	230	0	5,955	28	2,368	107	7,952	6	4,653	33	756	42	1,726	589	161	12	70	25	479	94	208	1,641	2,114	11	2,795	0	10	0	8,973	0	12	12	635	0	5,034	2	106	7	
1930—Total...	647	0	7,831	38	3,198	130	13,617	9	3,712	14	633	30	1,628	691	671	61	120	48	316	65	270	1,796	2,223	4	2,422	0	26	1	9,477	3	16	14	3,430	0	2,311	0	365	9	

SUMMARY OF COMMUNICABLE DISEASES REPORTED BY LOCAL BOARDS OF HEALTH, 1933

1933

	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid Fever		Tuberculosis		Poliomylitis		Cerebro-Spinal Meningitis		Influenza		Syphilis		Acute Primary Pneumonia		Gonorrhoea		Chancroid		Chickenpox		Encephalitis Lethargica		German Measles		Mumps		Septic Sore Throat		Undulant Fever		
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths							
January.....	4	0	345	1	80	3	1,935	6	440	2	26	1	170	38	2	0	9	4	2,756	62	237	189	0	240	0	0	0	1,284	0	2	0	12	0	764	0	3	0	8	0	0	
February.....	0	0	295	3	50	2	1,489	5	437	1	19	1	162	36	0	0	4	2	1,005	26	65	167	81	1	114	0	0	0	1,258	0	2	0	9	0	891	0	33	2	5	0	0
March.....	5	0	299	4	47	2	1,106	3	513	0	20	1	179	46	1	0	1	1	115	17	37	125	290	1	222	0	0	0	1,226	0	1	1	76	0	1,113	0	14	2	21	0	
April.....	3	0	384	2	59	1	944	7	480	7	36	0	212	51	1	0	6	7	32	9	37	146	255	0	295	0	0	0	1,296	0	1	1	45	0	729	0	2	0	8	0	0
May.....	3	0	265	1	29	0	564	0	365	1	19	1	174	41	1	0	3	4	16	3	32	121	91	0	107	0	0	0	857	0	1	0	45	0	1,106	0	6	1	15	0	
June.....	0	0	303	0	27	2	369	2	444	0	29	2	152	56	5	0	4	2	4	1	10	100	194	1	190	0	0	0	1,092	0	0	0	22	0	492	0	33	2	13	0	
July.....	0	0	207	0	38	2	184	1	574	2	34	2	196	47	4	1	10	6	0	2	20	77	240	1	283	0	0	0	728	0	0	0	8	0	180	0	21	0	22	0	
August.....	0	0	68	0	30	2	25	0	584	7	62	2	136	31	13	0	1	1	1	5	4	38	71	0	76	0	0	0	133	0	0	0	2	0	66	0	1	0	9	0	0
September.....	0	0	161	1	35	2	14	0	522	3	91	4	259	48	7	0	2	0	23	0	19	89	202	2	237	0	0	0	165	0	2	2	6	0	85	0	4	0	24	0	
October.....	0	0	210	0	29	3	29	0	346	3	65	4	147	39	11	0	3	3	25	1	32	85	259	1	261	0	0	0	309	0	3	2	2	0	82	0	6	0	17	0	
November.....	0	0	449	0	56	3	77	0	285	3	45	1	164	26	3	0	3	1	15	2	30	138	81	1	116	0	0	0	908	0	1	0	14	0	175	0	5	0	6	0	
December.....	0	0	767	3	49	4	43	0	290	2	31	0	190	61	5	0	2	1	25	13	94	205	293	1	338	0	0	0	1,159	0	1	2	7	0	331	0	10	0	4	0	
1933—Total.....	15	0	3,753	15	529	26	6,779	24	5,280	31	477	19	2,141	520	53	1	48	32	4,017	141	460	1,528	2,246	9	2,479	0	0	0	10,415	2	13	6	21	0	5,914	0	138	6	152	0	
1932—Total.....	91	0	3,438	21	1,496	72	32,245	37	5,647	41	451	23	2,330	599	175	12	46	28	3,922	171	363	1,630	2,110	14	2,825	1	8	0	9,168	0	21	12	342	0	7,451	1	95	13	82	0	
1931—Total.....	230	0	5,955	28	2,368	107	7,952	6	4,653	33	756	42	1,726	589	161	12	70	25	479	94	208	1,641	2,114	11	2,795	0	10	0	8,973	6	12	12	635	0	5,034	2	106	7	143	1	

1934

SUMMARY OF COMMUNICABLE DISEASES REPORTED BY LOCAL BOARDS OF HEALTH, 1934

		Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid Fever		Tuberculosis		Poliomyelitis		Cerebro Spinal Meningitis		Influenza		Pneumonia		Syphilis		Gonorrhoea		Chancroid		Encephalitis		German Measles		Mumps		Septic Sore Throat		Undulant Fever	
		Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths		
January.....	1 0	565	5	29	4	208	0	303	0	28	0	126	34	1	0	0	0	30	7	69	177	199	0	228	0	3	0	1,184	0	0	1	437	0	2	0	6	0		
February.....	0 0	539	3	35	1	77	0	393	4	15	0	151	38	1	0	3	0	48	2	59	128	164	0	155	0	0	0	932	1	1	17	0	474	0	0	0	9	0	
March.....	0 0	916	6	45	2	199	0	912	1	19	1	229	57	0	0	6	1	54	6	90	209	204	2	177	0	0	0	1083	1	0	1	24	0	1,110	0	6	0	10	0
April.....	0 0	668	6	25	2	272	0	1,199	6	34	1	195	48	3	0	5	2	58	1	88	187	210	1	175	0	7	1	707	1	2	1	10	0	952	0	5	1	8	0
May.....	0 0	616	4	26	0	160	0	813	4	22	0	166	49	0	0	0	0	51	2	37	118	205	1	169	0	1	0	645	0	0	0	16	0	673	1	5	0	6	1
June.....	0 0	475	2	22	1	249	0	987	3	22	2	259	58	4	0	3	2	15	2	58	149	156	0	201	0	0	0	1,193	0	0	0	10	0	881	0	14	2	7	0
July.....	0 0	197	3	15	1	176	0	520	5	27	0	99	20	5	0	2	1	7	2	7	63	153	0	143	0	0	0	538	1	0	1	7	0	141	0	2	6	0	0
August.....	0 0	112	1	14	0	61	0	530	4	91	6	217	46	45	3	1	0	2	1	8	56	54	0	56	0	0	0	177	0	0	0	7	0	92	0	1	0	9	0
September.....	0 0	225	1	19	1	67	0	508	4	133	6	206	48	141	8	3	2	5	1	14	97	231	0	280	0	0	0	321	0	0	0	11	0	122	0	7	1	12	1
October.....	0 0	372	3	47	2	191	0	329	1	61	3	167	39	92	10	4	1	5	1	24	86	151	2	212	0	0	0	570	0	0	0	54	0	152	0	8	0	10	0
November.....	0 0	587	5	57	1	155	0	448	1	62	1	195	41	25	2	4	1	14	3	23	125	185	0	220	1	1	0	1,476	0	0	0	77	0	339	0	26	0	7	0
December.....	0 0	785	3	37	1	577	1	682	3	33	2	139	35	9	0	4	2	54	2	34	144	143	2	189	0	0	0	2,003	0	0	0	105	0	547	0	22	0	7	0
1934 Total.....	1 0	6,057	42	371	16	2,392	1	7,624	36	547	22	2,149	513	326	23	35	12	348	30	511	1,536	2,055	8	2,205	1	12	1	10,829	2	4	4	350	0	5,920	1	98	6	97	2
1933 Total.....	15 0	3,753	15	529	26	6,779	24	5,280	31	477	19	2,141	520	53	1	48	32	4,017	141	460	1,528	2,246	9	2,479	0	0	0	10,415	2	13	9	211	0	5,914	0	138	6	152	0
1932 Total.....	91 0	3,438	21	1,496	72	32,245	37	5,647	41	451	23	2,330	599	175	12	46	28	3,922	171	363	1,630	2,110	14	2,825	1	8	0	9,168	0	21	12	342	0	7,451	1	95	13	82	0

SUMMARY OF COMMUNICABLE DISEASES REPORTED BY LOCAL BOARDS OF HEALTH, 1935

1935

	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid Fever		Tuberculosis		Poliomylitis		Cerebro Spinal Meningitis		Influenza		Pneumonia		Syphilis		Gonorrhoea		Chickenpox		Encephalitis		German Measles		Mumps		Septic Sore Throat		Undulant Fever	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths				
January.....	0	0	588	7	42	0	1,541	0	435	2	5	1	167	17	4	0	4	3	207	7	42	165	151	3	201	0	1,232	0	0	0	292	0	713	0	8	0	4	0
February.....	2	0	630	7	24	3	4,016	0	724	7	12	0	165	38	2	0	2	1	722	14	103	231	121	0	183	0	1,438	1	1	2	1,224	0	1,162	0	8	0	6	0
March.....	0	0	622	2	28	0	8,873	3	687	2	4	1	244	31	2	0	4	1	497	5	119	210	144	0	151	0	1,220	1	1	1	4,492	0	1,153	0	7	0	8	0
April.....	2	0	583	4	15	0	8,945	0	615	6	8	0	183	29	1	0	4	3	86	4	77	158	136	0	144	0	756	0	0	1	3,142	0	1,037	0	15	0	8	0
May.....	1	0	461	0	15	1	6,063	3	528	6	13	2	185	56	1	0	2	1	13	8	59	162	187	0	168	0	794	0	0	0	3,388	0	896	0	37	1	4	0
June.....	0	0	718	1	37	1	6,867	3	693	0	22	0	244	61	2	0	3	2	21	1	44	177	238	2	302	0	1,470	0	1	1	5,714	0	899	0	26	0	10	0
July.....	2	0	313	2	27	2	2,857	3	580	4	17	0	170	44	4	1	1	7	3	0	19	96	150	0	208	0	864	0	0	0	1,112	0	294	0	11	0	4	0
August.....	0	0	161	4	20	0	580	0	727	1	41	3	239	41	29	0	0	0	12	0	23	105	197	1	254	0	233	0	1	0	140	0	141	0	5	0	15	0
September.....	0	0	261	1	30	3	329	0	533	2	104	10	234	58	40	2	2	0	32	2	17	108	104	0	186	0	130	0	0	0	30	0	130	0	7	0	4	0
October.....	0	0	511	1	29	0	765	1	394	2	40	3	220	32	13	1	1	0	153	2	37	122	163	2	278	0	848	0	0	0	87	0	368	0	33	0	4	0
November.....	0	0	1,312	3	45	1	2,225	3	980	5	28	4	200	33	9	1	6	2	62	2	37	169	153	1	242	0	2,465	0	2	0	391	1	1,501	1	22	0	9	0
December.....	0	0	1,085	1	49	5	2,847	5	767	1	16	2	165	34	1	0	3	3	37	3	48	178	156	0	242	0	1,668	0	0	0	618	0	1,274	1	23	1	10	0
1935 Total.....	7	0	7,245	33	361	16	44,958	21	7,663	38	310	26	2,416	474	108	5	32	23	1,845	48	625	1,881	1,900	9	2,556	0	13,116	2	6	5	20,627	1	9,568	2	202	2	86	0
1934 Total.....	1	0	6,057	42	371	16	2,392	1	7,624	36	547	22	2,149	513	326	23	35	12	343	30	511	1,539	2,055	8	2,205	1	10,829	2	4	4	350	0	5,920	1	98	6	97	2
1933 Total.....	15	0	3,753	15	529	26	6,779	24	5,280	31	477	19	2,141	520	53	1	48	32	4,017	141	460	1,528	2,246	9	2,479	0	10,415	2	13	9	211	0	5,914	0	138	6	152	0

STATEMENT OF COMMUNICABLE DISEASES IN 1936

1936

These figures are as reported by Local Boards of Health. For Official number of deaths, see Report of Registrar General)

	Cases	Smallpox	Cases	Scarlet Fever	Diphtheria	Cases	Measles	Whooping Cough	Tuberculosis	Typhoid Fever	Poliomyelitis	Cerebro Spinal Meningitis	Influenza	Gonorrhoea	Syphilis	Chickenpox	Encephalitis	German Measles	Mumps	Septic Sore Throat	Undulant Fever	Dysentery	Erysipelas	Paratyphoid Fever				
January.....	0 0	1,189	8 34	0	4,027	1 992	5 13	2	213	45	1 0	3 1	202	6 66	199	217	0 287	0 1,688	0 2 2	1,598	0 1,822	0 11	1 12	0 0	0 0			
February.....	0 0	1,443	8 18	0	5,812	4 1,121	3 14	3	214	54	1 1	7 7	264	124	205	1 211	0 1,204	0 2 1	4,513	2 2,069	0 19	3 7	1 15	1 14	0 0			
March.....	0 0	1,248	6 25	0	4,368	1 785	0 15	1	152	51	0 0	7 4	317	8 142	223	128	0 174	0 1,038	0 1 2	10,116	1 2,237	0 8	1 1	0 9	0 14	2 0		
April.....	0 0	990	4 17	0	3,053	1 704	4 9	1	178	45	0 0	7 4	156	5 69	166	169	0 236	0 801	0 1 0	5,633	0 1,920	0 13	2 21	0 10	0 15	2 1		
May.....	0 0	718	3 23	1	3,052	5 717	4 7	3	264	49	1 0	3 4	144	4 95	259	210	3 288	0 983	0 2 5	5,466	1 2,097	0 20	3 12	0 0	0 16	4 3		
June.....	0 0	653	1 10	0	1,509	0 473	2 9	0	202	52	4 0	1 0	208	1 53	147	141	4 156	0 741	0 0 1	1,412	0 1,190	0 8	1 22	0 20	0 13	1 1		
July.....	0 0	391	1 16	2	952	2 360	12 3	3	186	66	5 0	0 4	1 2	22	138	80	1 121	0 472	0 0 1	372	0 418	0 2 3	3 3	0 11	1 11	0 4		
August.....	0 0	268	1 31	0	328	0 475	1 40	2	158	43	20 1	4 1	36	2 21	114	184	1 302	0 191	0 0 2	35	0 210	0 2 1	10	0 12	0 5	2 11	0 0	
September.....	0 0	277	3 25	1	353	2 484	5 47	3	184	43	64	2 5	2 40	1 21	90	148	1 198	0 266	0 1 0	46	0 280	0 18	1 11	0 27	0 13	1 13	1	
October.....	0 0	550	1 39	0	1,231	1 672	1 60	6	204	42	88	6 3	5	52	2 54	198	214	2 363	0 842	0 0 1	36	0 390	0 16	0 6	0 4	0 14	3 7	0
November.....	0 0	727	3 33	2	800	1 672	3 18	2	159	34	23	2 6	4	18	1 72	155	110	0 220	0 1,481	0 3 3	33	0 483	0 30	2 11	0 2	0 15	1 3	0
December.....	0 0	473	2 19	2	944	0 434	2 7	1	163	30	1 0	6 2	38	5 49	163	194	2 182	0 1,674	1 0 0	31	0 583	1 13	1 3	1 4	0 20	2 2	0	
1936 Total.....	0 0	8,927	41 290	8	26,429	18 7,890	26 251	27 2,277	554	208	12 52	38 1,809	53 788	2,116	2,000	15 2,738	0 11,301	1 12 18	29,351	4 13,699	1 160	19 127	2 291	2 168	18 69	1		
1935 Total.....	7 0	7,245	33 361	16	44,058	21 7,063	38 310	26 2,416	474	108	5 32	23 1,845	48 625	1,881	1,900	9 2,559	0 13,116	2 6 5	20,627	1 9,568	2 202	2 86	0 37	6 129	7 58	0		
1934 Total.....	1 0	6,057	42 371	10	2,302	1 7,624	30 547	22 2,149	513	326	23 35	12 343	30 511	1,539	2,055	8 2,205	1 10,829	2 2 4	350	0 5,920	1 98	6 97	2 34	12 133	13 88	1		

STATEMENT OF COMMUNICABLE DISEASES IN 1938

1938	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid Fever		Tuberculosis		Poliomyelitis		Cerebro-Spinal Meningitis (Men'gococ's)		Influenza		Pneumonia	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	0	0	710	2	27	3	1,205	0	318	1	12	4	210	42	2	0	6	1	221	9	157	332
February.....	0	0	620	5	25	0	924	0	335	1	6	2	184	27	1	0	5	1	115	2	139	175
March.....	0	0	456	5	28	1	1,579	0	435	0	10	0	220	43	1	1	10	4	71	4	117	178
April.....	0	0	505	3	15	0	2,359	1	426	2	24	3	278	47	1	0	15	5	240	0	140	234
May.....	0	0	314	2	8	1	2,216	3	413	2	14	0	230	46	4	0	8	2	80	1	158	186
June.....	0	0	330	1	11	0	2,979	1	635	2	13	1	223	49	9	2	10	1	4	3	84	166
July.....	0	0	212	4	22	0	1,549	1	738	1	11	6	175	39	25	4	6	1	29	0	75	129
August.....	0	0	114	0	13	0	199	0	648	6	26	2	205	40	51	5	0	1	48	2	31	102
September	0	0	177	2	12	0	76	0	681	4	33	3	181	41	32	3	4	2	34	3	27	95
October.....	1	0	456	3	34	0	253	0	652	2	25	4	223	47	22	2	6	3	43	3	65	178
November.....	2	0	565	5	17	1	808	0	1,044	5	37	3	199	37	9	0	11	0	27	1	132	161
December.....	3	0	900	3	22	0	2,459	0	1,244	6	24	3	192	47	3	1	7	1	31	3	96	249
1938 Total.....	6	0	5,359	35	234	6	16,606	6	7,569	32	235	31	2,520	505	160	18	88	22	943	31	1,221	2,185
1937 Total.....	0	0	5,581	27	506	29	15,809	5	5,040	9	211	17	2,371	525	2,544	100	67	27	13,330	185	1,020	2,585
1936 Total.....	0	0	8,927	41	290	8	26,429	18	7,890	29	251	27	2,277	554	208	12	52	38	1,869	53	788	2,116

ANNUAL STATEMENT OF DISEASE PREVALENCE—ALL DISEASES

	Smallpox		Scarlet Fever		Diphtheria		Measles		Whooping Cough		Typhoid Fever		Tuberculosis		Polio-myelitis		Cerebro-Spinal Meningitis (Meningococcus)		Influenza	
1939	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
Jan.....	0	0	801	7	22	3	3,385	2	1,286	0	5	0	226	27	0	0	5	2	209	4
Feb.....	1	0	829	6	12	1	4,528	1	1,120	1	3	0	190	44	1	0	5	3	364	3
March....	0	0	745	6	15	1	3,824	4	859	4	4	0	210	35	0	0	2	3	4,613	49
April....	0	0	747	8	11	0	4,076	1	796	5	9	2	243	44	0	0	12	2	2,296	61
May.....	0	0	492	1	8	0	3,267	0	610	0	1	1	240	36	0	0	8	3	416	12
June.....	0	0	412	0	7	0	3,680	2	376	1	6	1	220	37	5	0	2	2	32	1
July.....	0	0	319	5	10	0	2,006	4	443	1	16	2	294	49	42	2	2	2	8	0
August....	0	0	176	0	3	1	408	2	292	0	19	0	186	26	34	5	9	0	28	1
Sept.....	0	0	275	1	8	0	129	0	372	2	17	1	211	39	73	3	5	0	33	0
October..	0	0	451	2	10	0	381	0	200	1	12	0	193	25	37	3	2	0	79	1
Nov.....	0	0	677	2	15	1	859	0	254	1	18	0	173	24	18	0	10	1	91	3
Dec.....	0	0	843	3	10	0	1,284	1	415	2	9	2	184	33	6	0	2	0	115	2
'39 Total.	1	0	6,767	41	131	7	27,827	17	7,023	18	119	9	2,570	419	216	13	64	18	8,284	137
'38 Total.	6	0	5,359	35	234	6	16,606	6	7,569	32	235	31	2,520	505	160	18	88	22	943	31
'37 Total.	0	0	5,581	27	506	29	15,809	5	5,040	9	241	17	2,371	525	2,544	109	67	27	13,330	185

ANNUAL STATEMENT OF DISEASE PREVALENCE—ALL DISEASES—Continued

1939	Pneumonia		Syphilis		Gonorrhoea		Chickenpox		Encephalitis		German Measles		Mumps		Septic Sore Throat		Undulant Fever	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	129	224	218	1	345	0	1,837	1	0	1	85	0	270	0	23	2	5	0
February.....	128	219	249	2	289	0	1,380	1	0	0	126	0	333	0	20	0	2	0
March.....	209	310	296	3	283	0	912	0	0	0	151	0	389	0	14	0	8	0
April.....	202	351	315	1	322	0	710	0	3	3	93	0	384	0	22	1	2	0
May.....	123	192	238	6	262	0	477	0	3	1	139	0	285	0	7	1	3	0
June.....	57	111	299	5	357	0	854	0	0	0	284	0	266	0	13	0	5	0
July.....	33	98	347	6	360	0	691	0	2	2	118	0	143	0	13	0	11	0
August.....	40	66	218	1	350	0	240	0	1	1	28	0	42	0	17	0	6	0
September.....	44	106	273	4	464	0	173	0	0	0	29	0	91	0	17	0	8	0
October.....	52	103	275	5	352	0	548	0	0	0	22	0	144	0	6	0	3	0
November.....	77	124	265	1	356	0	1,196	0	0	2	32	0	275	0	35	0	2	0
December.....	113	172	292	3	385	0	2,115	0	0	0	53	0	674	0	22	1	11	0
1939 Total.....	1,207	2,076	3,285	38	4,125	0	11,133	2	9	10	1,160	0	3,296	0	209	5	66	0
1938 Total.....	1,221	2,185	3,010	47	4,188	1	10,881	0	11	8	867	0	4,119	0	113	6	97	0
1937 Total.....	1,020	2,585	2,415	23	3,481	1	11,795	1	11	11	913	0	9,696	0	244	12	104	0

ANNUAL STATEMENT OF DISEASE PREVALENCE—ALL DISEASES—Continued

1939	Dysentery		Erysipelas		Paratyphoid Fever		Infectious Jaundice		Tetanus		Tularaemia		Conjunctivitis		Malaria		Actinomycosis	
	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths	Cases	Deaths
January.....	1	0	17	1	3	0	71	0	2	2	0	0	0	0	0	0	0	0
February.....	2	0	23	1	3	0	119	1	1	0	0	0	0	0	0	0	2	0
March.....	6	1	28	1	3	0	66	0	0	0	0	0	0	0	1	0	0	0
April.....	5	0	33	0	4	0	7	1	0	0	0	0	0	0	0	0	0	0
May.....	5	0	16	1	7	0	7	0	0	0	0	0	0	0	0	0	0	0
June.....	4	0	6	0	7	0	3	1	0	0	0	0	2	0	0	0	0	0
July.....	3	1	12	0	3	0	40	0	4	2	1	0	0	0	1	0	0	0
August.....	5	0	13	1	9	0	28	0	0	1	0	0	0	0	0	0	0	0
September.....	4	0	7	0	12	1	21	0	4	1	0	0	0	0	0	0	0	0
October.....	14	0	8	0	2	0	25	0	0	0	0	0	0	0	0	0	0	0
November.....	4	1	6	0	1	0	30	0	3	2	0	0	0	0	0	0	0	0
December.....	0	1	18	0	4	0	85	0	1	0	0	0	0	0	0	0	0	0
1939 Total.....	53	4	187	5	58	1	502	3	15	8	1	0	2	0	2	0	2	0
1938 Total.....	162	8	128	10	68	0	701	2	11	7	1	0	13	0	6	0	2	1
1937 Total.....	103	9	139	11	80	2	89	2	10	10	1	0	6	1	0	0	6	0

Typhoid fever returns for the Province show a total of 1,542 cases and 242 deaths, or a case mortality of 16 per cent. In the cities the cases were 420, with 81 deaths, or 19.3 per cent.; in the towns and villages, 648 and 95 deaths, or 14.1 per cent., and in the townships 474, with 66 deaths, or 13.9 per cent. The explanation of these very notable differences in the mortality rate is very difficult on any other supposition than that of neglect to make returns according to the facts, or not to return cases at all in some instances. The case mortality in the cities, for instance, is double that of the camps of either Chickamauga, in 1898, where 20,000 men of the troops were sick, with a case mortality of 10.5 per cent., or that at Bloomfontein, in 1900, where, with an almost equal number of cases, the mortality rate was almost the same figure. In this, as in other respects, it is apparent that the routine work of our Local Boards of Health is very imperfectly performed.

Taking these four diseases as those including most of the deaths due to preventable disease, excluding tuberculosis, we find that the deaths returned month by month by the Division Registrars were 1,061 cases in a population-return of about 90 per cent. of the total. Roughly, therefore, it may be said that 1,200 deaths occurred in Ontario from this class of diseases. That it is a creditable showing may be gathered from the following table, although several of the Ontario cities are high in the comparative list for cities:

Table Shewing the Number of Cases and Deaths in Different Countries and Cities from Smallpox, Scarlet Fever, Diphtheria and Typhoid.

Population.	Smallpox.		Scarlet Fever.		Diphtheria.		Typhoid.		Rate per 1,000.	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.		
Ontario (1902).....	2,182,942	2,797	12	3,452	290	2,696	408	1,542	242 0.43	
England and Wales (1900).....	32,526,675	85	...	3,844	...	10,187	...	5,591	0.603	
Scotland (1900).....	4,472,000	523	53	654	...	771	...	644	0.47	
New Jersey (1901).....	1,925,781	225	32	2,496	155	3,444	834	944	375 0.72	
Ohio (1901).....	2,760,656	811	...	1,143	
Massachusetts (1900).....	2,805,346	104	2	6,396	358	12,641	1,387	2,967	533 0.80	
Illinois.....	4,821,550	25	...	643	...	1,504	...	1,897	0.80	
London, Eng. (1901).....	4,544,983	1,710	229	18,381	584	12,158	1,268	3,194	497 0.50	
Liverpool (1901).....	656,332	37	6	3,310	195	...	209	864	154 0.82	
Birmingham (1901).....	523,284	3,314	156	533	85	615	111 0.67	
Dublin (1901).....	245,001	455	15	150	28	1,038	99 0.54	
Boston, Mass. (1901).....	573,579	504	74	1,398	210	3,319	353	714	142 1.30	
Baltimore (1901).....	518,000	21	...	367	11	1,607	164	705	141 0.60	
New York (1901).....	3,457,202	1,964	410	16,692	1,162	12,056	2,068	2,748	727 1.00	
Chicago (1901).....	1,758,025	...	4	1,773	165	2,237	495	...	509 0.60	
Detroit (1900).....	285,704	...	1	...	16	...	113	...	54 0.99	
Montreal (1901).....	267,516	242	99	...	139 1.80	
Toronto (1902).....	208,040	28	...	701	88	893	115	130	25 1.23	
Ottawa (1902).....	59,928	300	2	689	50	230	28	...	22 1.73	
Hamilton (1902).....	52,634	5	...	97	3	106	24	64	7 0.64	
Brantford (1902).....	16,619	2	...	87	...	72	12	43	4 0.96	
Guelph (1902).....	11,496	24	...	14	2	16	...	0.17

The table is an interesting one, illustrating, as it does, the high standard of health held by Ontario, as compared with other countries. Incidentally, it may be mentioned, that the rate in Ontario is lower than that for 1901, in which the total deaths were 1,547.

1902? *(Signature)* *(Signature)*