

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended January 5, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²				Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.													
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56														
					1957	1956	Median 1952-56																																
1	Chickenpox	956	829	949	956	927	1,339	-	-	2	2	8	4	21	51	25	134	130	182	699	419	511	1	12	46	..	28	..	24	99	209	105	1				
2	Diphtheria	2	-	3	2	4	4	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	2								
3	Dysentery: ⁴	19	-	11	19	11	13	-	-	1	-	-	-	-	-	-	-	-	2	..	1	1	-	2	-	-	-	-	-	-	13	-	3						
4	(a) Amoebic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary	19	-	11	19	11	12	-	-	1	-	-	-	-	-	-	-	-	2	..	1	1	-	2	-	-	-	-	-	-	13	-	3						
6	Encephalitis, infectious	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6							
7	Influenza, epidemic	52	152	61	52	89	61	32	65	-	17	83	22	2	-	-	1	1	1	-	3	2	-	-	-	-	7								
8	Measles	1,126	1,139	1,358	1,126	1,582	1,375	-	-	55	..	39	76	31	86	185	191	91	521	501	249	1	43	53	..	3	111	119	109	232	254	111	8			
9	Meningitis, meningococcal	2	7	4	2	4	4	2	1	-	1	-	2	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	9								
10	Mumps	621	613	664	621	811	664	-	-	1	5	7	6	90	19	10	86	78	64	228	204	310	-	18	14	..	7	..	4	212	287	132	10				
11	Poliomyelitis, epidemic: ⁴	2	3	12	2	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	11								
12	(a) With paralysis	2	2	5	2	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	12							
13	(b) Without paralysis	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13								
14	Rubella	250	168	151	250	460	158	-	-	-	-	6	1	4	24	23	5	33	35	27	1	-	-	..	5	41	15	8	145	89	10	14					
15	Scarlet fever, etc. ⁵	196	177	257	196	218	298	4	6	13	13	22	9	60	27	26	-	1	2	19	29	40	63	68	79	-	1	11	4	4	17	23	12	51	10	7	27		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16							
17	Tuberculosis: ⁴	118	114	131	118	116	170	6	1	4	1	-	2	5	4	3	1	5	10	41	64	40	15	16	17	-	9	12	5	7	4	18	-	8	26	8	22		
18	(a) Pulmonary	95	94	114	95	105	136	6	1	4	1	-	2	5	4	3	1	5	10	39	62	39	(6)	(6)	(6)	-	8	12	3	6	2	18	-	8	22	8	20		
19	(b) Non-pulmonary	8	4	4	8	3	4	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	2	1	-	-	-	-	-	4	-	2	19					
20	Typhoid and paratyphoid	8	2	5	8	6	5	1	-	-	-	-	-	-	-	-	-	6	-	5	1	(6)	(6)	-	1	-	-	-	-	-	1	-	-	20					
21	Undulant fever	2	4	1	2	5	1	-	-	-	-	-	-	-	-	-	-	4	1	1	-	-	-	-	-	-	1	-	-	-	21						
22	Venereal diseases:	284	176	250	284	259	286	6	6	5	1	2	1	7	2	12	-	1	7	83	28	70	37	37	39	-	15	18	14	14	51	40	44	85	26	28			
23	(a) Syphilis, primary	3	2	3	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	23								
24	(b) " secondary	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24								
25	(c) " other	26	21	34	26	20	38	-	-	-	-	-	-	-	-	-	-	1	1	19	8	9	6	5	5	-	-	1	2	1	5	3	-	2					
26	(d) Gonorrhoea	255	153	213	255	233	241	6	6	3	1	2	1	7	2	12	-	-	5	64	20	64	31	32	34	-	13	18	11	17	14	51	35	38	84	26	26		
27	(e) Other venereal diseases ⁷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27							
28	Whooping cough	67	69	133	67	133	133	-	-	1	-	1	2	-	-	-	-	4	-	1	17	39	28	28	13	51	-	5	4	1	3	4	17	3	12	4	5	9	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	20 (33)	Measles	6,650 (4,510)	Meningitis, other	32 (26)	Poliomyelitis, with paralysis	17 (58)	Smallpox	- (-)	Undulant fever	17 (16)
Encephalitis, infectious	19 (22)	Meningococcal infections	41 (43)	Polioymelitis, acute	29 (102)	Poliomyelitis, without paralysis	7 (30)	Typhoid fever	19 (12)		

Of the 20 cases of diphtheria, 4 each were in Florida and Texas, 3 in Georgia and 2 each in Louisiana and Montana.

The number of typhoid fever cases (19) for the current week was about the same as that (20) for the corresponding week of 1956. Of the 19 this week, 6 were in Louisiana and 5 were in Ohio.

EPIDEMIC REPORTS: Chickenpox - Nfld. reports epidemic at Musgravetown, B. R.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended January 12, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²			NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.							
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56											
					1957	1956	Median 1952-56																																
1	Chickenpox	1,087	1,001	1,438	2,088	2,297	3,068	-	-	3	-	2	6	110	66	54	...	3	172	134	201	582	699	688	30	1	38	...	29	...	30	193	99	191	1				
2	Diphtheria	1	2	6	3	10	7	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	1	-	-	-	2	2	2					
3	Dysentery: ⁴	6	19	9	25	20	20	-	-	-	2	1	-	-	3	2	...	1	2	3	-	1	1	-	-	-	-	-	-	-	13	2	3						
4	(a) Amoebic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4						
5	(b) Bacillary	6	19	9	25	20	20	-	-	2	1	-	-	-	3	2	...	1	2	1	-	1	1	-	-	-	-	-	-	-	13	2	5						
6	Encephalitis, infectious	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6							
7	Influenza, epidemic	113	81	39	194	289	150	82	32	-	21	46	78	...	2	1	-	-	2	1	4	-	-	-	-	-	8	-	-	7							
8	Measles	1,830	1,129	1,625	2,959	3,217	3,213	-	-	14	...	42	74	79	108	10	240	185	197	529	521	453	51	1	38	...	29	-	111	90	936	232	272				
9	Meningitis, meningococcal	11	2	4	13	19	10	2	2	-	-	-	-	-	4	-	-	-	4	-	2	-	1	-	-	-	-	-	1	-	9								
10	Mumps	906	621	922	1,527	1,735	1,735	-	-	1	5	5	10	39	90	5	...	100	86	108	266	228	227	10	-	27	...	28	...	10	386	212	71	10					
11	Poliomyelitis, epidemic: ⁴	-	2	5	2	4	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	-	-	11						
12	(a) With paralysis	-	2	1	2	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	12							
13	(b) Without paralysis	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13								
14	Rubella	278	250	159	528	1,673	345	-	-	-	-	-	-	2	6	9	...	53	24	7	58	33	117	4	1	...	1	41	27	161	145	20	14						
15	Scarlet fever, etc. ⁵	318	207	334	525	514	631	1	4	3	9	13	10	220	71	31	-	3	26	19	57	47	63	70	2	-	10	4	4	5	-	23	27	9	10				
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16							
17	Tuberculosis: ⁴	75	118	165	193	281	297	8	6	11	1	1	1	-	5	2	6	1	15	19	41	45	10	15	25	4	-	2	5	2	-	18	19	27	26	26			
18	(a) Pulmonary	57	95	135	152	240	249	8	6	10	1	1	1	-	5	1	6	1	15	18	39	42	(6)	(6)	-	2	-	3	1	-	18	18	24	22	18				
19	(b) Non-pulmonary	8	8	8	16	11	12	-	-	-	-	-	-	-	-	-	-	-	1	2	3	(6)	(6)	4	-	-	2	1	-	1	3	4	3	19					
20	Typhoid and paratyphoid	2	9	5	11	12	10	1	1	-	-	-	-	1	-	-	-	1	6	5	-	1	-	-	-	-	-	-	-	-	-	20							
21	Undulant fever	-	2	1	2	6	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	21							
22	Venereal diseases:	289	284	416	573	634	706	4	6	15	1	1	-	21	7	10	7	-	6	64	83	105	39	37	60	18	-	38	23	14	33	-	51	53	112	85	86		
23	(a) Syphilis, primary	2	3	6	5	6	8	2	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	2	2	-	-	1	-	23						
24	(b) " secondary	-	-	1	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24								
25	(c) " other	35	26	40	61	35	85	-	-	1	-	-	-	-	1	2	-	1	13	19	13	2	6	14	2	-	4	1	1	-	1	12	-	4	25				
26	(d) Gonorrhoea	252	255	356	507	589	589	2	6	14	1	1	-	21	7	8	5	-	5	51	64	91	37	31	46	16	-	35	19	11	28	-	51	49	100	84	81		
27	(e) Other venereal diseases ⁷	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27							
28	Whooping cough	101	67	190	168	331	304	-	-	-	-	-	-	-	-	-	-	9	-	-	1	43	17	51	54	28	43	-	-	7	2	1	4	-	17	10	2	4	17
																																					28		

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (8) Report not received.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	25 (20)	Measles	10,475 (6,650)	Meningitis, other	23 (32)	Poliomyelitis, with paralysis	26 (17)	Smallpox	- (-)	Undulant fever	11 (17)
Encephalitis infectious	19 (19)	Meningococcal infections	53 (41)	Poliomyelitis, acute	47 (29)	Poliomyelitis, without paralysis	13 (7)	Typhoid fever	20 (19)		

During the past 4 weeks, 102 cases of diphtheria have been reported. This is about 25 cases for each week compared with approximately 60 during November and the first 2 weeks of December 1956 when an outbreak was occurring in Detroit. Of the 25 cases reported this week, 18 were in states of the East and West South Central Divisions. Single cases were reported in 7 other states, one of which was Wyoming where the disease is seldom reported. Only 7 cases were reported in that state for the entire year of 1956.

YUKON TERRITORY: Number of cases four weeks ended December 29, 1956: chickenpox, 14; rubella, 4; tuberculosis, pulmonary, 2; gonorrhoea, 4.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended January 19, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²				NFL.D.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.				
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³	1957	1956	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56					
1	Chickenpox	1,017	1,087	1,600	3,105	3,504	4,547	-	-	7	9	46	110	65	.	.	.	231	172	337	555	582	761	29	30	52	.	.	47	..	19	147	193	194	1		
2	Diphtheria	8	3	5	13	15	13	-	-	-	-	-	-	-	.	.	.	-	-	1	-	-	-	-	-	8	2	-	-	-	-	2					
3	Dysentery: ⁴	7	6	10	32	36	36	-	-	2	-	-	-	-	2	3	..	5	1	..	-	-	2	-	-	-	-	-	6	3	6	4	5	6			
4	(a) Amoebic	-	-	-	-	-	-	-	-	-	-	-	-	-	.	.	.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4			
5	(b) Bacillary	7	6	10	32	36	36	-	-	2	-	-	-	-	2	3	..	5	1	..	-	-	2	-	-	-	-	-	-	-	-	-	5				
6	Encephalitis, infectious	-	-	-	-	1	1	-	-	-	-	-	-	-	.	.	.	-	-	2	-	-	-	-	-	-	-	-	6					
7	Influenza, epidemic	74	113	131	268	420	294	-	-	16	1	..	50	82	18	24	21	56	..	1	383	240	296	445	529	668	101	51	59	..	25	173	129	60	506	936	142
8	Measles	1,678	1,969	1,590	4,776	4,807	4,807	-	-	16	1	..	28	69	74	103	..	1	140	100	191	316	366	489	16	10	34	..	19	..	10	263	386	162			
9	Meningitis, meningococcal	2	11	8	15	31	17	1	2	-	-	-	-	-	4	-	-	-	1	4	3	-	-	-	-	-	-	-	-	1	8	7					
10	Mumps	796	906	975	2,323	2,446	2,446	-	-	1	..	5	6	61	39	38	140	100	191	316	366	489	16	10	34	..	19	..	10	263	386	162			
11	Poliomyelitis, epidemic: ⁴	4	-	7	6	8	16	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	2	-	1						
12	(a) With paralysis	4	-	5	6	3	11	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	2	-	1	12						
13	(b) Without paralysis	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	13						
14	Rubella	349	421	186	1,020	2,557	509	-	-	3	..	9	4	9	.	..	16	53	8	53	58	104	3	4	1	..	1	148	141	20	120	161	21				
15	Scarlet fever, etc. ⁵	202	354	368	763	816	957	1	1	3	10	9	10	30	220	14	-	3	37	26	49	99	47	112	1	2	15	3	4	55	14	36	58	7	9	57	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16				
17	Tuberculosis: ⁴	191	105	188	414	483	483	6	8	7	-	1	1	1	-	1	21	6	13	70	19	75	17	10	19	7	4	6	1	-	5	45	30	21	23	27	28
18	(a) Pulmonary	158	83	161	336	409	393	6	8	7	-	1	-	1	-	1	17	6	13	67	18	74	(6)	(6)	(6)	7	-	4	1	-	5	37	26	20	22	24	28
19	(b) Non-pulmonary	16	12	9	36	16	22	-	-	-	-	-	-	-	-	-	1	4	-	3	1	1	(6)	(6)	(6)	-	4	1	-	1	8	4	-	1	3	4	
20	Typhoid and paratyphoid	5	2	9	16	29	16	-	1	-	-	-	-	-	-	-	-	1	1	6	1	-	1	-	-	-	-	-	-	1	3	-	20	21			
21	Undulant fever	5	1	3	8	8	6	-	-	-	-	-	-	-	-	-	-	3	..	1	2	1	-	-	-	-	-	-	-	-	-	-	-	1			
22	Venereal diseases:	366	367	348	1,017	949	1,054	2	4	7	-	1	-	5	21	15	1	7	5	39	64	84	52	39	84	31	18	29	32	23	24	69	78	48	135	112	62
23	(a) Syphilis, primary	3	2	4	8	11	12	-	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	2	-	-	23				
24	(b) " secondary	-	-	-	-	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24				
25	(c) " other	34	39	48	99	66	131	-	-	-	-	-	-	2	-	2	1	17	13	23	9	2	13	1	2	1	-	4	2	1	4	2	6	12	4		
26	(d) Gonorrhoea	328	326	276	909	865	865	2	2	7	-	1	-	5	21	10	1	5	4	22	51	52	43	37	65	29	16	28	32	19	22	67	74	48	127	100	56
27	(e) Other venereal diseases ⁷	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	55	43	64	42	54	41	12	-	10	1	2	10	20	17	9	9	2	13		
28	Whooping cough	139	118	199	324	501	503	-	-	-	-	1	-	-	11	-	1	55	43	64	42	54	41	12	-	10	1	2	10	20	17	9	9	2	13		

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.
(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses).

Diphtheria 24 (25); Measles 9,166 (10,475); Meningitis, other 29 (23); Poliomyelitis, with paralysis 32 (26); Smallpox - (-); Undulant fever 9 (11); Encephalitis infectious 17 (19); Meningococcal infections 53 (53); Poliomyelitis, acute 56 (47); Poliomyelitis, without paralysis 8 (13); Typhoid fever 15 (20);

During the past seven weeks, measles have shown a weekly increase while the current week shows a decrease from the previous week of 12.5 per cent. This week's total of 9,166 cases is still above the 5-year median of 7,370.

No significant changes were observed in other diseases for the current week.

EPIDEMIC REPORT: Mumps - Nfld. reports an epidemic at St-Lawrence.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended **January 26, 1957**, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²			Nfld.			P.E.I.			N.B.			Que.			Ont.			Man.			Sask.			Alta.			No.								
		Cumulative Total ³			Report Week			Previous Week			Report Week			Previous Week			Report Week			Previous Week			Report Week			Previous Week											
		1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56									
1	Chickenpox	1,025	1,017	1,347	4,136	4,349	5,927	-	-	5	3	9	11	72	46	62	184	231	322	622	555	698	29	29	48	32	27	115	147	220	1	
2	Diphtheria	6	8	5	19	20	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2						
3	Dysentery: ⁴	18	7	9	50	45	45	-	-	-	-	-	-	-	-	-	-	-	-	2	5	1	2	-	2	-	-	9	-	2	-	3	6				
4	(a) Amoebic	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4						
5	(b) Bacillary	17	7	9	49	45	45	-	-	-	-	-	-	-	-	-	-	-	2	..	1	5	1	2	-	-	9	-	2	-	3	6					
6	Encephalitis, infectious	1	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	6						
7	Influenza, epidemic	68	.84	241	346	902	535	36	50	24	32	34	55	1	-	-	-	-	3	-	1	-	2							
8	Measles	1,765	1,678	1,420	6,541	6,586	6,586	-	-	33	..	1	20	35	69	84	357	363	265	603	445	339	83	101	49	19	122	173	105	565	506	195
9	Meningitis, meningococcal	3	2	4	18	34	25	1	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	1	-	-	1	9			
10	Mumps	894	796	1,007	3,217	3,453	3,453	-	-	6	..	10	75	61	7	1	118	140	136	270	316	407	11	16	41	40	7	414	263	172	10
11	Poliomyelitis, epidemic: ⁴	2	4	4	8	9	18	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	1	1	-	2	-	11				
12	(a) With paralysis	-	4	3	6	3	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	12				
13	(b) Without paralysis	2	-	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	13				
14	Rubella	444	229	231	1,344	3,922	790	-	-	2	9	6	40	16	7	69	53	125	1	3	1	2	162	148	27	170	-	34		
15	Scarlet fever, etc. ⁵	194	195	400	950	1,145	1,353	1	1	5	15	10	4	13	30	19	-	4	56	37	68	80	99	98	1	1	15	-	3	34	12	14	66	16	-	32	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16				
17	Tuberculosis: ⁴	147	191	147	561	673	673	3	6	4	1	-	-	1	5	6	21	5	44	70	58	25	17	21	7	7	7	13	1	13	23	45	18	25			
18	(a) Pulmonary	110	158	113	446	574	557	2	6	4	1	-	-	1	5	5	17	5	42	67	53	(6)	(6)	7	7	7	9	1	11	22	37	15	22	16			
19	(b) Non-pulmonary	12	16	10	48	26	31	1	-	-	-	-	-	-	1	4	-	2	3	5	(6)	(6)	-	-	4	-	2	1	8	1	3	1	19				
20	Typhoid and paratyphoid	8	5	5	24	34	27	-	-	-	-	-	-	-	-	-	-	5	1	2	2	1	-	-	-	-	-	-	-	-	-	20					
21	Undulant fever	2	5	1	10	12	9	-	-	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	21				
22	Venereal diseases:	322	366	379	1,339	1,328	1,460	17	2	8	-	-	1	9	5	9	5	1	4	62	39	105	36	52	59	20	31	28	16	32	21	79	69	54	78	135	78
23	(a) Syphilis, primary	4	3	4	12	15	15	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	2	1	23						
24	(b) " secondary	-	-	2	-	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24						
25	(c) " other	36	34	54	135	115	196	1	-	1	-	-	1	2	2	1	20	17	28	6	9	16	-	1	1	-	-	1	2	1	3	4	6	4			
26	(d) Gonorrhoea	282	328	312	1,191	1,189	1,189	16	2	8	-	-	7	5	6	2	1	3	42	22	77	30	43	49	19	29	27	14	32	16	77	67	49	74	127	77	
27	(e) Other venereal diseases ⁷	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27					
28	Whooping cough	301	139	220	625	721	721	-	-	-	-	-	1	-	-	10	3	-	1	197	55	76	62	42	52	-	12	6	-	1	11	25	20	7	14	9	22

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	25 (24)	Measles	10,344 (9,166)	Meningitis, other	40 (29)	Poliomyelitis, with paralysis	34 (32)	Smallpox	- (-)	Undulant fever	10 (9)
Encephalitis, infectious	20 (17)	Meningococcal infections	48 (53)	Poliomyelitis, acute	53 (56)	Poliomyelitis, without paralysis	15 (8)	Typhoid fever	27 (15)		

Measles shows an increase of 12.9 per cent over last week's total of 9,166 cases. The weekly median for the same period is 8,837 cases.

EPIDEMIC REPORTS: Measles - Nfld. reports epidemic at Cape Broyle and Aquaforte.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended **February 2, 1957**, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²				Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.													
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56														
					1957	1956	Median 1952-56																																
1	Chickenpox	871	1,032	1,307	5,008	6,134	7,301	-	-	5	10	3	48	79	35	-	-	162	184	363	424	622	557	26	29	34	-	56	14	201	115	179	1						
2	Diphtheria	2	6	2	21	22	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	-	-	-	-	-	2									
3	Dysentery: ⁴	2	18	17	52	54	57	-	-	-	-	-	-	-	-	-	-	1	2	..	-	2	8	-	-	-	9	-	-	2	3	6	3						
4	(a) Amoebic	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	..	-	-	-	-	-	-	-	-	-	-	4								
5	(b) Bacillary	2	17	17	51	54	54	-	-	-	-	-	-	-	-	-	-	1	1	..	-	2	8	-	-	-	9	-	-	2	-	3	6	5					
6	Encephalitis, infectious	-	1	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	..	-	-	-	-	-	-	-	-	-	-	-	6								
7	Influenza, epidemic	.86	80	130	444	1,024	777	53	36	6	30	44	24	-	-	-	16	-	2	-	-	-	..	3	-	10	7							
8	Measles	1,872	1,765	1,651	8,413	8,303	8,281	-	-	10	13	58	35	102	1,406	357	292	541	603	378	166	83	62	..	20	-	122	86	701	565	314	8			
9	Meningitis, meningococcal	5	3	6	23	37	31	1	1	-	-	-	-	-	-	-	-	2	1	-	1	2	1	-	1	-	-	-	-	1	9								
10	Mumps	903	902	994	4,126	4,537	4,537	-	-	-	6	6	27	82	22	133	118	163	277	270	408	24	11	41	-	63	-	9	442	414	222	10				
11	Poliomyelitis, epidemic: ⁴	1	2	7	9	16	21	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	1	-	2	1	2							
12	(a) With paralysis	1	-	3	7	8	16	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	12							
13	(b) Without paralysis	-	2	2	2	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13								
14	Rubella	293	450	280	1,643	5,101	1,084	-	-	-	6	8	3	27	40	12	47	69	129	14	1	1	..	7	-	162	33	199	170	55	14				
15	Scarlet fever, etc. ⁵	248	198	415	1,202	1,487	1,763	6	1	2	20	15	7	9	17	10	-	-	2,108	56	92	71	80	69	9	1	19	3	-	13	-	12	54	22	16	56	15		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16							
17	Tuberculosis: ⁴	136	147	176	697	859	859	4	3	3	1	1	1	1	1	1	-	2	9	6	18	53	44	86	28	25	28	6	7	8	13	6	-	23	14	26	25	27	17
18	(a) Pulmonary	91	110	138	537	712	712	4	2	3	-	1	-	1	-	-	-	5	15	48	42	78	(6)	(6)	6	7	8	8	9	4	-	22	12	24	22	24	18		
19	(b) Non-pulmonary	17	12	12	65	36	46	-	1	-	1	-	-	-	-	-	-	9	1	-	5	2	4	(6)	(6)	-	-	4	-	-	1	1	2	3	1	19			
20	Typhoid and paratyphoid	3	6	10	30	50	42	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	1	-	-	-	-	-	-	-	-	20							
21	Undulant fever	-	2	4	10	18	9	-	-	-	-	-	-	-	-	-	-	..	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	266	322	379	1,605	1,690	1,778	7	17	9	1	-	2	15	9	17	4	5	4	75	62	81	37	36	61	17	20	28	22	16	22	-	79	65	88	78	74	22	
23	(a) Syphilis, primary	2	4	5	14	17	17	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	2	-	-	-	-	-	1	-	23				
24	" secondary	-	-	-	-	-	-	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24					
25	" other	27	36	58	162	155	244	-	1	3	-	-	-	-	-	-	1	3	1	2	1	11	20	19	6	6	16	1	-	1	2	-	2	1	6	4	5	25	
26	(b) Gonorrhoea	237	282	328	1,428	1,509	1,509	6	16	5	1	-	1	15	7	14	3	3	2	64	42	56	31	30	53	16	19	26	20	14	19	-	77	64	81	74	66	26	
27	" Other venereal diseases?	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	3	-	127	197	76	20	62	51	11	-	14	3	-	6	-	25	8	18	14	30	28	
28	Whooping cough	187	301	227	812	948	948	-	-	1	1	-	1	1	-	1	-	3	-	127	197	76	20	62	51	11	-	14	3	-	6	-	25	8	18	14	30	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. ... Not reportable. (8) Report not received.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 22 (- 25); Measles 11,475 (11,137); Meningitis, other 26 (- 40); Poliomyelitis, with paralysis 32 (- 25); Smallpox - (-); Undulant fever 17 (- 10); Encephalitis infectious 15 (- 20); Meningococcal infections 53 (- 48); Poliomyelitis, acute 53 (- 56); Poliomyelitis, without paralysis 16 (- 15); Typhoid fever 18 (- 27);

Of the 22 cases of diphtheria reported this week, 10 were in 4 South Atlantic States as follows: North Carolina, 6; Florida, 2; and Georgia and South Carolina, 1 each. Four other states reported 2 cases each: Pennsylvania, South Dakota, Oklahoma and Texas.

EPIDEMIC REPORTS: Mumps - Nfld. reports epidemic at Gambo, B.B.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended **February 9, 1957**, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²				Nfld. P.E.I. N.S. N.B. Que. Ont. Man. Sask. Alta. B.C.																															
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56															
					1957	1956	Median 1952-56																														
1	Chickenpox	1,110	571	1,279	6,118	7,413	8,646	4	14	10	6	28	48	52	337	162	379	492	424	586	59	26	36	25	..	22	130	201	170	1	
2	Diphtheria	1	2	1	22	25	19	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1		
3	Dysentery: ⁴	7	4	10	61	56	65	-	-	-	2	-	-	-	-	-	-	-	1	-	1	1	3	-	2	-	-	1	-	1	1	1	1	3	3		
4	(a) Amoebic	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4		
5	(b) Bacillary	7	4	10	60	56	61	-	-	-	2	-	-	-	-	-	-	-	1	-	1	1	3	-	2	-	-	1	-	1	1	1	1	2	5		
6	Encephalitis, infectious	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6				
7	Influenza, epidemic	45	86	97	489	1,121	938	39	53	24	-	30	56	1	-	-	-	12	1	-	3	-	-	2	-	5	3	1				
8	Measles	1,832	2,091	1,795	10,464	10,098	10,098	-	-	18	17	3	58	70	266	406	256	623	541	594	196	166	85	19	-	219	56	744	701	223	
9	Meningitis, meningococcal	9	5	9	32	39	29	3	1	-	-	-	1	-	2	2	1	-	1	-	3	-	3	-	1	-	-	-	-	-	9						
10	Mumps	926	903	876	5,054	5,413	5,413	1	4	..	8	19	27	29	1,161	133	164	359	277	381	21	24	39	18	..	2	362	442	184	16	
11	Poliomyelitis, epidemic: ⁴	3	2	3	13	17	24	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-	-	-	2	11				
12	(a) With paralysis	2	1	3	9	10	19	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	12				
13	(b) Without paralysis	-	1	2	3	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13					
14	Rubella	421	572	266	2,353	6,597	1,374	-	-	-	6	10	138	27	20	53	47	139	4	14	3	5	-	279	26	236	199	53	
15	Scarlet fever, etc. ⁵	177	277	441	1,408	1,828	2,157	2	6	9	15	20	7	25	9	7	-	-	2	42	108	84	70	71	126	2	9	20	2	3	20	-	29	51	19	22	59
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16				
17	Tuberculosis: ⁴	121	148	202	630	1,052	1,052	3	4	5	1	1	1	-	1	3	2	9	12	29	53	88	25	28	4	6	10	8	3	12	-	12	20	44	26	28	
18	(a) Pulmonary	88	110	159	644	871	871	8	4	4	1	-	1	-	1	3	2	9	12	26	48	84	(6)	(6)	4	6	10	8	-	10	20	41	24	25			
19	(b) Non-pulmonary	8	10	9	66	44	55	-	-	-	1	-	-	-	-	-	3	5	4	(6)	(6)	-	-	2	-	1	-	2	1	3	2	3	19				
20	Typhoid and paratyphoid	3	3	5	33	54	50	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	-	-	-	-	-	-	-	20						
21	Undulant fever	1	-	2	11	20	10	-	-	-	-	-	-	-	-	-	1	..	1	-	-	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	239	336	314	1,914	2,010	2,092	9	7	9	1	1	-	9	15	9	2	4	7	61	75	82	43	37	61	24	17	22	21	22	20	-	70	46	69	88	40
23	(a) Syphilis, primary	4	2	3	18	18	24	-	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	1	-	-	-	23						
24	(b) " secondary	-	-	2	11	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24						
25	(c) " other	36	27	51	198	206	291	-	-	1	-	-	-	9	15	7	1	3	15	11	16	7	6	10	4	1	2	-	2	2	1	9	6	3			
26	(d) Gonorrhoea	199	307	254	1,697	1,775	1,775	9	6	8	1	1	-	9	15	7	1	3	4	46	64	62	36	31	52	18	16	21	20	20	-	70	45	59	81	37	
27	(e) Other venereal diseases ⁷	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27					
28	Whooping cough	249	198	191	1,072	1,100	1,100	1	-	-	2	1	3	3	7	6	-	-	2	113	127	64	87	20	36	22	11	8	-	3	10	-	11	11	21	18	24

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (8) Report not received.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	16	(22)	Measles	13,017	(11,475)	Meningitis, other	32	(26)	Poliomyelitis, with paralysis	29	(32)	Smallpox	-	(-)	Undulant fever	13	(17)
Encephalitis infectious	18	(15)	Meningococcal infections	60	(53)	Poliomyelitis, acute	49	(53)	Poliomyelitis, without paralysis	13	(16)	Typhoid fever	21	(18)			

Of the 21 cases of typhoid fever reported this week, 9 were in the 3 Middle Atlantic States. Only one other state, North Carolina with 2 cases, reported more than 1 case.

The number of diphtheria cases (16) for the current week is about half the number (33) for the corresponding week of 1956. During the first 6 weeks of the year the cumulative total (132) is also about half the 253 cases for the corresponding period of 1956.

EPIDEMIC REPORTS: Chickenpox - Nfld. reports epidemic at Bloomfield B.B. and Nain, Labrador.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended February 16, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.										
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56										
					1957	1956	Median 1952-56																															
1	Chickenpox	1,104	1,131	1,326	7,243	8,715	9,514	3	3	14	12	63	49	62	206	337	340	658	492	543	28	59	35	40	23	141	180	166	1	
2	Diphtheria	10	1	2	32	27	20	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	-	-	1	-	-	-	3	-	-	-	2					
3	Dysentery: ⁴	9	7	6	70	62	68	-	-	-	-	2	-	-	-	-	-	-	2	-	-	5	3	4	-	-	1	-	1	2	4	3						
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4						
5	(b) Bacillary	9	7	6	69	62	64	-	-	-	2	-	-	-	-	-	-	-	2	-	-	5	3	4	-	-	1	-	-	-	1	4						
6	Encephalitis, infectious	-	-	-	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6								
7	Influenza, epidemic	70	67	99	585	1,326	1,244	23	39	21	47	21	48	-	1	8	-	1	2	-	-	-	5	23						
8	Measles	1,799	2,199	1,680	12,620	11,778	11,778	-	-	24	9	1	78	72	181	266	374	624	623	410	70	196	52	18	306	289	106	617	744	254		
9	Meningitis, meningococcal	8	12	4	43	47	46	2	3	-	-	-	-	1	-	2	1	-	-	1	-	3	1	-	-	1	3	..	2	-	-	9						
10	Mumps	789	947	901	5,264	6,299	6,299	1	..	4	7	17	40	9	94	161	129	342	359	401	25	21	49	26	1	281	362	140		
11	Poliomyelitis, epidemic: ⁴	1	5	3	16	20	26	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	1	2	1	-	-	1	11				
12	(a) With paralysis	1	3	3	11	13	21	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	1	-	-	1	12						
13	(b) Without paralysis	-	1	-	4	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13							
14	Rubella	432	638	345	2,992	3,068	1,719	-	-	7	8	21	49	138	14	52	53	128	3	4	1	192	199	13	129	236	71			
15	Scarlet fever, etc. ⁵	175	217	402	1,623	2,177	2,548	3	2	3	8	15	10	24	33	13	-	3	19	42	108	67	70	86	15	2	11	2	2	28	24	32	48	13	19	49		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	164	153	173	1,026	1,175	1,295	4	8	7	-	1	1	1	2	2	30	-	10	64	29	77	10	25	24	7	4	7	1	8	6	26	32	20	21	44	23	
18	(a) Pulmonary	140	119	141	815	968	1,025	4	8	7	-	1	1	1	2	2	27	-	10	60	26	72	(6)	(6)	(6)	6	4	4	1	1	6	5	23	31	15	18	41	22
19	(b) Non-pulmonary	14	9	9	81	51	71	-	-	-	-	-	-	-	-	-	3	-	-	4	3	2	(6)	(6)	(6)	1	-	-	2	1	3	1	2	3	4	19		
20	Typhoid and paratyphoid	7	3	7	40	60	56	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	-	1	1	-	-	-	-	-	-	1	2	1	20			
21	Undulant fever	1	1	1	12	24	13	-	-	-	-	-	-	-	-	-	-	-	1	1	..	-	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	336	307	342	2,318	2,306	2,434	10	9	8	-	1	-	3	9	12	2	2	3	85	61	71	43	43	67	13	24	27	18	21	28	70	68	42	87	69	61	
23	(a) Syphilis, primary	5	4	6	23	20	25	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	1	2	-	-	1	1	1	-	-	23					
24	(b) " secondary	2	-	3	2	10	10	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	24						
25	(c) " other	54	37	64	253	240	349	-	-	2	-	-	3	-	1	1	1	2	24	15	23	14	7	21	1	1	3	1	1	10	9	4	25					
26	(d) Gonorrhoea	274	266	264	2,038	2,036	2,036	10	9	8	-	1	-	4	9	6	1	1	1	59	46	54	28	36	46	11	18	26	16	20	20	70	67	42	75	59	56	
27	(e) Other venereal diseases ⁷	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27					
28	Whooping cough	123	268	182	1,214	1,233	1,233	-	1	-	1	2	2	-	3	5	-	1	62	113	83	41	87	44	1	22	5	2	-	3	3	19	16	8	21	19	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	- (16)	Measles	- (13,017)	Meningitis, other	- (32)	Poliomyelitis, with paralysis	- (29)	Smallpox	- (-)	Undulant fever	- (13)
Encephalitis infectious	- (18)	Meningococcal infections	- (60)	Poliomyelitis, acute	- (49)	Poliomyelitis, without paralysis	- (13)	Typhoid fever	- (21)		

Report for current week not received.

BUREAU FÉDÉRAL DE LA STATISTIQUE

DIVISION DE LA SANTÉ ET DU BIEN-ÊTRE

Sommaire des cas de maladies à déclaration obligatoire au Canada tels qu'ils sont soumis par les départements provinciaux de la Santé,
semaine terminée le **23 février** 1957 en regard de la semaine précédente¹ et la médiane de 5 ans (1952-56)

N°	MALADIE	CANADA ²						T.-N.	I.P.-É.	N.-É.	N.-B.	QUÉ.	ONT.	MAN.	SASK.	ALB.	C.-B.	N°													
		Semaine du rapport	Semaine précédente	Médiane 1952-56	Total cumulatif ³																										
					1957	1956	Médiane 1952-56																								
1	Varicelle	1,121	1,106	1,222	8,366	9,914	10,643	226	206	302	646	658	19	28	47	12	187									
2	Diphthérie	2	10	1	34	26	26	-	-	-	-	-	2	1	-	-	-	-	-	4	-										
3	Dysenterie: ⁴	12	9	13	82	76	80	1	1	1	1	1	1	2	3	1	5	2	1	1	4										
4	a) Amibienne	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4										
5	b) Bacillaire	12	9	13	81	76	76	-	-	-	-	-	1	2	3	1	5	2	-	2	1										
6	Encéphalite infectieuse	-	-	1	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	6										
7	Grippe épidémique	99	70	144	684	1,470	1,478	30	23	39	67	47	51	...	1	4	2	...	3										
8	Rougeole	1,625	1,799	1,941	14,255	13,725	13,725	-	7	3	3	8	1	80	...	266	181	414	560	624	536										
9	Méningite méningococcique	2	8	6	45	56	51	1	2	-	-	-	-	1	2	1	-	2	1	1	2										
10	Oreillons	831	791	1,131	6,697	7,401	7,401	2	6	17	49	13	...	156	94	226	312	342	619										
11	Poliomyélite épidémique: ⁴	1	1	6	17	27	30	-	-	-	-	-	-	1	-	1	-	1	42	7	323										
12	a) Avec paralysie	(6)	1	2	11	18	24	-	-	-	-	-	-	(6)	-	1	-	1	1	-	12										
13	b) Sans paralysie	(6)	-	2	4	9	6	-	-	-	-	-	-	(6)	-	-	-	-	-	1	13										
14	Rubéole	247	432	340	3,239	9,596	2,059	-	-	-	-	-	7	2	...	38	49	35	41	52	136	2									
15	Scarlatine, etc. ⁵	311	189	432	1,948	2,519	2,986	3	3	2	9	8	9	112	38	19	-	7	99	19	62	65									
16	Variole	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16										
17	Tuberculose: ⁴	157	164	160	1,183	1,339	1,475	14	4	4	-	-	1	1	2	5	30	11	59	64	72	28									
18	a) Pulmonaire	122	140	134	937	1,093	1,198	14	4	3	-	-	1	1	2	4	27	10	59	60	70	(6)									
19	b) Non pulmonaire	7	14	9	88	56	80	-	-	-	-	-	-	1	3	-	-	4	2	5	1	19									
20	Typhoïde et paratyphoïde	6	7	4	46	64	61	-	-	1	-	-	-	1	-	-	2	2	1	3	-										
21	Fiebre ondulante	1	1	3	13	28	15	-	-	-	-	-	-	-	-	-	2	2	1	-	1										
22	Maladies vénériennes:	288	336	317	2,606	2,594	2,789	7	10	8	-	-	1	13	8	11	1	2	4	99	85	82									
23	a) Syphilis, primaire	2	5	1	25	21	27	-	-	-	-	-	-	-	-	2	1	-	1	-	2										
24	b) " secondaire	2	2	1	4	11	12	-	-	-	-	-	1	3	3	-	-	-	-	1	1										
25	c) " autre	57	54	54	310	266	409	-	-	1	-	-	1	3	3	-	47	24	22	6	14										
26	d) Blennorragie	227	274	273	2,265	2,296	2,321	7	10	7	-	-	12	4	10	1	1	3	52	59	54	43									
27	e) Autres maladies vénériennes?	-	1	-	2	-	2	-	-	-	-	-	-	-	-	-	86	62	57	37	41										
28	Conguitache	144	123	143	1,358	1,376	1,376	1	-	1	-	1	4	-	-	7	-	1	1	1	8										

(1) Chiffres rectifiés pour tenir compte des rapports tardifs. (2) Sauf les Territoires du Nord-Ouest et du Yukon. (3) Total accumulé jusqu'à la fin de la semaine observée depuis la première semaine terminée en janvier de l'année indiquée. (4) Comprend des cas où la forme n'est pas spécifiée. (5) Les cas de fièvre scarlatine comprennent les angines à streptocoques; les angines à streptococciques ne sont pas à déclarer au Nouveau-Brunswick ni au Québec. (6) Forme non spécifiée. (7) Comprend le chancroïde, le granulome lymphogranulomateux vénérien... à déclaration non obligatoire. (8) Ramon non reçu.

⁴ LA SITUATION AUX ÉTATS-UNIS (Source: "MORBIDITY AND MORTALITY WEEKLY REPORT", U.S. National Office of Vital Statistics): Nombre de cas déclarés pour la semaine courante (semaine précédente entre parenthèses).

Diphthérie 15 (16); Rougeole 14,919 (14,087); Méningite, autre 38 (26); Poliomyalgie, avec paralysie 18 (22); Variole - (-); Fièvre ondulante 13 (20); Encéphalite infectieuse 13 (19); Infections à méningocoques 53 (77); Poliomyalgie aiguë 34 (45); Poliomyalgie sans paralysie 13 (13); Typhoïde 10 (32);

L'incidence de certaines maladies a diminué sensiblement au cours des huit premières semaines de l'année au regard de la même période en 1956. Ces maladies sont la diphthérie, les infections méningocoques et la poliomérite. Des diminutions moindres se sont produites dans l'incidence de la fièvre typhoïde. L'incidence de la rougeole a augmenté mais relativement peu, soit 13 p.100. En ce qui concerne les Etats séparément, il y a eu fluctuation considérable dans le nombre de cas signalés cette année en comparaison de la même période en 1956.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended **March 2, 1957**, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²			NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.							
		Cumulative Total ³			Report Week			Previous Week			Report Week			Previous Week			Report Week			Previous Week			Report Week			Previous Week													
		Report Week	Previous Week	Median 1952-56	1957	1956	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	No.								
1	Chickenpox	1,319	1,137	1,234	9,703	11,148	11,720	5	..	6	26	59	53	1	368	226	224	706	646	613	22	19	34	52	14	197	187	187	1		
2	Diphtheria	4	2	2	38	29	29	-	-	-	-	-	-	-	-	-	-	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2					
3	Dysentery: ⁴	5	12	14	87	88	88	-	-	-	7	-	-	-	-	-	-	1	1	1	1	1	1	1	-	-	-	-	-	-	-	-	3						
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary	5	12	14	86	88	88	-	-	-	7	-	-	-	-	-	-	1	1	3	..	1	1	1	-	-	-	-	-	-	-	-	6						
6	Encephalitis, infectious	-	-	-	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6							
7	Influenza, epidemic	61	106	327	752	2,563	1,895	29	30	22	27	74	87	-	-	5	4	2	2	-	-	2	1	-	42					
8	Measles	1,730	2,007	1,903	16,466	15,609	15,609	-	-	5	..	3	13	46	93	65	286	266	297	401	560	592	180	123	61	10	331	297	147	486	665	178			
9	Meningitis, meningococcal	10	2	8	55	62	57	6	1	-	-	-	-	-	-	-	-	2	1	1	-	1	2	-	-	1	-	-	1	-	2	9					
10	Mumps	768	850	997	7,492	8,305	8,305	1	2	7	13	36	37	163	156	220	268	312	464	43	21	41	63	2	280	323	213	10		
11	Poliomyelitis, epidemic: ⁴	2	1	4	20	27	32	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	11						
12	(a) With paralysis	1	-	3	13	18	25	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	12						
13	(b) Without paralysis	1	-	1	5	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13							
14	Rubella	855	672	291	4,519	11,668	2,350	-	16	16	8	102	38	18	72	41	171	11	2	1	1	458	409	29	196	166	25					
15	Scarlet fever, etc. ⁵	226	331	454	2,210	2,921	3,479	2	3	2	13	9	7	72	113	27	-	-	6	38	99	92	58	65	88	2	8	10	1	2	21	15	19	55	25	13	53		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	208	164	202	1,398	1,541	1,654	1	14	15	1	-	1	2	12	5	11	109	59	88	16	28	26	9	14	12	12	1	5	25	7	13	23	35	20				
18	(a) Pulmonary	186	129	167	1,130	1,259	1,346	1	14	13	1	-	1	2	12	4	11	107	59	85	(6)	(6)	9	9	12	11	-	3	25	7	13	20	35	17					
19	(b) Non-pulmonary	6	7	10	94	66	86	-	-	-	-	-	-	-	-	-	1	-	2	-	3	(6)	(6)	-	5	-	1	1	-	-	3	-	3						
20	Typhoid and paratyphoid	5	6	8	51	71	71	-	-	-	1	-	-	-	-	1	-	1	2	4	-	1	1	-	-	-	-	1	-	3	1	-	20						
21	Undulant fever	1	1	2	14	29	20	-	-	-	-	-	-	-	-	-	..	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	21						
22	Venereal diseases:	302	331	365	2,951	2,959	3,198	15	7	8	-	-	1	4	13	12	1	1	70	99	105	31	49	70	17	17	35	11	21	18	65	43	55	88	81	51			
23	(a) Syphilis, primary	5	2	4	30	25	29	1	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	1	-	1	2	-	23						
24	(b) " secondary	2	2	2	6	11	14	-	-	-	-	-	-	-	-	-	-	28	47	1	6	6	13	-	1	-	1	1	-	1	1	-	1	1	-	24			
25	(c) " other	43	59	56	355	322	471	2	-	2	-	-	1	4	-	-	-	25	43	49	16	16	31	9	20	15	62	41	55	82	76	47	25						
26	(d) Gonorrhoea	252	268	305	2,558	2,601	2,601	12	7	6	-	-	1	4	12	6	1	1	41	52	83	25	43	49	16	16	31	9	20	15	62	41	55	82	76	47			
27	(e) Other venereal diseases ⁷	-	-	-	2	-	3	-	-	-	-	-	-	-	-	-	-	1	126	86	40	30	37	26	15	1	8	3	4	10	12	8	14	18	15	18			
28	Whooping cough	204	152	172	1,570	1,573	1,573	-	1	-	-	-	1	-	-	-	-	8	-	-	1	126	86	40	30	37	26	15	1	8	3	4	10	12	8	14	18	15	18

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. ... Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	23 (15)	Measles	16,648 (14,919)	Meningitis, other	51 (38)	Poliomyelitis, with paralysis	14 (18)	Smallpox	- (-)	Undulant fever	20 (13)
Encephalitis infectious	27 (13)	Meningococcal infections	54 (53)	Poliomyelitis, acute	37 (34)	Poliomyelitis, without paralysis	14 (13)	Typhoid fever	27 (10)		

The number of reported cases of measles showed an increase of 11.6 per cent over the previous week's total of 14,919. The Pacific States showed the largest increase (38.8 per cent) over the previous week's total of 2,924.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended March 9, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	CANADA ²						Nfld.			P.E.I.			N.S.			Que.			Ont.			Man.			Sask.			Alta.			No.								
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56												
					1957	1956	Median 1952-56																																	
1	Chickenpox	1,243	1,319	1,109	10,946	12,259	12,853	3	1	312	368	252	678	706	553	22	22	31	37	24	194	197	159	1						
2	Diphtheria	4	4	4	42	33	33	-	-	-	-	-	-	-	1	3	1	2	1	1	-	-	-	-	-	-	-	-	-	-	-	2								
3	Dysentery: ⁴	25	5	18	112	101	101	-	-	-	2	-	-	-	1	-	1	1	..	1	1	7	-	-	-	5	-	1	-	-	16	2	5	3						
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary	25	5	18	111	101	101	-	-	-	2	-	-	-	1	-	1	1	..	1	1	7	-	-	-	5	-	1	-	-	16	2	5	5						
6	Encephalitis, infectious	-	-	-	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6								
7	Influenza, epidemic	79	89	648	859	3,430	2,543	23	29	27	52	55	92	74	1	4	2	-	-	-	3	1	73	7					
8	Measles	1,981	1,732	1,697	18,449	17,306	17,306	-	-	16	3	..	11	31	48	103	1	246	286	390	503	401	734	69	180	39	16	587	331	130	542	486	132	8		
9	Meningitis, meningococcal	8	10	5	63	67	65	1	6	-	-	-	-	-	-	1	2	-	1	2	1	1	-	-	-	1	-	-	2	1	-	9								
10	Mumps	879	769	881	8,372	9,125	9,125	1	..	1	3	21	14	28	184	163	236	262	268	417	17	43	35	12	295	280	195	10					
11	Poliomyelitis, epidemic: ⁴	-	2	5	20	32	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	11							
12	(a) With paralysis	-	1	2	13	21	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	12						
13	(b) Without paralysis	-	1	2	5	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	13						
14	Rubella	878	855	347	5,397	13,862	2,697	-	-	-	1	16	13	37	102	16	75	72	106	3	11	2	4	554	458	12	208	196	15	14			
15	Scarlet fever, etc. ⁵	252	326	555	2,562	3,323	3,904	2	2	2	11	13	7	28	172	27	-	-	3	45	38	126	88	58	115	6	2	14	4	1	21	50	15	72	18	25	74	15		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16					
17	Tuberculosis: ⁴	164	209	195	1,563	1,732	1,925	6	1	6	-	1	1	1	2	21	12	8	47	109	73	22	16	24	14	9	14	-	12	7	14	25	19	39	23	23	17			
18	(a) Pulmonary	132	187	161	1,263	1,407	1,557	6	1	6	-	1	1	1	2	19	12	8	46	107	71	(6)	(6)	13	9	13	-	11	6	12	25	18	35	20	21	18				
19	(b) Non-pulmonary	10	6	10	104	89	99	-	-	-	-	-	1	-	-	2	-	-	1	2	2	(6)	(6)	1	-	-	1	1	2	-	4	3	4	19						
20	Typhoid and paratyphoid	5	5	5	56	73	73	-	-	-	-	-	-	-	-	-	-	-	4	1	3	1	-	-	-	-	-	-	1	-	-	3	-	20						
21	Undulant fever	3	1	5	17	30	21	-	-	-	-	-	-	-	-	-	-	2	..	3	1	1	-	-	-	-	-	-	-	-	-	-	-	21						
22	Venereal diseases:	318	302	334	3,269	3,243	3,496	4	15	9	-	-	-	-	-	24	4	16	1	1	5	55	70	86	67	31	67	23	17	22	17	11	19	64	65	50	63	88	56	22
23	(a) Syphilis, primary	4	5	3	34	28	32	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	1	1	-	-	-	-	-	23						
24	(b) " secondary	1	2	2	7	12	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	24							
25	(c) " other	47	43	60	402	353	570	-	2	1	-	-	2	-	-	2	16	28	22	16	6	20	-	-	2	3	2	2	5	1	3	5	4	8	25					
26	(d) Gonorrhoea	266	252	249	2,824	2,850	2,850	4	12	9	-	-	-	-	-	22	4	12	1	1	3	39	41	58	51	25	43	23	16	20	12	9	18	57	62	44	57	82	48	26
27	(e) Other venereal diseases ⁷	-	-	1	2	-	4	-	-	-	-	-	-	-	-	1	-	-	61	126	49	23	30	37	3	15	4	3	3	7	7	7	12	15	12	18	19	28		
28	Whooping cough	109	204	140	1,679	1,713	1,713	-	-	-	-	-	1	-	-	9	-	-	1	61	126	49	23	30	37	3	15	4	3	3	7	7	7	12	15	12	18	19	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.
(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	13 (23)	Measles	18,544 (16,648)	Meningitis, other	32 (51)	Poliomyelitis, with paralysis	15 (14)	Smallpox	- (-)	Undulant fever	12 (20)
Encephalitis, infectious	21 (27)	Meningococcal infections	65 (54)	Poliomyelitis, acute	30 (37)	Poliomyelitis, without paralysis	12 (14)	Typhoid fever	16 (27)		

The number of reported cases of measles for the country as a whole exceeds that of 1956 by less than 10 per cent. Although the peak incidence of measles usually occurs sometime in April, indications are that the peak has been reached in a number of states. The Hawaii Department of Health has reported the highest incidence in the Territory for January since 1952, when 3,441 cases were reported during the first month. The number for January 1957, was 1,887. Since the first week in January, when 456 cases (319 in Oahu) were reported, there has been a decrease in incidence. For the current week 291 cases were reported in Hawaii.

EPIDEMIC REPORTS: Lumps - Nfld. reports epidemic at Woodfords, C.B.

Yukon Territory: Number of cases four weeks ended January 26: chickenpox, 11; measles, 2; mumps, 1; rubella, 30; tuberculosis, pulmonary, 1; gonorrhoea, 4.

Number of cases four weeks ended February 23: chickenpox, 4; measles, meningococcal, 12; poliomyelitis, without paralysis, 1; rubella, 3; scarlet fever, 1; gonorrhoea, 10.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended March 16, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²				NFL.D.			P.E.I.			N.S.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.							
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56								
					1957	1956	Median 1952-56																														
1	Chickenpox	1,110	1,243	1,188	12,056	13,396	13,829	3	2	...	5	71	37	33	...	1	246	312	257	631	678	579	32	22	33	...	27	...	23	128	194	186	1		
2	Diphtheria	6	4	8	48	41	38	-	-	1	1	-	1	-	-	-	-	1	1	1	1	4	-	2	1	1	-	1	-	1	1	1	1	2			
3	Dysentery: ⁴	9	25	12	121	108	108	-	-	-	6	2	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	3				
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4					
5	(b) Bacillary	9	25	12	120	108	108	-	-	6	2	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	5				
6	Encephalitis, infectious	-	-	-	1	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6					
7	Influenza, epidemic	87	79	477	947	4,960	2,020	29	23	36	56	52	63	2	-	26	-	1	2	-	-	-	3	61					
8	Measles	1,582	1,981	1,781	20,021	18,629	18,629	-	-	9	3	4	79	31	46	1	313	246	257	547	503	532	167	69	58	...	4	-	587	157	476	542	103		
9	Meningitis, meningococcal	5	8	7	58	74	72	3	1	-	-	-	-	-	-	1	-	1	1	1	-	2	2	-	-	-	1	-	...	1	2	1	9				
10	Mumps	922	879	1,171	9,294	10,264	10,264	6	46	21	54	1	149	184	218	327	362	603	32	17	32	...	39	368	295	221	10		
11	Poliomyelitis, epidemic: ⁴	1	-	3	21	34	36	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	11					
12	(a) With paralysis	-	-	2	13	23	28	-	-	-	-	-	-	-	-	-	-	(6)	-	-	-	1	-	-	-	-	-	-	-	-	-	12					
13	(b) Without paralysis	-	-	1	5	11	11	-	-	-	-	-	-	-	-	-	-	(6)	-	-	-	-	-	-	-	-	-	-	-	-	-	13					
14	Rubella	307	878	431	5,704	16,016	3,055	-	-	-	-	-	19	1	16	33	37	47	50	75	181	4	3	1	...	2	-	554	29	201	208	15			
15	Scarlet fever, etc. ⁵	211	252	415	2,773	3,738	4,343	-	2	1	4	11	7	73	28	23	1	-	19	40	45	104	75	88	101	2	6	7	-	4	21	-	50	68	16	18	77
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16					
17	Tuberculosis: ⁴	118	164	178	1,681	1,881	2,052	4	6	5	-	-	1	1	1	6	1	21	8	53	47	57	25	22	20	9	14	10	-	16	-	14	22	25	39	17	
18	(a) Pulmonary	87	132	152	1,350	1,524	1,647	4	6	5	-	-	1	1	6	1	19	8	50	46	56	(6)	(6)	(6)	9	13	10	-	-	7	-	12	19	22	35	18	
19	(b) Non-pulmonary	6	10	9	110	97	117	-	-	-	-	-	-	-	-	-	2	-	3	1	1	(6)	(6)	(6)	-	1	-	2	1	3	4	5	19				
20	Typhoid and paratyphoid	5	5	4	61	76	76	-	-	-	-	-	-	-	-	-	-	2	4	2	3	1	1	-	-	-	-	-	-	-	-	20					
21	Undulant fever	2	3	1	19	34	23	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	291	318	340	3,560	3,522	3,795	14	4	11	-	-	1	13	24	12	4	1	9	75	55	96	28	67	56	30	23	21	28	17	23	-	64	51	99	63	22
23	(a) Syphilis, primary	3	4	3	37	29	34	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	1	-	2	1	-	23			
24	(b) " secondary	2	1	1	9	12	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	-	-	24					
25	(c) " other	34	47	54	436	385	573	2	-	2	-	-	2	2	2	-	3	16	16	21	3	16	14	2	-	2	1	3	2	5	2	8	5	2	25		
26	Gonorrhoea	252	266	280	3,076	3,096	3,096	12	4	9	-	-	1	10	22	9	4	1	7	59	39	66	25	51	37	26	23	18	27	12	19	-	57	48	89	57	55
27	(e) Other venereal diseases ⁷	-	-	1	2	-	5	-	-	3	-	1	-	-	1	-	-	79	61	77	113	23	24	2	3	7	-	3	2	-	7	16	10	12	21	27	
28	Whooping cough	207	109	157	1,886	1,870	1,870	-	-	3	-	1	-	-	1	-	-	79	61	77	113	23	24	2	3	7	-	3	2	-	7	16	10	12	21	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. .. Not reportable. (8) Report not received.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	22 (13)	Measles	18,186 (18,544)	Meningitis, other	41 (32)	Poliomyelitis, with paralysis	20 (15)	Smallpox	- (-)	Undulant fever	22 (12)
Encephalitis infectious	23 (21)	Meningococcal infections	46 (65)	Poliomyelitis, acute	34 (30)	Poliomyelitis, without paralysis	7 (12)	Typhoid fever	15 (16)		

The number of reported cases of measles (18,186) showed a decrease from the previous week's total of 18,544. The median for the same period is 22,467 cases.

EPIDEMIC REPORTS: Mumps - Nfld. reports an epidemic at Happy Valley, Goose Bay Area.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended March 23, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	CANADA ²				NFL.D.				P.E.I.				N.S.				N.B.				QUE.				ONT.				MAN.				SASK.				ALTA.				B.C.			
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56							
					1957	1956	Median 1952-56																															No.							
1	Chickenpox	1,257	1,110	1,031	13,313	14,424	14,924	2	..	2	..	6	28	71	17	1	207	246	258	781	631	503	47	32	26	21	..	6	194	128	172	1							
2	Diphtheria	2	7	2	51	42	42	-	-	1	-	6	-	1	-	-	1	-	1	1	7	1	4	1	1	15	2	7	3												
3	Dysentery: ⁴	22	9	10	143	112	114	-	-	1	-	6	-	1	-	-	1	-	1	1	7	1	4	1	1	1	1	1	1	4											
4	(a) Amoebic	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-								
5	(b) Bacillary	22	9	10	142	112	114	-	-	1	-	6	-	1	-	-	1	-	1	1	7	-	4	1	1	1	1	1	1	5											
6	Encephalitis, infectious	1	-	-	2	4	5	-	-	1	-	1	-	1	-	-	1	-	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	6									
7	Influenza, epidemic	123	87	230	4,070	5,091	3,304	27	29	62	70	56	107	2	16	26	-	1	-	-	-	-	-	-	-	-	15	7										
8	Measles	2,102	2,259	1,886	22,810	19,958	20,065	-	-	9	..	5	29	79	42	237	313	326	621	547	621	103	167	100	51	579	677	133	476	184	8									
9	Meningitis, meningococcal	4	5	8	73	76	78	-	3	2	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	9									
10	Mumps	934	922	941	10,229	11,190	11,190	1	..	4	26	46	39	253	149	241	363	327	381	21	32	37	25	18	271	368	219	10									
11	Poliomyelitis, epidemic: ⁴	1	1	2	22	36	47	-	-	1	-	1	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	11										
12	(a) With paralysis	(6)	(6)	2	13	24	35	-	-	1	-	1	-	-	-	-	-	(6)	(6)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	12									
13	(b) Without paralysis	(6)	(6)	1	5	12	12	-	-	1	-	1	-	-	-	-	-	(6)	(6)	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	13									
14	Rubella	963	728	397	7,088	18,525	3,417	-	-	1	..	1	19	10	32	33	29	60	50	169	4	4	1	2	653	421	10	213	201	21	14									
15	Scarlet fever, etc. ⁵	189	262	459	3,013	4,091	4,832	2	1	16	4	10	45	99	24	-	1	19	-	40	100	68	75	133	2	2	10	4	..	6	34	25	42	18	16	57	15								
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16											
17	Tuberculosis: ⁴	172	166	201	1,900	2,064	2,253	3	4	9	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	17										
18	(a) Pulmonary	127	128	165	1,527	1,662	1,810	3	4	8	-	-	1	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	18										
19	(b) Non-pulmonary	12	13	10	129	101	124	-	-	1	-	-	-	-	-	-	-	2	3	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	19									
20	Typhoid and paratyphoid	5	6	7	67	84	84	-	-	1	-	-	-	-	-	-	-	4	2	5	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	20									
21	Undulant fever	5	2	2	24	36	24	-	-	1	-	-	-	-	-	-	-	4	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	21									
22	Venereal diseases:	325	345	320	3,939	3,789	4,033	8	14	4	2	-	..	17	13	11	6	4	3	54	75	78	73	28	63	14	30	26	32	28	20	66	54	60	53	99	48	22							
23	(a) Syphilis, primary	2	3	2	39	31	37	-	-	1	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	23									
24	(b) " secondary	-	2	2	9	12	15	-	-	1	-	-	-	-	-	-	-	2	3	1	1	12	16	15	3	16	2	2	4	3	1	1	2	1	1	24									
25	(c) " other	41	34	55	477	409	618	-	2	-	-	-	-	-	14	10	3	6	4	3	12	59	56	53	25	41	12	26	21	27	27	19	64	54	59	49	89	44	25						
26	Gonorrhoea	282	306	256	3,412	3,337	3,337	8	12	4	2	-	..	14	10	3	5	2	1	-	65	79	76	51	113	18	-	2	3	-	2	20	16	15	13	10	11	27							
27	Other venereal diseases ⁷	-	-	-	2	-	5	-	1	-	3	5	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27								
28	Whooping cough	150	223	160	2,052	2,049	2,049	-	-	1	-	3	5	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28								

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	28	(22)	Measles	19,841	(18,186)	Meningitis, other	29	(41)	Poliomyelitis, with paralysis	14	(20)	Smallpox	-	(-)	Undulant fever	27	(22)
Encephalitis, infectious	24	(23)	Meningococcal infections	68	(46)	Poliomyelitis, acute	35	(34)	Poliomyelitis, without paralysis	13	(7)	Typhoid fever	22	(15)			

No significant changes were observed for the current week.

EPIDEMIC REPORTS: Influenza - Nfld. reports an epidemic at St. Joseph's and Salmonier.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended March 30, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.										
		Report Week		Previous Week		Median 1952-56		Cumulative Total ³						Report Week		Previous Week		Median 1952-56		Report Week		Previous Week		Median 1952-56		Report Week		Previous Week										
						1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	No.								
1	Chickenpox	1,275	1,269	1,083	14,600	15,115	16,200	4	2	..	3	67	40	31	1	201	207	106	677	701	524	28	47	24	36	13	220	194	162	1
2	Diphtheria	2	2	4	53	42	42	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	2						
3	Dysentery: ⁴	22	22	17	165	116	136	-	-	4	-	-	-	-	-	-	-	-	-	10	-	7	3	-	2	1	1	1	1	1	3					
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4					
5	(b) Bacillary	22	22	17	164	116	136	-	-	4	-	-	-	-	-	-	-	-	-	10	-	7	3	-	1	1	1	1	1	6						
6	Encephalitis, infectious	-	1	-	2	4	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	6						
7	Influenza, epidemic	146	124	399	1,217	5,490	3,955	76	27	63	53	70	69	3	1	20	6	26	8	1	2	..	6	..	12	7	
8	Measles	2,183	2,102	1,749	24,993	21,349	21,672	-	-	12	7	43	29	66	1,296	237	400	398	621	531	96	103	54	30	559	579	170	791	533	161	8
9	Meningitis, meningococcal	3	4	7	76	87	86	2	-	-	2	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-	1	9						
10	Mumps	917	934	975	11,145	11,906	11,906	14	51	26	22	1,190	1252	215	228	363	404	18	21	42	24	24	330	271	138	10
11	Poliomyelitis, epidemic: ⁴	-	1	7	22	41	51	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	-	-	11						
12	(a) With paralysis	-	(6)	3	13	27	36	-	-	-	-	-	-	-	-	-	-	-	-	(6)	-	-	-	-	-	-	-	-	-	-	-	12						
13	(b) Without paralysis	-	(6)	2	5	14	14	-	-	-	-	-	-	-	-	-	-	-	-	(6)	-	-	-	-	-	-	-	-	-	-	-	13						
14	Rubella	1,058	963	505	2,146	20,361	3,849	-	-	12	3	19	53	32	26	78	60	241	2	4	1	3,611	653	44	301	212	14	14		
15	Scarlet fever, etc. ⁵	243	189	432	3,256	4,422	5,272	-	2	3	15	16	9	51	45	12	2	-	10	36	-	76	102	65	92	2	4	9	1	4	34	23	34	64	11	18	70	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	182	172	169	2,082	2,191	2,472	2	3	5	-	-	2	1	1	3	14	10	14	65	64	61	39	22	23	7	9	10	2	19	5	33	11	14	19	32	39	17
18	(a) Pulmonary	139	137	136	1,666	1,769	2,003	2	3	5	-	-	2	1	-	3	13	8	14	64	62	58	(6)	(6)	7	8	10	2	16	4	31	10	14	19	30	36	18	
19	(b) Non-pulmonary	4	18	6	133	106	127	-	-	-	-	-	-	-	-	-	1	2	1	2	2	(6)	(6)	1	1	2	1	3	1	2	1	2	1	19				
20	Typhoid and paratyphoid	6	5	9	73	88	88	-	-	-	-	-	-	-	-	-	-	-	2	4	1	-	-	-	-	-	-	-	-	-	2	20						
21	Undulant fever	3	5	1	27	36	28	-	-	-	-	-	-	-	-	-	-	-	4	4	4	..	1	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	295	325	347	4,234	4,059	4,455	6	8	5	-	2	-	8	17	14	1	6	6	119	54	40	45	72	71	18	14	29	27	32	22	-	66	42	71	53	46	22
23	(a) Syphilis, primary	-	2	3	39	34	41	-	-	-	-	-	-	-	-	-	-	-	7	7	7	-	-	-	-	-	-	-	-	-	1	23						
24	(b) " secondary	1	-	-	10	12	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24							
25	(c) " other	69	41	46	546	449	662	1	-	-	-	-	-	-	3	2	-	-	3	54	12	14	7	15	15	7	2	4	3	1	-	25						
26	(d) Gonorrhoea	225	222	293	3,637	3,564	3,597	5	2	5	-	2	-	8	14	9	1	6	3	65	42	66	37	58	55	13	12	26	23	27	18	-	64	40	68	49	40	26
27	(e) Other venereal diseases?	-	-	-	4	-	5	-	-	-	-	-	-	-	-	-	-	-	7	-	1	-	62	(5)	71	26	27	3	-	4	-	-	-	27				
28	Whooping cough	130	150	203	2,182	2,270	2,270	-	-	-	-	-	-	-	-	-	-	-	7	-	1	-	62	(5)	71	26	51	27	3	-	4	-	-	21	28			

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.
(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	36	(28)	Measles	20,620	(19,241)	Meningitis, other	27	(29)	Poliomyelitis, with paralysis	11	(14)	Smallpox	-	(-	Undulant fever	26	(27)
Encephalitis infectious	25	(24)	Meningococcal infections	51	(62)	Poliomyelitis, acute	31	(35)	Poliomyelitis, without paralysis	17	(13)	Typhoid fever	19	(22)			

No significant changes were observed for the current week.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended April 6 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	CANADA ²				NFL.D.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.					
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56									
					1957	1956	Median 1952-56																															
1	Chickenpox	950	1,275	952	15,550	15,928	17,795	2	...	2	5	28	67	20	227	281	211	566	677	450	15	28	25	...	15	...	1	114	220	183	1		
2	Diphtheria	2	2	1	55	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2						
3	Dysentery: ⁴	4	22	13	169	125	138	-	-	-	4	-	-	-	-	-	-	-	2	10	...	-	-	1	1	-	-	-	-	-	-	3						
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary	4	22	12	168	125	137	-	-	4	-	-	-	-	-	-	-	2	10	...	-	-	1	1	-	-	-	-	-	-	5							
6	Encephalitis, infectious	1	-	1	3	6	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	6							
7	Influenza, epidemic	56	146	171	1,273	5,661	4,704	56	76	77	-	53	83	1	-	-	-	3	12	-	6	3	-	-	2	...	6	7						
8	Measles	1,878	2,183	1,408	26,871	22,553	23,347	-	-	5	...	8	12	43	40	3	245	296	425	393	398	529	93	96	35	...	13	643	559	77	492	791	144	8		
9	Meningitis, meningococcal	11	3	7	87	90	90	2	2	-	-	-	-	-	3	-	-	-	-	1	1	4	-	1	1	-	-	-	1	-	2	9				
10	Mumps	891	917	920	12,036	12,615	12,615	4	4	4	28	51	27	1	235	190	196	360	328	413	46	18	36	...	26	...	7	218	330	131	10		
11	Poliomyelitis, epidemic: ⁴	4	-	4	26	45	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	11						
12	(a) With paralysis	3	-	1	16	30	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12						
13	(b) Without paralysis	1	-	1	6	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13							
14	Rubella	983	1,058	408	9,129	22,997	4,257	-	-	-	-	12	8	...	65	53	36	77	78	200	2	3	-	...	1	627	611	15	212	301	26	14			
15	Scarlet fever, etc. ⁵	236	243	488	3,492	4,961	5,714	-	-	1	32	15	6	8	51	34	3	2	2	58	36	70	76	102	83	4	2	5	4	1	27	31	23	49	20	11	15	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	207	182	141	2,289	2,339	2,584	3	2	3	-	-	1	2	1	4	14	14	94	65	40	20	39	21	10	7	11	18	2	6	16	33	16	30	19	29	17	
18	(a) Pulmonary	177	139	114	1,843	1,883	2,082	3	2	2	-	-	2	1	4	13	13	14	92	64	40	(6)	(6)	(6)	9	7	9	15	2	5	15	31	13	28	19	21	18	
19	(b) Non-pulmonary	10	4	13	143	119	130	-	-	1	-	-	-	-	1	1	-	2	1	2	(6)	(6)	(6)	1	-	-	3	-	1	1	2	1	2	19				
20	Typhoid and paratyphoid	7	6	5	80	93	99	-	-	-	-	-	-	-	-	-	-	7	2	2	-	1	1	-	-	-	-	-	-	3	1	1	20					
21	Undulant fever	2	3	3	29	41	30	-	-	-	-	-	-	-	-	-	-	2	2	3	-	1	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	374	295	329	4,608	4,388	4,721	13	6	9	1	-	-	17	8	8	8	1	6	69	119	90	47	45	59	27	18	27	27	26	64	-	49	101	71	55	22	
23	(a) Syphilis, primary	2	-	3	41	36	43	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	23				
24	(b) " secondary	-	1	-	10	12	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24						
25	(c) " other	38	69	46	584	501	699	-	1	3	-	-	1	-	1	-	1	21	54	18	8	7	14	1	-	1	3	4	1	-	-	1	4	3	5	25		
26	(d) Gonorrhoea	334	225	268	3,971	3,839	3,839	13	5	6	1	-	-	16	8	8	8	1	4	48	65	62	39	37	44	26	18	27	24	23	24	64	-	45	95	68	49	26
27	(e) Other venereal diseases ⁷	-	-	-	-	2	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27					
28	Whooping cough	96	130	171	2,278	2,453	2,457	-	-	1	2	8	-	-	13	1	-	45	68	45	16	26	19	2	3	7	1	-	2	17	19	7	12	6	33	28		

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	14 (36)	Measles	20,674 (20,623)	Meningitis, other	37 (27)	Poliomyelitis, with paralysis	18 (11)	Smallpox	- (-)	Undulant fever	26 (26)
Encephalitis infectious	42 (25)	Meningococcal infections	51 (51)	Poliomyelitis, acute	33 (31)	Poliomyelitis, without paralysis	10 (17)	Typhoid fever	17 (19)		

No significant changes were observed for the current week.

Epidemic Reports: Measles - Nfld. reports an epidemic at Fortune, F.B.

Handling cases as a result of Spanish Flu
no new cases as yet. See separate table
for details see page 10 of this document

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended **April 13**, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						Nfld.			P.E.I.			N.S.			Que.			Ont.			Man.			Sask.			Alta.			No.						
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56										
					1957	1956	Median 1952-56																															
1	Chickenpox	895	983	873	16,478	16,776	18,209	3	7	39	61	34	122	227	191	596	566	421	13	15	17	13	..	125	114	149	1			
2	Diphtheria	1	2	1	56	43	43	-	-	-	-	-	4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	2	-	-	-	-	2				
3	Dysentery: ⁴	9	4	12	178	141	149	-	-	-	4	-	-	-	-	-	-	-	2	..	-	-	1	1	1	-	-	-	-	-	4	1	5	3				
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4					
5	(b) Bacillary	9	4	12	177	141	149	-	-	-	4	-	-	-	-	-	-	-	2	..	-	-	1	1	1	-	-	-	-	-	4	1	5	5				
6	Encephalitis, infectious	-	1	-	3	6	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6					
7	Influenza, epidemic	115	89	283	1,421	5,944	5,224	39	56	49	41	31	47	-	-	3	2	10	1	-	5	-	-	31	-	68	7				
8	Measles	1,020	1,913	1,481	27,926	23,630	24,836	-	-	12	..	10	23	47	35	2	183	245	381	292	393	536	121	93	20	10	-	643	46	401	492	158	8	
9	Meningitis, meningococcal	5	12	4	93	102	98	1	2	-	-	-	1	-	3	-	1	-	2	4	1	-	1	-	-	1	1	1	-	9						
10	Mumps	588	921	893	12,654	13,467	13,467	1	..	4	3	30	58	26	87	235	209	293	360	421	7	46	33	15	..	21	171	218	155	10		
11	Poliomyelitis, epidemic: ⁴	2	4	2	28	45	65	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	11					
12	(a) With paralysis	2	3	2	18	30	39	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	1	-	1	-	-	12					
13	(b) Without paralysis	-	1	-	6	15	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13						
14	Rubella	236	983	350	9,365	25,641	4,607	-	-	-	2	-	18	11	65	21	54	77	252	3	2	2	6	-	627	21	166	212	18	14		
15	Scarlet fever, etc. ⁵	168	260	437	3,684	5,253	6,049	1	-	1	12	32	7	25	32	6	1	3	15	18	58	74	66	76	84	3	4	8	27	4	23	-	31	41	15	20	51	15
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16					
17	Tuberculosis: ⁴	169	207	205	2,458	2,544	2,797	13	3	4	1	-	-	1	2	2	12	14	5	74	94	89	30	20	28	9	10	10	3	18	5	-	16	11	26	30	29	17
18	(a) Pulmonary	133	177	160	1,976	2,052	2,242	13	3	4	1	-	-	1	2	2	12	13	5	72	92	88	(6)	(6)	(6)	8	9	9	1	15	4	-	15	11	25	28	25	18
19	(b) Non-pulmonary	6	10	8	149	127	139	-	-	-	-	-	-	-	-	-	1	-	2	2	1	(6)	(6)	(6)	1	1	-	2	3	1	-	1	-	1	2	3	19	
20	Typhoid and paratyphoid	3	7	6	83	95	105	-	-	-	-	-	-	-	-	-	-	3	7	3	-	-	1	-	-	-	-	1	-	-	-	-	-	20				
21	Undulant fever	-	2	2	29	41	34	-	-	-	-	-	-	-	-	-	-	2	..	-	-	1	-	-	-	-	-	-	-	-	-	-	-	21				
22	Venereal diseases:	237	374	292	4,845	4,688	5,014	17	13	6	1	1	-	9	17	5	9	8	3	51	69	69	48	47	49	17	27	16	14	27	16	-	64	48	71	101	54	22
23	(a) Syphilis, primary	3	2	3	44	38	48	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	23		
24	(b) " secondary	-	1	2	11	14	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24				
25	(c) " other	35	37	47	618	553	728	4	-	1	-	-	-	1	1	1	2	-	1	16	21	20	3	7	12	1	1	1	3	2	-	2	7	4	3	25		
26	(d) Gonorrhoea	199	334	236	4,170	4,083	4,083	13	13	5	1	1	-	8	16	2	7	8	2	35	48	53	45	39	43	15	26	14	12	24	-	64	45	63	95	50	26	
27	(e) Other venereal diseases ⁷	-	-	-	2	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27				
28	Whooping cough	58	96	134	2,336	2,662	2,621	-	-	-	2	2	9	-	1	-	1	1	21	45	57	22	16	35	1	2	7	1	1	3	-	17	10	4	12	10	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum... Not reportable. (8) Report not received.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 22 (14); Measles 20,643 (20,674); Meningitis, other 32 (37); Poliomyelitis, with paralysis 17 (18); Smallpox - (-); Undulant fever 23 (26); Encephalitis infectious 26 (42); Meningococcal infections 72 (51); Poliomyelitis, acute 33 (33); Poliomyelitis, without paralysis 14 (10); Typhoid fever 16 (17);

During the first 15 weeks of this year a total of 290 cases of typhoid fever have been reported compared with 383 for the same period of 1956. This represents a 24 per cent reduction in the incidence from the previous year when several states experienced an unusual number of cases. Although many of the states have shown a decrease in incidence, 3 North Central States (Michigan, Minnesota and Wisconsin) have reported a marked reduction - from a total of 56 cases last year to only 9 for the current year. Several scattered states have reported increases.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week endedApril 20,1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²				N.F.L.D.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.					
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56										
					1957	1956	Median 1952-56																															
1	Chickenpox	1,004	895	876	17,482	17,661	18,900	29	39	20	160	122	178	644	596	401	43	13	15	128	125	189	1			
2	Diphtheria	-	1	3	56	43	44	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	2					
3	Dysentery: ⁴	23	9	17	201	158	171	-	-	-	-	4	-	-	-	-	-	-	-	-	14	5	-	3	1	-	4	-	4	9	3					
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4						
5	(b) Bacillary	23	9	17	200	158	171	-	-	-	4	-	-	-	-	-	-	-	-	14	5	-	3	1	-	4	-	4	9	5						
6	Encephalitis, infectious	2	-	-	5	6	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	6						
7	Influenza, epidemic	116	140	315	1,562	6,259	6,013	70	39	165	45	66	48	-	-	3	12	1	1	2	-	-	-	-	31	58	7					
8	Measles	1,504	1,525	1,489	29,935	24,923	26,456	-	-	6	20	23	44	181	183	319	481	292	569	56	121	29	490	505	58	276	401	179	8		
9	Meningitis, meningococcal	5	5	6	98	107	107	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	-	-	-	1	1	1	9						
10	Mumps	620	638	1,057	13,324	14,524	14,524	68	80	30	137	87	..	260	293	496	24	7	31	131	171	143	10		
11	Poliomyelitis, epidemic: ⁴	2	3	4	31	47	69	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	1	11				
12	(a) With paralysis	1	2	2	19	31	41	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	1	1	12				
13	(b) Without paralysis	1	1	1	8	16	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	13				
14	Rubella	691	660	352	10,480	28,570	4,883	-	-	-	2	14	25	11	32	63	54	139	-	3	1	311	424	24	292	166	35	14			
15	Scarlet fever, etc. ⁵	247	199	358	3,962	5,601	6,351	3	1	3	4	12	6	49	35	24	-	1	8	30	18	82	111	66	85	2	3	10	20	27	17	19	21	35	9	15	36	15
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16					
17	Tuberculosis: ⁴	195	201	213	2,685	2,818	3,010	4	13	9	1	1	-	2	2	4	4	-	11	87	74	88	19	30	32	5	9	15	12	3	4	15	43	23	46	26	22	
18	(a) Pulmonary	159	162	175	2,164	2,257	2,416	4	13	9	1	1	-	1	2	4	4	-	11	85	72	82	(6)	(6)	4	8	15	8	1	4	15	40	22	37	25	19	18	
19	(b) Non-pulmonary	17	9	6	169	144	145	-	-	-	-	-	-	-	1	-	-	-	-	2	2	1	(6)	(6)	1	1	-	4	2	1	-	3	1	9	1	3	19	
20	Typhoid and paratyphoid	6	4	10	90	107	117	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	6	1	-	-	-	2	-	1	-	-	20					
21	Undulant fever	2	-	2	31	45	35	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	275	288	324	5,171	4,989	5,337	1	17	9	-	1	1	3	9	9	5	79	51	94	49	48	56	27	17	29	5	14	21	40	51	56	64	71	36	22		
23	(a) Syphilis, primary	2	3	5	46	40	52	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	1	-	-	-	23				
24	(b) " secondary	2	-	3	12	14	21	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	24						
25	(c) " other	42	35	36	661	585	759	-	4	-	-	1	2	-	2	1	29	16	13	9	3	15	3	1	-	1	3	-	2	1	7	3	25					
26	(d) Gonorrhoea	229	250	285	4,450	4,350	4,352	1	13	8	-	1	1	3	8	7	7	3	49	35	77	39	45	44	23	15	27	5	12	18	40	51	53	62	63	30	26	
27	(e) Other venereal diseases?	-	-	1	2	-	6	-	-	-	-	2	2	9	3	-	-	-	44	21	48	17	22	21	5	1	3	5	1	4	6	10	10	1	4	18	27	
28	Whooping cough	80	68	126	2,426	2,857	2,747	-	-	-	-	-	-	-	-	-	-	-	44	21	48	17	22	21	5	1	3	5	1	4	6	10	10	1	4	18	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.
(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics). Number of reported cases for the current week (previous week in parentheses):

Diphtheria 11 (22); Measles 20,794 (20,634); Meningitis, other 25 (32); Poliomyelitis, with paralysis 12 (17); Smallpox - (-); Undulant fever 21 (23); Encephalitis infectious 31 (26); Meningococcal infections 43 (72); Poliomyelitis, acute 32 (33); Poliomyelitis, without paralysis 17 (14); Typhoid fever 12 (16);

No significant changes were observed for the current week.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended April 27, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	Canada ²						NFL.D.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.		
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56			
					1957	1956	Median 1952-56																														
1	Chickenpox	758	1,004	871	18,240	18,532	19,906	61	29	34	125	160	189	463	644	392	22	43	19	87	128	149	1			
2	Diphtheria	3	-	2	59	43	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2					
3	Dysentery: ⁴	36	23	14	237	169	176	-	-	-	-	-	-	-	-	-	-	-	-	3	14	...	5	-	-	-	4	1	30	-	3	12	3				
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4					
5	(b) Bacillary	36	23	14	236	169	175	-	-	-	-	-	-	-	-	-	-	-	-	3	14	...	5	-	-	-	4	1	30	-	3	12	5				
6	Encephalitis, infectious	-	2	-	5	6	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	6						
7	Influenza, epidemic	79	127	143	1,652	6,402	6,402	37	70	32	37	55	69	-	-	1	12	5	1	6	-	-	-	4					
8	Measles	1,655	1,504	1,599	31,590	26,241	27,881	-	-	8	29	20	37	287	181	392	379	481	554	128	56	27	538	490	105	294	276	155		
9	Meningitis, meningococcal	7	6	6	107	110	110	2	2	-	1	-	-	-	1	-	-	-	3	-	1	1	-	2	-	1	1	1	1	1	9						
10	Mumps	476	620	784	13,800	15,308	15,308	39	68	16	92	137	...	253	260	388	9	24	25	83	131	132	10	
11	Poliomyelitis, epidemic: ⁴	1	2	2	32	49	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	11					
12	(a) With paralysis	-	1	1	19	32	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12					
13	(b) Without paralysis	1	1	1	9	17	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	13					
14	Rubella	345	691	392	10,825	30,690	5,211	-	-	8	13	25	19	51	63	178	3	-	1	236	311	11	42	292	33					
15	Scarlet fever, etc. ⁵	123	247	308	4,085	5,908	6,618	-	3	2	4	4	7	10	49	21	-	7	21	30	72	59	111	61	1	2	5	9	20	10	12	19	26	7	9	53	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16				
17	Tuberculosis: ⁴	121	195	183	2,806	2,961	3,285	6	4	6	-	1	1	3	2	2	3	4	14	34	87	70	15	19	22	9	5	14	15	12	9	18	15	23	18	46	27
18	(a) Pulmonary	98	159	140	2,262	2,368	2,679	6	4	6	-	1	1	3	1	2	3	4	14	33	85	68	(6)	(6)	(6)	6	4	14	12	8	8	18	15	20	17	37	21
19	(b) Non-pulmonary	8	17	10	177	154	154	-	-	-	-	-	-	-	1	-	-	1	2	1	(6)	(6)	(6)	3	1	-	3	4	2	-	-	1	1	9	4		
20	Typhoid and paratyphoid	9	5	5	98	112	130	-	-	-	-	-	-	-	-	-	-	7	2	2	-	1	1	1	-	-	2	-	-	-	-	1	1	1	20		
21	Undulant fever	1	2	2	32	47	39	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	21			
22	Venereal diseases:	307	275	302	5,478	5,291	5,678	8	1	10	1	-	6	3	6	3	7	5	81	79	80	54	49	69	27	27	21	5	19	43	40	51	63	64	63	22	
23	(a) Syphilis, primary	3	2	1	49	41	56	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	1	23			
24	(b) " secondary	1	2	2	13	18	22	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24				
25	(c) " other	37	42	49	698	637	810	1	-	-	-	2	-	1	-	1	20	29	19	5	9	14	3	3	2	1	-	2	-	-	1	4	1	3	25		
26	(d) Gonorrhoea	266	229	256	4,716	4,595	4,659	7	1	8	1	-	4	3	4	1	7	3	61	49	60	46	39	52	24	23	20	5	17	43	40	48	59	62	56	26	
27	(e) Other venereal diseases ⁷	-	-	-	2	-	7	-	-	-	-	-	-	-	-	-	-	-	20	44	59	30	17	32	1	5	5	2	5	5	8	6	13	1	1	11	27
28	Whooping cough	63	80	195	2,489	3,052	2,953	-	-	-	-	5	1	2	18	-	-	-	20	44	59	30	17	32	1	5	5	2	5	5	8	6	13	1	1	11	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. . Not reportable

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses).

Diphtheria 19 (11); Measles 19,729 (20,794); Meningitis, other 28 (25); Poliomyelitis, with paralysis 17 (12); Smallpox - (-); Undulant fever 20 (21);
 Encephalitis infectious 31 (31); Meningococcal infections 68 (43); Poliomyelitis, acute 48 (32); Poliomyelitis, without paralysis 24 (17); Typhoid fever 19 (12);

Thus far in 1957 the reported incidence of poliomyelitis has been about one-half of that for the same period of 1956. The number of paralytic cases has been about half of that for last year. In about half of the states, the number of cases reported since January 1 have been substantially below (50 per cent or more) the numbers for last year. In about one-fourth of the states, there have been increases as compared with 1956, some of which amounted to 100 per cent or more. However, several of these are based on a small number of cases and, as a consequence, may not be considered significant.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended May 4 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						Nfld.			P.E.I.			N.S.			N.B.			Que.			Ont.			Man.			Sask.			Alta.			B.C.			
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56				
					1957	1956	Median 1952-56																															
1	Chickenpox	1,340	758	953	19,580	19,298	20,841	3	62	61	26	..	208	125	167	951	463	435	24	22	22	92	87	189	1				
2	Diphtheria	1	3	2	60	45	47	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-	-	1	1	-	-	2						
3	Dysentery: ⁴	23	36	12	260	181	187	-	-	-	2	-	-	-	-	6	-	4	3	..	3	-	1	-	-	-	-	-	7	30	-	1	3	10	3			
4	(a) Amoebic	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4					
5	(b) Bacillary	23	36	12	259	181	186	-	-	-	2	-	-	-	-	6	-	4	3	..	3	-	1	-	-	-	-	-	-	7	30	-	1	3	10	5		
6	Encephalitis, infectious	1	-	-	6	6	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6					
7	Influenza, epidemic	143	101	335	1,817	6,567	6,567	78	37	59	64	57	249	-	2	5	3	5	4	-	-	-	1	-	20	7					
8	Measles	1,614	1,655	1,425	33,204	27,592	29,350	-	-	3	49	29	23	251	287	394	481	379	539	93	128	35	519	538	82	221	294	193	8	
9	Meningitis, meningococcal	5	7	5	112	116	116	4	2	1	-	1	-	-	-	-	-	-	3	-	1	1	1	-	-	-	-	-	-	-	-	-	1	9				
10	Mumps	724	516	959	14,564	16,099	16,099	82	79	20	167	92	..	338	253	372	15	9	29	122	83	182	10			
11	Poliomyelitis, epidemic: ⁴	1	2	6	36	51	78	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	2	11					
12	(a) With paralysis	1	1	3	21	33	43	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	12					
13	(b) Without paralysis	-	1	1	9	18	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	13					
14	Rubella	744	325	465	11,569	32,818	5,676	-	-	-	20	-	11	31	13	25	73	51	234	-	3	1	465	236	32	155	42	30	14		
15	Scarlet fever, etc. ⁵	210	123	294	4,295	6,180	6,921	5	-	3	13	4	7	91	10	32	-	-	3	31	21	64	32	59	84	4	1	8	3	9	16	12	12	31	19	7	45	15
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16				
17	Tuberculosis: ⁴	148	121	206	2,954	3,075	3,491	4	6	4	1	-	2	1	3	2	10	3	9	57	34	69	31	15	29	9	9	16	-	15	6	16	18	14	19	18	24	17
18	(a) Pulmonary	106	98	147	2,368	2,456	2,825	4	6	4	1	-	2	1	3	1	10	3	9	51	33	69	(6)	(6)	(6)	9	6	16	-	12	3	14	18	10	16	17	23	18
19	(b) Non-pulmonary	11	8	11	188	161	162	-	-	-	-	-	-	-	-	-	-	-	6	1	1	(6)	(6)	(6)	-	3	2	2	-	1	3	1	4	19				
20	Typhoid and paratyphoid	9	9	10	107	122	154	-	-	-	-	-	-	-	-	-	-	-	6	7	8	-	-	1	-	-	-	-	-	3	-	-	1	-	20			
21	Undulant fever	9	1	4	41	52	41	-	-	-	-	-	-	-	-	-	-	8	1	..	-	-	1	-	-	-	-	-	-	-	-	-	1	-	21			
22	Venereal diseases:	289	307	350	5,767	5,580	6,028	7	8	9	1	1	1	6	6	9	5	3	3	56	81	106	42	54	70	44	27	31	19	21	22	38	43	46	71	63	72	22
23	(a) Syphilis, primary	3	3	4	52	42	61	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	1	-	2	-	-	-	-	-	23				
24	(b) " secondary	4	1	1	17	18	24	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	24					
25	(c) " other	51	37	54	749	666	867	-	1	2	-	-	-	2	3	2	1	1	24	20	23	6	5	16	2	3	1	1	1	1	1	2	7	4	8	25		
26	(d) Gonorrhoea	230	266	281	4,946	4,854	4,957	7	7	6	1	1	1	6	4	6	3	1	2	32	61	82	36	46	45	40	24	28	14	20	17	29	43	40	62	59	63	26
27	(e) Other venereal diseases ⁷	1	-	-	3	-	8	-	-	-	1	-	4	-	1	11	-	-	75	20	60	42	30	20	-	1	5	-	2	6	9	8	18	3	1	24	28	
28	Whooping cough	130	63	197	2,619	3,249	3,168	-	-	-	1	-	4	-	1	11	-	-	-	75	20	60	42	30	20	-	1	5	-	2	6	9	8	18	3	1	24	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	15 (19)	Measles	22,977 (19,729)	Meningitis, other	44 (28)	Poliomyelitis, with paralysis	18 (17)	Smallpox	- (-)	Undulant fever	16 (20)
Encephalitis, infectious	35 (31)	Meningococcal infections	56 (68)	Poliomyelitis, acute	40 (48)	Poliomyelitis, without paralysis	17 (24)	Typhoid fever	27 (19)		

No significant changes were observed for the current week.

Epidemic reports: Mumps - Nfld. reports an epidemic at Jamestown, B.B.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended **May 11, 1957**, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	CANADA ²					Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.											
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week											
					1957	1956	Median 1952-56																															
1	Chickenpox	990	1,340	927	20,570	20,013	21,598	3	..	62	62	35	..	110	208	147	681	951	408	24	24	19	113	92	160	1							
2	Diphtheria	3	1	2	63	47	50	-	-	-	1	-	2	-	1	1	2	-	1	-	-	1	1	..	2								
3	Dysentery: ⁴	8	23	11	268	190	198	-	-	-	1	-	2	-	1	1	1	6	-	4	3	2	1	..	2	..	5	3								
4	(a) Amoebic	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	..									
5	(b) Bacillary	8	23	11	267	190	197	-	-	-	2	-	2	-	1	1	6	-	4	3	2	1	..	2	..	7	5									
6	Encephalitis, infectious	1	1	-	7	6	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6									
7	Influenza, epidemic	108	146	368	1,928	6,755	6,755	36	78	63	69	64	105	1	..	2	2	3	5	1	21								
8	Measles	840	1,614	1,469	34,044	28,981	30,853	-	-	8	23	49	27	183	251	374	358	481	501	75	93	40	519	63	201	221						
9	Meningitis, meningococcal	5	5	7	117	125	124	1	4	1	-	-	-	-	-	1	1	1	1	2	1	1	1	9	..								
10	Mumps	597	724	793	15,161	16,775	16,775	65	82	21	114	167	..	315	338	372	12	15	19	91	122	138	10						
11	Poliomyelitis, epidemic: ⁴	1	1	2	37	52	83	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	..	11							
12	(a) With paralysis	-	1	1	21	34	50	-	-	-	-	-	-	-	-	-	-	-	-	-	1	12							
13	(b) Without paralysis	1	-	-	10	18	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	..	13									
14	Rubella	256	744	597	11,825	34,747	5,967	-	-	..	27	20	11	16	31	33	114	73	255	1	..	1	465	17	98	155	47	14						
15	Scarlet fever, etc. ⁵	123	210	365	4,418	6,471	7,215	2	5	8	2	13	9	46	91	21	-	12	13	31	81	51	32	66	1	4	10	5	3	10	12	34	3	19	36	15		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	147	148	213	3,101	3,288	3,693	3	4	5	1	1	1	1	3	1	2	17	10	17	61	57	83	19	31	26	15	9	16	3	12	..	16	19	25	19	27	
18	(a) Pulmonary	119	106	171	2,487	2,627	2,987	3	4	5	-	1	1	2	1	2	16	10	17	59	51	78	(6)	(6)	(6)	14	9	16	1	..	8	..	14	18	24	16	24	
19	(b) Non-pulmonary	9	11	14	197	177	177	-	-	-	1	-	1	-	1	-	1	-	2	6	1	(6)	(6)	1	..	1	2	3	..	2	2	1	3	19				
20	Typhoid and paratyphoid	6	9	5	113	127	161	-	-	-	-	-	-	-	-	-	-	5	6	3	1	-	1	-	-	-	3	3	20					
21	Undulant fever	3	9	2	44	53	41	-	-	-	-	-	-	-	-	-	-	3	8	..	-	-	-	-	-	-	-	-	-	-	..	1	..	21				
22	Venereal diseases:	236	289	335	6,003	5,850	6,337	6	7	9	1	1	1	1	3	6	5	4	5	4	53	56	84	39	42	52	13	44	25	19	19	21	..	38	58	98	71	73
23	(a) Syphilis, primary	3	3	5	55	45	64	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	..	1	..	1	2	..	1	2	..	1	23				
24	(b) " secondary	2	4	2	19	18	25	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	1	..	1	..	1	..	24			
25	(c) " other	40	51	52	789	696	898	1	-	1	-	-	-	-	1	-	2	2	18	24	24	13	6	14	-	2	3	1	..	7	1	6	7	6				
26	(d) Gonorrhoea	191	230	274	5,137	5,091	5,239	5	7	8	1	1	1	1	2	6	4	4	3	2	35	32	55	26	36	39	10	40	22	16	14	20	..	29	54	92	62	65
27	(e) Other venereal diseases ⁷	-	1	-	3	-	8	-	-	1	-	1	10	-	-	4	-	27	75	56	25	42	25	1	-	3	2	-	5	-	9	19	1	3	27			
28	Whooping cough	56	130	164	2,675	3,456	3,332	-	-	1	-	1	10	-	-	4	-	27	75	56	25	42	25	1	-	3	2	-	5	-	9	19	1	3	28			

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses): (8) Report not received.

Diphtheria	9 (15)	Measles	21,153 (22,977)	Meningitis, other	37 (44)	Poliomyelitis, with paralysis	26 (18)	Smallpox	- (-)	Undulant fever	22 (16)
Encephalitis infectious	44 (35)	Meningococcal infections	52 (56)	Poliomyelitis, acute	71 (40)	Poliomyelitis, without paralysis	38 (17)	Typhoid fever	12 (27)		

In the 6-week period since March, which is the beginning of the 1957 poliomyelitis season, the number of cases reported (256) is slightly more than half of the total (479) for the same period last year. A very favorable aspect of the cases reported since the end of March is the fact that the ratio of paralytic to non-paralytic cases has been about 1.1 whereas a year ago there were 2 cases of paralytic for each non-paralytic case reported. While the number of cases has increased in the past 3 weeks, so far there is no indication of a significant rise in any area of the country.

YUKON TERRITORY: Number of cases four weeks ended March 23: measles, 6; tuberculosis, non-pulmonary, 1; gonorrhoea, 11.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended **May 18, 1957**, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²					Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.											
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56										
					1957	1956	Median 1952-56																															
1	Chickenpox	775	990	824	21,345	20,837	22,339	-	-	-	41	62	18	-	148	110	162	464	681	420	11	24	18	-	-	-	111	113	160	1								
2	Diphtheria	-	3	1	63	47	50	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	1	1	2									
3	Dysentery: ⁴	10	12	11	282	199	202	-	-	-	-	-	-	-	3	1	-	2	-	1	-	1	-	5	2	-	4	10	3									
4	(a) Amoebic	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4										
5	(b) Bacillary	10	12	11	281	199	201	-	-	-	-	-	-	-	3	1	-	2	-	1	-	1	-	5	2	-	4	10	5									
6	Encephalitis, infectious	-	1	-	7	6	8	-	-	-	36	36	94	14	69	36	-	-	-	-	-	-	-	-	-	-	1	-	6									
7	Influenza, epidemic	55	108	382	1,983	6,911	6,911	-	-	-	36	36	94	14	69	36	-	-	-	-	-	-	-	-	-	-	-	2	7									
8	Measles	1,130	1,229	1,503	35,563	30,471	32,460	-	-	5	4	23	18	141	183	416	317	358	597	146	75	43	..	288	389	75	234	201	150				
9	Meningitis, meningococcal	12	5	7	129	136	127	3	1	-	1	-	-	-	2	1	1	-	1	1	3	2	2	2	-	-	-	-	1	-	9							
10	Mumps	549	597	733	15,710	17,317	17,317	-	-	-	23	65	6	100	114	..	261	315	310	10	12	25	155	91	101	10						
11	Poliomyelitis, epidemic: ⁴	2	1	5	39	57	86	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	11									
12	(a) With paralysis	1	-	3	22	38	53	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	12									
13	(b) Without paralysis	1	1	1	11	19	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	13										
14	Rubella	376	583	457	12,528	38,177	6,401	-	-	-	-	-	-	-	27	9	..	19	16	37	55	114	231	2	1	1	..	216	327	20	84	98	37					
15	Scarlet fever, etc. ⁵	127	134	330	4,556	6,802	7,524	3	2	2	2	2	4	16	46	10	1	6	22	13	88	52	51	97	2	1	20	8	5	12	7	11	29	14	3	23		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	199	160	212	3,310	3,521	3,871	10	3	5	2	1	2	-	3	4	12	17	5	97	61	72	16	19	25	14	15	20	2	3	8	20	13	16	26	25	36	17
18	(a) Pulmonary	173	132	175	2,670	2,811	3,119	10	3	5	1	-	1	-	2	4	12	16	5	95	59	71	(6)	(6)	12	14	20	-	1	7	20	13	15	23	24	28	18	
19	(b) Non-pulmonary	10	9	14	207	191	193	-	-	1	1	1	1	-	1	-	2	2	2	2	(6)	(6)	2	1	-	2	2	1	-	1	3	1	5	19				
20	Typhoid and paratyphoid	2	6	6	115	133	163	-	-	-	-	-	-	-	-	-	-	-	5	4	2	1	-	-	-	-	-	-	-	-	-	20						
21	Undulant fever	-	3	2	44	55	43	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	259	289	305	6,315	6,084	6,642	21	6	9	-	1	-	1	3	5	4	4	4	61	53	74	(8)	39	64	18	13	20	23	19	25	49	53	56	82	98	44	22
23	(a) Syphilis, primary	6	3	3	61	45	69	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	1	4	-	-	23					
24	(b) " secondary	1	2	1	20	18	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	24					
25	(c) " other	39	44	44	832	737	938	-	1	1	-	-	-	-	-	-	1	31	18	19	-	13	15	-	1	1	2	2	4	5	5	6	2	25				
26	(d) Gonorrhoea	213	239	248	5,398	5,284	5,503	21	5	7	-	1	2	5	4	4	2	30	35	49	-	26	49	17	10	19	21	16	22	46	48	50	73	92	43	26		
27	(e) Other venereal diseases ⁷	-	1	-	4	-	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	27				
28	Whooping cough	135	74	149	2,828	3,635	3,481	-	-	-	2	-	-	7	-	2	-	-	71	27	50	34	25	19	3	1	3	5	2	12	12	18	11	1	19	28		

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

(8) Report not received.

Diphtheria 14 (9); Measles 19,836 (21,153); Meningitis, other 43 (37); Poliomyelitis, with paralysis 30 (26); Smallpox - (-); Undulant fever 17 (22);
Encephalitis infectious 20 (44); Meningococcal infections 53 (52); Poliomyelitis, acute 58 (71); Poliomyelitis, without paralysis 25 (38); Typhoid fever 20 (12);

No significant changes were reported for the current week.

EPIDEMIC REPORT: Measles - Nfld. reports an epidemic at Grand Bank.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended **May 25, 1957**, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²				N.F.L.D.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.					
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	(8)	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56						
					1957	1956	Median 1952-56																															
1	Chickenpox	772	775	841	22,127	21,678	23,073	5	43	41	24	161	148	164	457	464	386	9	11	25	1			
2	Diphtheria	2	-	1	65	48	50	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	2	-	2	6	3		
3	Dysentery: ⁴	7	10	10	289	209	209	-	-	-	-	-	-	-	3	3	-	2			
4	(a) Amoebic	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4				
5	(b) Bacillary	7	10	10	288	209	209	-	-	-	-	-	-	-	3	3	-	2	6			
6	Encephalitis, infectious	-	-	-	7	6	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6				
7	Influenza, epidemic	152	92	161	2,172	7,072	7,072	-	-	-	50	36	-	100	51	76	-	-	-	-	-	1	3	2	4	1	-	-	-	-	-	3	7					
8	Measles	873	1,184	1,596	36,517	32,130	33,945	-	-	4	135	58	21	-	-	-	144	141	440	343	317	657	70	146	42	-	-	-	288	37	181	234	153	8		
9	Meningitis, meningococcal	9	12	6	138	142	136	4	3	-	1	-	-	1	-	2	-	1	-	1	2	3	-	1	2	-	-	-	-	-	-	1	1	9				
10	Mumps	568	598	655	16,327	17,891	17,891	-	-	-	133	72	28	-	-	-	92	100	-	262	261	341	2	10	17	-	-	-	-	-	79	155	95	10		
11	Poliomyelitis, epidemic: ⁴	2	2	3	41	59	94	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	1	11				
12	(a) With paralysis	1	1	2	23	40	57	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	12					
13	(b) Without paralysis	1	1	1	12	19	29	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13						
14	Rubella	229	376	449	12,760	39,955	6,850	-	-	-	41	-	6	14	19	66	84	55	277	4	2	-	216	28	86	84	44				
15	Scarlet fever, etc. ⁵	136	158	311	4,738	7,061	7,746	4	3	2	5	2	9	55	47	13	3	1	7	20	22	82	45	52	72	-	2	6	2	8	13	-	7	17	2	14	45	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16					
17	Tuberculosis: ⁴	135	199	185	3,445	3,682	4,122	8	10	9	-	2	2	-	4	3	12	12	77	97	68	17	16	32	7	14	8	8	2	7	-	20	19	15	26	23		
18	(a) Pulmonary	109	173	140	2,779	2,935	3,322	8	10	9	-	1	2	-	4	3	12	12	70	95	66	(6)	(6)	7	12	8	6	-	5	-	20	13	15	23	21			
19	(b) Non-pulmonary	9	10	12	216	200	205	-	-	-	1	-	-	-	-	-	-	-	7	2	2	(6)	(6)	2	2	2	2	-	3	3	2	20	19					
20	Typhoid and paratyphoid	4	2	4	119	154	182	-	-	-	-	-	-	-	-	-	-	-	2	..	4	2	2	-	-	-	-	-	-	-	-	20						
21	Undulant fever	8	-	2	52	60	45	-	-	-	-	-	-	-	-	-	-	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	235	318	276	6,609	6,349	6,918	9	21	5	1	-	1	5	1	7	9	4	2	61	61	76	(8)	59	50	27	18	21	40	23	21	49	47	83	82	59	22	
23	(a) Syphilis, primary	-	7	4	62	45	69	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	1	1	-	4	-	-	-	-	23					
24	(b) " secondary	-	1	1	20	19	28	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	24						
25	(c) " other	30	49	40	872	769	991	-	-	1	-	-	-	2	1	1	19	31	16	-	10	9	3	-	1	1	1	1	2	1	6	5	3	25				
26	(d) Gonorrhoea	205	261	232	5,651	5,516	5,746	9	21	5	1	-	1	5	1	5	8	4	2	42	30	48	-	48	41	24	17	20	39	21	20	-	46	45	77	73	55	26
27	(e) Other venereal diseases ⁷	-	-	-	4	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27					
28	Whooping cough	112	135	154	2,940	3,804	3,563	-	-	-	2	4	3	7	3	-	1	53	71	35	35	34	34	15	3	2	2	5	3	-	12	10	4	1	28	28		

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses): (8) Report not received.

Diphtheria	7 (14)	Measles	19,192 (19,836)	Meningitis, other	45 (43)	Poliomyelitis, with paralysis	32 (30)	Smallpox	- (-)	Undulant fever	29 (17)
Encephalitis infectious	45 (20)	Meningococcal infections	54 (53)	Poliomyelitis, acute	60 (58)	Poliomyelitis, without paralysis	19 (25)	Typhoid fever	32 (20)		

No significant changes were observed for the current week.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended June 1 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						N.F.L.D.			P.E.I.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.								
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56									
					1957	1956	Median 1952-56																																	
1	Chickenpox	762	774	750	22,891	22,428	23,963	6	5	..	41	45	21	120	161	168	437	457	416	24	9	38	134	97	174	1					
2	Diphtheria	1	2	-	66	48	51	-	-	-	-	-	-	-	1	3	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	2	2	4	2				
3	Dysentery: ⁴	8	7	10	297	241	241	-	-	-	-	-	-	-	-	-	-	-	2	..	4	-	-	-	1	1	-	-	-	-	-	-	-	4	3	3				
4	(a) Amoebic	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4				
5	(b) Bacillary	8	7	10	296	241	241	-	-	-	-	-	-	-	-	-	-	-	2	..	4	-	-	-	1	1	-	-	-	-	-	-	-	2	2	4	5			
6	Encephalitis, infectious	-	-	1	7	7	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	6	6				
7	Influenza, epidemic	179	155	177	2,354	7,249	7,249	117	50	73	55	103	68	4	7					
8	Measles	900	873	1,485	37,417	33,415	35,204	-	-	2	..	64	135	18	161	144	393	347	343	560	103	70	24	52	225	181	161	
9	Meningitis, meningococcal	8	9	7	146	149	140	2	4	-	-	-	-	-	-	1	-	-	1	2	1	-	-	-	1	1	1	9	9				
10	Mumps	503	570	647	16,832	18,520	18,520	44	135	27	..	83	92	..	274	262	301	11	2	20	91	79	127	10
11	Poliomyelitis, epidemic: ⁴	-	3	8	43	61	105	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	4	11					
12	(a) With paralysis	-	1	6	24	40	63	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	3	12						
13	(b) Without paralysis	-	2	2	13	21	32	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	13						
14	Rubella	250	229	372	13,010	42,437	7,200	-	-	-	..	43	41	11	18	14	29	7.8	84	150	3	4	1	25	108	86	60				
15	Scarlet fever, etc. ⁵	147	136	249	4,885	7,301	7,984	1	4	3	14	5	5	50	55	12	1	3	8	18	20	70	53	45	72	2	-	9	12	8	2	19	15				
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16					
17	Tuberculosis: ⁴	155	135	203	3,600	3,849	4,346	5	8	8	-	-	1	-	-	2	2	3	17	63	77	61	20	17	27	11	7	18	7	8	6	21	47	15	19		
18	(a) Pulmonary	129	109	169	2,908	3,069	3,494	5	8	7	-	-	1	-	-	2	2	3	16	61	70	58	(6)	(6)	(6)	10	7	16	6	6	6	20	45	15	18		
19	(b) Non-pulmonary	6	9	8	222	206	220	-	-	-	-	-	-	-	-	-	-	-	2	7	3	(6)	1	-	-	1	2	1	1	2	-	1	19					
20	Typhoid and paratyphoid	10	4	7	130	166	191	-	-	-	-	-	-	-	-	-	-	-	9	2	5	1	2	1	-	-	-	-	-	-	-	-	-	20						
21	Undulant fever	4	8	2	56	62	46	-	-	-	-	-	-	-	-	-	-	-	4	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	271	290	322	6,935	6,679	7,188	8	9	9	-	1	-	9	5	12	9	9	5	75	61	96	41	55	52	27	27	26	21	40	26	-	-	49	81	83	42			
23	(a) Syphilis, primary	-	-	1	62	46	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23						
24	(b) " secondary	1	-	1	21	19	28	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	24						
25	(c) " other	46	35	43	923	812	1,034	-	-	-	-	-	-	-	-	3	2	1	-	30	19	18	7	5	14	1	3	2	3	1	2	..	1	3	6	4				
26	Gonorrhoea	224	255	277	5,925	5,802	6,023	8	9	5	-	1	-	9	5	8	7	8	4	44	42	75	34	50	41	26	24	23	18	39	22	-	-	47	78	77	37			
27	(e) Other venereal diseases ⁷	-	-	-	4	-	10	-	-	1	-	11	9	3	6	-	-	-	-	102	53	54	35	26	2	15	2	9	2	3	-	-	-	-	-	-	-	27		
28	Whooping cough	177	112	142	3,117	3,949	3,665	-	-	-	1	-	11	9	3	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	19	4	22	28			

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses): (8) Report not received.

Diphtheria	6 (7)	Measles	16,202 (19,192)	Meningitis, other	18 (45)	Poliomyelitis, with paralysis	24 (32)	Smallpox	- (-)	Undulant fever	17 (29)
Encephalitis infectious	26 (45)	Meningococcal infections	27 (54)	Poliomyelitis, acute	64 (60)	Poliomyelitis, without paralysis	32 (19)	Typhoid fever	24 (32)		

No significant changes were observed for the current week.

YUKON TERRITORY: Number of cases four weeks ended May 18: chickenpox, 6; dysentery, bacillary, 6; measles, 3; rubella, 2; scarlet fever, 1; gonorrhoea, 12.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended June 8, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	CANADA ²						Nfld.			P.E.I.			N.S.			N.B.			Que.			Ont.			Man.			Sask.			Alta.			No.			
		Report Week			Previous Week		Median 1952-56	Cumulative Total ³			Report Week			Previous Week		Median 1952-56	Report Week			Previous Week		Median 1952-56	Report Week			Previous Week		Median 1952-56	Report Week			No.						
		1957	1956	Median 1952-56	1957	1956	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56							
1	Chickenpox	881	762	884	23,772	23,233	24,862	6	..	69	41	43	115	120	178	581	437	422	29	24	27	87	134	173	1
2	Diphtheria	1	1	1	67	48	52	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2				
3	Dysentery: ⁴	8	15	14	312	257	257	-	-	-	-	-	-	-	-	-	1	1	-	-	2	4	1	1	1	-	-	-	-	-	4							
4	(a) Amoebic	-	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4						
5	(b) Bacillary	8	15	14	311	257	257	-	-	-	-	-	-	-	-	-	1	1	-	-	2	4	1	1	1	-	-	-	-	-	5							
6	Encephalitis, infectious	1	-	1	8	8	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	6								
7	Influenza, epidemic	81	179	75	2,435	7,433	7,433	-	-	-	17	117	-	62	55	26	-	-	-	-	-	2	2	7	-	-	-	-	-	-	3							
8	Measles	1,292	1,261	1,390	39,473	34,805	36,776	-	-	-	4	-	39	64	17	-	-	106	161	415	488	347	537	100	103	35	-	-	-	389	361	33	170	225	208			
9	Meningitis, meningococcal	7	9	6	154	155	150	3	2	-	-	-	-	-	-	1	1	-	1	2	4	2	-	2	-	-	-	-	-	-	-	9						
10	Mumps	453	503	663	17,285	19,183	19,183	-	-	-	-	-	-	-	-	39	44	28	-	-	54	83	-	262	274	369	9	11	26	-	-	89	91	110	10			
11	Poliomyelitis, epidemic: ⁴	5	-	11	49	63	110	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-	3	-	5						
12	(a) With paralysis	3	-	5	28	42	66	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	3							
13	(b) Without paralysis	2	-	3	15	21	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1							
14	Rubella	394	460	426	13,804	44,261	7,626	-	-	-	-	-	-	16	44	17	-	-	21	18	41	82	78	231	4	3	3	-	-	220	209	36	41	108	61			
15	Scarlet fever, etc. ⁵	174	155	259	5,076	7,514	8,249	-	1	-	7	14	5	58	50	21	2	1	7	26	18	75	56	53	76	3	2	6	-	9	11	8	21	7	8	34		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	272	189	199	3,936	4,138	4,569	9	5	3	-	-	1	1	-	2	29	2	18	86	63	84	42	20	27	13	11	10	10	7	6	59	34	14	23	17	23	
18	(a) Pulmonary	222	163	164	3,191	3,316	3,667	9	5	7	-	-	1	1	-	2	28	2	18	84	61	81	(6)	(6)	(6)	13	10	10	8	6	6	56	34	13	23	15	21	
19	(b) Non-pulmonary	8	6	9	233	222	228	-	-	-	-	-	-	-	-	1	-	-	2	2	3	(6)	(6)	(6)	-	1	-	2	1	1	3	-	1	-	2	3		
20	Typhoid and paratyphoid	5	11	10	137	178	202	-	-	-	-	-	-	-	-	-	-	-	4	9	5	-	1	-	-	-	-	-	-	-	-	-	20					
21	Undulant fever	1	4	3	57	68	53	-	-	-	-	-	-	-	-	-	-	-	..	4	..	-	-	1	-	-	-	-	1	..	-	-	-	21				
22	Venereal diseases:	320	318	311	7,350	6,990	7,481	13	8	7	-	-	1	7	9	13	8	9	4	74	75	87	47	41	59	21	27	22	27	21	33	46	47	53	77	81	59	
23	(a) Syphilis, primary	1	-	1	63	46	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23					
24	(b) " secondary	2	1	1	23	20	30	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	1						
25	(c) " other	51	46	42	978	854	1,068	1	-	-	-	-	2	2	2	1	25	30	17	10	7	12	2	1	1	3	-	2	-	1	8	3	4					
26	(d) Gonorrhoea	266	271	268	6,282	6,070	6,273	12	8	7	-	-	1	7	9	11	6	7	4	49	44	64	36	34	50	18	26	20	26	18	33	43	47	52	69	78	51	
27	(e) Other venereal diseases?	-	-	-	4	-	10	-	-	-	-	-	1	-	12	9	10	-	-	52	102	43	23	54	41	2	2	6	8	9	5	10	10	14	15	-	27	
28	Whooping cough	122	187	143	3,261	4,092	3,901	-	-	-	-	-	1	-	12	9	10	-	-	52	102	43	23	54	41	2	2	6	8	9	5	10	10	14	15	-	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.
(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics). Number of reported cases for the current week (previous week in parentheses):

Diphtheria	12 (6)	Measles	16,820 (16,202)	Meningitis, other	43 (18)	Poliomyelitis, with paralysis	25 (24)	Smallpox	- (-)	Undulant fever	26 (17)
Encephalitis, infectious	36 (26)	Meningococcal infections	52 (27)	Poliomyelitis, acute	74 (64)	Poliomyelitis, without paralysis	41 (32)	Typhoid fever	21 (24)		

No significant changes were observed for the current week.

YUKON TERRITORY: Number of cases four weeks ended - April 20: dysentery, all types, 11; encephalitis, infectious, 1; measles, 8; meningitis, meningococcal, 1; rubella, 3; scarlet fever, 2; tuberculosis, pulmonary, 1; tuberculosis, non-pulmonary, 1; syphilis, primary, 3; gonorrhoea, 22.
May 18: chickenpox, 6; dysentery, bacillary, 6; measles, 3; rubella, 2; scarlet fever, 1; gonorrhoea, 12.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended June 15, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²				Nfld.			P.E.I.			N.S.			N.B.			Que.			Ont.			Man.			Sask.			Alta.			No.					
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56							
					1957	1956	Median 1952-56																															
1	Chickenpox	731	881	893	24,503	23,856	25,701	35	69	49	118	115	151	490	581	419	12	29	30	76	87	116	1					
2	Diphtheria	-	1	2	67	49	54	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2						
3	Dysentery: ⁴	7	8	10	319	277	277	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	1	-	1	-	4	4	7	3					
4	(a) Amoebic	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary	7	8	10	318	277	277	-	-	-	-	-	-	-	-	-	-	2	1	-	2	1	-	1	-	1	-	4	4	7	5					
6	Encephalitis, infectious	-	1	1	8	8	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	6							
7	Influenza, epidemic	67	85	160	2,534	7,593	7,593	17	17	-	47	62	56	-	1	4	3	2	2	1	-	-	-	7						
8	Measles	1,115	1,292	1,382	40,588	36,187	38,312	-	-	4	59	39	26	111	106	329	275	488	641	87	100	29	456	389	33	127	170	207			
9	Meningitis, meningococcal	6	8	7	161	156	154	3	3	-	-	-	-	-	-	1	1	-	1	3	2	2	-	1	-	1	-	1	-	9								
10	Mumps	503	473	667	17,808	19,674	19,674	71	59	33	60	54	...	303	262	220	7	9	16	62	89	85	10					
11	Poliomyelitis, epidemic: ⁴	1	5	8	51	68	117	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	1	-	1	-	3	3	11								
12	(a) With paralysis	1	3	3	30	43	71	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	1	-	1	1	12								
13	(b) Without paralysis	-	2	4	15	25	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	13									
14	Rubella	359	394	470	14,163	45,771	8,004	-	-	-	22	16	12	10	21	59	55	82	233	2	4	2	202	230	19	68	41	34	14					
15	Scarlet fever, etc. ⁵	166	180	298	5,271	7,702	8,494	2	-	8	7	6	49	58	19	-	2	5	15	26	84	70	-	3	12	-	4	13	12	11	7	33	15					
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16							
17	Tuberculosis: ⁴	160	272	191	4,096	4,332	4,784	10	9	7	-	-	1	-	1	4	3	29	15	45	86	67	19	42	25	13	13	10	10	10	12	15	59	16	45	23	42	17
18	(a) Pulmonary	132	222	151	3,323	3,455	3,844	10	9	5	-	-	1	-	1	4	3	28	15	43	84	63	(6)	(6)	11	13	10	10	8	9	14	56	15	41	23	36	18	
19	(b) Non-pulmonary	9	8	12	242	238	238	-	-	-	-	-	-	-	-	-	1	-	2	2	3	(6)	(6)	2	-	1	-	2	1	1	3	1	4	-	6	19		
20	Typhoid and paratyphoid	9	5	8	146	188	203	-	-	-	-	-	-	-	-	-	-	7	4	3	1	-	-	-	-	-	-	-	-	-	-	-	20					
21	Undulant fever	4	1	2	61	72	57	-	-	-	-	-	-	-	-	-	3	...	-	1	1	-	-	-	-	-	1	..	-	-	-	-	21					
22	Venereal diseases:	322	320	327	7,672	7,298	7,794	8	13	10	1	-	8	7	7	2	8	5	72	74	85	39	47	59	32	21	22	21	27	25	58	46	59	81	77	59	22	
23	(a) Syphilis, primary	2	1	2	65	47	75	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	23						
24	(b) " secondary	1	2	-	24	20	30	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	24						
25	(c) " other	54	51	36	1,032	874	1,114	-	1	2	-	-	2	-	1	-	2	36	25	11	6	10	14	2	2	1	-	1	1	2	1	7	8	3	25			
26	(d) Gonorrhoea	265	266	282	6,547	6,357	6,513	8	12	5	1	-	6	7	4	2	6	4	35	49	59	32	36	43	30	18	21	21	26	24	57	43	58	73	69	53	26	
27	(e) Other venereal diseases?	-	-	-	4	-	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27						
28	Whooping cough	95	122	175	3,261	4,257	4,080	-	-	-	-	-	7	12	7	-	-	25	52	48	34	23	22	1	2	3	1	8	8	15	10	17	12	15	25	28		

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	13 (12)	Measles	14,469 (16,820)	Meningitis, other	31 (43)	Poliomyelitis, with paralysis	38 (25)	Smallpox	- (-)	Undulant fever	22 (26)
Encephalitis infectious	36 (36)	Meningococcal infections	46 (52)	Poliomyelitis, acute	89 (74)	Poliomyelitis, without paralysis	38 (41)	Typhoid fever	22 (21)		

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended June 22, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²				Nfld.			P.E.I.			N.S.			N.B.			Que.			Ont.			Man.			Sask.			Alta.			No.				
		Cumulative Total ³				Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56								
		1957	1956	Median 1952-56																																	
1	Chickenpox	665	731	830	25,168	24,488	26,441	16	35	44	131	118	138	434	490	421	15	12	33	69	76	126	1				
2	Diphtheria	-	-	-	67	49	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2						
3	Dysentery: ⁴	8	7	14	327	292	292	-	-	-	-	-	2	-	3	-	-	..	4	-	1	-	-	-	1	-	-	-	1	4	6						
4	(a) Amoebic	-	-	-	1	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4						
5	(b) Bacillary	8	7	14	326	292	292	-	-	-	-	-	2	-	3	-	-	..	4	-	1	-	-	-	1	-	-	-	1	4	6						
6	Encephalitis, infectious	2	-	-	10	9	13	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	6						
7	Influenza, epidemic	190	67	75	2,724	7,761	7,761	24	17	-	160	47	42	-	3	1	2	3	2	-	-	-	2						
8	Measles	1,254	1,115	1,350	41,842	37,324	39,478	-	-	6	..	30	59	31	115	111	304	298	275	484	236	87	32	442	456	81	133	127	195		
9	Meningitis, meningococcal	5	6	7	166	164	156	2	3	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	1	1	9						
10	Mumps	329	503	505	18,137	20,091	20,091	31	71	26	57	60	..	159	303	275	8	7	21	74	62	114				
11	Poliomyelitis, epidemic: ⁴	1	1	11	52	70	131	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	-	-	-	-	-	2	1	-	2						
12	(a) With paralysis	-	1	5	30	45	80	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	12							
13	(b) Without paralysis	1	-	6	16	25	41	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	1	1	13							
14	Rubella	310	359	353	14,473	46,745	8,357	-	-	-	22	7	32	10	28	78	55	206	1	2	167	202	38	32	68	37				
15	Scarlet fever, etc. ⁵	81	166	262	5,352	7,872	8,666	2	2	5	8	8	3	12	49	21	-	-	2	18	15	39	70	82	-	-	6	-	4	2	12	-	10				
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	209	160	197	4,305	4,497	4,979	6	10	11	2	-	2	5	-	3	12	94	45	62	22	19	24	6	13	17	14	10	8	18	15	22	33	45			
18	(a) Pulmonary	168	122	160	3,491	3,587	3,995	6	10	10	1	-	2	5	-	3	12	88	43	61	(6)	(6)	6	11	17	12	10	6	18	14	21	25	41				
19	(b) Non-pulmonary	19	9	12	261	247	248	-	-	-	1	-	-	-	-	-	6	2	1	(6)	(6)	-	-	2	2	3	-	1	2	8	4	3	19				
20	Typhoid and paratyphoid	1	9	7	147	199	209	-	-	-	-	-	-	-	-	-	1	7	5	-	1	1	-	-	-	-	-	-	-	1	1	20					
21	Undulant fever	-	4	3	61	75	.59	-	-	-	-	-	-	-	-	-	3	..	-	-	1	-	1	1	-	-	-	-	-	-	-	21					
22	Venereal diseases:	324	322	323	7,996	7,580	8,133	2	8	8	-	1	-	16	8	12	6	2	4	81	72	69	34	39	51	32	32	24	24	21	23	54	58	60	75	81	57
23	(a) Syphilis, primary	3	2	2	68	49	78	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	23				
24	(b) " secondary	1	1	1	25	21	31	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	24				
25	(c) " other	32	54	41	1,064	910	1,150	-	-	-	1	2	1	1	-	13	36	16	9	6	9	2	2	2	3	2	1	1	2	7	6	25					
26	(d) Gonorrhoea	288	265	250	6,835	6,599	6,747	2	8	7	-	1	-	15	6	11	5	2	3	68	35	50	25	32	40	29	30	22	21	19	51	57	53	72	73	53	
27	(e) Other venereal diseases ⁷	-	-	-	4	1	10	-	-	-	-	-	-	-	-	-	38	25	49	36	34	19	-	1	3	1	1	6	16	15	13	5	12	19			
28	Whooping cough	105	95	137	3,461	4,387	4,239	-	-	-	-	-	-	-	-	-	10	9	7	7	-	-	-	-	-	-	-	-	-	-	-	-	28				

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	12 (13)	Measles	11,001 (14,469)	Meningitis, other	39 (31)	Poliomyelitis, with paralysis	51 (38)	Smallpox	- (-)	Undulant fever	27 (22)
Encephalitis infectious	27 (36)	Meningococcal infections	28 (46)	Poliomyelitis, acute	134 (89)	Poliomyelitis, without paralysis	71 (38)	Typhoid fever	30 (22)		

EPIDEMIC REPORT: Chickenpox - Nfld. reports an epidemic at Traytown, B.B.

Measles - Nfld. reports an epidemic at Glovertown, B.B.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended June 29..... 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²				Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.														
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56												
					1957	1956	Median 1952-56																			No.												
1	Chickenpox	439	665	738	25,607	24,865	26,948	21	16	29	45	131	91	271	434	327	23	15	30	79	69	134	1						
2	Diphtheria	-	-	2	67	51	56	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2								
3	Dysentery ⁴	21	8	8	348	300	300	-	-	-	-	-	-	-	-	-	-	2	3	1	1	4	1	15	-	-	-	-	-	3								
4	(a) Amoebic	1	-	-	2	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4									
5	(b) Bacillary	20	8	8	346	300	300	-	-	-	-	-	-	-	-	-	-	2	3	-	-	-	-	-	-	-	-	-	5									
6	Encephalitis, infectious	-	2	-	10	10	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6									
7	Influenza, epidemic	34	190	43	2,758	7,895	7,895	17	24	-	12	160	33	-	-	3	1	3	1	-	-	-	-	-	7							
8	Measles	598	1,254	974	42,440	38,022	40,340	-	-	7	32	30	18	50	115	210	113	298	388	87	236	19	201	442	25	115	133	124			
9	Meningitis, meningococcal	8	5	4	174	169	163	3	2	-	-	-	-	-	-	2	-	-	-	1	-	-	2	1	3	-	-	-	-	-	9							
10	Mumps	255	329	389	18,392	20,386	20,386	46	31	13	31	57	..	120	159	196	18	8	18	40	74	60	10					
11	Poliomyelitis, epidemic ⁴	2	1	17	54	73	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	-	-	1	1	4	11							
12	(a) With paralysis	2	-	9	32	48	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	12							
13	(b) Without paralysis	-	-	5	16	25	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	13							
14	Rubella	201	310	205	14,674	47,311	8,474	-	-	-	5	6	32	15	49	78	62	3	1	111	167	27	32	32	31					
15	Scarlet fever, etc. ⁵	108	81	195	5,460	8,044	8,862	1	2	3	1	8	3	45	12	7	1	-	2	11	18	26	20	39	54	2	-	6	2	-	14	12	2	15	-	27		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16					
17	Tuberculosis ⁴	157	209	196	4,474	4,668	5,252	10	6	8	3	2	1	-	5	1	18	9	14	40	94	42	24	22	28	16	6	12	2	14	16	27	18	24	17	33	34	
18	(a) Pulmonary	122	168	155	3,625	3,732	4,193	10	6	7	1	1	-	-	5	1	17	7	14	39	88	41	(6)	(6)	14	6	12	2	12	11	25	18	23	14	25	30	18	
19	(b) Non-pulmonary	11	19	13	272	260	260	-	-	-	2	1	-	-	-	-	1	2	-	1	6	1	(6)	(6)	2	-	-	2	5	2	-	1	3	8	6	19		
20	Typhoid and paratyphoid	6	1	6	154	205	215	1	-	-	-	-	-	-	-	-	-	5	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	20				
21	Undulant fever	2	-	3	62	75	62	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	21				
22	Venereal diseases ⁶	307	324	274	8,303	7,853	8,398	6	2	9	-	-	-	13	16	5	5	6	6	56	81	46	30	34	48	32	27	35	24	30	60	54	54	70	75	64	22	
23	(a) Syphilis, primary	1	3	4	69	50	81	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	23			
24	(b) " secondary	1	1	1	26	22	31	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	24			
25	(c) " other	38	32	36	1,102	940	1,187	-	-	-	2	1	1	-	11	15	2	4	5	5	41	68	32	22	25	39	31	29	26	34	21	27	59	51	52	59	72	25
26	(d) Gonorrhoea	267	283	245	7,102	6,340	7,027	6	2	9	-	-	-	-	-	9	2	-	-	11	38	43	34	36	23	2	1	8	2	1	5	26	16	11	1	5	23	26
27	(e) Other venereal diseases ⁷	-	-	-	4	1	10	-	-	-	-	-	-	-	-	5	-	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27			
28	Whooping cough	76	106	121	3,538	4,480	4,378	-	-	-	-	-	-	-	-	-	-	-	-	11	38	43	34	36	23	2	1	8	2	1	5	26	16	11	1	5	23	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	15 (12)	Measles	9,528 (11,001)	Meningitis, other	49 (39)	Poliomyelitis, with paralysis	42 (51)	Smallpox	- (-)	Undulant fever	18 (27)
Encephalitis infectious	37 (27)	Meningococcal infections	37 (28)	Poliomyelitis, acute	142 (134)	Poliomyelitis, without paralysis	81 (71)	Typhoid fever	28 (30)		

No significant changes were observed for the current week.

EPIDEMIC REPORTS: Chickenpox - Nfld. reports epidemic at Cormack.

Influenza - Nfld. reports epidemic at Burin.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended July 6, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²					Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.											
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56										
					1957	1956	Median 1952-56																															
1	Chickenpox	303	439	504	25,910	25,120	27,371	29	21	31	31	45	65	188	271	199	31	23	29	24	79	86	1					
2	Diphtheria	1	-	1	68	52	56	-	-	-	-	-	-	1	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	-	2							
3	Dysentery: ⁴	5	21	12	353	306	306	-	-	-	-	-	-	2	-	3	1	1	1	-	15	-	-	-	-	-	-	-	3							
4	(a) Amoebic	1	1	-	3	-	4	-	-	-	-	-	-	2	-	3	1	1	1	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary	4	20	12	350	306	306	-	-	-	-	-	-	2	-	3	1	1	1	-	15	-	-	-	-	-	-	-	5							
6	Encephalitis, infectious	-	1	-	11	10	16	-	-	-	-	-	-	1	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-	6								
7	Influenza, epidemic	36	38	37	2,798	8,035	8,035	15	17	-	20	12	21	1	4	1	1	3	2	4								
8	Measles	534	598	785	42,974	38,517	41,140	-	-	3	23	32	16	29	50	112	141	112	281	102	87	23	155	201	40	8						
9	Meningitis, meningococcal	3	8	6	177	170	170	-	-	-	-	-	-	20	-	1	-	-	1	3	1	-	-	-	1	-	1	9								
10	Mumps	206	255	314	13,598	20,573	20,573	10	16	2	8	31	...	150	120	128	6	18	15	32	40	63	10					
11	Poliomyelitis, epidemic: ⁴	4	2	21	58	78	163	-	-	-	-	-	-	1	-	1	-	-	1	5	-	-	1	1	1	-	-	1	3	2	4	11						
12	(a) With paralysis	3	2	9	35	51	99	-	-	-	-	-	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	1	-	2	1	12						
13	(b) Without paralysis	1	-	9	17	26	53	-	-	-	-	-	-	1	-	1	-	-	3	-	-	-	1	1	-	-	-	-	-	2	13							
14	Rubella	121	201	223	14,795	47,627	8,697	-	-	-	-	-	-	8	...	3	6	12	65	49	118	-	3	2	43	111	10	10	32	34	14					
15	Scarlet fever, etc. ⁵	61	110	132	5,523	8,176	8,963	3	1	1	6	1	4	18	45	12	-	1	1	8	11	38	12	22	30	-	2	5	1	2	4	8	12	23	5	13	19	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	138	157	176	4,612	4,844	5,227	9	10	6	-	3	1	-	-	4	8	13	11	42	40	70	18	24	23	10	16	12	4	2	7	22	27	16	17			
18	(a) Pulmonary	106	122	146	3,731	3,878	4,284	3	10	6	-	1	1	-	-	4	7	17	11	39	39	69	(6)	(6)	(6)	10	14	12	2	2	6	18	25	14	18			
19	(b) Non-pulmonary	14	11	6	266	267	267	-	-	2	-	-	-	-	1	1	-	3	1	2	(6)	(6)	-	2	-	2	-	1	4	2	1	4	3	1				
20	Typhoid and paratyphoid	3	6	4	157	213	215	-	1	-	-	-	-	-	-	-	-	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	20					
21	Undulant fever	1	2	2	64	77	63	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21						
22	Venereal diseases:	291	307	310	8,594	8,122	8,726	11	6	6	-	-	-	14	13	10	2	5	6	59	56	74	58	30	53	26	32	23	18	35	24	35	60	42	68	70	63	22
23	(a) Syphilis, primary	4	1	3	73	50	84	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	1	-	-	-	-	23					
24	(b) " secondary	-	1	1	26	22	35	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	24						
25	(c) " other	46	38	44	1,148	967	1,280	1	-	2	-	-	1	2	1	-	1	-	23	13	22	12	8	7	1	1	1	1	2	2	1	1	5	11	2			
26	Gonorrhoea	241	267	265	7,343	7,032	7,212	9	6	4	-	-	-	13	11	6	2	4	5	36	11	46	46	28	29	23	31	22	17	34	18	33	59	42	62	59	61	
27	(e) Other venereal diseases ⁷	-	-	-	4	1	11	-	-	-	-	-	-	3	-	-	1	45	11	31	27	34	32	5	2	4	-	2	6	5	26	21	8	1	19	28		
28	Whooping cough	94	77	123	3,633	4,586	4,519	-	-	1	-	1	3	4	-	3	-	-	1	45	11	31	27	34	32	5	2	4	-	2	6	5	26	21	8	1	19	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. ... Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	5 (15)	Measles	6,419 (9,528)	Meningitis, other	45 (49)	Poliomyelitis, with paralysis	50 (42)	Smallpox	- (-)	Undulant fever	13 (18)
Encephalitis infectious	49 (37)	Meningococcal infections	33 (37)	Poliomyelitis, acute	154 (142)	Poliomyelitis, without paralysis	88 (81)	Typhoid fever	26 (28)		

No significant changes were observed for the current week.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended July 13, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	Canada ²						NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.					
		Cumulative Total ³			Report Week	Previous Week	Median 1952-56	1957	1956	Median 1952-56	Report Week			Previous Week			Median 1952-56			Report Week			Previous Week			Median 1952-56			Report Week			Previous Week			No.					
		Report Week	Previous Week	Median 1952-56							Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56						
1	Chickenpox	255	305	420	26,167	25,372	27,689	3	..	14	31	28	26	31	44	129	188	191	13	31	20	70	24	52	1					
2	Diphtheria	-	1	1	68	53	57	-	-	-	-	-	-	-	-	-	-	-	-	1	3	..	1	1	1	6	-	-	-	-	-	-	2							
3	Dysentery: ⁴	9	5	23	362	329	329	-	-	-	-	-	-	-	-	-	-	-	1	3	..	1	1	1	6	-	-	-	-	-	-	3								
4	(a) Amoebic	1	1	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary	8	4	23	358	329	329	-	-	-	-	-	-	-	-	-	-	-	1	3	..	1	1	1	6	-	-	-	-	-	-	5								
6	Encephalitis, infectious	1	-	1	12	10	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6								
7	Influenza, epidemic	38	46	69	2,876	8,183	8,183	31	15	..	5	30	25	66	39	160	55	111	242	159	102	11	7					
8	Measles	541	524	618	43,515	39,012	41,633	-	-	1	6	23	10	1	-	1	1	1	2	2	1	1	1	8					
9	Meningitis, meningococcal	3	3	5	180	175	175	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	1	-	-	-	-	-	9							
10	Mumps	165	206	263	18,771	20,771	20,771	7	10	6	9	8	..	120	150	115	6	6	14	23	32	36	10				
11	Poliomyelitis, epidemic: ⁴	11	4	44	69	83	189	-	-	-	1	-	-	-	-	-	-	-	1	1	2	1	-	9	1	-	2	-	1	3	3	2	1	11						
12	(a) With paralysis	8	3	15	43	53	116	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	1	-	2	-	1	2	-	3	2	12						
13	(b) Without paralysis	3	1	12	20	29	62	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	13							
14	Rubella	139	133	198	14,946	47,869	8,753	-	-	-	8	12	6	7	3	4	13	65	20	3	-	-	40	43	11	68	10	21					
15	Scarlet fever, etc. ⁵	41	71	125	5,576	8,288	9,057	2	3	3	8	6	6	4	28	10	..	2	6	8	23	11	12	23	-	-	5	-	1	16	7	8	9	3	5	15				
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16							
17	Tuberculosis: ⁴	98	138	190	4,711	4,998	5,675	1	8	10	-	-	2	-	-	3	7	8	12	27	12	48	15	18	24	8	10	14	4	4	19	8	22	15	28	23				
18	(a) Pulmonary	79	106	168	3,811	3,986	4,563	1	8	8	-	-	1	-	-	2	6	7	12	27	39	47	(6)	(6)	(6)	7	10	14	3	2	17	8	18	15	27	22	21			
19	(b) Non-pulmonary	4	14	9	290	274	288	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	(6)	1	-	-	1	2	2	-	4	-	1	4	2					
20	Typhoid and paratyphoid	3	3	4	160	225	225	-	-	-	-	-	-	-	-	-	-	-	3	3	3	-	-	-	-	-	-	-	-	-	-	20								
21	Undulant fever	9	1	4	73	77	68	-	1	-	-	-	-	-	-	-	-	-	6	..	1	-	-	2	-	-	-	-	-	-	-	-	21							
22	Venereal diseases:	307	291	334	8,901	8,445	9,059	6	11	11	2	-	1	20	14	7	11	2	4	49	59	60	44	58	42	19	26	27	30	18	39	56	35	52	70	68	78			
23	(a) Syphilis, primary	3	4	3	76	55	87	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-	-	1	-	1	-	23						
24	(b) " secondary	2	-	-	28	22	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24							
25	(c) " other	33	46	49	1,181	992	1,316	1	1	1	-	-	-	1	2	5	-	1	16	23	13	4	12	14	-	1	2	1	3	-	2	6	5	6						
26	(d) Gonorrhoea	269	241	285	7,612	7,374	7,604	5	9	10	2	-	1	20	13	5	6	2	2	33	36	44	38	46	32	17	23	26	28	17	34	56	33	51	64	62	70			
27	(e) Other venereal diseases ⁷	-	-	-	4	2	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27							
28	Whooping cough	78	94	100	3,711	4,677	4,622	-	-	-	-	-	-	-	-	-	3	7	4	2	-	-	16	45	41	32	27	22	1	5	3	-	2	17	5	4	5	8	9	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. Not reportable.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 26 (5); Measles 6,281 (6,419); Meningitis, other 45 (45); Poliomyelitis, with paralysis 56 (50); Smallpox - (-); Undulant fever 22 (13); Encephalitis infectious 41 (49); Meningococcal infections 43 (33); Poliomyelitis, acute 186 (154); Poliomyelitis, without paralysis 103 (88); Typhoid fever 50 (26);

Since April 1, the beginning of the poliomyelitis disease year, a total of 1,217 cases has been reported. Of these, 456 or 37 per cent were paralytic and 614 or 50 per cent were nonparalytic. This is the first year since data by type became available 4 years ago that the paralytic cases have numbered less than the nonparalytic. For the corresponding period of 1956 the proportions were 51 and 33 per cent, respectively. In states with 10 or more cases the proportions with paralysis varied from 13 per cent in Wisconsin to 78 in Georgia. During the 15-week period of the current disease year only 4 of these states have reported significantly more paralytic than nonparalytic cases. These were in Texas with 179 paralytic cases compared with 145 nonparalytic; Georgia, 18 paralytic and 1 nonparalytic; South Carolina, 17 paralytic and 14 nonparalytic; and Kentucky, 6 paralytic and 2 nonparalytic. In 1956, many states reported more paralytic than nonparalytic only 10 states reported less paralytic.

EPIDEMIC REPORT: Influenza - Nfld. reports an epidemic in Belleoram.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended **July 20, 1957**, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.			
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56				
					1957	1956	Median 1952-56																															
1	Chickenpox	202	255	315	26,369	25,673	27,946	3	..	13	14	18	31	26	60	123	129	151	15	13	19	20	70	63	1		
2	Diphtheria	1	-	2	69	57	61	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2					
3	Dysentery: ⁴	1	9	12	363	349	349	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	1	..	1	1	1	1	1	3	3				
4	(a) Amoebic	-	1	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4					
5	(b) Bacillary	1	8	6	359	349	349	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	6	1	..	1	1	1	1	1	5					
6	Encephalitis, infectious	-	1	-	12	10	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6						
7	Influenza, epidemic	54	38	18	2,930	8,310	8,310	39	31	-	13	5	16	2	7	2	2	7					
8	Measles	435	541	488	13,950	39,566	42,113	-	-	1	24	6	30	24	66	116	147	55	175	48	159	11	145	161	28	8			
9	Meningitis, meningococcal	4	3	3	184	176	176	-	-	-	-	-	-	-	-	-	-	-	-	1	..	1	1	1	9							
10	Mumps	147	165	141	18,918	20,909	20,909	13	7	2	27	9	..	87	120	77	8	6	9	12	23	27	10			
11	Poliomyelitis, epidemic: ⁴	9	11	45	78	99	259	-	-	-	1	-	-	-	1	1	1	1	1	3	2	1	6	-	1	8	1	-	1	1	4	9	3	3				
12	(a) With paralysis	4	8	23	47	61	127	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	4	1	-	-	2	1	3	12						
13	(b) Without paralysis	5	3	15	25	36	91	-	-	-	1	-	-	-	1	-	-	-	1	1	1	3	-	-	1	2	2	2	3	3	13							
14	Rubella	102	139	75	15,048	48,120	8,796	-	-	8	3	3	7	5	38	13	19	1	3	-	46	40	16	14				
15	Scarlet fever, etc. ⁵	128	41	114	5,704	8,405	9,139	1	2	3	8	8	8	8	55	4	12	-	-	1	13	6	17	19	11	26	2	-	2	3	-	3	25	7	5	2	3	16
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16					
17	Tuberculosis: ⁴	158	98	203	4,869	5,245	5,881	11	1	3	1	-	3	4	-	2	15	7	8	12	27	78	9	15	18	7	8	13	2	4	2	37	8	24	30	28	26	
18	(a) Pulmonary	138	79	162	3,949	4,204	4,696	10	1	3	1	-	2	4	-	2	11	6	8	12	27	74	(6)	(6)	(6)	6	7	12	2	3	-	36	8	21	26	27	22	
19	(b) Non-pulmonary	11	4	13	301	292	296	1	-	-	-	-	-	-	-	4	1	-	-	-	2	(6)	(6)	(6)	1	1	1	-	1	-	1	3	4	1	2	19		
20	Typhoid and paratyphoid	3	3	5	163	226	226	-	-	-	-	-	-	-	-	1	-	-	1	3	3	-	-	-	-	-	-	-	-	-	-	1	20					
21	Undulant fever	2	9	1	75	77	70	-	-	-	-	-	-	-	-	-	-	-	6	..	-	1	2	-	-	-	-	-	1	-	-	21				
22	Venereal diseases:	296	307	350	9,197	8,744	9,432	3	6	11	1	2	1	13	20	11	-	11	5	31	49	85	58	44	61	21	19	33	31	30	34	47	56	59	91	70	44	
23	(a) Syphilis, primary	3	3	3	79	59	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23					
24	(b) " secondary	1	2	1	29	36	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24					
25	(c) " other	28	33	46	1,209	1,038	1,360	-	1	1	-	-	4	-	4	-	5	-	7	16	18	5	4	15	1	-	1	5	1	2	-	6	6	4	25			
26	(d) Gonorrhoea	264	269	302	7,876	7,623	7,833	3	5	7	1	2	-	9	20	9	-	6	4	24	33	67	53	38	49	20	17	31	24	28	32	46	56	57	84	64	39	
27	(e) Other venereal diseases ⁷	-	-	-	4	2	11	-	-	-	-	1	2	7	7	-	-	-	30	16	36	43	32	20	1	1	2	-	-	-	-	-	-	-	-	27		
28	Whooping cough	113	78	127	3,824	4,789	4,759	-	-	-	-	1	2	7	7	-	-	-	30	16	36	43	32	20	1	1	2	-	-	2	21	17	10	16	5	8	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.
(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	19 (26)	Measles	4,155 (6,281)	Meningitis, other	73 (45)	Poliomyelitis, with paralysis	50 (56)	Smallpox	- (-)	Undulant fever	23 (22)
Encephalitis, infectious	36 (41)	Meningococcal infections	44 (43)	Poliomyelitis, acute	252 (186)	Poliomyelitis, without paralysis	167 (103)	Typhoid fever	35 (50)		

No significant changes were observed for the current week.

EPIDEMIC REPORT: Chickenpox - Nfld. reports an epidemic at St. Lawrence.

Streptococcal sore throat - Nfld. reports an epidemic at Lewisporte.

Influenza - Nfld. reports an epidemic at Argentia.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended **July 27** 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²				N.F.L.D.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.				
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56			
					1957	1956	Median 1952-56																														
1	Chickenpox	257	202	255	26,626	25,899	28,075	13	10	...	162	31	42	55	123	95	10	15	18	30	20	54	1				
2	Diphtheria	6	1	2	75	60	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2					
3	Dysentery: ⁴	9	1	17	372	358	358	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	3	-	2	1	-	1	1	-	-	9					
4	(a) Amoebic	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4						
5	(b) Bacillary	9	1	17	368	358	358	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	3	-	2	1	-	1	1	-	-	9					
6	Encephalitis, infectious	2	-	1	14	11	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5						
7	Influenza, epidemic	26	55	23	2,957	8,374	8,374	13	39	-	11	13	8	1	3	1	1	-	-	-	-	-	-	-	-	6					
8	Measles	300	435	438	44,250	39,962	42,531	-	-	3	13	24	22	14	24	73	63	147	178	28	48	18	140	145	37	42	47	63		
9	Meningitis, meningococcal	2	4	3	186	180	180	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	9					
10	Mumps	161	147	185	19,079	21,059	21,059	7	13	12	...	28	27	...	101	87	82	13	8	10	12	12	21	10			
11	Poliomyelitis, epidemic: ⁴	8	10	51	87	108	391	-	-	1	-	-	-	-	-	1	1	1	1	3	4	3	15	-	-	3	1	1	2	2	1	11	-	3	10		
12	(a) With paralysis	6	4	23	53	66	142	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	1	3	-	1	1	1	1	-	1	1	3	12			
13	(b) Without paralysis	2	6	22	28	40	149	-	-	1	-	-	-	-	-	1	1	-	1	-	2	12	-	-	2	1	2	-	2	4	13						
14	Rubella	54	102	58	15,102	48,280	8,854	-	-	-	-	-	-	-	1	-	1	7	3	5	26	38	30	1	1	-	-	-	30	46	8	13	14	9			
15	Scarlet fever, etc. ⁵	67	133	93	5,776	8,498	9,199	2	1	-	15	8	5	12	55	15	2	-	1	8	13	12	10	24	12	2	2	7	9	3	2	5	25	8	2	13	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16				
17	Tuberculosis: ⁴	261	158	194	5,130	5,439	6,039	4	11	20	-	1	-	4	1	8	15	8	131	42	83	19	9	17	8	7	17	11	2	9	44	37	17	36	30	22	
18	(a) Pulmonary	222	138	164	4,171	4,369	4,820	4	10	19	-	1	-	4	-	8	11	8	126	42	76	(6)	(6)	(6)	8	6	17	9	2	8	35	36	16	32	26	21	
19	(b) Non-pulmonary	20	11	12	321	304	310	-	1	-	-	-	-	-	4	-	5	-	6	(6)	(6)	-	1	-	2	-	1	9	1	1	4	4	3	19			
20	Typhoid and paratyphoid	12	3	15	175	241	241	-	-	-	-	-	-	-	1	-	10	1	4	2	-	1	-	-	1	-	-	-	-	-	-	-	20				
21	Undulant fever	5	2	2	80	81	72	-	-	-	-	-	-	-	-	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	21				
22	Venereal diseases:	344	296	341	9,541	9,057	9,796	15	3	7	-	1	-	12	13	10	6	-	7	77	31	77	63	58	55	14	21	30	32	31	32	53	47	56	72	91	56
23	(a) Syphilis, primary	2	3	3	81	59	92	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	23		
24	(b) " secondary	2	1	1	31	24	38	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24				
25	(c) " other	30	28	46	1,239	1,067	1,433	1	-	-	4	1	1	-	13	7	20	9	5	14	-	1	1	5	1	-	-	2	5	6	4	25					
26	(d) Gonorrhoea	309	264	282	8,185	7,905	8,151	13	3	5	-	1	-	12	9	8	5	-	7	62	24	48	54	53	41	14	20	28	29	24	30	53	46	52	67	84	50
27	(e) Other venereal diseases ⁷	1	-	-	5	2	11	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27				
28	Whooping cough	163	113	130	3,987	4,919	4,886	1	-	-	2	18	2	2	-	-	50	30	40	48	43	43	-	1	4	4	-	6	28	21	15	14	16	13	28		

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	19	(19)	Measles	3,093	(4,155)	Meningitis, other	104	(73)	Poliomyelitis, with paralysis	51	(50)	Smallpox	-	(-)	Undulant fever	14	(23)
Encephalitis infectious	39	(36)	Meningococcal infections	35	(44)	Poliomyelitis, acute	265	(252)	Poliomyelitis, without paralysis	165	(167)	Typhoid fever	37	(35)			

No significant changes were observed for the current week.

YUKON TERRITORY: Number of cases four weeks ended June 15: chickenpox, 51; measles, 4; tuberculosis, pulmonary, 1; syphilis, 1; gonorrhoea, 5; infectious hepatitis, 4.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended August 3, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²			Nfld.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.						
		Cumulative Total ³																																				
		Report Week	Previous Week	Median 1952-56	1957	1956	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56							
1	Chickenpox	123	257	196	26,749	26,095	28,246	11	-	15	26	162	29	48	55	66	9	10	13	29	30	29	1					
2	Diphtheria	4	6	1	79	61	63	-	-	-	-	-	-	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2						
3	Dysentery: ⁴	6	9	18	378	377	377	-	-	-	-	-	-	3	1	-	2	3	..	1	3	2	-	1	-	-	-	-	-	-	16	3						
4	(a) Amoebic	-	-	-	4	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary	6	9	18	374	377	377	-	-	-	-	-	-	3	1	-	2	3	..	1	3	2	-	1	-	-	-	-	-	-	16	5						
6	Encephalitis, infectious	1	2	1	15	12	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6								
7	Influenza, epidemic	93	26	13	3,050	8,466	8,466	15	13	-	76	11	12	1	1	1	1	1	1	1	2	-	7						
8	Measles	319	300	344	44,569	40,210	42,790	-	-	-	3	29	13	7	28	14	80	91	63	95	45	28	10	..	101	140	40	22	42	8			
9	Meningitis, meningococcal	8	2	1	194	187	187	4	1	-	-	-	-	1	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	9						
10	Mumps	108	161	169	19,187	21,190	21,190	7	7	4	9	28	..	65	101	82	4	13	7	23	12	35	10			
11	Poliomyelitis, epidemic: ⁴	10	10	50	100	123	581	-	-	-	-	-	1	-	-	1	-	-	2	1	5	1	6	14	1	-	4	-	1	4	4	2	8	-	7	11		
12	(a) With paralysis	4	7	26	59	73	206	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	5	4	1	-	4	-	1	1	2	-	1	-	2	12		
13	(b) Without paralysis	5	3	21	34	47	188	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	11	-	-	1	-	2	2	2	1	-	1	13			
14	Rubella	100	78	40	15,226	48,563	8,894	-	-	-	21	1	2	4	7	5	28	26	9	-	1	1	28	30	15	19	13	9		
15	Scarlet fever, etc. ⁵	65	67	90	5,841	8,588	9,264	6	2	2	2	15	5	29	12	15	-	2	-	5	8	13	10	10	19	2	2	3	3	9	5	4	5	6	4	2	13	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16			
17	Tuberculosis: ⁴	168	261	197	5,298	5,602	6,275	12	4	8	-	-	2	-	-	1	4	8	13	59	131	72	31	19	20	9	8	21	13	11	7	16	44	25	24	36	30	17
18	(a) Pulmonary	130	222	156	4,301	4,499	5,003	12	4	8	-	-	1	-	-	1	4	8	10	57	126	69	(6)	(6)	(6)	7	8	20	11	9	3	16	35	22	23	32	26	18
19	(b) Non-pulmonary	7	20	14	328	318	322	-	-	-	-	-	1	-	-	-	-	-	2	5	4	(6)	(6)	2	2	1	-	9	2	1	4	4	4	19				
20	Typhoid and paratyphoid	2	12	10	177	254	254	-	-	-	-	-	-	-	-	-	-	-	1	10	9	1	2	1	-	-	-	-	-	-	-	-	-	-	20			
21	Undulant fever	-	5	5	81	94	77	-	-	-	-	-	-	-	-	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21		
22	Venereal diseases:	386	344	355	9,927	9,405	10,207	5	15	8	-	-	1	9	12	8	8	6	5	89	77	70	51	63	64	37	14	28	37	32	29	50	53	59	100	72	66	
23	(a) Syphilis, primary	3	2	2	84	59	94	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	23			
24	(b) " secondary	-	2	2	31	26	38	-	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	24			
25	(c) " other	53	30	35	1,292	1,094	1,432	-	1	-	-	2	-	1	-	1	-	34	13	9	10	9	15	-	-	2	1	1	3	-	2	4	5	4	25			
26	(d) Gonorrhoea	330	309	319	8,515	8,224	8,488	5	13	5	-	-	1	7	12	6	8	5	4	55	62	61	41	54	51	37	14	23	36	29	28	46	53	57	95	67	62	
27	(e) Other venereal diseases?	-	1	-	5	2	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27			
28	Whooping cough	164	163	126	4,151	5,084	4,988	-	1	-	2	-	5	11	18	6	-	-	46	50	43	72	48	38	-	-	2	1	4	4	17	28	8	15	14	22	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	10 (19)	Measles	2,701 (3,093)	Meningitis, other	71 (104)	Poliomyelitis, with paralysis	71 (51)	Smallpox	- (-)	Undulant fever	17 (14)
Encephalitis infectious	57 (39)	Meningococcal infections	27 (35)	Poliomyelitis, acute	297 (265)	Poliomyelitis, without paralysis	172 (165)	Typhoid fever	46 (37)		

No significant changes were observed for the current week.

EPIDEMIC REPORT: Chickenpox - Nfld. reports an epidemic at St. Lawrence and Corner Brook.

Rubella - Nfld. reports an epidemic at Corner Brook.

Influenza - Nfld. reports an epidemic at Corner Brook.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended August 10, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	CANADA ²						NFLD.		P.E.I.		N.S.		N.B.		QUE.		ONT.		MAN.		SASK.		ALTA.		B.C.		No.								
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56								
					1957	1956	Median 1952-56																													
1	Chickenpox	76	123	170	26,825	26,238	28,410	7	11	9	20	26	24	39	48	46	10	9	29	30	1			
2	Diphtheria	1	4	2	80	61	66	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	-	-	-	-	2					
3	Dysentery: ⁴	16	6	21	394	391	391	-	-	-	-	-	-	-	-	3	-	10	2	..	6	1	2	-	-	-	-	-	-	-	-	14				
4	(a) Amoebic	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4				
5	(b) Bacillary	16	6	21	390	391	391	-	-	-	-	-	-	-	-	3	-	10	2	..	6	1	2	-	-	-	-	-	-	-	-	14				
6	Encephalitis, infectious	3	1	1	18	15	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	6					
7	Influenza, epidemic	182	94	17	3,233	8,550	8,550	-	-	-	-	-	-	-	-	127	76	14	-	1	1	-	-	-	-	-	-	-	-	7				
8	Measles	192	319	259	44,761	40,633	43,078	-	-	2	3	..	36	29	5	..	4	28	61	37	91	66	58	45	8	57	101	35	-	22	37			
9	Meningitis, meningococcal	11	8	2	205	188	188	9	4	-	-	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	9				
10	Mumps	137	108	147	19,324	21,329	21,329	5	7	2	14	9	..	117	65	65	1	4	9	23	25				
11	Poliomyelitis, epidemic: ⁴	7	10	96	109	151	794	-	-	1	-	-	-	3	-	3	3	2	11	2	1	18	-	1	15	-	-	9	2	4	28	-	2			
12	(a) With paralysis	4	4	40	64	85	299	-	-	1	-	-	-	2	-	-	1	-	6	2	-	7	-	1	9	-	-	3	1	2	-	-	1			
13	(b) Without paralysis	3	5	39	38	62	236	-	-	-	-	-	-	-	-	2	2	1	-	-	1	12	-	-	6	-	-	2	1	2	4	-	1			
14	Rubella	60	100	53	15,286	48,663	8,920	-	-	-	-	-	6	21	-	2	4	4	29	28	18	1	-	-	-	-	22	28	9	-	19	7				
15	Scarlet fever, etc. ⁵	64	68	82	5,908	8,659	9,306	2	6	2	13	2	8	30	29	16	-	1	6	5	13	9	13	16	1	2	3	2	3	4	6	-	4			
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16				
17	Tuberculosis: ⁴	142	168	175	5,440	5,783	6,413	6	12	4	2	-	2	24	-	12	4	13	54	59	52	14	31	20	7	9	11	1	13	11	22	16	14	-	24	
18	(a) Pulmonary	120	130	137	4,421	4,627	5,170	6	12	4	-	-	2	24	-	10	4	11	53	57	51	(6)	(6)	(6)	6	7	11	-	11	9	21	16	14	-	23	
19	(b) Non-pulmonary	8	7	7	336	330	330	-	-	2	-	1	-	-	2	-	-	1	2	1	(6)	(6)	(6)	1	2	2	1	-	-	1	2	19				
20	Typhoid and paratyphoid	6	2	10	182	264	264	-	-	-	-	-	-	-	-	-	5	1	5	1	1	-	-	-	-	-	-	-	-	-	-	20				
21	Undulant fever	1	-	1	82	95	.78	-	-	-	-	-	-	-	-	1	-	..	-	-	-	-	-	-	-	-	-	-	-	-	-	21				
22	Venereal diseases:	212	386	379	10,139	9,724	10,525	18	5	14	2	-	1	4	9	7	8	7	74	89	99	(8)	51	51	25	37	26	37	37	35	45	50	58	-	100	
23	(a) Syphilis, primary	2	3	3	87	62	94	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	23				
24	(b) " secondary	-	-	-	31	27	49	-	-	-	-	-	-	-	-	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	24					
25	(c) " other	26	53	40	1,318	1,117	1,399	-	-	3	1	-	-	-	2	2	1	2	-	1	11	34	15	-	10	8	-	-	1	9	3	1	-	4		
26	(d) Gonorrhoea	182	330	307	8,697	8,516	8,780	18	5	11	1	-	-	2	7	5	5	8	6	61	55	86	-	41	43	25	37	26	34	36	31	36	46	52	-	95
27	(e) Other venereal diseases ⁷	1	-	-	6	2	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	27				
28	Whooping cough	144	164	185	4,295	5,220	5,113	-	-	1	-	2	3	6	11	1	-	-	-	42	46	69	74	72	32	-	-	4	4	1	10	18	17	18	-	15

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses). (8) Report not received.

Diphtheria	12 (10)	Measles	2,350 (2,701)	Meningitis, other	73 (71)	Poliomyelitis, with paralysis	70 (71)	Smallpox	- (-)	Undulant fever	23 (17)
Encephalitis infectious	62 (57)	Meningococcal infections	38 (27)	Poliomyelitis, acute	356 (297)	Poliomyelitis, without paralysis	205 (172)	Typhoid fever	29 (46)		

The New York State Department of Health, in a bulletin on poliomyelitis reported in upstate New York, has provided figures by age groups for the period January 1 to July 26, 1957, with comparative data for given previous years. The data for paralytic poliomyelitis are shown below.

	1957	1956	1951-53 average
--	------	------	-----------------

Under 5 years	2	14	39
5- 9 years	5	17	39
10-14 years	2	11	24
15-19 years	-	6	16
20-39 years	8	24	39
40 years and over	2	8	7

EPIDEMIC REPORT: Gastro-enteritis - Nfld. reports an epidemic at Placentia, P.B.

Influenza - Nfld. reports an epidemic at Harmon A.F.B., and Stephenville.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended August 17, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²					Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.				
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56						
					1957	1956	Median 1952-56																								
1	Chickenpox	67	97	163	26,913	26,356	28,509	1			
2	Diphtheria	3	1	1	83	61	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2			
3	Dysentery: ⁴	13	16	16	407	398	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3			
4	(a) Amoebic	-	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4			
5	(b) Bacillary	13	16	16	403	398	398	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5			
6	Encephalitis, infectious	4	3	1	20	18	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6			
7	Influenza, epidemic	176	192	26	3,419	8,616	8,616	47	55	-	125	127	24	7			
8	Measles	245	221	218	45,035	40,867	43,284	-	-	2	19	36	12	10	4	57	54	37	46	10	58	9	..	19		
9	Meningitis, meningococcal	5	13	3	214	193	193	3	9	-	-	-	-	1	1	-	-	-	1	1	2	-	-	-	-	-	1	..	9		
10	Mumps	72	166	116	19,425	21,429	21,429	2	14	..	49	117	47	-	1	8	..	15		
11	Poliomyelitis, epidemic: ⁴	12	7	133	123	192	945	-	-	-	-	-	1	-	-	4	-	3	2	3	6	3	2	19	-	15	-	12			
12	(a) With paralysis	7	4	53	72	109	370	-	-	-	-	-	1	-	-	2	-	-	1	5	2	2	15	-	9	-	3	2			
13	(b) Without paralysis	5	3	48	44	79	285	-	-	-	-	-	-	-	-	3	-	2	1	1	-	13	-	6	-	5	4				
14	Rubella	50	66	33	15,342	43,751	8,927	-	-	-	6	1	4	2	4	15	29	6	1	..	22			
15	Scarlet fever, etc. ⁵	57	71	58	5,972	8,717	9,245	2	2	..	13	15	5	3	20	12	-	1	1	6	12	15	12	10	1	1	5	4			
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16			
17	Tuberculosis: ⁴	129	165	226	5,592	5,914	6,639	3	6	11	-	2	1	-	24	2	13	12	9	54	54	105	13	14	17	8	7	12	-	1	
18	(a) Pulmonary	104	123	190	4,538	4,720	5,360	3	6	11	-	-	-	-	-	24	2	13	10	8	46	53	102	(6)	(6)	(6)	7	6	12	-	8
19	(b) Non-pulmonary	12	18	12	358	345	345	-	-	-	-	-	-	-	-	2	1	8	1	3	(6)	(6)	(6)	1	1	-	1	3	2	1	10
20	Typhoid and paratyphoid	3	6	13	189	273	273	1	-	-	-	-	-	-	-	-	-	-	1	5	6	-	-	1	-	-	-	-	20		
21	Undulant fever	2	1	5	84	97	84	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	21			
22	Venereal diseases:	317	328	359	10,572	10,052	10,882	9	18	9	1	2	-	17	4	10	3	7	7	47	74	95	47	44	56	20	25	26	43	37	
23	(a) Syphilis, primary	1	5	2	90	64	97	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	1		
24	(b) " secondary	-	-	2	31	27	42	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	24			
25	(c) " other	30	45	41	1,367	1,152	1,527	-	1	1	1	-	4	2	1	-	2	1	10	11	22	8	10	13	1	3	1	3	9		
26	(d) Gonorrhoea	286	277	311	9,078	8,305	9,062	9	18	8	-	1	-	12	2	9	2	5	5	37	61	80	39	33	49	19	25	24	40		
27	(e) Other venereal diseases ⁷	-	1	1	6	3	13	-	-	-	-	-	-	-	-	-	-	-	1	25	42	36	56	74	49	-	10	1			
28	Whooping cough	139	167	284	4,457	5,369	5,287	-	-	-	-	-	1	7	6	5	-	1	25	42	36	56	74	49	-	-	10	1			
																													28		

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	- (12)	Measles	- (2,350)	Meningitis, other	- (73)	Poliomyelitis, with paralysis	- (70)	Smallpox	- (-)	Undulant fever	- (23)
Encephalitis infectious	- (62)	Meningococcal infections	- (38)	Poliomyelitis, acute	- (356)	Poliomyelitis, without paralysis	- (205)	Typhoid fever	- (29)		

Report for current week not received.

EPIDEMIC REPORT: Chickenpox - Nfld. reports an epidemic at St. Brendan's, B.B.

Gastro-enteritis - Nfld. reports an epidemic at Glovertown, B.B.

Rubella - Nfld. reports an epidemic at Glovertown, B.B.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended August 24, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	CANADA ²						Nfld.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.			
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56				
					1957	1956	Median 1952-56																															
1	Chickenpox	68	74	138	26,988	26,591	28,585	11	5	1				
2	Diphtheria	5	3	1	88	61	68	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2					
3	Dysentery: ⁴	6	13	14	415	409	413	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3					
4	(a) Amoebic	2	-	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4					
5	(b) Bacillary	4	13	13	409	409	411	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5					
6	Encephalitis, infectious	-	4	1	22	20	21	-	-	-	-	-	-	63	47	-	179	449	23	6				
7	Influenza, epidemic	247	500	26	3,990	8,674	8,674	36	35	3	7						
8	Measles	178	261	190	45,229	41,113	43,477	-	-	2	9	10	52	40	54	59	22	10	9	8						
9	Meningitis, meningococcal	10	5	3	225	195	195	6	3	-	-	-	-	1	1	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	9						
10	Mumps	73	82	125	19,508	21,556	21,556	10	16	4	6	2	..	43	49	60	8	-	10						
11	Poliomyelitis, epidemic: ⁴	18	4	151	144	223	1,074	-	-	1	-	-	-	6	1	-	8	9	2	17	-	5	15	-	-	8	1	-	16	4	6	24	3	1	14			
12	(a) With paralysis	12	9	53	87	131	443	-	-	1	-	-	-	1	-	-	2	-	-	6	2	5	-	4	11	-	-	3	1	-	2	4	2	1	1	12		
13	(b) Without paralysis	6	5	49	50	86	334	-	-	1	-	-	-	1	-	-	7	3	-	1	10	-	5	-	-	4	-	4	1	2	-	5	13					
14	Rubella	63	75	68	15,430	48,824	9,005	-	-	18	25	-	4	4	3	12	15	14	2	1	-	..	19	22	6	8	9	14			
15	Scarlet fever, etc. ⁵	93	95	78	6,103	8,795	9,382	4	2	-	6	13	3	68	41	18	-	-	1	2	1	10	5	15	11	2	1	-	-	1	3	4	6	2	17	9		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16				
17	Tuberculosis: ⁴	222	129	211	5,515	6,126	6,850	1	3	7	-	-	1	-	-	-	10	13	3	139	54	62	7	13	33	27	8	20	4	-	8	14	30	20	20	8	18	
18	(a) Pulmonary	213	104	142	4,752	4,861	5,524	1	3	7	-	-	1	-	-	-	10	13	3	138	46	62	(6)	(6)	27	7	20	4	-	7	14	28	19	19	7	16		
19	(b) Non-pulmonary	2	12	14	360	360	360	-	-	-	-	-	-	-	-	-	1	1	8	2	(6)	(6)	(6)	-	1	-	-	1	-	2	2	1	1	2				
20	Typhoid and paratyphoid	16	3	14	205	287	-	1	-	-	-	-	-	1	-	-	13	1	10	1	-	2	-	-	1	-	-	-	-	-	-	-	-	20				
21	Undulant fever	5	2	4	89	101	89	-	-	1	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	21				
22	Venereal diseases:	241	317	351	10,813	10,430	11,256	5	9	12	-	1	-	2	17	10	4	3	5	51	47	78	(8)	47	47	27	20	30	32	43	35	46	49	62	74	81	64	22
23	(a) Syphilis, primary	-	1	3	90	66	103	-	-	-	-	-	-	1	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	23			
24	(b) " secondary	1	-	2	32	28	42	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	24				
25	(c) " other	20	30	43	1,387	1,181	1,584	-	-	1	-	1	-	4	1	-	-	8	10	14	-	8	10	3	1	1	-	3	5	-	-	-	9	3	4	25		
26	(d) Gonorrhoea	218	286	302	9,296	9,152	9,348	5	9	8	-	-	-	2	12	8	4	3	5	42	37	55	-	39	39	23	19	29	32	40	28	46	49	60	64	78	57	26
27	(e) Other venereal diseases ⁷	2	-	-	8	3	13	-	-	-	-	-	-	1	11	7	-	-	47	25	69	97	56	40	-	-	4	1	1	5	23	30	16	11	20	22	28	
28	Whooping cough	190	139	181	4,647	5,499	5,465	-	-	-	-	-	-	1	11	7	-	-	-	47	25	69	97	56	40	-	-	4	1	1	5	23	30	16	11	20	22	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

(8) Report not received.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	23 (18)	Measles	1,272 (1,410)	Meningitis, other	134 (56)	Poliomyelitis, with paralysis	94 (81)	Smallpox	- (-)	Undulant fever	17 (16)
Encephalitis infectious	53 (81)	Meningococcal infections	32 (43)	Poliomyelitis, acute	396 (319)	Poliomyelitis, without paralysis	233 (190)	Typhoid fever	42 (56)		

No significant changes were observed for the current week.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended August 31, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.										
		Report Week			Previous Week			Median 1952-56			Cumulative Total ³			Report Week			Previous Week			Median 1952-56			Report Week			Previous Week			Median 1952-56									
		1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56							
1	Chickenpox	109	74	28	27,103	26,609	22,669	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1							
2	Diphtheria	4	5	1	92	63	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2								
3	Dysentery: ⁴	10	6	18	423	427	432	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3								
4	(a) Amoebic	-	3	1	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4								
5	(b) Bacillary	3	4	2	417	427	420	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5									
6	Encephalitis, infectious	1	1	22	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6									
7	Influenza, epidemic	171	270	16	1,234	1,201	1,201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7									
8	Measles	24	192	152	15,342	11,265	13,378	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8									
9	Meningitis, meningococcal	5	10	5	229	199	129	4	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9									
10	Mumps	51	72	115	12,552	21,652	21,652	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10									
11	Poliomyelitis, epidemic: ⁴	13	18	128	157	263	1,274	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11									
12	(a) With paralysis	6	12	57	93	152	511	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12									
13	(b) Without paralysis	7	6	50	57	104	375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13									
14	Rubella	57	62	28	15,427	14,927	9,035	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14									
15	Scarlet fever, etc. ⁵	51	94	74	6,156	3,972	2,372	6	4	1	3	6	3	19	68	12	-	-	-	-	-	-	-	-	-	-	-	-	15									
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16									
17	Tuberculosis: ⁴	177	222	186	5,822	6,209	7,926	2	1	5	1	-	1	-	3	11	10	15	59	139	81	11	7	17	10	27	12	29	4	9	30	14	11	17	20	23		
18	(a) Pulmonary	156	212	157	4,208	5,014	5,601	9	7	4	1	-	1	-	3	10	10	15	57	138	31	(6)	(6)	10	27	12	26	4	8	29	14	9	14	19	22			
19	(b) Non-pulmonary	10	2	10	270	372	372	-	-	-	-	-	-	-	-	1	-	-	2	1	1	(6)	(6)	-	-	2	1	-	3	1	5	19						
20	Typhoid and paratyphoid	3	16	10	208	294	294	-	-	-	-	-	-	-	-	1	-	2	12	5	1	1	-	-	-	-	-	-	-	-	20							
21	Undulant fever	3	5	-	92	101	90	-	-	-	1	-	-	-	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	21							
22	Venereal diseases:	315	289	354	11,176	10,795	11,762	6	5	7	-	-	1	5	2	8	4	1	5	50	51	69	33	48	56	35	27	31	11	32	27	47	46	64	91	74	22	
23	(a) Syphilis, primary	1	2	6	92	66	110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	23						
24	(b) " secondary	-	1	1	34	29	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	24						
25	(c) " other	29	25	41	1,119	1,213	1,613	-	-	-	-	-	-	-	2	1	-	1	11	8	16	5	5	7	3	3	1	2	2	5	9	7	25					
26	(d) Gonorrhoea	285	259	318	9,622	9,479	9,753	6	5	7	-	-	1	5	2	6	3	4	3	29	12	60	28	41	50	32	23	30	11	32	26	45	16	60	86	64	83	26
27	(e) Other venereal diseases ⁷	-	-	-	8	3	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27					
28	Whooping cough	201	190	254	4,848	5,636	5,636	-	-	-	-	-	-	-	6	11	4	-	-	42	47	63	63	97	40	2	-	8	5	1	12	64	23	18	19	11	17	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	10 (23)	Measles	879 (1,272)	Meningitis, other	53 (134)	Poliomyelitis, with paralysis	70 (94)	Smallpox	- (-)	Undulant fever	13 (17)
Encephalitis infectious	55 (53)	Meningococcal infections	21 (32)	Poliomyelitis, acute	257 (396)	Poliomyelitis, without paralysis	132 (233)	Typhoid fever	27 (42)		

No significant changes were observed for the current week.

EPIDEMIC REPORT: Aseptic Meningitis - Nfld. reports an epidemic at St. John's.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended September 7, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.								
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56								
					1957	1956	Median 1952-56																													
1	Chickenpox	82	109	86	27,185	26,793	28,785	4	2	17	60	21	41	27	30	1	8	5	19	12	15	1					
2	Diphtheria	4	4	1	96	70	70	-	-	-	-	-	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	2						
3	Dysentery: ⁴	10	8	11	433	434	445	-	-	-	-	-	-	-	2	-	6	1	..	-	1	3	-	-	-	-	-	-	3	2	5					
4	(a) Amoebic	-	-	-	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4						
5	(b) Bacillary	10	8	9	427	433	443	-	-	-	-	-	-	-	2	-	6	1	..	-	1	2	-	-	-	-	-	-	3	2	5					
6	Encephalitis, infectious	-	1	2	23	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6							
7	Influenza, epidemic	518	175	86	4,806	8,915	8,915	201	81	..	201	84	59	3	6	-	3	1	-	-	1	110	4					
8	Measles	172	94	121	45,515	41,612	43,847	-	-	1	..	2	..	60	12	6	8	3	40	27	13	28	10	14	12	42	35	9				
9	Meningitis, meningococcal	6	5	3	236	206	206	4	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	9						
10	Mumps	104	51	98	19,663	21,798	21,798	15	8	4	10	3	..	55	36	62	11	2	9	13	2	15				
11	Poliomyelitis, epidemic: ⁴	19	13	140	179	306	1,348	-	-	1	3	-	5	3	2	4	1	13	2	-	19	1	-	4	7	1	18	3	4	12	11			
12	(a) With paralysis	9	6	66	104	178	592	-	-	1	1	-	..	4	-	-	1	-	7	2	-	13	1	-	3	4	1	4	-	2	3	6		
13	(b) Without paralysis	9	7	40	67	120	417	-	-	-	-	-	-	3	2	3	-	1	4	-	13	-	-	1	2	4	3	2	3	1	2	5		
14	Rubella	59	57	37	15,546	49,046	9,072	-	-	1	6	2	1	4	10	12	25	11	12	1	-	-	17	19	7	6	15	9	
15	Scarlet fever, etc. ⁵	60	55	60	6,220	8,972	9,470	-	6	-	4	2	3	34	19	16	-	-	2	2	11	9	11	3	4	2	-	5	7	3	7	1	8	4		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16				
17	Tuberculosis: ⁴	187	177	175	6,179	6,499	7,211	22	9	1	3	1	1	-	-	7	11	6	74	59	71	14	11	11	20	10	12	3	29	7	12	30	17	32	17	19
18	(a) Pulmonary	167	156	156	5,075	5,157	5,837	22	9	1	3	1	-	-	-	7	10	6	73	57	69	(6)	(6)	18	10	12	3	26	6	12	29	14	29	14	17	
19	(b) Non-pulmonary	6	10	8	376	379	379	-	-	-	-	-	-	-	-	1	-	1	2	2	(6)	2	-	-	3	1	-	1	-	3	3	3				
20	Typhoid and paratyphoid	4	3	12	212	308	308	-	-	-	-	-	-	-	-	-	-	4	2	5	-	-	-	-	-	-	-	-	-	-	-	20				
21	Undulant fever	4	3	2	96	101	93	-	-	-	-	-	-	-	-	-	3	1	..	-	1	1	-	-	-	-	-	-	-	-	-	21				
22	Venereal diseases:	207	315	340	11,383	11,123	12,095	12	6	9	-	-	4	5	11	4	4	3	72	50	85	(8)	33	59	35	35	35	27	44	23	53	47	55	(8)	91	58
23	(a) Syphilis, primary	1	1	4	94	67	114	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	23					
24	(b) " secondary	-	-	3	32	33	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24					
25	(c) " other	30	29	35	1,451	1,251	1,648	-	-	2	-	-	2	1	1	-	23	11	9	-	5	11	1	3	1	2	2	1	-	5	3	25		
26	(d) Gonorrhoea	176	285	300	9,798	9,769	10,042	12	6	7	-	-	4	5	9	3	3	2	49	39	68	-	28	44	34	32	28	24	41	22	50	45	52	-	86	54
27	(e) Other venereal diseases ⁷	-	-	-	8	3	13	-	-	-	-	-	7	6	2	-	-	41	9	78	132	63	43	-	2	9	6	5	13	42	64	17	15	19	11	
28	Whooping cough	243	168	207	5,058	5,843	5,843	-	-	-	-	-	-	-	-	7	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	28			

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

(8) Report not received.

THE SITUATION IN THE UNITED STATES (Source. "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	17 (10)	Measles	824 (879)	Meningitis, other	70 (53)	Poliomyelitis, with paralysis	73 (70)	Smallpox	- (-)	Undulant fever	24 (13)
Encephalitis infectious	54 (55)	Meningococcal infections	34 (21)	Poliomyelitis, acute	244 (257)	Poliomyelitis, without paralysis	124 (132)	Typhoid fever	24 (27)		

The situation with reference to influenza in the United States did not change materially last week. Sporadic cases, very few of which were confirmed by laboratory tests, and a few localized outbreaks characterized the occurrence during this period. Widespread occurrence appeared to be present in only 1 State. Connecticut and Massachusetts state that sporadic unconfirmed cases are being reported. In both upstate New York and the city of New York, small outbreaks have been reported.

EPIDEMIC REPORT: Streptococcal sore throat - Nfld. reports an epidemic at Calvert and Ferryland.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended September 14, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						NFL.D.		P.E.I.		N.S.		QUE.		ONT.		MAN.		SASK.		ALTA.		B.C.		No.											
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56												
					1957	1956	Median 1952-56																														
1	Chickenpox	114	82	119	27,311	26,912	28,898	4	11	..	29	17	26	63	41	47	6	1	5	16	19	25	1					
2	Diphtheria	2	5	1	99	71	71	-	-	-	-	-	-	-	-	-	-	-	4	-	2	1	-	-	-	-	-	-	-	2							
3	Dysentery: ⁴	68	10	13	501	440	455	-	-	-	-	-	-	-	3	-	-	59	6	..	-	-	2	6	-	-	-	-	3	3							
4	(a) Amoebic	-	-	-	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4								
5	(b) Bacillary	68	10	13	495	439	453	-	-	-	-	-	-	-	3	-	-	59	6	..	-	-	2	6	-	-	-	-	1	3							
6	Encephalitis, infectious	1	-	2	24	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6								
7	Influenza, epidemic	476	543	34	5,507	8,969	8,969	89,201	-	218	201	23	115	-	-	36	28	3	3	2	-	-	15,110	1					
8	Measles	117	172	150	45,662	41,809	43,969	-	-	1	3	60	6	6	8	29	17	27	39	16	10	4	38	42	23	25					
9	Meningitis, meningococcal	4	6	3	241	212	212	-	4	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	1	-	-	-	1	1							
10	Mumps	156	104	153	19,819	21,951	21,951	41	15	6	17	10	..	79	55	67	6	11	6	13	13					
11	Poliomyelitis, epidemic: ⁴	13	22	129	195	353	1,513	-	-	1	-	-	-	-	4	1	3	4	3	-	13	3	5	20	-	1	7	5	4	3	33	1					
12	(a) With paralysis	6	12	73	113	199	696	-	-	-	-	-	-	-	1	-	1	-	7	2	5	11	-	1	-	(6)	4	2	3	-	2	6					
13	(b) Without paralysis	6	9	42	73	142	461	-	-	1	-	-	-	-	1	3	4	2	-	4	1	-	9	-	-	(6)	2	3	1	3	2	8					
14	Rubella	71	59	46	15,617	49,138	9,118	-	-	-	5	6	2	7	4	2	19	25	19	-	1	-	25	17	8	15				
15	Scarlet fever, etc. ⁵	65	64	81	6,289	9,047	9,530	10	-	-	4	6	12	34	11	-	-	5	2	10	19	13	9	4	3	4	-	-	5	9	7	6	1	9			
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	145	187	211	6,325	6,652	7,425	5	22	10	1	3	3	..	-	1	5	7	18	65	74	70	20	14	16	8	20	11	9	3	12	32	12	8	32		
18	(a) Pulmonary	121	167	165	5,197	5,283	6,005	5	22	9	1	3	2	-	-	1	5	7	18	62	73	69	(6)	(6)	(6)	7	18	11	9	3	12	32	12	8	29		
19	(b) Non-pulmonary	4	6	10	380	393	393	-	-	-	-	-	-	-	-	-	-	3	1	1	(6)	(6)	(6)	1	2	-	-	-	-	-	-	3	3				
20	Typhoid and paratyphoid	17	4	9	229	312	312	-	-	-	-	-	-	-	-	-	-	10	4	3	5	-	1	-	-	-	-	-	-	2	-	1	20				
21	Undulant fever	3	4	2	99	101	94	-	-	-	-	-	-	-	-	-	-	2	3	..	1	-	-	1	-	-	-	-	-	21				
22	Venereal diseases:	298	315	360	11,789	11,510	12,398	7	12	10	1	-	1	6	4	8	3	4	3	46	72	94	40	40	58	24	35	25	47	27	22	37	53	63	87	68	74
23	(a) Syphilis, primary	4	2	4	99	71	114	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	2	-	-	-	1	-	-	23			
24	(b) " secondary	-	-	1	32	34	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	24				
25	(c) " other	31	43	52	1,495	1,303	1,685	-	-	1	-	-	-	1	1	1	-	15	23	19	9	10	8	2	1	2	2	1	3	-	1	3	2	25			
26	(d) Gonorrhoea	263	270	298	10,155	10,094	10,314	7	12	7	1	-	1	5	4	7	2	3	2	31	49	59	29	29	43	22	34	25	45	24	19	35	50	49	86	65	73
27	(e) Other venereal diseases ⁷	-	-	-	8	8	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27				
28	Whooping cough	228	243	263	5,286	6,099	6,099	-	-	-	-	-	-	9	7	4	-	-	28	41	113	129	132	66	1	-	7	1	6	9	25	42	29	35	15	16	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	43 (17)	Measles	1,007 (824)	Meningitis, other	62 (70)	Poliomyelitis, with paralysis	90 (73)	Smallpox	- (-)	Undulant fever	11 (24)
Encephalitis infectious	50 (54)	Meningococcal infections	35 (34)	Poliomyelitis, acute	282 (244)	Poliomyelitis, without paralysis	148 (124)	Typhoid fever	29 (24)		

As expected reports of scattered outbreaks of influenza are being received which indicate a gradually increasing incidence. Reports received from the states indicate an estimated cumulative total of approximately 100,000 cases to date. This is shown by reports of increasing absenteeism in schools in Oregon, Colorado, Mississippi and Texas and a slight rise in absenteeism in a few industries in California. Reports of influenza in several areas of Mississippi, Texas, Utah, Oklahoma and Tennessee also suggest an increasing incidence.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended September 21, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.												
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56												
1	Chickenpox	109	114	119	27,420	27,031	29,057	1	-	2	26	29	48	62	63	38	3	6	5	1											
2	Diphtheria	1	2	1	100	72	72	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	6	-	-	-	1											
3	Dysentery: ⁴	10	68	10	511	445	464	-	-	-	1	-	-	-	-	-	4	3	-	4	59	..	-	-	2	1	6	-	-	2										
4	(a) Amoebic	1	-	-	7	1	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4											
5	(b) Bacillary	9	68	10	504	444	462	-	-	-	1	-	-	-	-	-	3	3	-	4	59	..	-	-	2	1	6	-	-	5										
6	Encephalitis, infectious	1	1	2	25	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6											
7	Influenza, epidemic	1,898	476	77	7,423	9,122	9,122	144	89	-	141	219	39	10	115	-	276	36	1	4	3	3	123	15	1									
8	Measles	198	117	152	46,064	42,044	44,175	-	-	5	53	3	16	6	6	34	56	17	23	15	16	8	..	48	38	18								
9	Meningitis, meningococcal	8	4	4	249	216	216	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	9										
10	Mumps	91	156	140	19,910	22,090	22,090	-	-	-	11	41	2	18	17	..	56	79	64	2	6	11	4	13	31							
11	Poliomyelitis, epidemic: ⁴	18	15	164	216	384	1,643	-	-	-	-	-	-	-	-	-	5	1	1	2	3	13	6	5	21	-	-	1	4	13	2	1	12							
12	(a) With paralysis	12	8	82	128	213	766	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	8	5	4	8	-	-	1	3	(6)	4	-	3						
13	(b) Without paralysis	6	6	45	79	159	491	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	5	1	1	13	-	-	1	(6)	4	2	1	1						
14	Rubella	45	71	43	15,665	49,233	9,160	-	-	-	3	5	-	6	7	6	16	19	14	-	-	20	25	7	3	15	15					
15	Scarlet fever, etc. ⁵	78	65	96	6,373	9,176	9,620	6	10	1	4	-	8	21	12	16	-	-	3	1	5	19	18	19	16	5	4	3	-	3	23	9	10	6	6	13				
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	186	166	173	6,532	6,829	7,598	5	5	7	1	1	-	-	-	-	4	9	5	10	55	65	73	21	20	13	21	8	12	9	9	44	32	11	22	21	15			
18	(a) Pulmonary	149	140	149	5,365	5,439	6,154	5	5	7	-	1	-	-	-	3	7	5	10	52	62	70	(6)	(6)	20	7	12	6	9	6	40	32	10	19	19	14				
19	(b) Non-pulmonary	16	6	9	398	403	-	-	-	1	-	-	-	-	-	-	2	-	-	3	3	3	(6)	(6)	1	1	-	2	4	-	1	3	2	2	19					
20	Typhoid and paratyphoid	17	17	18	246	235	1	-	-	-	-	-	-	-	-	-	-	-	-	11	10	4	3	5	2	-	-	-	-	-	1	2	2	3	20					
21	Undulant fever	6	3	1	104	101	98	-	-	-	-	-	-	-	-	-	-	-	-	4	2	..	1	1	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	382	298	343	12,171	11,851	12,824	10	7	5	-	1	-	-	6	15	3	3	7	118	46	66	55	40	67	34	24	22	24	47	25	57	37	69	81	87	67			
23	(a) Syphilis, primary	5	4	5	104	76	116	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	2	-	-	-	-	-	-	-	-	23					
24	(b) " secondary	1	-	1	33	35	54	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24						
25	(c) " other	51	31	42	1,546	1,347	1,716	1	-	-	-	-	-	1	3	-	1	1	33	15	16	5	9	12	1	2	-	2	2	2	3	7	1	2	25					
26	(d) Gonorrhoea	325	263	302	10,480	10,385	10,677	9	7	5	-	1	-	-	5	12	3	2	6	84	31	55	48	29	55	32	22	20	21	45	23	54	35	63	74	86	65			
27	(e) Other venereal diseases?	-	-	-	8	8	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27						
28	Whooping cough	337	228	228	5,623	6,290	6,308	-	-	-	-	-	-	-	-	-	10	9	8	-	-	1	58	28	112	105	129	33	1	1	4	3	1	11	31	25	25	129	35	19

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 33 (43); Measles 862 (1,007); Meningitis, other 41 (62); Poliomyelitis, with paralysis 82 (90); Smallpox -(-); Undulant fever 15 (11); Encephalitis, infectious 40 (50); Meningococcal infections 42 (35); Poliomyelitis, acute 213 (282); Poliomyelitis, without paralysis 94 (148); Typhoid fever 26 (29);

A further increase in incidence of influenza and influenza-like disease occurred during the past week. Epidemics, some of them explosive in nature, were reported in a number of schools and colleges located in various parts of the country. On the basis of reports from State Health Officers and the Armed Forces, the number of cases of influenza reported for the week ended September 21, was about 122,650. The cumulative total reported to date is an estimated 222,650. This figure is based on incomplete reports.

EPIDEMIC REPORT: Gastro-enteritis - Nfld. reports an epidemic at Corner Brook.

Scarlet fever (mild type) - Nfld. reports an epidemic at Botwood.

YUKON TERRITORY: Number of cases, four weeks ended August 10: chickenpox, 33; dysentery, bacillary, 3; influenza, 3; measles, 6; gonorrhoea, 4.

Number of cases four weeks ended September 7: chickenpox, 5; dysentery, bacillary, 40; tuberculosis, pulmonary, 1; gonorrhoea, 12.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended September 28, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	CANADA ²						Nfld.			P.E.I.			N.S.			N.B.			Que.			Ont.			Man.			Sask.			Alta.			No.			
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56							
					1957	1956	Median 1952-56																															
1	Chickenpox	115	109	144	27,535	27,156	29,254	2	1	6	34	26	31	58	62	57	2	3	6	19	17	28	1				
2	Diphtheria	3	1	2	103	77	77	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	2				
3	Dysentery: ⁴	13	10	12	524	461	492	-	-	-	-	-	-	1	-	-	1	4	-	4	...	4	-	4	5	1	-	1	-	1	-	1	3					
4	(a) Amoebic	-	1	-	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4			
5	(b) Bacillary	13	9	12	517	460	490	-	-	-	-	-	-	1	-	-	1	3	-	4	...	4	-	4	5	1	-	1	-	1	-	1	5					
6	Encephalitis, infectious	2	1	2	27	36	31	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	6	-	-	6			
7	Influenza, epidemic	3,750	1,904	80	11,179	9,271	9,214	110	144	141	42	268	10	-	1622	282	-	14	4	-	-	-	1592	1323	-	7		
8	Measles	185	198	212	46,049	42,396	44,513	-	-	3	30	53	2	19	6	67	12	56	48	34	15	12	52	48	36	38	20	26	8		
9	Meningitis, meningococcal	9	9	4	259	220	220	4	8	-	-	-	-	-	1	-	-	1	1	3	-	1	-	1	-	1	-	1	-	1	9	-	1	9				
10	Mumps	123	91	177	20,033	22,267	22,267	-	11	3	...	26	18	...	78	56	68	2	2	9	17	4	38	10				
11	Poliomyelitis, epidemic: ⁴	14	21	127	233	412	1,761	-	-	-	-	-	2	-	-	3	1	1	5	2	3	11	-	9	7	1	-	6	6	4	3	2	14	1	2	15		
12	(a) With paralysis	6	15	68	137	233	830	-	-	-	-	-	-	-	-	2	-	1	-	1	3	11	-	8	5	1	-	2	2	3	-	1	-	1	11	12		
13	(b) Without paralysis	7	6	29	86	165	514	-	-	-	-	-	-	-	-	-	1	-	4	1	-	1	6	-	-	4	3	1	2	2	2	-	2	7	13			
14	Rubella	51	48	29	15,716	49,304	9,198	-	-	-	3	1	...	6	1	16	16	14	-	-	-	18	20	4	17	3	10	14				
15	Scarlet fever, etc. ⁵	207	84	94	6,580	9,339	9,719	9	6	2	10	4	11	141	21	11	-	5	2	1	18	21	18	14	-	5	8	5	-	6	16	23	12	3	6	15		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16			
17	Tuberculosis: ⁴	145	186	181	6,677	6,992	7,768	3	5	5	1	1	2	5	-	1	9	9	10	42	55	70	17	21	14	17	21	14	3	8	10	33	44	11	15	22	25	17
18	(a) Pulmonary	121	149	170	5,486	5,582	6,300	3	5	5	1	-	1	5	-	1	9	7	10	42	52	70	(6)	(6)	17	20	14	2	6	7	30	40	11	12	19	23	18	
19	(b) Non-pulmonary	7	16	4	405	407	407	-	-	-	1	-	-	-	-	2	-	-	3	1	(6)	(6)	1	-	1	2	1	3	4	-	3	3	2	19				
20	Typhoid and paratyphoid	6	16	11	251	345	343	-	1	-	-	-	-	-	-	-	1	3	11	7	2	3	1	-	-	-	-	-	1	-	-	2	-	20				
21	Undulant fever	3	6	3	108	104	99	-	-	-	-	-	-	-	-	-	-	2	4	...	-	1	-	1	1	-	-	-	-	21				
22	Venereal diseases:	280	382	388	12,451	12,239	13,219	4	10	11	-	-	2	5	-	14	4	3	4	79	118	95	27	55	61	20	34	36	27	24	31	48	57	54	56	81	53	22
23	(a) Syphilis, primary	3	5	4	107	81	122	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	1	1	-	-	-	-	-	23				
24	(b) " secondary	-	1	1	33	36	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24				
25	(c) " other	39	51	47	1,585	1,401	1,764	-	1	1	-	-	-	1	-	2	-	1	26	33	14	2	5	14	1	1	2	3	2	1	2	2	3	4	7	5	25	
26	(d) Gonorrhoea	237	325	321	10,717	10,713	10,998	4	9	9	-	-	2	4	-	10	4	3	4	52	84	67	25	48	43	19	32	34	33	21	30	46	54	50	50	74	48	26
27	(e) Other venereal diseases ⁷	1	-	-	9	8	15	-	-	-	-	-	1	2	10	7	-	-	38	58	99	90	105	47	3	1	7	3	3	11	39	31	13	28	129	19	28	
28	Whooping cough	203	337	248	5,826	6,475	6,633	-	-	-	-	-	1	2	10	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.
(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	23 (33)	Measles	911 (862)	Meningitis, other	59 (41)	Poliomyelitis, with paralysis	105 (82)	Smallpox	- (-)	Undulant fever	14 (15)
Encephalitis infectious	67 (40)	Meningococcal infections	25 (42)	Poliomyelitis, acute	231 (213)	Poliomyelitis, without paralysis	95 (94)	Typhoid fever	31 (26)		

The incidence of influenza and influenza-like disease continued to increase in most parts of the United States during the past week. A large number of localized outbreaks were reported in schools, based principally on absenteeism rates. The estimated number of cases of influenza and of cases suspected of having influenza was 200,000 which brings the total to 422,650. These numbers have very definite limitations for several reasons. In most outbreaks, there are an unknown number of cases of other acute respiratory diseases which normally occur at this season of the year. The States use different methods of estimating incidence of new cases. Finally, some States did not include a report on influenza.

EPIDEMIC REPORT: Influenza - Nfld. reports an epidemic at Old Perlican, Lower Island Cove, New Melburne - T.B., Bay-de-Verde and Grates Cove.

Measles - Nfld. reports an epidemic at St. Lawrence.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended **October 5, 1957**, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	Canada ²						NFLD.		P.E.I.		N.S.		N.B.		QUE.		ONT.		MAN.		SASK.		ALTA.		B.C.		No.										
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56										
					1957	1956	Median 1952-56																															
1	Chickenpox	129	117	195	27,671	27,328	29,422	1	4	13	18	34	46	72	58	58	7	2	12	31	19	39	1			
2	Diphtheria	1	3	3	104	84	84	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	2	1					
3	Dysentery: ⁴	8	13	14	532	467	509	-	-	-	-	-	-	-	-	1	1	1	-	4	-	4	6	3	5	1	-	1	-	2	-	3				
4	(a) Amoebic	-	-	-	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4					
5	(b) Bacillary	8	13	9	525	465	507	-	-	-	-	-	-	-	-	1	1	1	-	4	-	4	6	3	5	1	-	1	-	2	-	5				
6	Encephalitis, infectious	-	2	1	27	37	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6					
7	Influenza, epidemic	4,634	5,166	61	19,963	9,405	9,296	145	110	-	328	236	43	184	268	-	1712	1622	2	1746	14	-	-	-	-	519	2916	1		
8	Measles	231	196	215	16,297	12,648	14,797	-	-	-	-	41	32	26	19	46	23	12	55	21	34	9	44	52	15	117	38	8	
9	Meningitis, meningococcal	11	9	4	270	226	226	7	4	-	-	-	-	-	2	24	4	18	26	..	58	78	98	2	2	7	1	1	-	9	
10	Mumps	96	147	182	20,156	22,446	22,441	2	24	4	18	26	..	58	78	98	2	2	7	16	17	38	10		
11	Poliomyelitis, epidemic: ⁴	8	14	114	241	437	1,861	-	-	-	-	-	-	1	-	1	-	1	4	1	2	8	1	-	12	-	1	2	2	3	15	2	1	10	11			
12	(a) With paralysis	5	6	61	142	252	887	-	-	-	-	-	-	1	-	1	-	1	1	5	1	-	9	-	1	1	1	1	1	1	1	1	4	12				
13	(b) Without paralysis	2	7	23	88	175	551	-	-	-	-	-	-	-	-	1	4	-	1	1	-	-	5	-	1	-	3	2	1	2	1	1	-	5	13			
14	Rubella	60	51	40	15,776	49,380	9,232	-	-	-	-	..	6	-	7	17	16	19	1	-	-	19	18	9	17	17	7	14					
15	Scarlet fever, etc. ⁵	129	207	108	6,730	9,439	9,809	12	9	2	8	10	9	47	141	20	-	-	1	3	2	27	18	21	23	-	-	7	-	5	6	40	16	6	1	3	15	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16				
17	Tuberculosis: ⁴	156	145	204	6,833	7,159	7,941	15	3	4	2	1	2	1	5	1	-	9	18	64	42	73	24	17	25	10	17	9	7	3	7	15	23	15	18	15	30	17
18	(a) Pulmonary	129	121	171	5,615	5,703	6,433	15	3	4	2	1	-	1	5	1	-	9	17	63	42	72	(6)	(6)	(6)	9	17	9	7	2	5	15	30	12	17	12	27	18
19	(b) Non-pulmonary	3	7	13	408	415	415	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	(6)	(6)	1	-	-	1	1	-	3	2	1	3	3	19		
20	Typhoid and paratyphoid	6	6	12	257	353	349	-	-	-	-	-	-	-	-	-	-	-	5	3	6	-	2	2	-	-	-	-	-	-	-	-	-	1	20			
21	Undulant fever	3	3	2	111	106	100	-	-	-	-	-	-	-	-	-	-	-	3	2	..	-	-	1	-	1	-	-	-	-	-	-	-	-	21			
22	Venereal diseases:	295	280	364	12,746	12,592	13,665	1	4	7	1	-	1	7	5	9	5	4	6	74	79	109	45	27	62	47	20	30	23	37	29	34	18	63	58	56	67	22
23	(a) Syphilis, primary	4	3	3	111	84	128	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	1	-	-	-	1	-	2	-	-	23			
24	(b) " secondary	-	-	1	33	37	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24				
25	(c) " other	44	39	48	1,629	1,446	1,804	-	-	1	-	-	-	1	1	1	-	-	28	26	25	8	2	13	2	1	-	3	2	2	3	5	4	3	25			
26	(d) Gonorrhoea	247	237	315	10,964	11,017	11,283	1	4	6	1	-	1	6	4	9	5	4	5	46	52	77	35	25	52	45	19	30	21	33	24	34	46	58	53	50	64	26
27	(e) Other venereal diseases ⁷	-	1	-	9	8	15	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27			
28	Whooping cough	100	203	221	5,926	6,596	6,811	-	-	-	-	-	-	2	18	2	9	-	-	19	38	75	33	90	44	-	3	8	5	3	6	13	39	15	12	28	15	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	29 (23)	Measles	818 (911)	Meningitis, other	57 (59)	Poliomyelitis, with paralysis	103 (105)	Smallpox	- (-)	Undulant fever	25 (14)
Encephalitis infectious	36 (67)	Meningococcal infections	44 (25)	Poliomyelitis, acute	211 (231)	Poliomyelitis, without paralysis	63 (95)	Typhoid fever	42 (31)		

For the week ended October 4 the reports of influenza and influenza-like disease followed the pattern of the previous 3 or 4 weeks, namely an increase in cases in many areas. The estimated total number of cases was 350,000; this was based on various types of information. It includes estimates of prevalence or incidence made by several State health officers, the number of individual cases notified by physicians in some States, or the amount of absenteeism in schools in others. The estimated cumulative total of 1,077,000 includes delayed reports from several States. These figures must be considered as very rough estimates and should not be regarded as showing the true incidence of influenza.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended October 12, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						NFLD.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.			
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56				
					1957	1956	Median 1952-56																															
1	Chickenpox	159	129	350	27,830	27,678	29,985	2	1	11	67	18	68	61	72	87	3	7	14	26	31	51	1			
2	Diphtheria	1	1	2	107	89	89	-	-	-	-	-	-	1	1	1	1	1	1	1	4	2	1	1	1	1	1	1	1	1	1	1	1	2				
3	Dysentery: ⁴	12	8	10	544	486	543	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	..	-	2	4	3	6	3			
4	(a) Amoebic	-	-	-	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4					
5	(b) Bacillary	12	8	9	537	484	541	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	..	-	2	4	3	6	3			
6	Encephalitis, infectious	-	-	-	27	39	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6					
7	Influenza, epidemic	25,286	4,634	91	45,772	9,685	9,414	*	122	145	-	804	328	61	*	-	184	-	17391712	2	398	1746	1	-	-	(8)	519	1			
8	Measles	151	231	319	46,448	13,002	45,380	-	-	1	-	6	48	26	73	14	23	84	12	21	7	53	44	8	24	117	31				
9	Meningitis, meningococcal	7	11	5	278	231	231	5	7	-	-	-	-	2	2	18	10	18	..	30	58	84	12	2	11	1	1				
10	Mumps	65	96	184	20,221	22,625	22,625	2	2	18	10	18	..	30	58	84	12	2	11	16	49				
11	Poliomyelitis, epidemic: ⁴	6	8	101	249	1,933	-	-	-	-	-	-	-	2	-	-	4	-	1	6	3	1	17	1	-	1	2	9	2	2	10	-	2					
12	(a) With paralysis	6	6	54	150	259	922	-	-	-	-	-	-	-	-	-	1	-	1	2	3	1	9	1	-	1	2	2	2	2	1	4	12					
13	(b) Without paralysis	-	1	37	88	178	569	-	-	-	-	-	-	-	-	-	3	-	2	-	-	7	-	-	6	-	-	-	-	-	1	5	13					
14	Rubella	36	60	43	15,812	49,489	9,274	-	-	-	-	-	-	-	-	-	1	6	3	16	17	16	1	-	15	19	5	4	17	14					
15	Scarlet fever, etc. ⁵	113	129	113	6,847	9,588	9,900	14	12	4	2	8	9	66	47	20	1	-	1	7	3	27	11	18	22	-	5	3	5	40	6	7	1	17				
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16						
17	Tuberculosis: ⁴	151	156	204	6,984	7,282	8,156	3	15	4	-	2	1	-	1	3	10	-	9	58	64	71	23	24	15	17	10	19	10	7	8	7	15	22	18			
18	(a) Pulmonary	118	129	162	5,733	5,800	6,603	3	15	4	-	2	1	-	1	3	9	-	9	58	63	66	(6)	(6)	14	9	19	8	7	6	7	15	20	17				
19	(b) Non-pulmonary	10	3	11	418	426	426	-	-	-	-	-	-	-	-	-	1	-	1	3	(6)	(6)	3	1	-	2	1	-	4	1	3	19						
20	Typhoid and paratyphoid	8	6	10	266	363	355	-	-	2	-	-	-	-	-	-	-	-	8	5	6	-	-	-	-	-	-	-	-	-	-	20						
21	Undulant fever	1	3	2	112	108	103	-	-	-	-	-	-	-	-	-	-	-	1	3	..	-	-	-	-	-	-	-	-	-	-	21						
22	Venereal diseases:	320	295	340	13,066	12,874	14,017	8	1	12	-	1	1	11	7	12	3	5	3	51	74	77	53	45	48	28	47	31	30	23	33	55	34	65	81	58		
23	(a) Syphilis, primary	3	6	4	116	86	128	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	2	-	-	-	-	23					
24	(b) " secondary	3	-	1	36	38	57	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	24						
25	(c) " other	26	48	42	1,659	1,475	1,846	-	-	1	-	-	-	1	1	1	-	-	8	28	19	9	8	13	-	2	1	3	-	1	4	3	4	5	25			
26	(d) Gonorrhoea	288	241	276	11,246	11,267	11,533	6	1	12	-	1	1	10	6	10	3	5	3	43	46	61	43	35	38	27	45	30	26	21	33	53	28	59	77	53	33	26
27	(e) Other venereal diseases ⁷	-	-	-	9	8	15	-	-	1	-	1	-	18	4	-	-	-	26	19	104	14	33	33	-	-	5	4	5	8	3	13	12	20	13	27		
28	Whooping cough	68	100	185	5,994	6,803	7,059	-	-	-	1	-	1	-	18	4	-	-	-	26	19	104	14	33	33	-	-	5	4	5	8	3	13	12	20	13	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

(8) British Columbia reports 22,223 cases of influenza epidemic for the report week.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 25 (29); Measles 1,109 (818); Meningitis, other 41 (57); Poliomyelitis, with paralysis 88 (103); Smallpox - (-); Undulant fever 27 (25);

Encephalitis infectious 44 (36); Meningococcal infections 51 (44); Poliomyelitis, acute 169 (211); Poliomyelitis, without paralysis 64 (63); Typhoid fever 48 (42);

Influenza and influenza-like disease continues to increase in many parts of the country. The number of cases for the week ended October 12 is estimated to have been not less than 360,000, and the cumulative total not less than 1,437,000. The presence of illness caused by the Asian strain of type A influenza virus has been confirmed in all sections of the country although not every state has reported isolations of virus or serologic confirmation.

*NEW BRUNSWICK reports Influenza-like Disease (Westmorland County) (1) Mount Allison University 150 students 2 weeks ago. (2) Town of Sackville, 42% of school children and several teachers last week. (3) Port Elgin school is closed at present time with 8 of 13 teachers sick and 26% of school children.

NEWFOUNDLAND reports Influenza (epidemic) at St. John's; Grand Falls; Port au Port Peninsula; Marystown, P.B., North and South; Creston North.

**NEWFOUNDLAND reports Scarlet Fever and Streptococcal Sore Throat (epidemic) at Deer Lake.

YUKON TERRITORY: Number of cases four weeks ended October 5: chickenpox, 21; dysentery, bacillary, 4; influenza, epidemic, 642; measles, 24; meningitis, meningococcal, 1; scarlet fever, 4; gonorrhoea, 15; other venereal diseases, 1.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended **October 19, 1957**, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.									
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56									
					1957	1956	Median 1952-56																														
1	Chickenpox ..	169	159	398	27,999	28,154	30,399	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1							
2	Diphtheria ..	2	-	3	108	90	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2							
3	Dysentery: ⁴ ..	2	12	7	546	503	552	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3							
4	(a) Amoebic ..	-	-	-	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary ..	2	12	6	539	501	550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5								
6	Encephalitis, infectious ..	-	-	1	27	40	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6								
7	Influenza, epidemic ..	34,549	29,961	62	86,996	9,745	9,476	*	351	122	-	50362119	42	*	-	-	68325099	3,750	398	5	30	-	-	(8)							
8	Measles ..	130	183	360	46,610	43,769	46,166	**	-	2	7	32	9	11	48	107	21	14	86	13	12	16	..	20							
9	Meningitis, meningococcal ..	6	7	5	284	240	240	-	5	-	-	-	-	-	-	2	2	-	-	-	1	3	-	2	1	-	-	-	-	9							
10	Mumps ..	98	67	249	20,321	22,855	22,855	-	4	4	20	12	10	..	49	30	122	2	12	17	31								
11	Poliomyelitis, epidemic: ⁴ ..	2	6	71	251	471	2,030	-	-	-	-	-	-	-	1	-	-	3	1	-	6	1	3	6	-	1	2	18	7								
12	(a) With paralysis ..	2	6	33	153	273	974	-	-	-	-	-	-	-	-	1	1	-	4	1	3	4	-	1	2	1	-	-	12								
13	(b) Without paralysis ..	-	-	18	87	184	592	-	-	-	-	-	-	-	-	2	-	1	-	4	-	-	-	1	-	-	1	-	13								
14	Rubella ..	45	36	43	15,857	49,598	9,317	-	-	-	-	-	-	-	2	-	-	1	1	2	10	16	17	-	-	11	15								
15	Scarlet fever, etc. ⁵ ..	33	301	168	7,068	9,731	10,011	3	14	3	..	2	9	4	254	20	-	1	3	4	7	31	15	11	37	-	2	5	10	7							
16	Smallpox ..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16								
17	Tuberculosis: ⁴ ..	142	151	187	7,126	7,443	8,339	12	3	3	2	-	-	-	1	2	10	6	31	58	78	20	23	19	8	17	14	16	10	8							
18	(a) Pulmonary ..	117	118	159	5,850	5,932	6,754	12	3	3	1	-	-	-	1	2	9	6	30	58	76	(6)	(6)	8	14	14	13	8	7	21	7						
19	(b) Non-pulmonary ..	5	10	8	423	429	438	-	-	-	-	-	-	-	1	-	1	-	2	-	3	2	1	-	-	-	4	3	19								
20	Typhoid and paratyphoid ..	4	8	10	270	371	367	-	-	-	-	-	-	-	-	-	-	3	8	5	1	-	-	-	-	-	-	-	20								
21	Undulant fever ..	4	1	3	116	113	108	-	-	-	-	-	-	-	-	-	..	1	..	3	-	1	1	-	-	-	-	-	21								
22	Venereal diseases: ..	301	320	335	13,367	13,291	14,413	7	8	7	-	-	2	6	11	13	10	3	4	74	51	87	28	53	57	36	28	30	23	30	45	55	54	72	81	65	
23	(a) Syphilis, primary ..	5	3	3	121	89	130	-	2	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	1	1	-	1	1	-	23						
24	(b) " secondary ..	-	3	2	36	40	57	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-	24						
25	(c) " other ..	28	26	44	1,687	1,515	1,879	-	-	2	-	-	-	-	1	2	3	-	17	8	16	2	9	11	1	-	2	2	3	1	1	2	2	4	3		
26	(d) Gonorrhoea ..	267	288	289	11,513	11,638	11,781	7	6	4	-	-	2	6	10	11	7	3	4	56	13	67	24	43	42	34	27	29	20	26	25	44	53	45	69	77	57
27	(e) Other venereal diseases ⁷ ..	1	-	-	10	9	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	27					
28	Whooping cough ..	190	68	227	6,184	6,926	7,286	-	-	-	1	-	25	-	7	-	-	21	26	66	69	14	36	2	-	4	3	4	5	40	3	17	30	20	10	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. . Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 41 (25); Measles 1,087 (1,109); Meningitis, other 36 (41); Poliomyelitis, with paralysis 61 (88); Smallpox - (-); Undulant fever 15 (27); Encephalitis infectious 40 (44); Meningococcal infections 43 (51); Poliomyelitis, acute 112 (169); Poliomyelitis, without paralysis 33 (64); Typhoid fever 43 (48);

Influenza and influenza-like disease occurred in all parts of the country during the past week - sporadic but widespread in some states, and causing high absenteeism rates in many schools in others. It appears that epidemics are becoming less extensive or intensive in some of the Southern States but more so in many of the Northern States. A reasonable and satisfactory estimate of the number of new cases for the week ended October 19 cannot be made because of the diverse nature of reports from individual states. It could be in the range of a million or more.

*NEWFOUNDLAND reports Influenza (epidemic) at Corner Brook; Harbour Grace, C.B.; Bonavista; Cape Broyle and vicinity; Placentia area; Grand Bank; Goose Bay, Labrador.

NEW BRUNSWICK reports Influenza-like Disease prevalent in school population in Saint John - Kings area and Madawaska.

**NEWFOUNDLAND reports Measles (epidemic) at Marystow, P.B.

***NEWFOUNDLAND reports Scarlet Fever (epidemic) at Botwood.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended October 26, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²					NFL.D.		P.E.I.		N.S.		N.B.		QUE.		ONT.		MAN.		SASK.		ALTA.		B.C.		No.										
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56									
					1957	1956	Median 1952-56																														
1	Chickenpox	287	169	516	28,286	28,746	30,885	71	47	63							
2	Diphtheria	9	2	6	120	92	92	6	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1							
3	Dysentery: ⁴	3	2	12	549	508	559	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2								
4	(a) Amoebic	-	-	-	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4								
5	(b) Bacillary	3	2	12	542	506	557	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5									
6	Encephalitis, infectious	2	-	1	29	40	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6									
7	Influenza, epidemic	26,227	35,806	73	114,930	9,818	9,522	*	364	351	-	14,771	5852	50	*	-	-	257,672	7273	3,1274	750	1	-	30	..	(8)	(8)						
8	Measles	100	130	530	46,710	44,299	46,759	-	-	3	1	7	19	19	11	162	30	21	115	9	13	19	30	20	69	11	58				
9	Meningitis, meningococcal	9	6	7	293	247	247	3	-	-	-	-	-	1	2	1	1	1	2	3	1	1	1	1	1	1	1	1	1	9							
10	Mumps	129	98	297	20,450	23,147	23,147	**	12	4	16	46	12	..	46	49	127	2	2	12	23	31	52	10				
11	Poliomyelitis, epidemic: ⁴	14	2	98	266	493	2,101	-	-	-	-	-	1	-	-	2	-	2	1	7	3	1	8	-	-	2	3	-	12	4	-	22					
12	(a) With paralysis	13	2	51	167	291	1,012	-	-	-	-	-	-	-	-	1	-	-	2	1	5	3	1	6	-	-	2	2	-	5	4	-	1	2	6		
13	(b) Without paralysis	-	-	24	87	187	611	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-	-	4	-	1	-	6	13				
14	Rubella	39	45	42	15,896	49,753	9,359	-	-	-	2	1	8	1	4	10	10	13	1	-	-	16	11	6	4	21	10				
15	Scarlet fever, etc. ⁵	141	58	195	7,234	9,926	10,124	5	3	3	8	-	4	110	28	26	1	-	2	4	43	11	16	47	2	-	6	-	2	4	-	21	-	7	30		
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16					
17	Tuberculosis: ⁴	168	142	214	7,294	7,581	8,634	2	12	8	1	2	-	1	-	2	3	2	18	62	31	118	16	20	19	14	8	13	2	16	8	33	21	14	34	30	22
18	(a) Pulmonary	141	117	183	5,991	6,056	7,009	2	12	8	1	1	-	1	-	2	3	2	18	60	30	117	(6)	(6)	12	8	13	2	13	8	29	21	14	31	30	19	
19	(b) Non-pulmonary	11	5	8	434	431	455	-	-	-	1	-	-	-	-	-	-	2	1	3	(6)	(6)	2	-	-	3	1	4	-	3	-	2	19				
20	Typhoid and paratyphoid	8	4	12	278	384	382	-	-	-	-	-	-	-	-	-	-	3	3	7	3	1	1	-	-	-	2	-	1	-	2	20					
21	Undulant fever	-	3	5	115	116	114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21						
22	Venereal diseases:	285	301	369	13,652	13,660	14,839	9	7	7	-	-	1	4	6	15	9	10	4	33	74	83	46	28	63	28	36	25	36	23	27	64	45	65	56	72	88
23	(a) Syphilis, primary	3	5	3	124	93	134	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	1	2	1	1	23			
24	(b) " secondary	1	-	2	37	44	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24					
25	(c) " other	33	28	44	1,720	1,559	1,914	-	-	1	-	-	-	-	-	4	-	3	1	12	17	8	2	13	4	1	-	2	1	5	1	1	4	2	5		
26	(d) Gonorrhoea	246	267	317	11,759	11,955	12,096	7	7	7	-	-	1	4	6	15	8	7	3	21	56	53	38	24	52	24	34	25	36	20	27	58	44	62	50	69	80
27	(e) Other venereal diseases?	2	1	-	12	9	16	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	27				
28	Whooping cough	120	190	246	6,304	7,087	7,547	-	-	-	-	-	3	4	25	10	-	-	1	24	21	80	39	69	60	3	2	11	-	3	6	19	40	23	31	30	9

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. ... Not reportable.

(8) British Columbia reports 17,536 cases of influenza, epidemic for the report week and 21,550 cases for the previous week.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics). Number of reported cases for the current week (previous week in parentheses):

Diphtheria 45 (41); Measles 1,305(1,087); Meningitis, other 48 (36); Poliomyelitis, with paralysis 73 (61); Smallpox - (-); Undulant fever 10 (15);

Encephalitis infectious 36 (40); Meningococcal infections 68 (43); Poliomyelitis, acute 112 (112); Poliomyelitis, without paralysis 27 (33); Typhoid fever 17 (43);

The occurrence of influenza and influenza-like disease for the week ended October 26 showed no marked change from that of the previous week. Some states reported the extension of high absenteeism rates to schools not previously affected. Other reported a decline in some schools but extension to others. Increased absenteeism rates have been noted in some industrial or other employee groups, but in most instances these have not been large. Statewide occurrence of influenza was reported in some states in both the school and the general populations.

*NEWFOUNDLAND reports Influenza (epidemic) at St. John's; Winterton, T.B.; Corner Brook; Windsor; Channel, Port aux Basques; Gander; Tilt Cove, C.B.; Bay de Verde; Old Perlican; Lower Island Cove, C.B.; Brownsdale, T.B.; St. Joseph's, St. Mary's Bay; Trepassey.

NEW BRUNSWICK reports Influenza-like Disease has been prevalent particularly in Gloucester and Restigouche Counties and to a lesser extent in York and Charlotte. School children have been mainly affected.

**NEWFOUNDLAND reports Mumps (epidemic) at Bloomfield, B.B. and Windsor.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended November 2, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²					NFL.D.		P.E.I.		N.S.		N.B.		QUE.		ONT.		MAN.		SASK.		ALTA.		B.C.		No.													
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³		Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56													
					1957	1956	Median 1952-56																																	
1	Chickenpox	282	287	660	28,568	29,427	31,355	*	•	•	•	•	•	•	33	4	17	•	•	•	41	90	144	103	115	273	21	7	27	1	•	•	84	71	123	1				
2	Diphtheria	2	9	4	122	103	103	-	1	6	-	-	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-	2	-	-	2	-	1	2			
3	Dysentery: ⁴	7	3	7	556	515	591	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	-	-	-	-	-	-	-	3	-	-	3			
4	(a) Amoebic	-	-	-	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	4	
5	(b) Bacillary	7	3	7	449	513	589	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	3	-	-	-	-	-	-	-	5	-	-	5			
6	Encephalitis, infectious	-	2	-	29	40	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	6	-	-	6	
7	Influenza, epidemic	21,510	26,886	58	137,099	9,939	9,580	**	•	•	•	118	364	-	2250	5126	42	**	•	•	•	-	-	-	1288	4586	14698	1274	-	95	-	•	•	(8)	(8)	-	7	-	-	7
8	Measles	130	100	463	46,840	45,087	47,514	**	-	2	•	•	•	23	1	9	•	•	•	1	19	56	32	30	224	26	9	21	•	•	•	27	30	16	11	59	8	-	8	
9	Meningitis, meningococcal	2	9	5	295	252	252	-	3	-	-	-	-	-	-	1	-	1	1	1	-	2	1	-	1	-	-	-	-	-	-	-	1	1	-	9				
10	Mumps	145	129	354	20,595	23,523	23,563	29	12	18	17	46	..	50	46	208	2	2	11	47	23	61	10			
11	Poliomyelitis, epidemic: ⁴	2	14	72	268	507	2,163	-	-	-	-	-	-	-	-	1	-	-	2	4	-	3	7	-	2	-	3	6	2	4	12	-	2	9	11					
12	(a) With paralysis	2	13	38	169	300	1,044	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	3	2	-	-	1	-	2	2	4	4	-	2	5	12				
13	(b) Without paralysis	-	-	19	87	195	632	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5	-	-	1	-	-	1	-	-	4	-	4	13					
14	Rubella	26	43	72	15,926	49,998	9,431	-	-	-	-	-	-	•	1	4	2	•	•	8	3	7	10	22	-	1	-	..	9	16	9	9	4	19	14					
15	Scarlet fever, etc. ⁵	144	143	157	7,380	10,065	10,257	1	5	6	9	8	9	27	112	30	-	1	2	8	-	33	17	11	44	1	2	9	-	3	7	4	15	4	-	16				
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16	-	-	16
17	Tuberculosis: ⁴	124	168	210	7,413	7,617	6,621	7	2	9	1	1	-	2	1	2	10	3	8	45	62	77	14	16	30	5	14	15	1	2	7	17	32	15	22	34	30	17		
18	(a) Pulmonary	103	141	170	6,094	6,233	7,156	7	2	9	-	1	-	2	1	2	10	3	8	43	60	75	(6)	(6)	5	12	15	1	2	5	17	29	15	18	31	28	18			
19	(b) Non-pulmonary	7	11	8	441	437	463	-	-	-	1	-	-	-	-	-	-	-	-	2	2	-	(6)	(6)	-	2	-	-	3	-	4	-	4	3	2	19				
20	Typhoid and paratyphoid	3	8	7	281	396	306	-	-	-	-	-	-	-	-	-	-	-	2	3	4	-	3	1	-	1	-	-	2	-	-	-	-	-	20					
21	Undulant fever	2	-	2	117	121	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	347	285	379	13,999	14,029	15,254	2	9	12	-	-	-	7	4	11	5	9	3	72	33	95	49	46	62	25	28	30	34	36	35	46	64	71	107	56	61	22		
23	(a) Syphilis, primary	4	3	3	128	96	141	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	2	-	-	23			
24	(b) " secondary	2	1	1	39	45	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	24					
25	(c) " other	59	33	49	1,779	1,608	1,973	-	-	1	-	-	-	1	-	2	1	-	1	30	12	24	11	8	14	3	4	-	-	2	4	5	1	9	4	3	25			
26	(d) Gonorrhoea	282	246	326	12,041	12,271	12,289	2	7	8	-	-	-	6	4	8	4	8	3	41	21	69	38	38	52	19	24	30	34	36	32	40	58	64	98	50	56	26		
27	(e) Other venereal diseases ⁷	-	2	-	12	9	16	-	2	-	-	-	-	-	-	1	2	4	3	-	2	17	24	62	34	39	47	-	3	8	-	-	-	-	-	-	-	27		
28	Whooping cough	69	120	272	6,373	7,224	7,819	-	-	-	-	-	-	1	2	4	3	-	2	17	24	62	34	39	47	-	3	8	-	-	6	5	19	15	11	31	23			

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancre, granuloma inguinale and lymphogranuloma venereum. ... Not reportable.

(8) British Columbia reports 12,761 cases of influenza, epidemic for the report week and 17,580 cases for the previous week.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY WEEKLY REPORT", U.S. National Office of Vital Statistics) Number of reported cases for the current week (previous week in parentheses):

Diphtheria 38 (45); Measles 1,325 (1,305); Meningitis, other 30 (43); Poliomyelitis, with paralysis 38 (73); Smallpox - (-); Undulant fever 8 (10);

Encephalitis infectious 39 (36); Meningococcal infections 63 (68); Poliomyelitis, acute 67 (112); Poliomyelitis, without paralysis 14 (27); Typhoid fever 12 (17);

The number of cases of influenza and influenza-like disease remains high. Based on reports from 40 states, the number of new cases for the week ended November 2 is estimated to be 1,250,000 or more. Incidence increased in a few States and remained high in others. Estimates of incidence by health authorities and cases reported by physicians were lower during the past week in a number of states, including Connecticut, Michigan, Wisconsin, Mississippi, Wyoming, Arizona, and Texas.

*NEWFOUNDLAND reports Chickenpox (epidemic) at Placentia area.

**NEWFOUNDLAND reports Influenza (epidemic) at St. John's; Placentia area; Tilt Cove, G.D.; Stephenville; St. John's; Corner Brook; Marysville, P.B.; Botwood; Old Perlican and vicinity; Lewisporte; Clarenville; Bloomfield, B.B.

NEW BRUNSWICK reports Influenza-like Disease: Many school children affected in Gloucester, Restigouche and Sunbury Counties.

***NEWFOUNDLAND reports Measles (epidemic) at St. John's and Placentia area.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended November 9, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						NFL.D.		P.E.I.		N.S.		N.B.		QUE.		ONT.		MAN.		SASK.		ALTA.		B.C.		No.										
		Cumulative Total ³			Report Week	Previous Week	Median 1952-56	1957	1956	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56										
		1957	1956	Median 1952-56							Report Week	Previous Week	Median 1952-56			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56											
1	Chickenpox	275	286	659	28,847	30,086	31,982	*	-	37	28	45	41	165	150	103	295	8	21	36	72	84	95	1		
2	Diphtheria	1	2	4	123	107	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2						
3	Dysentery: ⁴	3	7	17	559	529	600	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	2	-	-	-	-	-	3						
4	(a) Amoebic	-	-	-	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4						
5	(b) Bacillary	3	7	17	552	526	598	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	2	-	-	-	-	2	3						
6	Encephalitis, infectious	-	-	-	29	45	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6							
7	Influenza, epidemic	12,470	21,920	56	149,979	10,037	9,605	**	529	418	-	352	2650	35	**	769	1298	4,871	24698	-	162	95	1946	(8)	2					
8	Measles	170	132	593	47,012	45,804	48,540	**	-	2	-	30	23	17	1	108	82	32	170	7	26	40	51	27	51	13	68	8	
9	Meningitis, meningococcal	3	2	4	298	256	256	2	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	9						
10	Mumps	97	145	493	20,692	23,921	23,921	**	4	5	29	17	19	17	..	53	50	172	7	2	23	9	47	52	10		
11	Poliomyelitis, epidemic: ⁴	4	2	63	273	520	2,215	-	-	-	-	-	-	-	-	-	-	-	3	-	-	6	-	-	3	1	-	11	-	2	13	-	5					
12	(a) With paralysis	2	2	32	172	306	1,067	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	3	-	1	1	-	1	2	1	-	5				
13	(b) Without paralysis	2	-	21	89	201	643	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	3	-	2	-	1	-	-	-	1					
14	Rubella	26	26	46	15,952	50,129	9,477	-	-	-	-	1	2	1	-	9	9	7	11	-	-	9	9	10	14					
15	Scarlet fever, etc. ⁵	74	144	241	7,454	10,227	10,419	4	1	3	2	9	6	21	97	37	-	-	1	4	8	28	21	17	68	6	1	8	5	-	7	8	7	28	3	4	21	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16					
17	Tuberculosis: ⁴	142	124	176	7,560	7,993	9,076	4	7	5	-	1	2	-	2	1	9	10	15	47	45	47	24	14	27	20	5	19	-	1	7	18	17	22	20	22	23	
18	(a) Pulmonary	112	103	146	6,206	6,379	7,375	4	7	5	-	-	-	2	1	7	10	15	47	43	46	(6)	(6)	18	5	19	-	1	6	18	17	21	18	18	22	18		
19	(b) Non-pulmonary	6	7	3	447	440	481	-	-	-	1	1	-	-	-	2	-	-	2	1	(6)	(6)	2	-	-	-	-	1	-	1	2	4	-	19				
20	Typhoid and paratyphoid	5	3	9	286	403	403	-	-	-	-	-	-	-	-	-	-	-	4	2	5	-	-	1	-	-	1	-	1	-	-	20						
21	Undulant fever	2	2	1	119	123	115	-	-	-	-	-	-	-	-	-	-	-	2	..	-	-	-	-	1	-	-	1	..	-	-	-	21					
22	Venereal diseases:	315	347	395	14,314	14,418	15,649	1	2	12	-	-	-	4	7	12	2	5	3	70	72	87	33	49	66	11	25	22	35	34	32	57	46	57	102	86	22	
23	(a) Syphilis, primary	5	4	4	133	100	142	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	2	-	-	-	1	-	2	-	-	23					
24	(b) " secondary	2	2	1	41	46	60	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	1	-	-	24						
25	(c) " other	28	59	58	1,807	1,648	2,030	-	-	1	-	-	-	1	1	-	1	1	13	30	22	8	11	10	-	3	1	-	2	1	4	1	6	9	6	25		
26	(d) Gonorrhoea	280	282	335	12,321	12,614	12,762	1	2	7	-	-	-	4	6	10	2	4	1	55	41	69	23	38	55	10	19	21	35	34	29	56	40	56	94	98	81	26
27	(e) Other venereal diseases ⁷	-	-	1	12	10	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27					
28	Whooping cough	153	71	223	6,528	7,433	8,053	-	-	-	-	-	-	6	4	9	-	-	10	17	121	36	34	53	1	-	5	2	-	11	10	5	20	88	11	10	28	

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

(8) British Columbia reported 12,761 cases of influenza for the previous week.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 23 (38); Measles 1,429 (1,325); Meningitis, other 41 (30); Poliomyelitis, with paralysis 35 (38); Smallpox - (-); Undulant fever 14 (8);

Encephalitis infectious 50 (39); Meningococcal infections 66 (68); Poliomyelitis, acute 67 (67); Poliomyelitis, without paralysis 17 (14); Typhoid fever 23 (12);

Reports from various states indicate that the incidence of influenza and influenza-like disease remains high although a number of states report decreases. Some report a decrease in one part of the state and an increase in other parts. A few states report that absenteeism in industrial employee groups has increased slightly. The estimated total number of cases for the week ended November 9 in 38 states is about 1,100,000.

*NEWFOUNDLAND reports Chickenpox (epidemic) at St. Lawrence.

**NEWFOUNDLAND reports Influenza (epidemic) at Corner Brook, Jamestown, B.B.; Harbour Breton; Bonne Bay Area; Twillingate Area; Bloomfield, B.B.; Carmanville, Fogo District; Placentia Area; Ferryland District; Codroy Valley; Curling and Vicinity.

NEW BRUNSWICK reports Influenza-like Disease: This is reported prevalent among school children in Gloucester, Restigouche, Saint John and Westmorland Counties. One industry in Bathurst is reported affected to extent of 20% of workers.

***NEWFOUNDLAND reports Measles (epidemic) at St. Lawrence.

****NEWFOUNDLAND reports Mumps (epidemic) at Baie Verte and White Bay South.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended November 16, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						Nfld.		P.E.I.		N.S.		N.B.		Que.		Ont.		Man.		Sask.		Alta.		B.C.		No.									
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56									
					1957	1956	Median 1952-56																														
1	Chickenpox	258	279	858	29,109	30,944	32,702	*	4	4	37	..	81	45	197	115	150	271	4	8	42	54	72	110	1					
2	Diphtheria	5	1	6	128	114	114	-	-	-	3	4	1	1	4	-	-	-	2	1	1	1	1	1	1	2	3	3	2			
3	Dysentery: ⁴	5	3	11	564	553	624	-	-	-	1	2	1	4				
4	(a) Amoebic	-	-	-	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5				
5	(b) Bacillary	5	3	11	557	550	622	-	-	-	3	-	-	-	-	-	-	..	1	2	1	-	-	-	-	-	-	-	-	2	3	3			
6	Encephalitis, infectious	-	-	-	29	45	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6					
7	Influenza, epidemic	80,797	13,020	46	231,526	10,471	9,648	**	418	529	-	589	802	36	157	309	869	2,325	0,871	2	2	162	-	(8)	19,46	-	7			
8	Measles	196	170	607	47,208	46,658	49,587	-	-	2	35	-	11	..	18	17	121	50	82	170	33	7	50	36	51	39	24	13	63			
9	Meningitis, meningococcal	9	3	6	309	257	257	2	2	-	-	-	-	-	-	2	-	-	1	-	-	-	-	1	-	1	3	-	1	9	1				
10	Mumps	193	97	440	20,885	24,361	24,361	4	..	21	5	27	56	19	..	70	53	199	2	7	17	44	9	75	10				
11	Poliomyelitis, epidemic: ⁴	2	4	51	275	532	2,248	-	-	-	-	-	-	-	1	3	-	-	3	-	-	6	-	1	1	8	-	-	11	-	5	11					
12	(a) With paralysis	2	2	21	174	311	1,088	-	-	-	-	-	-	-	-	1	1	-	-	2	-	-	2	-	1	1	2	-	-	1	4	12					
13	(b) Without paralysis	-	2	11	89	207	656	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	3	-	-	-	-	1	13					
14	Rubella	26	26	75	15,978	50,298	9,552	-	-	-	3	1	5	4	9	21	-	-	16	9	8	3	13	14				
15	Scarlet fever, etc. ⁵	100	74	218	7,554	10,445	10,603	6	4	3	-	2	8	48	21	17	-	2	10	4	66	19	21	46	5	6	13	-	5	8	11	8	21	1	3	20	15
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16		
17	Tuberculosis: ⁴	193	142	153	7,753	8,203	9,261	12	4	3	-	-	-	-	1	8	9	8	92	47	39	33	24	-	8	20	13	2	-	7	20	18	12	18	20	17	
18	(a) Pulmonary	147	112	114	6,353	6,561	7,535	12	4	2	-	-	-	-	1	8	7	8	92	47	38	(6)	(6)	7	18	13	-	-	5	12	18	15	16	18	21		
19	(b) Non-pulmonary	13	6	5	460	452	484	-	-	-	-	-	-	-	2	-	-	-	1	-	(6)	(6)	1	2	-	2	-	8	-	2	2	1	19				
20	Typhoid and paratyphoid	7	5	10	293	413	413	-	-	-	-	-	-	-	-	-	6	4	7	-	-	-	-	1	-	-	1	-	-	-	-	1	20				
21	Undulant fever	-	2	3	119	126	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21				
22	Venereal diseases:	268	315	319	14,582	14,782	16,000	13	1	8	-	-	11	4	8	-	2	1	61	70	102	47	33	53	19	11	23	22	35	24	33	57	52	62	102	39	
23	(a) Syphilis, primary	2	5	3	135	100	143	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	1	2	-	23		
24	(b) " secondary	1	2	1	42	46	60	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	24		
25	(c) " other	29	28	50	1,836	1,698	2,075	6	-	-	-	-	1	-	2	-	-	12	13	25	4	8	9	-	1	-	-	2	3	1	2	3	6	5	25		
26	(d) Gonorrhoea	236	280	259	12,557	12,928	13,073	7	1	7	-	-	10	4	5	-	2	1	49	55	67	42	23	41	19	10	22	22	35	20	30	56	49	57	94	32	
27	(e) Other venereal diseases ⁷	-	-	-	12	10	16	-	-	-	2	2	6	5	-	-	1	54	10	67	52	36	-	-	1	7	-	2	8	13	10	18	26	88	13	27	
28	Whooping cough	147	153	211	6,675	7,713	8,245	-	-	-	-	-	2	2	6	-	-	1	54	10	67	52	36	-	-	1	7	-	2	8	13	10	18	26	88	13	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	46 (23)	Measles	1,718 (1,429)	Meningitis, other	54 (41)	Poliomyelitis, with paralysis	27 (35)	Smallpox	- (-)	Undulant fever	13 (14)
Encephalitis infectious	28 (50)	Meningococcal infections	71 (66)	Poliomyelitis, acute	46 (67)	Poliomyelitis, without paralysis	8 (17)	Typhoid fever	26 (23)		

There are several indications that the peak of the current epidemic of influenza probably has been reached in many parts of the United States. A number of states have been reporting or estimating in the past 2 weeks that fewer cases are occurring than for the previous 2 or 3 weeks. School or industrial absenteeism is reported to have decreased to normal expected levels in some states. Others reported no new community outbreaks. The total number of cases obtained by adding the totals reported or estimated by 36 states for the week ended November 16 is 780,000.

*NEWFOUNDLAND reports Chickenpox (epidemic) at Jerseyside, P.B.

**NEWFOUNDLAND reports Influenza (epidemic) at Charlottetown and Lethbridge, B.B.; Grand Bank and Fortune and Labrador.

YUKON TERRITORY: Number of cases four weeks ended November 2: chickenpox, 20; influenza, epidemic, 349; measles, 149; tuberculosis, pulmonary, 4; syphilis, other 1; gonorrhoea, 10.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended November 23, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	CANADA ²					NFLD.					P.E.I.					N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.			
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56							
					1957	1956	Median 1952-56																																		
1	Chickenpox	385	258	892	29,494	31,836	33,607	4	41	99	81	248	194	115	390	16	4	47	76	54	112	1				
2	Diphtheria	4	5	7	132	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2								
3	Dysentery: ⁴	3	5	19	572	586	639	-	5	3	-	-	-	-	-	-	1	1	3						
4	(a) Amoebic	-	-	-	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary	8	5	19	565	583	636	-	5	3	-	-	-	-	-	-	1	1	5							
6	Encephalitis, infectious	1	1	1	31	45	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6								
7	Influenza, epidemic	6,239	80,881	107	239,231	10,371	9,779	*	561	418	-	226	665	77	251	157	..	-	-	18	317	2,504	13,250	-	-	142 (8)	5						
8	Measles	394	196	884	47,602	47,597	50,738	-	7	37	25	33	14	18	192	37	50	183	185	33	66	64	36	77	57					
9	Meningitis, meningococcal	6	9	5	315	261	261	2	2	-	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	8								
10	Mumps	237	206	596	21,135	24,869	24,869	**	1	34	14	98	56	..	99	70	217	3	2	20	36	44	103	10				
11	Poliomyelitis, epidemic: ⁴	2	2	32	278	553	2,295	-	-	1	-	-	-	-	-	-	-	1	-	-	-	7	-	-	-	2	-	-	1	8	2	-	9	-	6						
12	(a) With paralysis	1	2	19	176	327	1,117	-	-	1	-	-	-	-	-	-	-	1	-	-	-	4	-	-	-	2	-	-	1	1	1	-	5								
13	(b) Without paralysis	1	-	13	90	212	670	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	-	1	13								
14	Rubella	42	26	68	16,020	50,547	9,620	-	-	-	-	-	-	-	-	-	4	3	6	8	4	27	1	-	-	-	-	14								
15	Scarlet fever, etc. ⁵	100	129	266	7,686	10,711	10,746	8	6	8	2	-	12	27	75	23	-	-	3	7	10	68	20	21	53	6	5	10	5	-	10	13	11	21	2						
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16								
17	Tuberculosis: ⁴	148	193	186	7,901	8,386	9,490	3	12	6	1	-	1	1	-	2	2	3	4	37	92	73	25	33	21	16	8	23	3	2	15	23	20	13	37	18					
18	(a) Pulmonary	121	147	161	6,474	6,709	7,725	3	12	6	1	-	1	1	-	2	2	3	4	37	92	70	(6)	(6)	(6)	16	7	23	3	11	23	12	13	35	16	26					
19	(b) Non-pulmonary	2	13	7	462	459	500	-	-	-	-	-	-	-	-	-	-	-	-	-	3	(6)	(6)	(6)	1	-	2	1	-	8	2	2	2	2	19						
20	Typhoid and paratyphoid	6	7	12	298	421	421	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	4	-	-	1	-	-	-	-	-	1	20								
21	Undulant fever	1	-	1	120	128	119	-	-	-	-	-	-	-	-	-	-	1	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21							
22	Venereal diseases:	288	268	341	14,370	15,123	16,381	4	13	6	-	-	-	-	-	2	8	11	10	4	-	5	52	61	68	39	17	62	34	19	33	32	22	23	40	33	59	75	62	58	
23	(a) Syphilis, primary	1	2	2	136	102	143	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	23						
24	(b) " secondary	-	1	2	42	49	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	24						
25	(c) " other	24	29	45	1,870	1,743	2,134	1	6	-	-	-	-	-	-	1	3	1	-	17	12	21	8	4	12	-	-	2	3	-	2	2	3	1	2	25					
26	(d) Gonorrhoea	253	236	291	12,310	13,219	13,361	3	7	5	-	-	1	8	10	6	3	-	5	35	42	51	31	42	45	33	19	31	29	22	24	38	30	58	73	57	53				
27	(e) Other venereal diseases ⁷	-	-	-	12	10	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27							
28	Whooping cough	200	160	242	6,888	7,664	8,487	-	-	-	-	-	-	-	-	1	3	15	10	-	-	2	54	54	78	68	52	52	-	-	6	1	-	9	13	13	24	61	26	22	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

(8) British Columbia reports 76,072 cases of influenza for the previous week.

THE SITUATION IN THE UNITED STATES (Source: 'MORBIDITY AND MORTALITY-WEEKLY REPORT', U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria 46 (46); Measles 2,237 (1,718); Meningitis, other 40 (54); Poliomyelitis, with paralysis 43 (27); Smallpox - (-); Undulant fever 8 (13); Encephalitis infectious 21 (28); Meningococcal infections 85 (71); Poliomyelitis, acute 59 (46); Poliomyelitis, without paralysis 10 (8); Typhoid fever 20 (26);

There was a marked reduction in the number of reported cases of influenza and influenza-like disease in many states for the week ended November 23 and estimates of incidence in some others were much below those for previous weeks. On the basis of various types of reports from 33 states, the total for the week is estimated to be 450,000. There were numerous statements that there was a statewide decline, that no new communitywide outbreaks had occurred, or that absenteeism in schools was returning to or had reached normal levels. A few reports stated that a larger proportion of cases seemed to be occurring in adults. However, no increase in industrial absenteeism was reported.

*NEWFOUNDLAND reports Influenza (epidemic) at Cox's Cove and North Side of Humber Arm; Catalina and vicinity.

**NEWFOUNDLAND reports mumps (epidemic) at Little Catalina, T.B.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended November 30, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	Disease	CANADA ²				N.F.L.D.		P.E.I.		N.S.		N.B.		QUE.		ONT.		MAN.		SASK.		ALTA.		B.C.		No.											
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56												
					1957	1956	Median 1952-56																														
1	Chickenpox	402	385	1,004	29,896	32,861	34,463	5	..	46	..	67	99	271	181	194	421	21	16	59	128	76	132	1								
2	Diphtheria	5	4	6	137	124	124	3	2	1	2								
3	Dysentery: ⁴	7	8	10	579	597	648	-	-	-	5	-	..	1	1	1	3								
4	(a) Amoebic	-	-	-	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4								
5	(b) Bacillary	7	8	10	572	594	645	-	-	-	5	-	..	1	1	1	5								
6	Encephalitis, infectious	-	1	-	31	45	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	6								
7	Influenza, epidemic	3,584	6,466	112	168,047	10,630	9,900	*	194	561	-	206	450	49	..	251	21	3	23705041	2,696	-	-	..	118	142	7						
8	Measles	222	398	857	47,830	48,932	52,087	-	-	4	34	41	17	43	14	204	39	37	291	20	185	50	68	64	56	8					
9	Meningitis, meningococcal	5	6	5	320	266	266	-	2	-	-	-	-	1	-	-	1	-	1	1	2	1	-	-	-	-	-	..	2	2	9						
10	Mumps	239	239	564	21,389	25,436	25,436	72	3	29	45	98	..	77	99	295	1	3	22	44	36	152	10					
11	Poliomyelitis, epidemic: ⁴	1	2	46	279	564	2,305	-	-	-	1	-	-	-	-	-	3	-	-	2	-	-	1	-	3	1	2	3	-	-	5						
12	(a) With paralysis	-	1	22	176	337	1,122	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	3							
13	(b) Without paralysis	1	1	11	91	215	676	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	1	13								
14	Rubella	55	42	125	16,075	50,846	9,745	-	-	-	3	3	4	10	7	8	33	1	1	..	39	27	12						
15	Scarlet fever, etc. ⁵	166	104	221	7,856	10,917	10,920	8	8	4	2	11	117	39	32	1	-	4	4	7	54	8	22	71	1	6	11	..	5	3	16	13	22				
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16							
17	Tuberculosis: ⁴	169	143	241	8,070	8,657	9,371	12	3	8	1	1	-	1	-	20	2	17	41	37	84	30	25	23	18	16	22	3	4	7	23	23	28		
18	(a) Pulmonary	131	121	208	6,605	6,937	7,833	12	3	7	-	1	-	1	-	1	-	20	2	17	39	37	83	(6)	(6)	16	16	22	13	3	3	7	23	22	24		
19	(b) Non-pulmonary	8	2	9	470	468	510	-	-	-	-	-	-	-	-	-	-	2	-	1	-	2	-	3	-	2	-	1	1	2	4						
20	Typhoid and paratyphoid	-	6	5	298	428	428	-	-	-	-	-	-	-	-	-	-	6	3	-	2	-	-	-	-	-	-	-	-	-	19						
21	Undulant fever	1	1	2	121	130	120	-	-	-	-	-	-	-	-	-	..	1	..	-	-	-	-	-	-	-	1	..	-	-	-	20					
22	Venereal diseases:	334	288	373	15,204	15,459	16,820	12	4	6	-	-	1	11	8	14	1	4	6	92	52	84	44	39	58	26	34	28	29	32	22	37	40	55	82	76	
23	(a) Syphilis, primary	2	1	5	138	106	149	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	..	1	23					
24	(b) secondary	1	-	1	13	51	66	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	24					
25	(c) other	29	34	54	1,899	1,783	2,176	-	1	1	-	-	-	-	-	-	1	2	18	17	25	8	8	12	-	3	2	-	2	3	2	7	25				
26	(d) Gonorrhoea	302	253	326	13,112	13,503	13,657	12	3	6	-	-	1	11	8	12	1	3	3	74	35	62	36	31	50	26	33	22	28	29	20	36	38	52	78	73	68
27	(e) Other venereal diseases ⁷	-	-	2	12	11	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	27					
28	Whooping cough	156	200	202	7,044	8,061	8,648	-	-	-	-	-	5	42	3	5	-	-	22	54	116	42	38	55	-	-	15	2	1	9	19	13	11	29	61	13	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	32 (46)	Measles	2,331 (2,237)	Meningitis, other	28 (40)	Poliomyelitis, with paralysis	31 (43)	Smallpox	- (-)	Undulant fever	9 (8)
Encephalitis infectious	27 (21)	Meningococcal infections	60 (85)	Poliomyelitis, acute	57 (59)	Poliomyelitis, without paralysis	19 (10)	Typhoid fever	11 (20)		

During October and November of this year there has been a marked increase in the incidence of meningococcal infections. From the seasonal low, September 1st, through the 48th week there have been 705 reported cases this year compared with 543 cases reported during the same period last year, an increase of 30 per cent. The geographic divisions reporting especially high incidence are the New England, Middle Atlantic, East North Central, West North Central, and Pacific. During this disease year, 34 states have reported a greater number of cases. To date no reports of specific incidence have been received.

*NEWFOUNDLAND reports Influenza (epidemic) at Musgravetown, B.B.; Port Blandford, B.B.; Bunyan's Cove, B.B.; Coomb's Cove and vicinity, F.B.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended December 7, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						NFL.D.			P.E.I.			N.S.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.						
		Cumulative Total ³			Report Week	Previous Week	Median 1952-56	1957	1956	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56							
		1957	1956	Median 1952-56							Report Week	Previous Week	Median 1952-56				Report Week	Previous Week	Median 1952-56			Report Week	Previous Week	Median 1952-56			Report Week	Previous Week	Median 1952-56			Report Week	Previous Week	Median 1952-56				
1	Chickenpox	646	402	1,107	30,542	33,742	35,220	13	5	72	152	67	255	312	181	425	15	21	52	154	120	154	1					
2	Diphtheria	4	5	7	111	131	131	1	3	-	-	-	-	-	-	-	-	3	-	-	-	3	2	-	-	5	-	-	1	0	2	2						
3	Dysentery: ⁴	17	7	9	596	602	660	3	1	-	1	-	-	-	-	-	1	1	..	1	1	3	-	2	-	5	-	-	1	0	2	3						
4	(a) Amoebic	-	-	-	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary	17	7	9	589	599	657	3	-	-	1	-	-	-	-	-	1	..	1	1	3	-	2	-	5	-	-	1	0	2	5							
6	Encephalitis, infectious	-	-	2	31	45	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6								
7	Influenza, epidemic	820	3,598	85	168,881	10,726	9,954	*	277	194	-	392	206	15	32	14	1	62	2370	1	-	696	-	57	118	7			
8	Measles	385	224	887	48,215	50,033	53,251	**	-	3	47	34	15	78	43	181	71	39	313	33	20	31	103	68	50	8			
9	Meningitis, meningococcal	4	5	5	324	269	269	2	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	1	2	1	9						
10	Mumps	330	239	701	21,719	26,039	26,039	30	72	18	102	15	..	127	77	311	12	1	22	59	44	145	10				
11	Poliomyelitis, epidemic: ⁴	1	1	10	280	566	2,331	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	-	-	4	11								
12	(a) With paralysis	1	-	4	177	339	1,132	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	1	1	12							
13	(b) Without paralysis	-	1	6	91	215	689	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3									
14	Rubella	105	55	143	16,180	51,097	9,838	-	-	-	8	-	3	2	3	3	20	7	25	-	1	-	31	39	21	14							
15	Scarlet fever, etc. ⁵	185	167	245	8,042	11,117	11,117	15	8	4	11	9	12	99	117	9	-	1	2	15	4	51	26	9	67	5	1	13	-	20	3	16	18	11	26			
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16							
17	Tuberculosis: ⁴	135	169	188	8,205	8,845	9,831	3	12	15	2	-	3	-	-	1	2	20	6	59	41	64	32	30	25	9	18	19	3	16	6	5	7	22	20	25	17	
18	(a) Pulmonary	101	131	156	6,706	7,093	7,991	3	12	14	2	-	2	-	-	1	2	20	6	58	39	61	(6)	(6)	(6)	8	16	19	3	13	4	5	7	21	20	24	18	
19	(b) Non-pulmonary	2	8	9	472	475	513	-	-	-	-	-	-	-	-	-	-	-	1	2	3	(6)	(6)	1	2	-	3	1	-	-	-	1	2	19				
20	Typhoid and paratyphoid	4	-	6	302	434	434	-	-	-	-	-	-	-	-	-	-	-	4	-	3	-	-	1	-	-	-	-	-	-	-	-	20					
21	Undulant fever	1	1	3	122	132	124	-	-	-	-	-	-	-	-	-	1	..	-	-	1	-	-	-	-	-	-	-	-	-	-	21						
22	Venereal diseases:	385	334	350	15,589	15,800	17,227	3	12	10	-	-	-	5	11	13	13	1	3	130	92	92	44	67	33	26	25	26	29	23	39	37	61	80	82	57	22	
23	(a) Syphilis, primary	-	2	2	138	108	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	23						
24	(b) " secondary	1	1	1	44	52	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	24						
25	(c) " other	42	29	49	1,941	1,829	2,217	1	-	-	-	-	-	5	11	10	11	1	2	106	74	67	46	36	47	33	26	24	25	28	38	36	56	76	78	54	25	
26	(d) Gonorrhoea	342	302	297	13,454	13,800	13,951	2	12	10	-	-	-	5	11	10	11	1	2	106	74	67	46	36	47	33	26	24	25	28	38	36	56	76	78	54	26	
27	(e) Other venereal diseases ⁷	-	-	-	12	11	21	-	-	-	-	-	-	1	37	42	6	-	1	28	22	77	59	42	55	-	-	5	1	2	8	20	19	15	33	29	27	28
28	Whooping cough	178	156	217	7,222	8,161	8,865	-	-	-	-	-	-	1	37	42	6	-	1	28	22	77	59	42	55	-	-	5	1	2	8	20	19	15	33	29	27	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified. (5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	32 (32)	Measles	2,972 (2,331)	Meningitis, other	47 (28)	Poliomyelitis, with paralysis	17 (31)	Smallpox	- (-)	Undulant fever	12 (9)
Encephalitis infectious	43 (27)	Meningococcal infections	74 (60)	Poliomyelitis, acute	43 (57)	Poliomyelitis, without paralysis	16 (19)	Typhoid fever	10 (11)		

Reports from most states indicate a decreasing incidence of influenza and influenza-like disease for the week ended December 7. Some stated that incidence was only slightly above the normal seasonal level, while others indicated that school and industrial absenteeism rates have declined to normal levels. However, the Arizona Commissioner of Health stated that "significant increases" in influenza-like disease were reported in 3 counties during the past week, but no mention was made of confirmatory laboratory tests.

*NEWFOUNDLAND reports Influenza (epidemic) at Lawn; Lord's Cove and St. Lawrence; Burin district.

**NEWFOUNDLAND reports Measles (epidemic) at Jamestown, B.B.

YUKON TERRITORY: Number of cases four weeks ended November 30: chickenpox, 9; dysentery, bacillary, 3; influenza, epidemic, 59; measles, 164; tuberculosis, pulmonary, 1; gonorrhoea, 12.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended December 14, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²					NFL.D.					P.E.I.					N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			B.C.			No.
		Report Week	Previous Week	Median 1952-56	Cumulative Total ³			Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56							
					1957	1956	Median 1952-56																																		
1	Chickenpox	474	646	1,185	31,016	34,696	36,106	1	13	38	92	152	322	246	312	438	11	15	51	124	154	157	1				
2	Diphtheria	-	4	4	141	134	134	-	1	1	-	-	-	-	-	1	-	-	2	-	-	1	3	1	-	-	-	-	-	-	-	-	2						
3	Dysentery: ⁴	8	17	12	604	606	665	-	3	-	2	1	-	-	-	-	-	-	1	-	-	1	2	3	2	5	5	3						
4	(a) Amoebic	1	-	-	8	2	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4							
5	(b) Bacillary	7	17	12	596	603	662	-	3	-	1	1	-	-	-	-	-	-	1	-	-	1	2	3	2	5	5	2						
6	Encephalitis, infectious	2	-	-	33	46	41	-	-	-	-	-	1	-	-	-	-	-	-	-	-	6								
7	Influenza, epidemic	707	824	110	169,592	10,858	10,002	132	277	46	84	392	60	-	-	3	36	3	488	62	2	-	-	-	-	-	-	-	7						
8	Measles	285	385	1,240	48,500	51,593	54,505	-	-	17	2	47	60	10	78	197	68	71	258	37	33	60	127	103	46	41	53	136					
9	Meningitis, meningococcal	7	4	6	331	275	275	3	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-	-	-	9							
10	Mumps	182	339	739	21,910	26,831	26,831	1	5	39	37	54	102	..	78	127	240	1	12	31	43	59	137	10					
11	Poliomyelitis, epidemic: ⁴	2	1	29	282	596	2,358	-	1	-	-	-	-	-	-	-	-	-	-	3	-	-	1	-	2	1	-	6	-	-	-	-	5								
12	(a) With paralysis	2	1	11	179	366	1,142	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	12									
13	(b) Without paralysis	-	-	14	91	218	692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3									
14	Rubella	86	105	81	16,266	51,470	9,969	-	-	1	8	-	..	1	2	8	16	20	30	-	-	-	62	31	28	7	44	9							
15	Scarlet fever, etc. ⁵	157	186	307	8,200	11,360	11,360	18	15	7	8	11	15	55	99	38	-	-	1	16	15	90	30	27	70	-	5	11	7	-	18	16	3	26	7	11	26				
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16							
17	Tuberculosis: ⁴	157	135	217	8,362	9,091	10,140	2	3	9	-	2	1	-	-	9	2	10	33	59	51	14	32	33	10	9	18	-	3	8	53	5	25	36	20	31	17				
18	(a) Pulmonary	137	101	170	6,843	7,314	8,250	2	3	9	-	2	-	-	-	8	2	10	33	58	49	(6)	(6)	(6)	9	8	18	-	3	6	50	5	24	35	20	28	18				
19	(b) Non-pulmonary	6	2	9	478	482	533	-	-	-	-	-	-	-	-	1	-	-	1	2	(6)	1	1	-	-	1	3	-	1	1	-	3									
20	Typhoid and paratyphoid	6	4	4	308	446	446	-	-	-	-	-	-	-	-	-	-	-	5	4	3	-	-	1	-	-	-	-	-	-	-	-	1								
21	Undulant fever	-	1	2	122	135	127	-	-	-	-	-	-	-	-	-	1	..	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21							
22	Venereal diseases:	291	385	350	15,880	16,117	17,583	7	3	10	-	-	1	14	5	8	3	13	8	40	130	67	50	56	65	38	33	22	22	26	25	33	39	54	84	80	73	22			
23	(a) Syphilis, primary	1	-	5	139	113	153	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1							
24	(b) " secondary	1	1	1	45	52	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	24							
25	(c) " other	38	42	41	1,979	1,865	2,262	3	1	1	-	-	-	-	-	1	1	2	1	22	24	17	3	10	14	2	-	1	1	-	3	1	1	1	5	4	3				
26	Gonorrhoea	251	342	302	13,705	14,076	14,224	4	2	9	-	-	14	5	6	2	11	4	18	106	54	47	46	49	36	33	20	20	25	21	32	38	54	78	76	69	26				
27	Other venereal diseases ⁷	-	-	-	12	11	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27							
28	Whooping cough	87	178	258	7,309	8,405	9,123	-	-	-	-	-	8	7	37	13	-	-	21	28	110	27	59	42	-	-	3	-	1	10	8	20	14	24	33	15	28				

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses):

Diphtheria	36 (32)	Measles	3,746 (2,972)	Meningitis, other	40 (47)	Poliomyelitis, with paralysis	27 (17)	Smallpox	- (-)	Undulant fever	12 (12)
Encephalitis infectious	22 (43)	Meningococcal infections	67 (74)	Poliomyelitis, acute	44 (43)	Poliomyelitis, without paralysis	15 (16)	Typhoid fever	6 (10)		

Influenza incidence continues to decline in all parts of the United States. Deaths from all causes declined in every geographic division for the week ended December 14 from figures reported for the previous week. The totals for these weeks were 11,825 and 12,611, respectively.

DOMINION BUREAU OF STATISTICS
HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments
for the week ended December 21, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						N.F.L.D.			P.E.I.			N.S.			N.B.			QUE.			ONT.			MAN.			SASK.			ALTA.			No.			
		Report Week		Previous Week		Median 1952-56		Cumulative Total ³			Report Week		Previous Week		Median 1952-56		Report Week		Previous Week		Median 1952-56		Report Week		Previous Week		Median 1952-56		Report Week		Previous Week		Median 1952-56					
		1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56	1957	1956	Median 1952-56				
1	Chickenpox	308	474	906	31,324	35,611	37,035	*	14	1	40	134	92	255	-	246	297	19	11	52	141	124	123	1		
2	Diphtheria	-	-	4	141	135	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2					
3	Dysentery: ⁴	17	8	7	621	610	669	1	1	1	1	1	1	1	2	1	1	1	1	1	2	1	..	-	1	1	3	1	1	1	2	1	1	3	2	2		
4	(a) Amoebic	-	1	-	8	2	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4				
5	(b) Bacillary	17	7	7	613	607	666	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	..	-	-	-	-	-	-	-	-	-	-	5				
6	Encephalitis, infectious	-	2	-	33	46	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6					
7	Influenza, epidemic	361	707	91	169,953	10,964	10,093	**	222	132	22	58	84	70	3	2	30	488	1	-	-	51	-	-	7	
8	Measles	211	285	987	48,711	52,685	55,309	***	-	3	10	2	65	69	10	228	-	68	256	16	37	58	82	127	80	34	41	84		
9	Meningitis, meningococcal	5	7	3	336	278	278	4	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	1	-	1	..	1	1	-	9				
10	Mumps	184	182	619	22,094	27,555	27,555	1*	1	..	23	5	22	113	54	..	-	78	222	4	1	23	44	43	106	10	
11	Poliomyelitis, epidemic: ⁴	1	2	28	283	598	2,375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11					
12	(a) With paralysis	1	2	10	180	367	1,155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	12					
13	(b) Without paralysis	-	-	4	91	219	695	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	13					
14	Rubella	80	86	115	16,346	51,719	10,064	-	-	-	4	-	-	5	1	16	-	16	19	-	-	-	56	62	31	15	7	15		
15	Scarlet fever, etc. ⁵	201	157	180	8,401	11,491	11,491	4	18	3	15	8	6	143	55	12	-	-	1	24	16	70	-	30	50	2	-	6	-	7	7	9	16	23	4	7	21	
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16					
17	Tuberculosis: ⁴	149	159	191	8,511	9,261	10,283	12	2	10	-	-	1	-	-	1	-	-	9	3	73	33	79	-	14	20	7	10	15	10	2	5	28	53	21	19	36	37
18	(a) Pulmonary	143	139	158	6,986	7,472	8,387	12	2	10	-	-	1	-	-	1	-	-	8	3	69	33	78	(6)	(6)	(6)	7	9	15	9	2	4	28	50	20	18	35	29
19	(b) Non-pulmonary	6	6	10	484	490	543	-	-	-	-	-	-	-	-	-	-	-	1	-	4	-	1	(6)	(6)	(6)	-	1	-	2	-	3	-	1	1	2	19	
20	Typhoid and paratyphoid	7	7	4	215	451	452	-	-	-	-	-	-	-	-	-	-	-	-	7	5	3	-	1	-	-	-	-	-	-	-	-	-	20				
21	Undulant fever	-	-	1	122	137	131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21					
22	Venereal diseases:	227	291	315	16,107	16,432	17,830	12	7	5	-	-	1	3	14	11	3	3	5	33	40	73	-	50	54	20	38	25	30	22	28	40	33	66	86	84	42	
23	(a) Syphilis, primary	2	1	1	141	114	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23					
24	(b) " secondary	1	1	2	46	52	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24					
25	(c) " other	12	38	36	1,991	1,891	2,288	1	3	-	-	-	1	-	2	-	1	1	4	22	15	-	3	8	1	2	2	1	1	2	2	5	4	25				
26	(d) Gonorrhoea	212	251	286	13,917	14,359	14,507	11	4	2	-	-	1	2	14	6	3	2	4	29	18	57	-	47	43	19	36	23	27	20	25	39	32	60	82	78	11	
27	(e) Other venereal diseases ⁷	-	-	1	12	12	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27					
28	Whooping cough	55	87	155	7,364	8,643	9,277	-	-	-	3	1	7	15	-	-	2	28	21	76	-	21	33	1	-	7	2	-	7	7	8	8	16	24	12	28		

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum... Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY WEEKLY REPORT", U.S. National Office of Vital Statistics) Number of reported cases for the current week (previous week in parentheses). (8) Report not received.

Diphtheria 57 (36) Measles 3,337 (3,746) Meningitis, other 37 (40) Poliomyelitis, with paralysis 15 (27) Smallpox - (-) Undulant fever 12 (12)

Encephalitis infectious 22 (22) Meningococcal infections 50 (67) Poliomyelitis, acute 31 (44) Poliomyelitis, without paralysis 10 (15) Typhoid fever 7 (6)

Although reports from states indicate a decreasing incidence of influenza throughout the country, the number of deaths from all causes in 114 large cities increased slightly above that for the previous week, that is, 11,997 as compared with 11,804. The increase was evident for each geographic area except the New England, East North Central, and Mountain Divisions. The number of deaths were above the expected value in the Middle Atlantic, South Atlantic, and Mountain Divisions. Thirteen cities reported a greater than expected number of deaths. The number of deaths from influenza and pneumonia was 566 as compared with 535 for the previous week. The numbers were above expected values for the country as a whole and particularly in the East North Central, West North Central, South Atlantic, Mountain, and Pacific Divisions.

*NEWFOUNDLAND reports Chickenpox (epidemic) at Carbonear and vicinity.

**NEWFOUNDLAND reports Influenza (epidemic) at Carmanville and Fogo District.

***NEWFOUNDLAND reports Measles (epidemic) at Charleston, B.B.

*NEWFOUNDLAND reports Mumps (epidemic) at Carbonear and vicinity, Channel and Port aux Basques.

**NEWFOUNDLAND reports Scarlet fever (epidemic) at Corner Brook.

DOMINION BUREAU OF STATISTICS

HEALTH AND WELFARE DIVISION

Summary of Cases of Notifiable Diseases in Canada, as reported by the Provincial Health Departments

for the week ended December 28, 1957, in comparison with the previous week¹, and the 5-year (1952-56) Median

No.	DISEASE	CANADA ²						NFL.D.		P.E.I.		N.S.		N.B.		QUE.		ONT.		MAN.		SASK.		ALTA.		B.C.		No.											
		Cumulative Total ³			Report Week	Previous Week	Median 1952-56	1957	1956	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56	Report Week	Previous Week	Median 1952-56											
		1957	1956	Median 1952-56							1957	1956	Median 1952-56				1957	1956	Median 1952-56			1957	1956	Median 1952-56			1957	1956	Median 1952-56										
1	Chickenpox	389	490	920	31,895	36,469	37,745	-	14	15	..	194	134	197	183	182	526	12	19	35	-	141	92	1						
2	Diphtheria	1	1	8	143	135	139	-	-	-	7	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	1								
3	Dysentery: ⁴	8	19	6	631	611	673	-	-	-	8	2	5	-	-	-	-	..	2	..	1	2	-	-	-	-	-	-	-	15	2	3							
4	(a) Amoebic	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4									
5	(b) Bacillary	8	19	6	623	608	670	-	-	-	7	-	-	-	-	-	-	..	2	..	1	2	-	-	-	-	-	-	-	15	2	5							
6	Encephalitis, infectious	-	1	-	34	46	42	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	6									
7	Influenza, epidemic	226	366	51	770,185	11,117	10,110	97	222	35	129	58	14	5	-	30	3	-	-	-	-	-	51	-	7								
8	Measles	248	284	869	49,032	53,938	56,178	*	-	31	2	10	31	47	69	170	68	73	501	131	16	42	82	53	130	8					
9	Meningitis, meningococcal	5	5	6	341	284	285	-	4	-	-	-	-	-	-	-	-	1	-	3	-	1	-	-	-	-	-	-	1	1	9								
10	Mumps	173	303	520	22,386	28,112	28,112	**	14	23	19	119	113	..	37	119	285	3	4	33	44	75	10						
11	Poliomyelitis, epidemic: ⁴	2	2	18	286	600	2,390	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	2	11									
12	(a) With paralysis	-	2	11	181	363	1,163	-	-	-	-	-	-	-	-	-	-	(6)	-	-	-	1	-	-	-	-	1	-	1	2	12								
13	(b) Without paralysis	1	-	3	92	220	701	-	-	-	-	-	-	-	-	-	-	(6)	-	-	-	-	-	-	-	-	-	-	-	-	13								
14	Rubella	18	85	101	16,369	51,892	10,116	-	-	-	4	1	4	5	8	13	5	35	1	-	-	56	15	8							
15	Scarlet fever, etc. ⁵	128	275	213	8,606	11,670	11,670	5	4	4	11	15	7	73	161	9	-	-	2	21	24	42	16	56	90	2	2	3	-	15	-	9	12	4	21				
16	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	16								
17	Tuberculosis: ⁴	60	162	141	8,586	9,370	10,474	2	12	1	1	-	-	-	-	-	3	9	-	5	24	73	45	11	13	16	6	7	12	7	10	4	-	28	12	-	19	26	17
18	(a) Pulmonary	42	143	116	7,030	7,538	8,537	2	12	1	1	-	-	-	-	-	1	7	-	5	21	69	43	(6)	(6)	(6)	4	7	11	7	9	3	-	28	11	-	18	19	18
19	(b) Non-pulmonary	7	6	5	491	494	553	-	-	1	-	-	-	-	-	-	2	-	-	3	4	2	(6)	(6)	(6)	2	-	-	-	1	1	-	-	1	2	19			
20	Typhoid and paratyphoid	1	7	5	317	455	457	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	1	-	-	-	-	-	-	-	-	20							
21	Undulant fever	-	-	3	122	141	133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	21							
22	Venereal diseases:	155	268	250	16,303	16,596	18,056	6	12	5	-	-	-	5	3	8	-	3	1	72	33	30	15	41	44	27	20	22	30	30	19	-	40	40	-	86	33	22	
23	(a) Syphilis, primary	-	3	2	142	116	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	23					
24	(b) " secondary	-	1	-	46	53	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24							
25	(c) " other	21	16	26	2,016	1,909	2,312	-	1	-	-	-	-	-	-	1	1	-	-	13	4	8	1	4	8	1	1	6	2	2	1	2	25						
26	Gonorrhoea	134	248	218	14,087	14,506	14,660	6	11	4	-	-	-	5	2	7	-	3	-	59	29	24	14	36	38	26	19	20	24	27	16	-	39	35	-	82	29	26	
27	(e) Other venereal diseases ⁷	-	-	-	12	12	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	27							
28	Whooping cough	55	79	109	7,443	8,513	9,387	-	-	-	-	-	-	-	-	6	1	2	-	-	39	28	49	9	24	31	1	1	2	-	2	6	-	7	5	-	16	8	28

(1) Figures adjusted for delayed reports. (2) Exclusive of Yukon and Northwest Territories. (3) Total accumulated to the end of the current week from the first week ending in January of the year stated. (4) Includes cases where type was not specified.

(5) Scarlet fever includes cases of streptococcal sore throat; streptococcal sore throat not reportable in New Brunswick and Quebec. (6) Type not specified. (7) Includes chancroid, granuloma inguinale and lymphogranuloma venereum. .. Not reportable.

THE SITUATION IN THE UNITED STATES (Source: "MORBIDITY AND MORTALITY-WEEKLY REPORT", U.S. National Office of Vital Statistics): Number of reported cases for the current week (previous week in parentheses): (8) Report not received.

Diphtheria	47 (57)	Measles	4,719 (3,337)	Meningitis, other	33 (37)	Poliomyelitis, with paralysis	19 (15)	Smallpox	- (-)	Undulant fever	7 (12)
Encephalitis infectious	21 (22)	Meningococcal infections	48 (50)	Poliomyelitis, acute	31 (31)	Poliomyelitis, without paralysis	6 (10)	Typhoid fever	8 (7)		

The provisional total number of poliomyelitis cases reported in 52 weeks of 1957 is 5,894 as compared with provisional totals of 15,400 in 1956 and 29,270 in 1955. Paralytic cases for 1957 totaled 2,159 as compared with final totals of 7,911 in 1956 and 13,850 in 1955. Thus the incidence of all types of poliomyelitis declined 62 per cent in 1957 as compared with 1956, and paralytic cases declined about 73 per cent. For the first time since data on paralytic status of cases became available, cases with paralysis were fewer in number than nonparalytic cases at the end of the year.

Although the reported incidence of meningococcal infections was slightly lower in 1957, 2,629 cases compared with 2,696 cases in 1956, there was an increase of 36 per cent in the number of cases reported in the final quarter of 1957 compared with the same quarter of 1956.

There was a noteworthy decrease of 28 per cent in the reported number of cases of typhoid fever. In 1957 there were 1,275 cases, while in 1956 there had been 1,759.

Reports from various states indicate that incidence of influenza is continuing to decline. There was a decrease in the number of deaths from all causes in the large cities, 10,504 for the week ended December 28 as compared with 11,997 for the previous week.

*NEWFOUNDLAND reports Measles (epidemic) at Gander. **NEWFOUNDLAND reports Mumps (epidemic) at Gander.