

## Testing the Milankovitch-Croll hypothesis using $\delta^{18}\text{O}$ foram data

The Milankovitch-Croll hypothesis suggests that changes in the Earth's orbit around the Sun leads to changes in the Earth's planetary climate through fluctuations in solar insolation [1]. We can access and view this change of climate through analysing proxy data. By using deep ocean sediment cores and Earth orbital data, we can explore the hypothesis through performing various data analysis techniques and we hope to uncover whether it has any validity.

The importance of sediment cores arises from the fact that they contain a reliable trace for measuring the  $\delta^{18}\text{O}$  ratio across periods of Earth's history. The change in this ratio can provide us with an indication of how the global temperature was fluctuating, this could then be linked to other changes on the Earth such as whether global ice volume was increasing or decreasing.


Defined from laboratory experiments, for a  $\sim 5^\circ\text{C}$  temperature increase there is a  $\sim 1\text{‰}$  decrease in the  $\delta^{18}\text{O}$  ratio of the foram shell. Looking at Figure 1 we can see two example periods from Earth's history, a more recent and an older period. We find that in the more recent age the amplitude of the  $\delta^{18}\text{O}$  varies more considerably than from 4 Myr to 5 Myr, this suggests that in more recent times there have been longer periods of cooling and a more dramatic shift in temperature. Whilst less clear as older data is explored, this sinusoidal-trend is prevalent throughout the  $\delta^{18}\text{O}$  data, suggesting that the glacial-interglacial events are part of a normal cycle in Earth's climate.

We could suggest that due to the cyclic nature of the foram data, there must be a connection to the cyclical Earth-Sun orbit relationship. However, we must attempt to numerically quantify this to verify or disprove the hypothesis. The data detailing the orbital behaviours of the Earth can be split up into three separate but interlinked phenomena [?]: eccentricity, obliquity, and precession.

## References

- [1] William F. Ruddiman. Earth's Climate: Past and Future. W. H. Freeman and Company, 2nd edition, 2008.

## Appendices



**FIG. 1:** Plots of the marine benthic foram  $\delta^{18}\text{O}$  data against age since the present day (the holocene). Both data sets have been taken out of a larger set which spans from 0 Myr to 6 Myr. We see that as we move closer towards the present day, the periodicity and amplitude is larger which implies that there is a more extreme temperature variation.