














```
reservationData = {
  companyId: int companyId
  floorPlanId: int floorPlanId
  spaceId: string spaceId'
  reservationStartTime: datetime reservation-startTime
  reservationEndTime: datetime reservation-endTime')
  userHash: string username
}
```














Confirmation


















```
reservationData = {
  companyId: int companyId
  floorPlanId: int floorPlanId
  spaceId: string spaceId'
  reservationStartTime: datetime reservation-startTime
  reservationEndTime: datetime reservation-endTime')
  userHash: string username
}
```


















User




Request to leave


Message: successful







Database



See diagram  
for Data  
Access



















User





Request to leav




Error Mess







Database



See diagram  
for Data  
Access











## Leave Waitlist - Top of waitlist leaves

When a user reserves a space, they will be added to the top of the waitlist for that space and time. If they cancel their reservation, they will be removed from the waitlist, which will allow for the next user on the list to be notified that the space has opened up.








\*user who is next in line

User


\*user who cancels their reservation

User


Cancels reserv.










Database








n for  
onEmail





Leave Waitlist - Top of waitlist leaves - Failure











\*user who cancels their reservation


User

Cancels reserv






Database



See diagram  
for Data  
Access





Error mes





n for  
onEmail












User

WaitlistService



SendConfirmationEmail  
(WaitlistEntry info): void

Cus  
ne

C

var getEmail = builder  
.BeginSelectAll()  
.From("userHash")  
.Where(\$"hashedUsername  
= '{info.userHash}'")  
.Build();

var getName = builder  
.BeginSelectAll()  
.From("userProfile")  
.Where(\$"hashedUsername  
= '{info.userHash}'")  
.Build();


MailSender sender = new MailS


MailSender instance


MailSender.SendEmail  
(targetEmail, subject, msg) : void

sender.SendEmail(targetEmail, s

Confirmation email















User

WaitlistService



SendConfirmationEmail  
(WaitlistEntry info): void

Cus  
ne

C

var getEmail = builder  
.BeginSelectAll()  
.From("userHash")  
.Where(\$"hashedUsername  
= '{info.userHash}'")  
.Build();

var getName = builder  
.BeginSelectAll()  
.From("userProfile")  
.Where(\$"hashedUsername  
= '{info.userHash}'")  
.Build();


MailSender sender = new MailS


MailSender instance


MailSender.SendEmail  
(targetEmail, subject, msg) : void

sender.SendEmail(targetEmail, s

Confirmation email


















# Confirmation Email - Success













# Notification Email - Failure

