LDA2Net: Digging under the surface of COVID-19 topics in literature

Topic 113 companion sheet

G. Minello C.R.M.A. Santagiustina M. Warglien

This file contains the following supplementary information for Topic 113 of the manuscript "LDA2Net: Digging under the surface of COVID-19 topics in scientific literature":

- Human label and automatic n-gram label proposals (Table 1)
- Summary measures (Table 2)
- Network of top 25 bigrams (Figure 1)
- Wordclouds of top 25 words by node relevance measure (Figure 2)
- Wordclouds of top 25 bigrams by edge relevance measure (Figure 3)
- Filtered (0.99 percentile) topic network (Figure 4)

Table 1: Human and automatic label proposals. Automatic label candidate for largest word community of the topic. In parenthesis: absolute frequency of the walk out of a sample of size 1000.

Human label	2-gram label	3-gram label	4-gram label
body weight and metabolism	healthy->eating (7.3%)	BMI->obesity->metabolic (3.8%)	overweight->BMI->obesity->metabolic (2.1%)

Here follows the set of topic-specific measures that have been used to classify the topic and to analyse its structural properties (see manuscript for details):

Table 2: Summary measures

	JSD	Mean propensity	Variance propensity	Modularity	Barrat Clustering Coeff.
value	0.575699	0.006895	0.000284	0.155175	0.555282
rank	26	5	53	95	34

Based on the aforementioned measures, Topic 113 has been classified as a SPECIALIZED topic.




Figure 1: Network of top 25 bigrams (i.e., edges) by weight.







association
effects significant
kg changes total
healthy dietary > 9
y parmass | 1994 |
body m loss
weight obesity
high nutritional normal
eating overweight higher
consumption





Out-degree Betweenness PageRank

Figure 2: Top 25 unigrams (i.e., nodes) by measure.

mechanical-ventilation
severe-COVID-19
symmetric SOVID-19
patients-COVID-19
weight-pain physical-activity
risk-factors severe-active
body-weight public-health risk-factor
COVID-19>pandemic
COVID-19>patients
acute-respiratory-syndromenovel-coronavirus
body-mass weight-boas
mass-index sudy-aimed
mental-healt
COVID-19-infection
social-utstancing

consumption-body
obesity-body
body-index-boesity-weight loss-body
mass-mass mass-body
mass-mass mass-body
index-body body-weight loss-body
mass-mass mass-body
intake-body body-mass
weight-bose
body-mass weight-loss
mass-index sudy-aimed
mental-healt
covid-19-infection
social-utstancing

weight-BMI statishooty to converge to the statishooty weight-BMI statishooty body-mass body body-mass changes-body body-mass changes-body g Sweight-Boss weight-weight g Sweight-Body present-study of the statishoot g Sweight-weight g Sweight-body present-study g Sweight-weight g Sweight-body present-study g Sweight-weight g Sweight-body present-study g Sweight-body g Sweight-body present-study g Sweight-body g Sweight-body present-study g Sweight-body g

Figure 3: Top 25 bigrams (i.e., edges) by measure.




Figure 4: Filtered topic network (by weight). Layout based on Fruchterman-Reingold algorithm. Node size is proportional to topic-specific word probability provided by LDA. Edge width is proportional to topic-specific bigram weight provided by LDA2Net method. Node and edge color represent their betweenness centrality. Isolated nodes have been removed after filtration.