LDA2Net: Digging under the surface of COVID-19 topics in literature

Topic 118 companion sheet

G. Minello C.R.M.A. Santagiustina M. Warglien

This file contains the following supplementary information for Topic 118 of the manuscript "LDA2Net: Digging under the surface of COVID-19 topics in scientific literature":

- Human label and automatic n-gram label proposals (Table 1)
- Summary measures (Table 2)
- Network of top 25 bigrams (Figure 1)
- Wordclouds of top 25 words by node relevance measure (Figure 2)
- Wordclouds of top 25 bigrams by edge relevance measure (Figure 3)
- Filtered (0.99 percentile) topic network (Figure 4)

Table 1: Human and automatic label proposals. Automatic label candidate for largest word community of the topic. In parenthesis: absolute frequency of the walk out of a sample of size 1000.

Human label	2-gram label	3-gram label	4-gram label
severe respiratory syndrome	acute->respiratory (25.6%)	acute->respiratory->syndrome (21.3%)	acute->respiratory->syndrome->coronavirus (16.7%)

Here follows the set of topic-specific measures that have been used to classify the topic and to analyse its structural properties (see manuscript for details):

Table 2: Summary measures

JSD	Mean propensity	Variance propensity	Modularity	Barrat Clustering Coeff.
0.837393	0.010926	0.000346	0.000000	0.545236
110	119	70	2	26

Based on the aforementioned measures, Topic 118 has been classified as a CROSS-CUTTING topic.




Figure 1: Network of top 25 bigrams (i.e., edges) by weight.









emerged by Diagram of the property of the prop



Out-degree Betweenness PageRank

Figure 2: Top 25 unigrams (i.e., nodes) by measure.

patients-severe care-unit syndrome-coronavirus-2 respiratory-tract severes-COVID-19 respiratory-tract severes-COVID-19 respiratory-tractions of the season o

acute>coronavirus
severe>coronavirus
severe>coronavirus
severe>syndrome
coronavirus>respiratory
syndrome>respiratory
respiratory>syndrome
severe>acute
respiratory>severe
severe>respiratory
severe>respiratory
severe>respiratory
severe>severe
acute>respiratory
severe>severe
acute>severe
acute>severe
severe
acute>severe
severe>severe
severe>severe
acute>severe
syndrome>severe
coronavirus>severe
coronavirus>acute respiratory>disease

syndrome-negitatory
syndrome-contavirus-2
respiratory-coronavirus
syndrome-south distress-syndrome
coronavirus-severe respiratory-disease
syndrome-souronavirus
respiratory-syndrome
sourte-y-expiratory
severe-sourte-generatory
severe-sourte-generatory
severe-sourte-generatory
severe-sourte-generatory
respiratory-latiture
re

Figure 3: Top 25 bigrams (i.e., edges) by measure.




Figure 4: Filtered topic network (by weight). Layout based on Fruchterman-Reingold algorithm. Node size is proportional to topic-specific word probability provided by LDA. Edge width is proportional to topic-specific bigram weight provided by LDA2Net method. Node and edge color represent their betweenness centrality. Isolated nodes have been removed after filtration.