LDA2Net: Digging under the surface of COVID-19 topics in literature

Topic 63 companion sheet

G. Minello C.R.M.A. Santagiustina M. Warglien

This file contains the following supplementary information for Topic 63 of the manuscript "*LDA2Net*: Digging under the surface of COVID-19 topics in scientific literature":

- Human label and automatic n-gram label proposals (Table 1)
- Summary measures (Table 2)
- Network of top 25 bigrams (Figure 1)
- Wordclouds of top 25 words by node relevance measure (Figure 2)
- Wordclouds of top 25 bigrams by edge relevance measure (Figure 3)
- Filtered (0.99 percentile) topic network (Figure 4)

Table 1: Human and automatic label proposals. Automatic label candidate for largest word community of the topic. In parenthesis: absolute frequency of the walk out of a sample of size 1000.

Human label	2-gram label	3-gram label	4-gram label
cancer therapy	cancer->treatment (26.4%)	cancer->treatment->patients (12.8%)	cancer->patients->diagnosis->therapy (1.1%)

Here follows the set of topic-specific measures that have been used to classify the topic and to analyse its structural properties (see manuscript for details):

Table 2: Summary measures

JSD	Mean propensity	Variance propensity	Modularity	Barrat Clustering Coeff.
 $0.593790 \\ 32$	0.007881 41	0.000558 98	0.001700 53	0.584872 73

Based on the aforementioned measures, Topic 63 has been classified as a SPECIALIZED topic.




Figure 1: Network of top 25 bigrams (i.e., edges) by weight.







prognosis chemotherapy
colon bladder delay
overall cervical
ovarian treatment potential
cancer is
therapy st lung radiation
by be in survival
st in goncology
diagnosed

se size received response resp

progression
coutcomes
classical clinicaltreatments
die
diagnosis received
delay
der patients
chemotherapy
including response
diagnosed

Out-degree Betweenness PageRank

Figure 2: Top 25 unigrams (i.e., nodes) by measure.



Figure 3: Top 25 bigrams (i.e., edges) by measure.




Figure 4: Filtered topic network (by weight). Layout based on Fruchterman-Reingold algorithm. Node size is proportional to topic-specific word probability provided by LDA. Edge width is proportional to topic-specific bigram weight provided by LDA2Net method. Node and edge color represent their betweenness centrality. Isolated nodes have been removed after filtration.