

---

# **abandi Documentation**

***Release 0.0.6***

**ponty**

November 18, 2011

# CONTENTS

<b>1</b>	<b>Basic usage</b>	<b>2</b>
<b>2</b>	<b>Installation</b>	<b>3</b>
2.1	General . . . . .	3
2.2	Ubuntu . . . . .	3
2.3	Uninstall . . . . .	3
<b>3</b>	<b>Dependencies</b>	<b>4</b>
3.1	basic . . . . .	4
3.2	html parsers . . . . .	4
3.3	supported emulators . . . . .	4
<b>4</b>	<b>game sources</b>	<b>5</b>
<b>5</b>	<b>Usage</b>	<b>6</b>
5.1	update . . . . .	6
5.2	install . . . . .	6
5.3	check database . . . . .	6
5.4	search database . . . . .	7
5.5	run game . . . . .	7
<b>6</b>	<b>Examples</b>	<b>9</b>
<b>7</b>	<b>command line help</b>	<b>12</b>
7.1	dbdownload . . . . .	12
7.2	parse . . . . .	12
7.3	update . . . . .	12
7.4	info . . . . .	13
7.5	search . . . . .	13
7.6	install . . . . .	13
7.7	run . . . . .	14
7.8	srun . . . . .	14
<b>8</b>	<b>system information</b>	<b>15</b>
8.1	versions . . . . .	15
8.2	plugins . . . . .	15
<b>9</b>	<b>related projects</b>	<b>16</b>
<b>10</b>	<b>Development</b>	<b>17</b>

10.1	Tools . . . . .	17
10.2	Install on ubuntu . . . . .	17
10.3	Tasks . . . . .	18
<b>11</b>	<b>Indices and tables</b>	<b>19</b>

## abandi

**Date** November 18, 2011

**PDF** [abandi.pdf](#)

Contents:

Console-based abandonware game installer and runner.

### Links:

- home: <https://github.com/ponty/abandi>
- documentation: <http://ponty.github.com/abandi>

### Features:

- Games are serached on abandonware sites, downloaded over internet, unpacked and run by emulators
- **HTML parser backends:**
  - [lxml](#)
  - [BeautifulSoup](#)
- downloader backend: [urllib](#)
- unpacker backend: [pyunpack](#)
- **simulator backends:**
  - [dosbox](#)
  - [openmsx](#)
  - [scummvm](#)
  - [stella](#)
  - [vice](#)
- plugin system: [yapsy](#)

### Known problems:

- Python 3 is not supported
- tested mostly on linux
- emulators are checked in program too often, which can be slow

# BASIC USAGE

The selected game will be downloaded, unpacked and started by an emulator.

if you know the id:

```
$ python -m abandi.run --auto-install gb64 3021
```

if you have an up-to-date database:

```
$ python -m abandi.srun --auto-install --name galaga
```

---

**Note:** It is only a wrapper,so you have to install unpackers (7zip, unrar,..) and emulators (dosbox, scummvm, stella, vice,..)

---

# INSTALLATION

## 2.1 General

- install Python
- install `setuptools`
- install backends for `pyunpack` (optional)
- install supported emulators (optional)
- install HTML parsers (optional)
- install the program:

```
# as root
easy_install https://github.com/ponty/abandi/zipball/master
```

## 2.2 Ubuntu

```
sudo apt-get install python-setuptools
sudo easy_install https://github.com/ponty/abandi/zipball/master
# optional
sudo apt-get install unzip unrar p7zip-full
sudo apt-get install dosbox openmsx scummvm stella vice
sudo apt-get install python-beautifulsoup python-lxml
```

## 2.3 Uninstall

first install `pip`:

```
# as root
pip uninstall abandi

# database, games
rm -r ~/.abandi
```

# DEPENDENCIES

## 3.1 basic

python		
yapsy		plugin system

## 3.2 html parsers

lxml	optional	html parser
BeautifulSoup	optional	html parser

## 3.3 supported emulators

id	name	platforms	url
dosbox	DOSBox	[dos]	<a href="http://www.dosbox.com/">http://www.dosbox.com/</a>
openmsx	openMSX	[msx]	<a href="http://openmsx.sourceforge.net/">http://openmsx.sourceforge.net/</a>
scummvm	ScummVM	[dos, c64]	<a href="http://www.scummvm.org/">http://www.scummvm.org/</a>
stella	Stella	[atari2k6]	<a href="http://stella.sourceforge.net/">http://stella.sourceforge.net/</a>
vice	VICE	[c64]	<a href="http://www.viceteam.org/">http://www.viceteam.org/</a>

## GAME SOURCES

id	name	platforms	url	max id
aban-doneer	Abandoneer	[dos]	<a href="http://www.abandoneer.com/">http://www.abandoneer.com/</a>	150
aban-donia	Abandonia	[dos, win]	<a href="http://www.abandonia.com/">http://www.abandonia.com/</a>	1000
gb64	Gamebase 64	[c64]	<a href="http://www.gamebase64.com/">http://www.gamebase64.com/</a>	22000
os-comp	Oldschool Computer	[dos, c64, c128, cplus4, msx, megadrive, mastersystem, gb, atari2k6, nes, snes, amiga]	<a href="http://oscomp.hu/">http://oscomp.hu/</a>	1230
osd	Old School DOS	[dos]	<a href="http://www.oldschooldos.com/">http://www.oldschooldos.com/</a>	121



# USAGE

## 5.1 update

update some games in database from [gamebase64](#)

```
$ python -m abandi.update gb64 3020-3023 --force
force updating gb64/3020... found:"Galaga"... OK
force updating gb64/3021... sleeping 2 sec... found:"Galaga"... OK
force updating gb64/3022... sleeping 2 sec... found:"Galaxia 7"... OK
force updating gb64/3023... sleeping 2 sec... found:"Galaxian"... OK
```

or download the default game database:

```
$ python -m abandi.dbdownload
```

## 5.2 install

install [galaga](#)

```
$ python -m abandi.install gb64 3020
downloading Galaga... OK
unpacking Galaga... OK
```

## 5.3 check database

```
$ python -m abandi.info gb64 3020
source:          gb64
id:              3020
name:            Galaga
platform:        c64
game_file_url:   http://gamebase64.hardabasht.com/games/g/GALAGA1_03020_02.zip
release_year:    None
genre:           Shoot'em Up - Space Invaders
programmer:      Henrik Wening
language:        English
musician:        None
publisher:       Henrik Wening
home_url:        http://www.gamebase64.com/game.php?id=3020
music_file_url:  None
```

```
screenshot_url_list: http://www.gb64.com/Screenshots/G/Galaga_v1.png|http://www.gb64.com/Screenshots
zip:                /home/titi/.abandi/cache/gamezip/gb64/http___gamebase64.hardabasht.com_games_g_
dir:                /home/titi/.abandi/games/gb64/Galaga.3020
```

## 5.4 search database

```
$ python -m abandi.search -n galaga
[gb64 3020 c64] Galaga
[gb64 3021 c64] Galaga
```

## 5.5 run game

run `galaga` by id:

```
$ python -m abandi.run -a gb64 3020
```



run `galaga` by name:

```
$ python -m abandi.srun -a --name galaga
```



run maniac mansion using vice:

```
$ python -m abandi.run -a gb64 4577 --runner vice
```



run maniac mansion using scummvm:


```
$ python -m abandi.run -a gb64 4577 --runner scummvm
```



# EXAMPLES

Civilization:

```
$ python -m abandi.srun -n "civilization" -p dos -a -i 1
```



Colonization:

```
$ python -m abandi.srun -n "colonization" -p dos -a
```



Master of magic:

```
$ python -m abandi.srun -n "Master of magic" -p dos -a
```



Master of Orion:

```
$ python -m abandi.srun -n "Master of Orion" -p dos -a
```



Beneath a Steel Sky:

```
$ python -m abandi.srun -n "steel sky" -a -r scummvm
```



Dune:

```
$ python -m abandi.srun -n "dune" -p dos -a
```



# COMMAND LINE HELP

## 7.1 dbdownload

```
$ python -m abandi.dbdownload --help
usage: dbdownload.py [-h] [-u URL] [--debug]
```

downloads and unpacks game database

optional arguments:

-h, --help	show this help message and exit
-u URL, --url URL	packed sqlite file
--debug	set logging level to DEBUG

## 7.2 parse

```
$ python -m abandi.parse --help
usage: parse.py [-h] [--debug] source id
```

parse game on source and print all information

positional arguments:

source	['gb64',...]
id	['1',...]

optional arguments:

-h, --help	show this help message and exit
--debug	set logging level to DEBUG

## 7.3 update

```
$ python -m abandi.update --help
usage: update.py [-h] [-f] [--debug] source id
```

parse and update game in database

positional arguments:

source	['all','gb64',...]
id	['all','1','1-5','1,5-8,10',...]

```
optional arguments:
  -h, --help      show this help message and exit
  -f, --force
  --debug         set logging level to DEBUG
```

## 7.4 info

```
$ python -m abandi.info --help
usage: info.py [-h] [--debug] source id

print all information for game in database

positional arguments:
  source      ['gb64',...]
  id          ['1',...]
```

```
optional arguments:
  -h, --help      show this help message and exit
  --debug         set logging level to DEBUG
```

## 7.5 search

```
$ python -m abandi.search --help
usage: search.py [-h] [-c COL_FORMAT] [-w WHERE] [-o ORDERBY] [-n NAME]
                [-p PLATFORM] [-s SOURCE] [-r RUNNER] [--debug]

search in game database
```

```
optional arguments:
  -h, --help            show this help message and exit
  -c COL_FORMAT, --col-format COL_FORMAT
  -w WHERE, --where WHERE
                        SQL where, e.g. "id>5 and name like falcon"
  -o ORDERBY, --orderby ORDERBY
  -n NAME, --name NAME  game name like this
  -p PLATFORM, --platform PLATFORM
                        check lsplatform for list
  -s SOURCE, --source SOURCE
                        check lsplugin for list
  -r RUNNER, --runner RUNNER
  --debug               set logging level to DEBUG
```

## 7.6 install

```
$ python -m abandi.install --help
usage: install.py [-h] [-d] [-u] [-r] [-n] [--debug] source id

download and unpack game found in database

positional arguments:
```



```

source          ['gb64',...]
id              ['1',...]

```

optional arguments:

```

-h, --help          show this help message and exit
-d, --downloadonly
-u, --unpackonly
-r, --removezip
-n, --nocache
--debug             set logging level to DEBUG

```

## 7.7 run

```
$ python -m abandi.run --help
```

```
usage: run.py [-h] [-r RUNNER] [-a] [--debug] source id
```

start game using selected emulator

positional arguments:

```

source          ['gb64',...]
id              ['1',...]

```

optional arguments:

```

-h, --help          show this help message and exit
-r RUNNER, --runner RUNNER
                    emulator ['auto','dosbox','scummvm',...]
-a, --auto-install
--debug             set logging level to DEBUG

```

## 7.8 srunch

```
$ python -m abandi.srun --help
```

```
usage: srunch.py [-h] [-c COL_FORMAT] [-w WHERE] [-o ORDERBY] [-n NAME]
                 [-p PLATFORM] [-s SOURCE] [-r RUNNER] [-a] [-i INDEX] [--debug]
```

search and run

optional arguments:

```

-h, --help          show this help message and exit
-c COL_FORMAT, --col-format COL_FORMAT
-w WHERE, --where WHERE
-o ORDERBY, --orderby ORDERBY
-n NAME, --name NAME
-p PLATFORM, --platform PLATFORM
-s SOURCE, --source SOURCE
-r RUNNER, --runner RUNNER
-a, --auto-install
-i INDEX, --index INDEX
--debug             set logging level to DEBUG

```

# SYSTEM INFORMATION

## 8.1 versions

```
$ python -m abandi.lsversion
python          2.6.6
abandi          0.0.6
dosbox          0.74
openmsx         0.8.0
scummvm         1.2.1
soup            3.1.0.1
stella          3.1.2
vice            unknown
```

## 8.2 plugins

```
$ python -m abandi.lsplugin
abandoneer      game_source
abandonia       game_source
cache           downloader
curl            downloader
dosbox          runner
gb64            game_source
lxml            html_parser
openmsx         runner
oscomp          game_source
osd             game_source
scummvm         runner
soup            html_parser
stella          runner
urllib          downloader
vice            runner
```

## RELATED PROJECTS

- GameBase: Universal Emulator Frontend (<http://www.bu22.com/>)
- jGameBase: Java port of GameBase (<http://sourceforge.net/projects/jgamebase/>)
- Kamefu: the emulator frontend and collection manager for KDE
- Frontends for DOSBox : (<http://www.dosbox.com/wiki/DOSBoxFrontends>)
- Packaged games: <http://dosboxed-games.sandbox.cz>

---

# DEVELOPMENT

## 10.1 Tools

1. `setuptools`
2. `Paver`
3. `nose`
4. `ghp-import`
5. `pyflakes`
6. `pychecker`
7. `paved fork`
8. `Sphinx`
9. `sphinxcontrib-programsscreenshot`
10. `sphinxcontrib-paverutils`
11. `autorun` from `sphinx-contrib` (there is no simple method, you have to download/unpack/setup)

## 10.2 Install on ubuntu

```
sudo apt-get install python-setuptools
sudo apt-get install python-paver
sudo apt-get install python-nose
sudo easy_install ghp-import
sudo apt-get install pyflakes
sudo apt-get install pychecker
sudo easy_install https://github.com/ponty/paved/zipball/master
sudo apt-get install scrot
sudo apt-get install xvfb
sudo apt-get install xserver-xephyr
sudo apt-get install python-imaging
sudo apt-get install python-sphinx
sudo easy_install sphinxcontrib-programsscreenshot
sudo easy_install sphinxcontrib-programoutput
sudo easy_install sphinxcontrib-paverutils
```

## 10.3 Tasks

[Paver](#) is used for task management, settings are saved in `pavement.py`. [Sphinx](#) is used to generate documentation.

print [paver](#) settings:

```
paver printoptions
```

clean generated files:

```
paver clean
```

generate documentation under *docs/\_build/html*:

```
paver cog pdf html
```

upload documentation to [github](#):

```
paver ghpages
```

run unit tests:

```
paver nose
#or
nosetests --verbose
```

check python code:

```
paver pyflakes
paver pychecker
```

generate python distribution:

```
paver sdist
```

upload python distribution to [PyPI](#):

```
paver upload
```

# INDICES AND TABLES

- *genindex*
- *modindex*
- *search*