

# Day 6 Cheatsheet

## Data Manipulation

### Major concepts:

- Wide data - multiple columns per individual, values spread across multiple columns
- Long data - multiple rows per observation, a single column contains the values

### Functions

Library/Package	Piece of code	Example of usage	What it does
dplyr	separate()	df %>% separate(x, c("A", "B"))	Separate a character column into multiple columns with a regular expression or numeric locations
dplyr	unite()	df %>% unite("z", x:y, remove = FALSE)	Unite multiple columns together into one column
tidyr	pivot_longer()	df %>% pivot_longer(!col_to_keep, names_to = "new_col_with_labels", values_to = "new_col_with_values")	Lengthens a data frame by increasing the number of rows and decreasing the number of columns.
tidyr	pivot_wider()	df %>% pivot_wider(names_from = "col_with_names", values_from = "col_with_values")	Widens a data frame by decreasing the number of rows and increasing the number of columns.
dplyr	?_join()	inner_join(x, y)	Joins data from two data frames. <b>inner_join</b> - only rows that match for x and y are kept. <b>full_join</b> - all rows of x and y are kept. <b>left_join</b> - all rows of x are kept even if not merged with y. <b>right_join</b> - all rows of y are kept even if not merged with x. <b>anti_join</b> - all rows from x not in y keeping just columns from x.
Base R	duplicated()	duplicated(x)	Determines and removes duplicate elements from x.

Library/Package	Piece of code	Example of usage	What it does
Base R	<code>t()</code>	Transpose	Returns the transpose of a matrix or data frame. If given a data frame, returns a matrix.

## Data Visualization with **esquisse**

### Major concepts

- The **esquisse** package can help you to test out plots and get familiar with the syntax required to make plots

### Functions

Library/Package	Piece of code	Example of usage	What it does
<b>esquisse</b>	<code>esquisser()</code>	<code>esquisser(Orange)</code>	Start an <b>esquisse</b> interactive session to create a plot of the given <code>data.frame</code> or <code>tibble</code>

\* This format was adapted from the cheatsheet format from AlexsLemonade.