## btf

## July 23, 2025

This file is part of CasADi.

CasADi -- A symbolic framework for dynamic optimization.

Copyright (C) 2010-2023 Joel Andersson, Joris Gillis, Moritz Diehl,

KU Leuven. All rights reserved.

Copyright (C) 2011-2014 Greg Horn

CasADi is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 3 of the License, or (at your option) any later version.

CasADi is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with CasADi; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

```
[1]: from casadi import * import numpy
```

Let's construct a block diagonal structure

```
[2]: b1 = DM([[2,3],[4,5]])

b2 = DM([[6,7,8],[9,10,11],[12,13,14]])

A = diagcat(1,b1,b2,15)
```

```
[3]: print("original: ") print(A)
```

## original:

```
[[1, 00, 00, 00, 00, 00, 00], [00, 2, 3, 00, 00, 00, 00], [00, 4, 5, 00, 00, 00, 00], [00, 00, 00, 6, 7, 8, 00],
```

```
[00, 00, 00, 9, 10, 11, 00],
     [00, 00, 00, 12, 13, 14, 00],
     [00, 00, 00, 00, 00, 00, 15]]
    Ruin the nice structure
[4]: numpy.random.seed(0)
     p1 = numpy.random.permutation(A.size1())
     p2 = numpy.random.permutation(A.size2())
[5]: S = A[p1,:]
     \#S = A[p1, p2]
[6]: print("randomly permuted: ")
     print(S)
     nb, rowperm, colperm, rowblock, colblock, coarse_rowblock, coarse_colblock = S.
      ⇔sparsity().btf()
    randomly permuted:
    [[00, 00, 00, 00, 00, 00, 15],
     [00, 4, 5, 00, 00, 00, 00],
     [00, 2, 3, 00, 00, 00, 00],
     [00, 00, 00, 6, 7, 8, 00],
     [1, 00, 00, 00, 00, 00, 00],
     [00, 00, 00, 12, 13, 14, 00],
     [00, 00, 00, 9, 10, 11, 00]]
[7]: print("number of blocks: ", nb)
     print("rowperm: ", rowperm)
     print("colperm: ", colperm)
     print("restored:")
     print(S[rowperm,colperm])
     print("rowblock: ", rowblock)
     print("colblock: ", colblock)
     print("coarse_rowblock: ", coarse_rowblock)
     print("coarse_colblock: ", coarse_colblock)
    number of blocks: 4
              [0, 1, 2, 3, 5, 6, 4]
    rowperm:
              [6, 1, 2, 3, 4, 5, 0]
    colperm:
    restored:
    [[15, 00, 00, 00, 00, 00, 00],
     [00, 4, 5, 00, 00, 00, 00],
     [00, 2, 3, 00, 00, 00, 00],
     [00, 00, 00, 6, 7, 8, 00],
     [00, 00, 00, 12, 13, 14, 00],
```

[00, 00, 00, 9, 10, 11, 00],

[00, 00, 00, 00, 00, 00, 1]]
rowblock: [0, 1, 3, 6, 7]
colblock: [0, 1, 3, 6, 7]

coarse\_rowblock: [0, 0, 0, 7, 7]
coarse\_colblock: [0, 0, 7, 7, 7]