




Mt. Auburn Cemetery, 2024 Summary




The **353** total surveys conducted at **Mt. Auburn Cemetery** this year ranks **19th** out of the **78** sites that participated in 2024.

Top Participants of 2024

User	Surveys	Arthropods	Caterpillars	% Caterpillars
S Gray	28	73	22	14.29
E Ellingwood	8	15	1	12.50
K Toma-Lee	44	815	3	6.82
A Mertl	105	233	8	6.67
M Granfield	30	33	3	6.67
A Tramontano	23	56	1	4.35
K Hannon	15	14	0	0.00
M Otteson	35	36	0	0.00


Caterpillar Phenology

As a major source of food for nestlings of migratory birds, we are especially interested in the timing of caterpillar availability. At **Mt. Auburn Cemetery** in **2024**, caterpillar occurrence peaked at **20%** of surveys on **5 September**. Do you see other peaks as well? How does the pattern compare to the previous year?




Other Arthropod Phenology

While caterpillars tend to have pronounced seasonal peaks, other groups are more variable. What patterns do you see below for **2024**? You can explore the phenology of other groups on the ***Caterpillars Count!*** website.




Arthropod Trends

Annual monitoring is critical for assessing the health of ecosystems and evaluating the impacts of environmental change that may be happening in your area. There have been worrying reports of insect declines around the world but there is much we don't know, so your efforts help to fill in pieces of the puzzle. Keep it up!



Above you can see how the proportion of surveys with caterpillars has varied over time at your site, with the trend for one of our flagship sites, **NC Botanical Garden**, for comparison. If you've surveyed for at least 3 years, then you will also see the average dashed trend line displayed.

Below are trends for some other common arthropod groups. Do the different groups go up and down in sync, or seem to vary independently?




You can explore trends for more arthropod groups, and compare trends at different sites, on your site's **Trends Page**. See also our **November 2021 newsletter** for more on how to interpret these trends.

Site Arthropod Composition

Some arthropods are more commonly encountered than others. The graph below portrays the occurrence (proportion of surveys where a given group was found) for each arthropod group found at your site. See how what was found varies by year (if the site has been participating for multiple years), and how it compares to what has been found across all sites in the **Caterpillars Count!** network (*right bar*).



- What are the most common arthropod groups found at your site?
- Has that varied by year?
- Is anything noticeably different about **Mt. Auburn Cemetery** compared to all other participating sites?
- If arthropod photos were submitted as part of your site's surveys, check the last section of this report for a summary of any finer taxonomic id's that have been made.



Arthropod Composition by Plant Species

For some arthropods like spiders, trees and leaves are merely habitat—a place where they live, hide, and hunt. For others like caterpillars, the leaves are not just habitat, but also food.


- Which plant species supports the most arthropods per survey?
- Which plant species supports the most **caterpillars**?
- Are any plant species dominated by just one or two types of arthropods?
- Or do they support a diversity of arthropod types?




This bottom panel shows, of the arthropods found on a given plant species, what proportion were from each taxonomic group. At most, only the top 25 plant species are shown.

Broader Patterns

Thanks to participants like yourself, **Caterpillars Count!** observers have now submitted a total of **310,306** arthropod observations—including **20,843 caterpillars**—from **257** different sites.



Across all surveys ever done at **Mt. Auburn Cemetery**, caterpillars have been found **5.9%** of the time, which ranks **90th** across the **189** sites with ≥ 20 surveys. The top 10 sites are shown for comparison.



Caterpillar occurrence and phenology vary as a function of climate, land cover, tree species, and other local factors, and **your data** are helping us understand this variation and what it might mean for birds. Thank you for participating in **Caterpillars Count!**

Expert Identifications

840 photo observations from **Caterpillars Count!** surveys have been submitted from your site which ranks **7th** out of the **177** sites with photos. You can check them all out at the site's **iNaturalist page**. Based on these photo observations, experts on **iNaturalist** have identified the following taxa, including at least **44** unique species. Taxa seen for the first time this year are marked with a *.

Caterpillars

Bucculatricidae
Bucculatrix sp.
Erebidae
Lymantria dispar
Geometridae
Operophtera brumata
Gracillariidae
Caloptilia sp.
Noctuidae
Amphipyra pyramidoides
Tortricidae

Moths, Butterflies

Lycaenidae*

Spiders

Anyphaenidae
Anyphaena sp.
Araneidae
Araneus sp.
Araniella displicata
Dictynidae*
Philodromidae
Philodromus rufus*
Salticidae
Paraphidippus aurantius
Theridiidae
Parasteatoda sp.*
Theridion sp.
Yunohamella lyricea*
Thomisidae
Misumessus oblongus*
Uloboridae
Uloborus glomosus

Grasshoppers, Crickets

Gryllidae
Cyrtophila columbiana*
Hapithus saltator

Oecanthidae
Oecanthus sp.
Tettigoniidae
Meconema thalassinum
Trigonidiidae
Anaxipha sp.
Phyllopalpus pulchellus

True Bugs

Miridae
Neolygus sp.
Campyloneura virgula
Reduviidae
Zelus sp.*
Tingidae
Corythucha sp.

Leafhoppers, Cicadas

Cicadellidae
Graphocephala coccinea
Graphocephala fennahi
Japananus hyalinus
Jikradia olitoria
Orientus ishidae
Clastopteridae
Clastoptera sp.
Derbidae
Cedusa sp.
Flatidae
Flatormenis proxima
Membracidae
Ophiderma evelyna

Aphids, Scales

Aphididae
Eucallipterus tiliae*
Hormaphididae
Hormaphis hamamelidis

Beetles

Cantharidae
Rhagonycha sp.
Cleridae
Coccinellidae
Chilocorus sp.
Harmonia axyridis
Psyllobora vigintimaculata

Curculionidae
Pseudoedophrys hilleri
Elateridae
Melanotus sp.
Lampyridae
Lucidota atra
Scarabaeidae

Bees, Wasps

Apidae
Nomada sp.
Apis mellifera
Bombus impatiens
Crabronidae
Trypoxylon sp.*
Cynipidae
Amphibolips quercusostensac
Callirhytis lanata
Eupelmidae
Halictidae
Agapostemon virescens
Scelionidae
Vespidae
Dolichovespula maculata

Ants

Formicidae
Camponotus pennsylvanicus
Lasius neoniger
Nylanderia flavipes
Prenolepis imparis

Flies

Anthomyiidae
Cecidomyiidae
 Contarinia sp.
 Macrodiplosis sp.
Chironomidae*
Clusiidae
Dolichopodidae
 Condylostylus caudatus
 Condylostylus siphon
 Condylostylus patibulatus
 Amblypsilopus sp.
Limoniidae
Polleniidae
 Pollenia sp.
Rhagionidae
Sarcophagidae
Sciaridae
Syrphidae
 Toxomerus geminatus
Tephritidae
 Rhagoletis suavis
Therevidae*
Tipulidae
 Nephrotoma sp.

Other observations

Blattodea
 Ectobius pallidus
Psocodea
 Graphopsocus cruciatus*
Pucciniales
 Gymnosporangiaceae*

Thank you for participating in **Caterpillars Count!** For a more in-depth exploration of the data check out our **Maps & Graphs page**. The raw data from your site, or any site, can be downloaded **here!**

We can't wait to see what you find next year!



Maple dagger caterpillar, *Acronicta retardata*, observed by *margiemcchemp* on July 2, 2024 at **ASRI Fort**, Rhode Island.

Allen Hurlbert

Director

Caterpillars Count!

caterpillarscount@gmail.com