



Forest Meadow (TNCA), 2019 Summary

Thank you for participating in **Caterpillars Count!** Here we provide a summary of what was found at your site this year. For a more in-depth exploration of the data check out our [Maps & Graphs](#) page. The raw data from your site, or any site, can be downloaded [here!](#)

Site Statistics

Forest Meadow (TNCA) joined **Caterpillars Count!** in **2019** and has **25** survey branches spread across **5** survey circles. This season (as of 27 September):

- **2** unique participant(s) submitted observations at your site,
- conducting **59** visual and **0** beat sheet surveys
- on **13** different dates
- observing a total of **118** arthropods
- including **4** caterpillars (present on **5.08%** of surveys).
- Across all years, **2** unique participants have conducted **59** total surveys.


The **59** total surveys conducted at **Forest Meadow (TNCA)** this year ranks **44th** out of the **54** sites that participated in 2019.

Top Participants of 2019

User	Surveys	Arthropods	Caterpillars	% Caterpillars
J Yokoyama	58	118	4	5.17
T H	1	0	0	0.00


Caterpillar Phenology

As a major source of food for nestlings of migratory birds, we are especially interested in the timing of caterpillar availability. At **Forest Meadow (TNCA)** in **2019**, caterpillar occurrence peaked at **25%** of surveys on **6 May**. Do you see other peaks as well?



Other Arthropod Phenology


While caterpillars tend to have pronounced seasonal peaks, other groups are more variable. What patterns do you see below for **2019**? You can explore the phenology of other groups on the [Caterpillars Count! website](#).



Site Arthropod Composition

Some arthropods are more commonly encountered than others. The graph below portrays the survey frequency of all arthropods **longer than 5 mm** that are more likely to be of interest to birds. See how what was found varies by year (if the site has been participating for multiple years), and how it compares to what has been found across all sites in the **Caterpillars Count!** network (*right bar*).



- What are the most common arthropod groups found at your site?
- Has that varied by year?
- Is anything noticeably different about **Forest Meadow (TNCA)** compared to all other participating sites?
- Don't forget that you can check out any of the arthropod photos submitted to **Caterpillars Count!** at the site's [iNaturalist page](#). See what's been identified by experts!



Arthropod Composition by Plant Species

For some arthropods like spiders, trees and leaves are merely habitat—a place where they live, hide, and hunt. For others like caterpillars, the leaves are not just habitat, but also food.


- Which plant species supports the most arthropods per survey? (only ≥ 5 mm shown)
- Which plant species supports the most **caterpillars**?
- Are any plant species dominated by just one or two types of arthropods?
- Or do they support a diversity of arthropod types?




This bottom panel shows, of the arthropods found on a given plant species, what proportion were from each taxonomic group. At most, only the top 25 plant species are shown.

Broader Patterns

Thanks to participants like yourself, **Caterpillars Count!** observers have now submitted a total of **96,392** arthropod observations—including **8,461 caterpillars**—from **67** different sites.



Across all surveys ever done at **Forest Meadow (TNCA)**, caterpillars have been found **5.1%** of the time, which ranks **38th** across sites. The top 10 sites (with ≥ 20 surveys) are shown below.



Caterpillar occurrence and phenology vary as a function of climate, land cover, tree species, and other local factors, and **your data** are helping us understand this variation and what it might mean for birds. Thank you for participating in **Caterpillars Count!**

We can't wait to see what you find next year!

Explore your data further on the **Caterpillars Count! website!**